

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on February 12, 2025, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
*1.	NH 0100(106)409, P 8042(00), P 8042(00) (PCN 01V7, 08DG, 08DH)	Lincoln SWPPP = 53.39 AC	3.261	Grading, Structure's (2-12x5 Precast RCBC, (2)12x10 CIP RCBC, 196.5' Steel Girder, 2-11x5 CIP RCBC, 9x5 Precast RCBC), PCC Surfacing, Curb & Gutter, Storm Sewer, Signals, Lighting	Veterans Pkwy - Fm Cliff Ave to Sycamore Ave
*2.	CIP 11120() (PCN X06Q)	Lincoln	1.220	Watermain and Sanitary Sewer	Southeastern Ave and Sycamore Ave in Sioux Falls
3.	P-PH 0028(36)355 (PCN 04HM)	Deuel, Hamlin SWPPP = 290.00 AC	9.372	Grading, Interim Surfacing, Replace Structure's (2-9x8 CIP or Precast RCBC, 2-10x9 CIP RCBC), Approach Slab	SD28 - Fm Estelline to SD15
4.	IM-CR 0291(139)4, 0009-291 (PCN 09E7, I7PL)	Clay, Union SWPPP = 5.45 AC	21.862	Cold Milling, Asphalt Concrete Resurfacing of Shoulders & Ramps & Crossroads, Durable Pavement Marking & Guardrail	I29 N & S - Fm North Sioux City to N of Exit 26 (SD50 - Vermillion)

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1. NH 0100(106)409, P 8042(00), P 8042(00)

Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107

Phone: 605/367-5680

DBE Goal: 3.000%

Contract Id: 9663

See Special Provisions for Completion Requirements

Work Type 1 or Work Type 3

1 Mobilization	LS	1.000
2 Incentive/Disincentive Pay	Day	0.000
3 Incentive/Disincentive Pay	Day	0.000
4 Incentive/Disincentive Pay	Day	0.000
5 Reestablish Right-of-Way and Property Corner	Each	149.000
6 Reestablish Public Land Survey System Corner	Each	3.000
7 Grade Staking	Mile	15.880
8 Final Cross Section Survey	Mile	3.152
9 Miscellaneous Staking	Mile	4.402
10 Slope Staking	Mile	3.152
11 Structure Staking	Each	8.000
12 Engineer Directed Surveying/Staking	Hour	60.000
13 Bridge Elevation Survey	LS	1.000
14 Construction Schedule, Category III	LS	1.000
15 Project Management, Category III	LS	1.000
16 Concrete Penetrating Sealer	SqYd	2,128.800
17 Training Program	Hour	2,000.000
18 Clear and Grub Tree	Each	50.000
19 Clearing	LS	1.000
20 Remove Delineator	Each	3.000
21 Remove Concrete Curb and/or Gutter	Ft	84.000
22 Remove Fence	Ft	12,691.000
23 Remove Asphalt Concrete Pavement	SqYd	3,715.100
24 Remove Concrete Pavement	SqYd	86.600
25 Remove Concrete Sidewalk	SqYd	74.600
26 Remove Luminaire Pole Footing	Each	1.000
27 Remove Sediment	CuYd	10.900
28 Remove Sediment Filter Bag	Ft	4,765.000
29 Remove Silt Fence	Ft	12,292.000
30 Salvage Traffic Sign	Each	13.000
31 Salvage Luminaire Pole	Each	1.000
32 Remove Sign for Reset	Each	1.000
33 Unclassified Excavation	CuYd	316,887.000
34 Borrow Unclassified Excavation	CuYd	1,100,306.000
35 Contractor Furnished Borrow Excavation	CuYd	154,703.000
36 Muck Excavation	CuYd	73,921.000
37 Undercutting	CuYd	23,492.000
38 Water for Embankment	MGal	10,404.500
39 Water for Granular Material	MGal	1,034.700
40 Water for Vegetation	MGal	25,139.900
41 Select Granular Backfill	Ton	36.700
42 Aggregate Column	CuYd	5,005.200
43 Placing Topsoil	CuYd	217,632.000
44 Contractor Furnished Topsoil	CuYd	11,343.000
45 Incidental Work, Grading	LS	1.000
46 Base Course	Ton	39,512.600
47 Base Course, Modified	Ton	8,765.000
48 Gravel Cushion	Ton	46,108.000
49 Granular Material	Ton	4,364.500
50 PG 64-34 Asphalt Binder	Ton	530.800
51 Class G Asphalt Concrete	Ton	9,478.000
52 Asphalt Concrete Composite	Ton	2,545.400
53 Compaction Sample	Each	6.000

54	SS-1h or CSS-1h Asphalt for Tack	Ton	14.300
55	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	6.000
56	Sand for Flush Seal	Ton	112.000
57	10" Nonreinforced PCC Pavement	SqYd	95,854.400
58	10" Miscellaneous PCC Pavement	SqYd	539.400
59	Concrete Barrier with Concrete Reinforced Footing	Ft	1,967.000
60	4" Barrier Type Colored Median PCC Pavement	SqYd	3,833.600
61	6" Barrier Type Colored Median PCC Pavement	SqYd	1,502.500
62	6" PCC Approach Pavement	SqYd	39.000
63	6" PCC Fillet Section	SqYd	200.100
64	Dowel Bar	Each	58,663.000
65	Structural Steel	LS	1.000
66	Membrane Sealant Expansion Joint	Ft	371.400
67	Bridge Painting	LS	1.000
68	Structure Excavation, Box Culvert	CuYd	678.000
69	Structure Excavation, Retaining Wall	CuYd	170.000
70	Foundation Preparation, Retaining Wall	CuYd	159.000
71	Pipe Culvert Undercut	CuYd	965.000
72	Box Culvert Undercut	CuYd	2,004.000
73	Bridge End Embankment	CuYd	4,034.000
74	Granular Bridge End Backfill	CuYd	318.700
75	Precast Concrete Headwall for Drain	Each	7.000
76	18" RCP Class 2, Furnish	Ft	10,922.000
77	18" RCP, Install	Ft	10,922.000
78	24" RCP Class 2, Furnish	Ft	3,586.000
79	24" RCP, Install	Ft	3,586.000
80	30" RCP Class 2, Furnish	Ft	1,200.000
81	30" RCP, Install	Ft	1,200.000
82	36" RCP Class 2, Furnish	Ft	962.000
83	36" RCP Class 4, Furnish	Ft	64.000
84	36" RCP Class 5, Furnish	Ft	64.000
85	36" RCP Class 5000D, Furnish	Ft	164.000
86	36" RCP, Install	Ft	1,254.000
87	42" RCP Class 2, Furnish	Ft	408.000
88	42" RCP Class 3, Furnish	Ft	70.000
89	42" RCP Class 4, Furnish	Ft	80.000
90	42" RCP Class 5, Furnish	Ft	120.000
91	42" RCP, Install	Ft	678.000
92	48" RCP Class 2, Furnish	Ft	630.000
93	48" RCP, Install	Ft	630.000
94	18" RCP Bend, Furnish	Each	1.000
95	18" RCP Bend, Install	Each	1.000
96	RCP Tee, Furnish	Each	2.000
97	RCP Tee, Install	Each	2.000
98	18" RCP Flared End, Furnish	Each	7.000
99	18" RCP Flared End, Install	Each	7.000
100	24" RCP Flared End, Furnish	Each	12.000
101	24" RCP Flared End, Install	Each	12.000
102	30" RCP Flared End, Furnish	Each	4.000
103	30" RCP Flared End, Install	Each	4.000
104	36" RCP Flared End, Furnish	Each	10.000
105	36" RCP Flared End, Install	Each	10.000
106	42" RCP Flared End, Furnish	Each	7.000
107	42" RCP Flared End, Install	Each	7.000
108	48" RCP Flared End, Furnish	Each	5.000
109	48" RCP Flared End, Install	Each	5.000

110	18" RCP Arch Class 2, Furnish	Ft	1,042.000
111	18" RCP Arch, Install	Ft	1,042.000
112	24" RCP Arch Class 2, Furnish	Ft	522.000
113	24" RCP Arch, Install	Ft	522.000
114	18" RCP Arch Flared End, Furnish	Each	6.000
115	18" RCP Arch Flared End, Install	Each	6.000
116	24" RCP Arch Flared End, Furnish	Each	3.000
117	24" RCP Arch Flared End, Install	Each	3.000
118	18" CMP 14 Gauge, Furnish	Ft	120.000
119	18" CMP, Install	Ft	120.000
120	24" CMP 14 Gauge, Furnish	Ft	52.000
121	24" CMP, Install	Ft	52.000
122	18" CMP Elbow, Furnish	Each	2.000
123	18" CMP Elbow, Install	Each	2.000
124	24" CMP Elbow, Furnish	Each	2.000
125	24" CMP Elbow, Install	Each	2.000
126	18" CMP Flared End, Furnish	Each	1.000
127	18" CMP Flared End, Install	Each	1.000
128	24" CMP Flared End, Furnish	Each	1.000
129	24" CMP Flared End, Install	Each	1.000
130	18" RCP to CMP Transition, Furnish	Each	1.000
131	18" Pipe Transition, Install	Each	1.000
132	24" RCP to CMP Transition, Furnish	Each	1.000
133	24" Pipe Transition, Install	Each	1.000
134	8" PVC Pipe	Ft	28.000
135	12" PVC Pipe	Ft	44.000
136	Class A45 Concrete, Bridge Deck	CuYd	623.000
137	Class A45 Concrete, Bridge	CuYd	259.600
138	Class A45 Concrete, Box Culvert	CuYd	1,064.400
139	Concrete Approach Slab for Bridge	SqYd	412.600
140	Concrete Approach Sleeper Slab for Bridge	SqYd	149.600
141	Anti-Graffiti Coating	SqFt	12,549.000
142	Install Dowel in Concrete	Each	376.000
143	Deck Drain, Girder Bridge	Each	8.000
144	Class M6 Concrete	CuYd	284.500
145	Controlled Density Fill	CuYd	181.000
146	Special Steel Railing	Ft	231.000
147	Steel Bicycle Railing on Concrete Barrier	Ft	320.000
148	Reinforcing Steel	Lb	282,198.000
149	Epoxy Coated Reinforcing Steel	Lb	10,319.000
150	Stainless Reinforcing Steel	Lb	136,381.000
151	Preboring Pile	Ft	1,242.000
152	HP 14x73 Steel Test Pile, Furnish and Drive	Ft	240.000
153	HP 14x73 Steel Bearing Pile, Furnish and Drive	Ft	5,060.000
154	MSE Wire Face Wall	SqFt	957.000
155	Granular Backfill for MSE Wire Face Wall	CuYd	461.000
156	9'x5' Precast Concrete Box Culvert, Furnish	Ft	138.000
157	9'x5' Precast Concrete Box Culvert, Install	Ft	138.000
158	9'x5' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
159	9'x5' Precast Concrete Box Culvert End Section, Install	Each	2.000
160	2-12'x5' Precast Concrete Box Culvert, Furnish	Ft	198.000
161	2-12'x5' Precast Concrete Box Culvert, Install	Ft	198.000
162	2-12'x5' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
163	2-12'x5' Precast Concrete Box Culvert End Section, Install	Each	2.000
164	Type III Field Laboratory	Each	1.000
165	Type 1 Right-of-Way Fence	Ft	3,005.000

166	Type 2 Right-of-Way Fence	Ft	3,307.000
167	Type 1 Temporary Fence	Ft	124.000
168	Type 2 Temporary Fence	Ft	439.000
169	2 Post Panel	Each	65.000
170	3 Post Panel	Each	4.000
171	Special 4' Chain Link Fence	Ft	510.000
172	Concrete Barrier End Protection	Each	4.000
173	Concrete Barrier End Protection Module Set or Repair Kit	Each	2.000
174	2.0"x2.0" Perforated Tube Post	Ft	302.900
175	4"x4" White Delineator with 1.12 Lb/Ft Post	Each	13.000
176	4"x8" White Delineator with 1.12 Lb/Ft Post	Each	13.000
177	Type 2 Object Marker Back to Back	Each	60.000
178	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	295.000
179	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	184.500
180	Reset Sign	Each	1.000
181	Type 3 Single Sided Barricade	Ft	72.000
182	Cold Applied Plastic Pavement Marking, 4"	Ft	21,159.000
183	Cold Applied Plastic Pavement Marking, 4" with Contrast Border	Ft	17,106.000
184	Cold Applied Plastic Pavement Marking, 24"	Ft	284.000
185	Cold Applied Plastic Pavement Marking, Arrow	Each	69.000
186	Preformed Thermoplastic Pavement Marking, 4" with Contrast Border	Ft	204.000
187	Preformed Thermoplastic Pavement Marking, 24"	Ft	1,898.000
188	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	21,159.000
189	Grooving for Cold Applied Plastic Pavement Marking, 4" with Contrast Border	Ft	17,310.000
190	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	2,182.000
191	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	69.000
192	Traffic Control Signs	SqFt	394.500
193	Traffic Control, Miscellaneous	LS	1.000
194	Traffic Control Supervisor	LS	1.000
195	Type 3 Barricade	Each	10.000
196	Type C Advance Warning Arrow Board	Each	1.000
197	Remove Pavement Marking, 4" or Equivalent	Ft	500.000
198	Temporary Pavement Marking	Ft	800.000
199	Detour and Restriction Signing	SqFt	1,204.300
200	Temporary Business Signing	SqFt	591.700
201	Contractor Furnished Portable Changeable Message Sign	Each	4.000
202	Longitudinal Pedestrian Barricade	Ft	30.000
203	Temporary Curb Ramp	Each	1.000
204	Longitudinal Pedestrian Barrier	Ft	50.000
205	Temporary Sidewalk	SqFt	100.000
206	Breakaway Base Luminaire Pole with Arm, 50' Mounting Height	Each	67.000
207	Breakaway Base Luminaire Pole with Twin Arms, 40' Mounting Height	Each	20.000
208	Breakaway Base Luminaire Pole with Twin Arms, 50' Mounting Height	Each	2.000
209	Signal Pole with 70' Mast Arm	Each	1.000
210	Signal Pole with 65' Mast Arm and Luminaire Arm	Each	2.000
211	Signal Pole with 70' Mast Arm and Luminaire Arm	Each	1.000
212	Signal Pole with 75' Mast Arm and Luminaire Arm	Each	2.000
213	Signal Pole with 75' Mast Arm and Twin Luminaire Arms	Each	2.000
214	Under Bridge Deck Luminaire, LED	Each	4.000
215	Tunnel Luminaire, LED	Each	24.000
216	Roadway Luminaire, LED with Photoelectric Cell	Each	120.000
217	3 Section Vehicle Signal Head	Each	34.000
218	4 Section Vehicle Signal Head	Each	4.000
219	3 Section Directional Vehicle Signal Head	Each	18.000
220	2' Diameter Footing	Ft	714.000
221	3' Diameter Footing	Ft	28.000

222	4' Diameter Footing	Ft	90.000
223	Special Electrical Junction Box	Each	102.000
224	Surface Mounted Junction Box	Each	2.000
225	Electrical Service Cabinet	Each	4.000
226	Circuit Control Center	Each	3.000
227	Traffic Signal Controller	Each	2.000
228	Side Mounted Cabinet	Each	4.000
229	Battery Backup System for Traffic Signal	Each	2.000
230	Video Detection System	Each	2.000
231	Emergency Vehicle Preemption Unit	Each	2.000
232	Optical Detector	Each	8.000
233	Surveillance Camera	Each	4.000
234	Accessible Pedestrian Signal	Each	16.000
235	Pedestrian Push Button Pole	Each	16.000
236	Pedestrian Signal Head with Countdown Timer	Each	16.000
237	Pedestrian Crossing Sign	Each	16.000
238	Miscellaneous, Electrical	LS	1.000
239	Furnish Signal Pole with Mast Arm	Each	2.000
240	Locator Ball	Each	2.000
241	1.5" Rigid Galvanized Steel Conduit	Ft	880.000
242	4" Rigid Galvanized Steel Conduit	Ft	4,537.000
243	1" Rigid Conduit, Schedule 40	Ft	405.000
244	2" Rigid Conduit, Schedule 40	Ft	25,800.000
245	4" Rigid Conduit, Schedule 40	Ft	310.000
246	2" Rigid Conduit, Schedule 80	Ft	3,510.000
247	3" Rigid Conduit, Schedule 80	Ft	2,860.000
248	1/2" Innerduct, SDR 13.5	Ft	4,850.000
249	1" Innerduct, SDR 13.5	Ft	30,460.000
250	1.5" Innerduct, SDR 13.5	Ft	290.000
251	2/2/2/4 Aluminum Wire	Ft	30,410.000
252	3/C #0000 AWG Aluminum Wire	Ft	935.000
253	1/C #4 AWG Copper Wire	Ft	1,535.000
254	1/C #6 AWG Copper Wire	Ft	880.000
255	1/C #10 AWG Copper Wire	Ft	4,170.000
256	1/C #12 AWG Copper Wire	Ft	20,710.000
257	1/C #14 AWG Copper Wire	Ft	2,035.000
258	2/C #14 AWG IMSA Copper Cable, K1	Ft	565.000
259	3/C #14 AWG IMSA Copper Cable, K1	Ft	240.000
260	5/C #14 AWG IMSA Copper Cable, K1	Ft	3,295.000
261	7/C #14 AWG IMSA Copper Cable, K1	Ft	220.000
262	25/C #14 AWG IMSA Copper Cable, K1	Ft	2,305.000
263	2/C #10 AWG Copper Pole and Bracket Cable	Ft	7,640.000
264	Preemption Cable	Ft	6,050.000
265	24 Strand Fiber Optic Cable	Ft	21,250.000
266	Modified Type B66 Concrete Curb and Gutter	Ft	6,242.000
267	Type B610 Concrete Curb and Gutter	Ft	480.000
268	Type BL66 Concrete Curb and Gutter	Ft	6,659.000
269	Type BL610 Concrete Curb and Gutter	Ft	368.000
270	Type F610 Concrete Curb and Gutter	Ft	18,837.000
271	Type FL610 Concrete Curb and Gutter	Ft	17,136.000
272	Type P10 Concrete Gutter	Ft	316.000
273	6" Concrete Valley Gutter	Ft	60.000
274	6" Concrete Sidewalk	SqFt	59,325.000
275	6" Reinforced Concrete Sidewalk	SqFt	220.000
276	Type 1 Detectable Warnings	SqFt	352.000
277	Type B Frame and Grate	Each	224.000

278	Type C Frame and Grate	Each	9.000
279	Special Frame and Grate	Each	2.000
280	4' x 11' Precast Concrete Type S Drop Inlet Lid	Each	4.000
281	Precast Drop Inlet Collar	Each	138.000
282	Type A7 Manhole Frame and Lid	Each	5.000
283	4" Underdrain Pipe	Ft	1,951.000
284	Fiberglass Drain Pipe	Ft	204.000
285	Porous Backfill	Ton	1,271.200
286	Class A Riprap	Ton	170.200
287	Class B Riprap	Ton	765.200
288	Cover Crop Seeding	Bu	150.000
289	Type D Permanent Seed Mixture	Lb	6,052.000
290	Type G Permanent Seed Mixture	Lb	2,057.000
291	Special Permanent Seed Mixture 1	Lb	1,280.000
292	Fertilizing	Lb	13,733.000
293	Mulching	Ton	192.500
294	Fiber Mulching	Ton	3.000
295	Bonded Fiber Matrix	Ton	15.400
296	Sodding	SqYd	1,395.000
297	Soil Stabilizer	Acre	20.000
298	12" Diameter Erosion Control Wattle	Ft	844.000
299	Remove and Reset Erosion Control Wattle	Ft	212.000
300	Sediment Filter Bag	Ft	4,765.000
301	Surface Roughening	Acre	8.600
302	Low Flow Silt Fence	Ft	47,369.000
303	High Flow Silt Fence	Ft	1,800.000
304	Mucking Silt Fence	CuYd	3,411.000
305	Repair Silt Fence	Ft	12,292.000
306	Flocculent Housing Unit	Each	2.000
307	500K Gallon Treatment Flocculent Bag	Each	2.000
308	Sediment Control at Inlet with Frame and Grate	Each	138.000
309	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	48.000
310	Bridge Berm Slope Protection, Coated Crushed Aggregate	SqYd	125.000
311	Bridge Berm Slope Protection, Quarried Aggregate	SqYd	1,514.800
312	Dewatering	Hour	80.000
313	Sweeping	Hour	120.000
314	1 Gallon Perennial Plant, Furnish and Plant	Each	984.000
315	2.5" Caliper Deciduous Tree, Furnish and Plant	Each	45.000
316	1 Gallon Ornamental Grass, Furnish and Plant	Each	1,700.000
317	Type B Drainage Fabric	SqYd	1,244.000
318	Woven Separator Fabric	SqYd	37,666.000
319	Reinforcement Fabric (MSE)	SqYd	990.000
320	Geogrid Reinforcement	SqYd	522.000
321	Perforated Geocell	SqFt	1,050.000
322	Right of Way Marker	Each	108.000
323	Concrete Washout Facility	Each	5.000
324	Construction Entrance	Each	12.000
325	Landscape Edging	Ft	1,277.000
326	Weed Barrier Fabric	SqYd	606.000
327	4" Depth Shredded Bark Mulch	SqYd	934.000
328	Irrigation System	LS	1.000
329	Railroad Protective Insurance	LS	1.000

2. CIP 11120() Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107 Phone: 605/367-5680
Work Type 1 or Work Type 3 DBE Goal: NONE Contract Id: 9664 See Special Provisions for Completion Requirements
1 Mobilization LS 1.000

2	18" Steel Encasement Pipe	Ft	585.000
3	24" Steel Encasement Pipe	Ft	48.000
4	Install Carrier Pipe	Ft	385.000
5	1" High Density Polyethylene Pipe	Ft	30.000
6	6" PVC Water Main	Ft	75.000
7	8" PVC Water Main	Ft	42.000
8	12" PVC Water Main	Ft	49.000
9	16" PVC Water Main	Ft	920.000
10	16" PVC Restrained Joint Water Main	Ft	48.000
11	10" PVC Restrained Joint Sewer Main	Ft	385.000
12	8" PVC Sewer Pipe	Ft	391.000
13	10" PVC Sewer Pipe	Ft	900.000
14	12" PVC Sewer Pipe	Ft	435.000
15	16"x6" Pipe Tee	Each	2.000
16	16"x8" Pipe Tee	Each	1.000
17	16"x12" Pipe Tee	Each	1.000
18	1" Corporation Stop with Tapping Saddle	Each	1.000
19	12" Pipe Cap	Each	2.000
20	16" Pipe Cap	Each	1.000
21	8" Pipe Plug	Each	4.000
22	12" Pipe Plug	Each	1.000
23	18" Pipe Plug	Each	4.000
24	6" Retainer Gland	Each	8.000
25	8" Retainer Gland	Each	3.000
26	12" Retainer Gland	Each	7.000
27	16" Retainer Gland	Each	13.000
28	8" Pipe Sleeve	Each	1.000
29	16" Pipe Sleeve	Each	1.000
30	6" Gate Valve with Box	Each	2.000
31	12" Gate Valve with Box	Each	2.000
32	16" Gate Valve with Box	Each	1.000
33	Pipe Insulation	SqFt	960.000
34	6" Fire Hydrant Extension	Each	1.000
35	12" Fire Hydrant Extension	Each	1.000
36	18" Fire Hydrant Extension	Each	1.000
37	Standard Fire Hydrant	Each	2.000
38	Temporary Fire Hydrant	Each	1.000
39	Select Trench Backfill	Ton	590.000
40	Water Main Bedding Material	Ft	1,134.000
41	8" Sewer Pipe Bedding Material	Ft	391.000
42	10" Sewer Pipe Bedding Material	Ft	900.000
43	12" Sewer Pipe Bedding Material	Ft	435.000
44	Trench Dewatering	Ft	2,311.000
45	Trench Dewatering, Water Main	Ft	1,134.000
46	Trench 6' to 8' Deep	Ft	54.000
47	Trench 8' to 10' Deep	Ft	105.000
48	Trench 10' to 12' Deep	Ft	857.000
49	Trench 12' to 14' Deep	Ft	890.000
50	Trench 14' to 16' Deep	Ft	385.000
51	Adjust Water Valve Box	Each	7.000
52	Cut and Tie to Existing Water Main	Each	2.000
53	Locate Utilities	Each	4.000
54	Verify Utilities	Each	11.000
55	PVC Pipe Deflection Test	Ft	2,111.000
56	Pipe Exfiltration Test	Ft	2,111.000
57	48" Manhole 12' to 14' Deep	Each	1.000

45	Salvage and Stockpile Asphalt Mix Material	Ton	12,400.000
46	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	153,889.500
47	Asphalt Concrete Composite	Ton	86.200
48	Saw Joint in Asphalt Concrete	Ft	1,220.000
49	MC-70 Asphalt for Prime	Ton	302.300
50	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	43.700
51	Blotting Sand for Prime	Ton	734.200
52	Sand for Fog Seal	Ton	10.000
53	AE150S Asphalt for Surface Treatment	Ton	238.800
54	Type 3 Cover Aggregate	Ton	3,212.400
55	8" PCC Fillet Section	SqYd	30.200
56	Membrane Sealant Expansion Joint	Ft	75.800
57	Structure Excavation, Box Culvert	CuYd	213.000
58	Pipe Culvert Undercut	CuYd	871.000
59	Box Culvert Undercut	CuYd	456.000
60	18" RCP Class 2, Furnish	Ft	160.000
61	18" RCP, Install	Ft	160.000
62	24" RCP Class 2, Furnish	Ft	1,128.000
63	24" RCP Class 4, Furnish	Ft	304.000
64	24" RCP, Install	Ft	1,436.000
65	30" RCP Class 2, Furnish	Ft	246.000
66	30" RCP Class 4, Furnish	Ft	284.000
67	30" RCP, Install	Ft	530.000
68	36" RCP Class 2, Furnish	Ft	296.000
69	36" RCP Class 3, Furnish	Ft	134.000
70	36" RCP Class 4, Furnish	Ft	270.000
71	36" RCP, Install	Ft	700.000
72	42" RCP Class 2, Furnish	Ft	94.000
73	42" RCP, Install	Ft	94.000
74	48" RCP Class 4, Furnish	Ft	112.000
75	48" RCP, Install	Ft	112.000
76	18" RCP Flared End, Furnish	Each	1.000
77	18" RCP Flared End, Install	Each	1.000
78	36" RCP Flared End, Furnish	Each	10.000
79	36" RCP Flared End, Install	Each	10.000
80	42" RCP Flared End, Furnish	Each	2.000
81	42" RCP Flared End, Install	Each	2.000
82	48" RCP Flared End, Furnish	Each	2.000
83	48" RCP Flared End, Install	Each	2.000
84	24" RCP Sloped End, Furnish	Each	28.000
85	24" RCP Sloped End, Install	Each	28.000
86	30" RCP Sloped End, Furnish	Each	6.000
87	30" RCP Sloped End, Install	Each	6.000
88	30" RCP Arch Class 2, Furnish	Ft	268.000
89	30" RCP Arch, Install	Ft	268.000
90	36" RCP Arch Class 2, Furnish	Ft	312.000
91	36" RCP Arch, Install	Ft	312.000
92	42" RCP Arch Class 2, Furnish	Ft	390.000
93	42" RCP Arch, Install	Ft	390.000
94	48" RCP Arch Class 2, Furnish	Ft	234.000
95	48" RCP Arch, Install	Ft	234.000
96	36" RCP Arch Flared End, Furnish	Each	8.000
97	36" RCP Arch Flared End, Install	Each	8.000
98	42" RCP Arch Flared End, Furnish	Each	16.000
99	42" RCP Arch Flared End, Install	Each	16.000
100	30" RCP Arch Sloped End, Furnish	Each	8.000

101	30" RCP Arch Sloped End, Install	Each	8.000
102	18" CMP 14 Gauge, Furnish	Ft	140.000
103	18" CMP 16 Gauge, Furnish	Ft	1,810.000
104	18" CMP, Install	Ft	1,950.000
105	24" CMP 16 Gauge, Furnish	Ft	376.000
106	24" CMP, Install	Ft	376.000
107	54" CMP 16 Gauge, Furnish	Ft	60.000
108	54" CMP, Install	Ft	60.000
109	54" CMP Flared End, Furnish	Each	2.000
110	54" CMP Flared End, Install	Each	2.000
111	18" CMP Safety End, Furnish	Each	54.000
112	18" CMP Safety End, Install	Each	54.000
113	24" CMP Safety End, Furnish	Each	12.000
114	24" CMP Safety End, Install	Each	12.000
115	Class A45 Concrete, Box Culvert	CuYd	494.200
116	Concrete Approach Slab for Bridge	SqYd	172.400
117	Concrete Approach Sleeper Slab for Bridge	SqYd	40.000
118	Class M6 Concrete	CuYd	2.200
119	Controlled Density Fill	CuYd	91.000
120	Reinforcing Steel	Lb	96,318.000
121	No. 4 Rebar Splice	Each	28.000
122	No. 5 Rebar Splice	Each	32.000
123	No. 6 Rebar Splice	Each	44.000
124	Type II Field Laboratory	Each	1.000
125	Type 2 Right-of-Way Fence	Ft	49,765.000
126	Type 3 Right-of-Way Fence	Ft	4,991.000
127	Type 6 Right-of-Way Fence	Ft	1,902.000
128	Modified Type 3 Right-of-Way Fence	Ft	4,316.000
129	Type 1A Temporary Fence	Ft	4,609.000
130	Type 2 Temporary Fence	Ft	4,316.000
131	2 Post Panel	Each	168.000
132	3 Post Panel	Each	160.000
133	Type 1 MGS	Ft	350.000
134	Type 1 Retrofit Guardrail Transition	Each	4.000
135	MGS MASH Flared End Terminal	Each	4.000
136	2.0"x2.0" Perforated Tube Post	Ft	706.500
137	2.5"x2.5" Perforated Tube Post	Ft	115.000
138	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	73.000
139	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	6.000
140	Guardrail Delineator	Each	16.000
141	Type 2 Object Marker Back to Back	Each	155.000
142	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	582.300
143	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	104.400
144	Reset Sign	Each	29.000
145	High Build Waterborne Pavement Marking Paint, White	Gal	473.000
146	High Build Waterborne Pavement Marking Paint, Yellow	Gal	488.000
147	Flagging	Hour	150.000
148	Pilot Car	Hour	75.000
149	Traffic Control Signs	SqFt	975.500
150	Traffic Control, Miscellaneous	LS	1.000
151	Type 3 Barricade	Each	77.000
152	Detour and Restriction Signing	SqFt	1,234.800
153	Type B66 Concrete Curb and Gutter	Ft	7.000
154	Type A Frame and Grate	Each	2.000
155	Precast Drop Inlet Collar	Each	2.000
156	6" Corrugated Polyethylene Drainage Tubing	Ft	100.000

157	8" Corrugated Polyethylene Drainage Tubing	Ft	100.000
158	Class B Riprap	Ton	3,852.400
159	PVC Coated Bank and Channel Protection Gabion	CuYd	91.000
160	Cover Crop Seeding	Bu	100.000
161	Type G Permanent Seed Mixture	Lb	2,947.000
162	Fertilizing	Ton	56.700
163	Mulching	Ton	180.700
164	Fiber Reinforced Matrix	Ton	35.100
165	Soil Stabilizer	Acre	23.000
166	Type 3 Erosion Control Blanket	SqYd	20,078.000
167	Type 2 Turf Reinforcement Mat	SqYd	792.000
168	12" Diameter Erosion Control Wattle	Ft	2,100.000
169	Remove and Reset Erosion Control Wattle	Ft	525.000
170	Surface Roughening	Acre	23.000
171	Shaping for Erosion Control Blanket	Ft	11,061.000
172	Low Flow Silt Fence	Ft	10,202.000
173	High Flow Silt Fence	Ft	3,942.000
174	Mucking Silt Fence	CuYd	982.000
175	Repair Silt Fence	Ft	3,536.000
176	Temporary Diversion Channel for Fish Passage	Each	4.000
177	Type B Drainage Fabric	SqYd	6,233.000
178	Refurbish Single Mailbox	Each	12.000
179	Construction Entrance	Each	2.000
180	Structure Excavation, Box Culvert	CuYd	74.000
181	Box Culvert Undercut	CuYd	256.000
182	Class A45 Concrete, Box Culvert	CuYd	178.800
183	Reinforcing Steel	Lb	29,437.000
184	Class B Riprap	Ton	56.500
185	Type B Drainage Fabric	SqYd	69.000
186	Structure Excavation, Box Culvert	CuYd	62.000
187	Box Culvert Undercut	CuYd	243.000
188	2-10'x8' Precast Concrete Box Culvert, Furnish	Ft	84.000
189	2-10'x8' Precast Concrete Box Culvert, Install	Ft	84.000
190	2-10'x8' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
191	2-10'x8' Precast Concrete Box Culvert End Section, Install	Each	2.000
192	Class B Riprap	Ton	62.000
193	Type B Drainage Fabric	SqYd	74.000

4. IM-CR 0291(139)4, 0009-291 **Area Engineer: Greg Rothschadl, 1306 W 31st St, Yankton, SD, 57078-9662** **Phone: 605/668-2929**
Work Type 5 **DBE Goal: Not Specified** **Contract Id: 9693** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Checker	LS	1.000
3	Remove 3 Cable Guardrail	Ft	5,170.000
4	Remove Beam Guardrail	Ft	2,156.300
5	Remove 3 Cable Guardrail Anchor Assembly	Each	38.000
6	Remove Beam Guardrail Trailing End Terminal	Each	18.000
7	Remove W Beam Guardrail Breakaway Cable Terminal	Each	1.000
8	Remove W Beam Guardrail End Terminal	Each	17.000
9	Remove Asphalt Concrete Pavement	SqYd	6,092.000
10	Remove Concrete Pavement	SqYd	75.000
11	Remove Silt Fence	Ft	300.000
12	Unclassified Excavation, Digouts	CuYd	1,358.000
13	Contractor Furnished Borrow Excavation	CuYd	8,570.000
14	Shoulder Preparation	Mile	2.000
15	Remove and Replace Topsoil	LS	1.000
16	Base Course, Salvaged, State Furnished	Ton	3,599.200

17	Granular Material, Furnish	Ton	28,422.000
18	Blend and Stockpile Granular Material	Ton	62,704.400
19	Haul and Stockpile Asphalt Mix Material	Ton	31,122.000
20	PG 58-34 Asphalt Binder	Ton	2,206.100
21	Class HR Asphalt Concrete	Ton	62,691.200
22	Asphalt Concrete Composite	Ton	176.000
23	Compaction Sample	Each	6.000
24	Saw and Seal Shoulder Joint	Ft	441,833.000
25	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	89.200
26	SS-1h or CSS-1h Asphalt for Tack	Ton	172.600
27	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	91.600
28	Sand for Flush Seal	Ton	1,310.300
29	Cold Milling Asphalt Concrete	SqYd	426,503.000
30	Type III Field Laboratory	Each	1.000
31	High Tension 4 Cable Guardrail	Ft	9,420.000
32	High Tension Cable Guardrail Anchor Assembly	Each	46.000
33	Straight Class A Thrie Beam Guardrail with Wood Posts	Ft	375.000
34	Straight Double Class A Thrie Beam Guardrail with Wood Posts	Ft	237.500
35	Type 1 MGS	Ft	1,337.500
36	Type 2 MGS	Ft	275.000
37	Type 3 MGS	Ft	75.000
38	Type 1 Guardrail Transition	Each	2.000
39	Asymmetrical W Beam to Thrie Beam Guardrail Transition	Each	12.000
40	MGS MASH Tangent End Terminal	Each	18.000
41	Thrie Beam Guardrail Trailing End Terminal	Each	14.000
42	MGS Trailing End Terminal	Each	4.000
43	Guardrail Delineator	Each	368.000
44	Type 2 Object Marker	Each	42.000
45	High Build Waterborne Pavement Marking Paint, White	Gal	88.000
46	High Build Waterborne Pavement Marking Paint, Yellow	Gal	71.000
47	Durable Pavement Marking, 4" White	Ft	285,057.000
48	Durable Pavement Marking, 4" Yellow	Ft	223,553.000
49	Durable Pavement Marking, 12" White	Ft	8,231.000
50	Durable Pavement Marking, 24" White	Ft	480.000
51	Surface Preparation for Pavement Marking	Ft	558,423.000
52	Mobile Retroreflectorometer Measurements	Mile	48.094
53	Flagging	Hour	100.000
54	Traffic Control Signs	SqFt	1,483.000
55	Traffic Control, Miscellaneous	LS	1.000
56	Type 3 Barricade	Each	4.000
57	Temporary Flexible Vertical Markers (Tabs)	Ft	13,511.000
58	Temporary Raised Pavement Markers	Ft	3,840.000
59	Type C Advance Warning Arrow Board	Each	4.000
60	Erosion Control	LS	1.000
61	Low Flow Silt Fence	Ft	1,200.000
62	Mucking Silt Fence	CuYd	84.000
63	Repair Silt Fence	Ft	300.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1, 3 and 4 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION