

**Advertisement of Highway Bid Letting**

**The U.S. Department of Labor published an updated Davis-Bacon Highway-Heavy Construction Wage Decision for South Dakota. The wage rates are effective for SDDOT's highway construction contracts beginning February 4, 2026. Please refer to new wage rates within the advertised bid proposal package.**

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on February 18, 2026, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

| ITEM<br>NO.  | PROJECT<br>NUMBER           | COUNTRY                     | LENGTH |   | DESCRIPTION OF LOCATION   |
|--|-----------------------------|-----------------------------|--------|---|---|
|  |                             |                             | MILES  | TYPE OF WORK  |   |
| * 1.   | P-CR 0028(47)367 (PCN 06R7) | Deuel<br>SWPPP = 7.00 AC    | 0.529  | Urban Grading, Asphalt Concrete Surfacing, Curb & Gutter, Sidewalk, Lighting                      | SD28 - Through Toronto  |
| * 2.   | 674110 ( ) (PCN X06V)       | Deuel                       | 0.528  | Water Main  | SD28 - Through Toronto  |
| <p>Bidders on item #2 will be required to comply with the federal bid requirements and inclusions for projects involving D.A.N.R. clean water and drinking water State Revolving Fund (SRF) loans, EPA disadvantaged business enterprise (DBE) program, and the president's executive order nos. 11246 as amended, 11518 and 11625 as amended. The requirements for bidders and contractors under this regulation which concerns utilization of disadvantaged / minority business enterprises (DBE/MBE) and women's business enterprises (WBE) are explained in the state revolving fund (SRF) general conditions contained in the proposal. The DBE/MBE and WBE goals for participation in this contract in terms of percentage of contract value are: MBE/DBE = 1.5%; WBE = 2.4%. Contractors must also submit the MBE/WBE subcontractor solicitation information form (page MBE/WBE-6) and the certification regarding debarment, suspension and other responsibility matters (page debar-2) with the bid. Davis Bacon and related acts wages apply to this project. All provisions relative to those acts must be met. Inquiries regarding completion of these forms should be directed to: Sam Sapkota, Natural Resources Engineer, Environmental Funding Program, Dept. of Agriculture &amp; Natural Resources, Foss building, Pierre, SD (605)308-0157. The low responsive bidder will be required to certify to compliance with the Buy American Iron and Steel provision of the Consolidated Appropriations Act of 2014. This certification form may be found on page BA-2 of the State Revolving Fund (SRF) General Conditions and must be included in the bid proposal.</p> |                             |                             |        |   |   |
| 3.   | IM 0292(93)76 (PCN 092A)    | Minnehaha                   | 0.018  | LSDC Overlay, Concrete Barrier, Joints, Approach Slabs, Portland Cement Pavement, Pedestrian Rail | I29 - W 49th St 0.5 SW of 41st St Interch over I29  |
| 4.   | IM-P 0022(68) (PCN 06EN)    | Minnehaha, Moody            | ---    | Pipe Work, Ditch Cleanout, Bridge Berm Repairs, Erosion Repairs                                   | Various Locations Throughout the Sioux Falls Area   |
| 5.   | NH 0085(116)34 (PCN 08UX)   | Lawrence<br>SWPPP = 2.40 AC | 0.594  | Install NB & SB Left Turn Lane  | US85 - Intersection of Crook City Rd  |
| 6.   | P 0042(101) (PCN 09WA)      | Harding                     | 22.419 | Rout & Seal   | Various Locations in the Belle Fourche Area   |
| 7.   | IM 0902(196)59 (PCN 0AD0)   | Pennington                  | 3.070  | Interstate Fence  | I90 W - Fm Exit 59 (N Lacrosse) to Exit 60 (E North St), Exit 61 (US16B) to Exit 63 (Box Elder) |

\* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

| 1. | P-CR 0028(47)367   | Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201 | Phone: 605/882-5166  |
|----|--|--|--|
|    | Work Type 2 and Work Type 3 or Work Type 2 and Work Type 5   | DBE Goal: NONE   | Contract Id: 9946 See Special Provisions for Completion Requirements |
| 1  | Mobilization   | LS   | 1.000  |
| 2  | Reestablish Right-of-Way and Property Corner                 | Each   | 32.000   |
| 3  | Reestablish Public Land Survey System Corner                 | Each   | 1.000  |
| 4  | Grade Staking  | Mile   | 0.500  |
| 5  | Miscellaneous Staking  | Mile   | 0.500  |
| 6  | Slope Staking  | Mile   | 0.500  |
| 7  | Engineer Directed Surveying/Staking                          | Hour   | 40.000   |
| 8  | Checker  | LS   | 1.000  |
| 9  | Construction Schedule, Category III                          | LS   | 1.000  |
| 10 | Clear and Grub Tree  | Each   | 3.000  |
| 11 | Remove Traffic Sign  | Each   | 26.000   |
| 12 | Remove Concrete Curb and/or Gutter                           | Ft   | 2,203.000  |
| 13 | Remove Drop Inlet  | Each   | 6.000  |
| 14 | Remove Asphalt Concrete Approach Pavement                    | SqYd   | 215.700  |
| 15 | Remove Concrete Pavement                                     | SqYd   | 145.500  |
| 16 | Remove Concrete Driveway Pavement                            | SqYd   | 376.600  |
| 17 | Remove Concrete Sidewalk                                     | SqYd   | 1,827.700  |
| 18 | Remove Sediment  | CuYd   | 11.200   |
| 19 | Remove Erosion Control Wattle                                | Ft   | 100.000  |
| 20 | Remove Sediment Filter Bag                                   | Ft   | 1,174.000  |
| 21 | Remove Silt Fence  | Ft   | 414.000  |
| 22 | Remove Sign for Reset  | Each   | 2.000  |
| 23 | Unclassified Excavation                                      | CuYd   | 28,977.000   |
| 24 | Contaminated Material Excavation                             | CuYd   | 100.000  |
| 25 | Muck Excavation  | CuYd   | 53.000   |
| 26 | Undercutting   | CuYd   | 12,083.000   |
| 27 | Water for Embankment   | MGal   | 175.200  |
| 28 | Water for Granular Material                                  | MGal   | 134.600  |
| 29 | Water for Vegetation   | MGal   | 165.000  |
| 30 | Placing Topsoil  | CuYd   | 1,242.000  |
| 31 | Contractor Furnished Topsoil                                 | CuYd   | 20.000   |
| 32 | Incidental Work, Grading                                     | LS   | 1.000  |
| 33 | Base Course  | Ton  | 2,500.000  |
| 34 | Base Course, Salvaged  | Ton  | 10,629.000   |
| 35 | Gravel Cushion, Salvaged                                     | Ton  | 76.700   |
| 36 | Gravel Surfacing, Salvaged                                   | Ton  | 469.600  |
| 37 | Salvage and Stockpile Asphalt Mix and Granular Base Material | Ton  | 12,853.300   |
| 38 | PG 58H-34 Asphalt Binder                                     | Ton  | 237.300  |
| 39 | Class E Asphalt Concrete                                     | Ton  | 4,087.800  |
| 40 | Asphalt Concrete Composite                                   | Ton  | 60.000   |
| 41 | Compaction Sample  | Each   | 8.000  |
| 42 | MC-70 Asphalt for Prime                                      | Ton  | 18.500   |
| 43 | SS-1h or CSS-1h Asphalt for Tack                             | Ton  | 7.700  |
| 44 | SS-1h or CSS-1h Asphalt for Flush Seal                       | Ton  | 3.000  |
| 45 | Blotting Sand for Prime                                      | Ton  | 76.300   |
| 46 | Sand for Flush Seal  | Ton  | 58.400   |
| 47 | 6" PCC Driveway Pavement                                     | SqYd   | 243.200  |

|     |   |      |            |
|-----|---|------|------------|
| 48  | 6" PCC Approach Pavement  | SqYd | 301.100    |
| 49  | 8" PCC Approach Pavement  | SqYd | 461.100    |
| 50  | 8" PCC Fillet Section   | SqYd | 149.500    |
| 51  | 18" RCP Class 2, Furnish  | Ft   | 1,488.000  |
| 52  | 18" RCP, Install  | Ft   | 1,488.000  |
| 53  | 24" RCP Class 2, Furnish  | Ft   | 476.000    |
| 54  | 24" RCP, Install  | Ft   | 476.000    |
| 55  | 30" RCP Class 2, Furnish  | Ft   | 684.000    |
| 56  | 30" RCP, Install  | Ft   | 684.000    |
| 57  | 36" RCP Class 2, Furnish  | Ft   | 90.000     |
| 58  | 36" RCP, Install  | Ft   | 90.000     |
| 59  | 36" RCP Flared End, Furnish                                     | Each | 1.000      |
| 60  | 36" RCP Flared End, Install                                     | Each | 1.000      |
| 61  | 30" RCP Sloped End, Furnish                                     | Each | 1.000      |
| 62  | 30" RCP Sloped End, Install                                     | Each | 1.000      |
| 63  | 18" RCP Safety End, Furnish                                     | Each | 2.000      |
| 64  | 18" RCP Safety End, Install                                     | Each | 2.000      |
| 65  | 18" CMP 16 Gauge, Furnish                                       | Ft   | 64.000     |
| 66  | 18" CMP, Install  | Ft   | 64.000     |
| 67  | 30" CMP 16 Gauge, Furnish                                       | Ft   | 52.000     |
| 68  | 30" CMP, Install  | Ft   | 52.000     |
| 69  | 18" CMP Safety End, Furnish                                     | Each | 2.000      |
| 70  | 18" CMP Safety End, Install                                     | Each | 2.000      |
| 71  | 30" CMP Safety End, Furnish                                     | Each | 2.000      |
| 72  | 30" CMP Safety End, Install                                     | Each | 2.000      |
| 73  | 48" CMP Arch 14 Gauge, Furnish                                  | Ft   | 48.000     |
| 74  | 48" CMP Arch, Install   | Ft   | 48.000     |
| 75  | 48" CMP Arch Safety End, Furnish                                | Each | 2.000      |
| 76  | 48" CMP Arch Safety End, Install                                | Each | 2.000      |
| 77  | Adjust Water Valve Box  | Each | 21.000     |
| 78  | Class M6 Concrete   | CuYd | 77.600     |
| 79  | Pipe Handrail   | Ft   | 76.000     |
| 80  | Reinforcing Steel   | Lb   | 10,864.000 |
| 81  | Epoxy Coated Reinforcing Steel                                  | Lb   | 409.000    |
| 82  | Type III Field Laboratory                                       | Each | 1.000      |
| 83  | 2.0"x2.0" Perforated Tube Post                                  | Ft   | 423.000    |
| 84  | Flat Aluminum Sign, Nonremovable Copy High Intensity            | SqFt | 219.200    |
| 85  | Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity | SqFt | 52.800     |
| 86  | Reset Sign  | Each | 2.000      |
| 87  | Cold Applied Plastic Pavement Marking, 24"                      | Ft   | 1,122.000  |
| 88  | Cold Applied Plastic Pavement Marking, Symbol                   | Each | 7.000      |
| 89  | High Build Waterborne Pavement Marking Paint, 4" White          | Ft   | 4,750.000  |
| 90  | High Build Waterborne Pavement Marking Paint, 4" Yellow         | Ft   | 4,650.000  |
| 91  | Grooving for Cold Applied Plastic Pavement Marking, 24"         | Ft   | 1,122.000  |
| 92  | Grooving for Cold Applied Plastic Pavement Marking, Symbol      | Each | 7.000      |
| 93  | Curb Painting   | Ft   | 660.000    |
| 94  | Flagging  | Hour | 400.000    |
| 95  | Pilot Car   | Hour | 150.000    |
| 96  | Traffic Control Signs   | SqFt | 568.000    |
| 97  | Traffic Control, Miscellaneous                                  | LS   | 1.000      |
| 98  | Type 3 Barricade  | Each | 2.000      |
| 99  | Temporary Raised Pavement Markers                               | Ft   | 6,092.000  |
| 100 | Tubular Marker  | Each | 122.000    |
| 101 | Temporary Pavement Marking                                      | Ft   | 11,184.000 |
| 102 | Detour and Restriction Signing                                  | SqFt | 478.200    |
| 103 | Longitudinal Pedestrian Barricade                               | Ft   | 48.000     |

|     |   |      |           |
|-----|---|------|-----------|
| 104 | Temporary Pedestrian Access Route                           | LS   | 1.000     |
| 105 | Temporary Curb Ramp   | Each | 2.000     |
| 106 | Breakaway Base Luminaire Pole with Arm, 50' Mounting Height | Each | 11.000    |
| 107 | Roadway Luminaire, LED with Photoelectric Cell              | Each | 11.000    |
| 108 | 2.5' Diameter Footing                                       | Ft   | 99.000    |
| 109 | Type 1 Electrical Junction Box                              | Each | 5.000     |
| 110 | Electrical Service Cabinet                                  | Each | 1.000     |
| 111 | 2" Rigid Conduit, Schedule 40                               | Ft   | 1,690.000 |
| 112 | 3" Rigid Conduit, Schedule 40                               | Ft   | 170.000   |
| 113 | 2" Rigid Conduit, Schedule 80                               | Ft   | 640.000   |
| 114 | 3" Rigid Conduit, Schedule 80                               | Ft   | 65.000    |
| 115 | 1/C #2 AWG Copper Wire                                      | Ft   | 2,485.000 |
| 116 | 1/C #4 AWG Copper Wire                                      | Ft   | 6,215.000 |
| 117 | 1/C #6 AWG Copper Wire                                      | Ft   | 2,410.000 |
| 118 | 1/C #10 AWG Copper Wire                                     | Ft   | 100.000   |
| 119 | 1/C #14 AWG Copper Wire                                     | Ft   | 1,155.000 |
| 120 | 2/C #10 AWG Copper Pole and Bracket Cable                   | Ft   | 770.000   |
| 121 | Type B68 Concrete Curb and Gutter                           | Ft   | 1,894.000 |
| 122 | Type F68 Concrete Curb and Gutter                           | Ft   | 881.000   |
| 123 | Type B6 Concrete Curb                                       | Ft   | 80.000    |
| 124 | Type P8 Concrete Gutter                                     | Ft   | 604.000   |
| 125 | 8" Concrete Valley Gutter                                   | Ft   | 172.000   |
| 126 | 4" Concrete Sidewalk  | SqFt | 8,570.000 |
| 127 | 6" Concrete Sidewalk  | SqFt | 3,362.000 |
| 128 | 4" Colored Concrete Sidewalk                                | SqFt | 5,242.000 |
| 129 | 6" Colored Concrete Sidewalk                                | SqFt | 1,464.000 |
| 130 | Type 1 Detectable Warnings                                  | SqFt | 300.000   |
| 131 | Type B Frame and Grate                                      | Each | 34.000    |
| 132 | Type C Frame and Grate                                      | Each | 7.000     |
| 133 | Precast Drop Inlet Collar                                   | Each | 34.000    |
| 134 | PVC Coated Bank and Channel Protection Gabion               | CuYd | 16.500    |
| 135 | Type D Permanent Seed Mixture                               | Lb   | 692.000   |
| 136 | Fertilizing   | Ton  | 1.900     |
| 137 | Fiber Reinforced Matrix                                     | Ton  | 3.400     |
| 138 | Type 3 Erosion Control Blanket                              | SqYd | 462.000   |
| 139 | 12" Diameter Erosion Control Wattle                         | Ft   | 400.000   |
| 140 | Remove and Reset Erosion Control Wattle                     | Ft   | 100.000   |
| 141 | Sediment Filter Bag   | Ft   | 1,176.000 |
| 142 | Remove and Reset Sediment Filter Bag                        | Ft   | 294.000   |
| 143 | Shaping for Erosion Control Blanket                         | Ft   | 119.000   |
| 144 | Low Flow Silt Fence   | Ft   | 600.000   |
| 145 | High Flow Silt Fence  | Ft   | 1,054.000 |
| 146 | Mucking Silt Fence  | CuYd | 115.000   |
| 147 | Repair Silt Fence   | Ft   | 414.000   |
| 148 | Sediment Control at Inlet with Frame and Grate              | Each | 41.000    |
| 149 | Dewatering  | LS   | 1.000     |
| 150 | Sweeping  | Hour | 10.000    |
| 151 | Type B Drainage Fabric                                      | SqYd | 49.000    |
| 152 | Reinforcement Fabric (MSE)                                  | SqYd | 3,194.000 |
| 153 | Orange Plastic Safety Fence                                 | Ft   | 200.000   |
| 154 | Construction Entrance                                       | Each | 1.000     |

2. **674110 ( )** **Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201** **Phone: 605/882-5166**  
**Work Type 2 and Work Type 3 or** **DBE Goal: 3.900%** **Contract Id: 9947** **See Special Provisions for Completion Requirements**  
**Work Type 2 and Work Type 5**

|   |                  |      |        |
|---|------------------|------|--------|
| 1 | Mobilization     | LS   | 1.000  |
| 2 | Remove Curb Stop | Each | 14.000 |

|    |   |      |           |
|----|---|------|-----------|
| 3  | Remove Fire Hydrant                     | Each | 6.000     |
| 4  | Remove Valve Box                        | Each | 10.000    |
| 5  | Remove Water Main                       | Ft   | 224.000   |
| 6  | 1" High Density Polyethylene Pipe       | Ft   | 1,019.000 |
| 7  | 4" PVC Water Main                       | Ft   | 22.000    |
| 8  | 6" PVC Water Main                       | Ft   | 1,972.000 |
| 9  | 8" PVC Water Main                       | Ft   | 20.000    |
| 10 | 6" PVC Restrained Joint Water Main      | Ft   | 750.000   |
| 11 | 8" PVC Restrained Joint Water Main      | Ft   | 132.000   |
| 12 | 6"x4" Pipe Tee                          | Each | 2.000     |
| 13 | 6"x6" Pipe Tee                          | Each | 8.000     |
| 14 | 8"x8" Pipe Tee                          | Each | 1.000     |
| 15 | 6"x6" Pipe Cross                        | Each | 2.000     |
| 16 | 6"x4" Pipe Reducer                      | Each | 2.000     |
| 17 | 1" Corporation Stop with Tapping Saddle | Each | 25.000    |
| 18 | 1" Curb Stop with Box                   | Each | 25.000    |
| 19 | 4" Pipe Bend                            | Each | 1.000     |
| 20 | 6" Pipe Bend                            | Each | 13.000    |
| 21 | 8" Pipe Bend                            | Each | 2.000     |
| 22 | 6" Pipe Cap                             | Each | 7.000     |
| 23 | 8" Pipe Cap                             | Each | 2.000     |
| 24 | 8" Pipe Plug                            | Each | 1.000     |
| 25 | 4" Pipe Sleeve                          | Each | 1.000     |
| 26 | 6" Pipe Sleeve                          | Each | 6.000     |
| 27 | 8" Pipe Sleeve                          | Each | 3.000     |
| 28 | 4" Gate Valve with Box                  | Each | 1.000     |
| 29 | 6" Gate Valve with Box                  | Each | 24.000    |
| 30 | 8" Gate Valve with Box                  | Each | 1.000     |
| 31 | Valve Box Extension                     | Each | 5.000     |
| 32 | Pipe Insulation                         | SqFt | 100.000   |
| 33 | 6" Fire Hydrant Extension               | Each | 1.000     |
| 34 | 12" Fire Hydrant Extension              | Each | 1.000     |
| 35 | Standard Fire Hydrant                   | Each | 7.000     |
| 36 | Temporary Fire Hydrant                  | Each | 2.000     |
| 37 | Water Main Bedding Material             | Ft   | 2,896.000 |
| 38 | Bore and Jack 6" Pipe                   | Ft   | 60.000    |
| 39 | Bore and Jack 8" Pipe                   | Ft   | 30.000    |
| 40 | Temporary Water Service                 | Each | 15.000    |
| 41 | Adjust Curb Stop Box                    | Each | 25.000    |
| 42 | Adjust Water Valve Box                  | Each | 26.000    |
| 43 | Reconnect Water Service                 | Each | 22.000    |
| 44 | Cut and Tie to Existing Water Main      | Each | 11.000    |
| 45 | Locate Utilities                        | Each | 15.000    |
| 46 | Dewatering                              | LS   | 1.000     |

|    |                                      |  |   |
|----|--------------------------------------|--|---|
| 3. | <b>IM 0292(93)76</b>                 | <b>Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107</b> | <b>Phone: 605/367-5680</b>                                |
|    | <b>Work Type 8</b>                   | <b>DBE Goal: NONE</b>  | <b>Contract Id: 9945</b>                                  |
|    |                                      |  | <b>See Special Provisions for Completion Requirements</b> |
| 1  | Mobilization                         | LS   | 1.000   |
| 2  | Incentive/Disincentive Pay           | Day  | 0.000   |
| 3  | Construction Staking                 | LS   | 1.000   |
| 4  | Engineer Directed Surveying/Staking  | Hour   | 40.000  |
| 5  | Bridge Elevation Survey              | LS   | 1.000   |
| 6  | Construction Schedule, Category I    | LS   | 1.000   |
| 7  | Remove Concrete Bridge Approach Slab | SqYd   | 601.900   |
| 8  | Remove Bridge Railing                | Ft   | 1,304.000   |
| 9  | Remove Concrete Curb and/or Gutter   | Ft   | 349.000   |

|    |  |      |           |
|----|--|------|-----------|
| 10 | Remove Concrete Pavement   | SqYd | 254.000   |
| 11 | Remove Concrete Sidewalk   | SqYd | 173.500   |
| 12 | Unclassified Excavation  | CuYd | 66.000    |
| 13 | Base Course  | Ton  | 48.000    |
| 14 | Asphalt Concrete Composite   | Ton  | 84.000    |
| 15 | Cold Milling Asphalt Concrete                                      | SqYd | 245.000   |
| 16 | 9" Nonreinforced PCC Pavement                                      | SqYd | 492.000   |
| 17 | Concrete Barrier and 10' Continuously Reinforced Concrete Shoulder | Ft   | 60.000    |
| 18 | Dowel Bar  | Each | 204.000   |
| 19 | Insert Steel Bar in PCC Pavement                                   | Each | 56.000    |
| 20 | Structural Steel, Miscellaneous                                    | LS   | 1.000     |
| 21 | Membrane Sealant Expansion Joint                                   | Ft   | 224.000   |
| 22 | Class A45 Concrete, Bridge Barrier                                 | CuYd | 35.200    |
| 23 | Class A45 Concrete, Bridge Repair                                  | CuYd | 0.700     |
| 24 | Concrete Approach Slab for Bridge                                  | SqYd | 309.800   |
| 25 | Concrete Approach Sleeper Slab for Bridge                          | SqYd | 73.000    |
| 26 | Special Surface Finish   | SqFt | 4,004.000 |
| 27 | Breakout Structural Concrete                                       | CuYd | 0.700     |
| 28 | Install Dowel in Concrete  | Each | 976.000   |
| 29 | Steel Pedestrian Railing on Sidewalk                               | Ft   | 656.000   |
| 30 | Steel Pedestrian Railing on Concrete Barrier                       | Ft   | 652.600   |
| 31 | Epoxy Coated Reinforcing Steel                                     | Lb   | 5,601.000 |
| 32 | Galvanic Anode   | Each | 4.000     |
| 33 | Low Slump Dense Concrete Bridge Deck Overlay                       | CuYd | 116.000   |
| 34 | Concrete Removal Type 1A   | SqYd | 1,890.500 |
| 35 | Concrete Removal Type 2A   | SqYd | 472.600   |
| 36 | Concrete Removal Type 1B   | SqYd | 189.100   |
| 37 | Concrete Removal Type 1C   | SqYd | 94.500    |
| 38 | Concrete Removal Type 1D   | SqYd | 94.500    |
| 39 | Concrete Removal Type B  | Ft   | 20.000    |
| 40 | Class A45 Concrete Fill  | CuYd | 17.100    |
| 41 | Finishing and Curing   | SqYd | 1,890.500 |
| 42 | Chain Link Fence for Bridge Sidewalk                               | Ft   | 656.000   |
| 43 | Preformed Thermoplastic Pavement Marking, 4"                       | Ft   | 2,511.000 |
| 44 | Traffic Control Signs  | SqFt | 547.200   |
| 45 | Traffic Control, Miscellaneous                                     | LS   | 1.000     |
| 46 | Type 3 Barricade   | Each | 12.000    |
| 47 | Traffic Control Movable Concrete Barrier                           | Each | 39.000    |
| 48 | Contractor Furnished Portable Changeable Message Sign              | Each | 2.000     |
| 49 | Longitudinal Pedestrian Barricade                                  | Ft   | 100.000   |
| 50 | Type B69 Concrete Curb and Gutter                                  | Ft   | 303.000   |
| 51 | 4" Concrete Sidewalk   | SqFt | 1,117.000 |
| 52 | 6" Reinforced Concrete Sidewalk                                    | SqFt | 851.000   |
| 53 | Erosion Control  | LS   | 1.000     |
| 54 | Anchor Bolt Coring   | Ft   | 15.000    |

4. **IM-P 0022(68)** **Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107** **Phone: 605/367-5680**  
**Work Type 2 or Work Type 12** **DBE Goal: Not Specified** **Contract Id: 9925** **See Special Provisions for Completion Requirements**

|   |                                   |      |         |
|---|-----------------------------------|------|---------|
| 1 | Mobilization                      | LS   | 1.000   |
| 2 | Construction Schedule, Category I | LS   | 1.000   |
| 3 | Remove Delineator                 | Each | 10.000  |
| 4 | Remove Pipe Culvert               | Ft   | 32.000  |
| 5 | Remove Pipe End Section           | Each | 15.000  |
| 6 | Salvage Riprap                    | Ton  | 50.000  |
| 7 | Remove Pipe for Reset             | Ft   | 120.000 |
| 8 | Remove Pipe End Section for Reset | Each | 21.000  |

|    |   |      |         |
|----|---|------|---------|
| 9  | Unclassified Excavation                               | CuYd | 155.000 |
| 10 | Contractor Furnished Borrow                           | CuYd | 40.000  |
| 11 | 18" RCP Class 2, Furnish                              | Ft   | 24.000  |
| 12 | 18" RCP, Install                                      | Ft   | 24.000  |
| 13 | 30" RCP Class 2, Furnish                              | Ft   | 8.000   |
| 14 | 30" RCP, Install                                      | Ft   | 8.000   |
| 15 | 18" RCP Flared End, Furnish                           | Each | 4.000   |
| 16 | 18" RCP Flared End, Install                           | Each | 4.000   |
| 17 | 24" RCP Flared End, Furnish                           | Each | 4.000   |
| 18 | 24" RCP Flared End, Install                           | Each | 4.000   |
| 19 | 30" RCP Flared End, Furnish                           | Each | 2.000   |
| 20 | 30" RCP Flared End, Install                           | Each | 2.000   |
| 21 | 24" RCP Safety End, Furnish                           | Each | 1.000   |
| 22 | 24" RCP Safety End, Install                           | Each | 1.000   |
| 23 | 12" CMP Flared End, Furnish                           | Each | 4.000   |
| 24 | 12" CMP Flared End, Install                           | Each | 4.000   |
| 25 | Cleanout Pipe Culvert                                 | Each | 16.000  |
| 26 | Reset Pipe  | Ft   | 120.000 |
| 27 | Reset Pipe End Section                                | Each | 21.000  |
| 28 | Type 2 Object Marker Back to Back                     | Each | 16.000  |
| 29 | Type 2 Object Marker                                  | Each | 10.000  |
| 30 | Flagging  | Hour | 40.000  |
| 31 | Traffic Control Signs                                 | SqFt | 626.000 |
| 32 | Traffic Control, Miscellaneous                        | LS   | 1.000   |
| 33 | Type 3 Barricade                                      | Each | 4.000   |
| 34 | Type C Advance Warning Arrow Board                    | Each | 2.000   |
| 35 | Contractor Furnished Portable Changeable Message Sign | Each | 2.000   |
| 36 | Class A Riprap  | Ton  | 88.200  |
| 37 | Place Riprap  | Ton  | 50.000  |
| 38 | Bank and Channel Protection Gabion                    | CuYd | 42.000  |
| 39 | Erosion Control                                       | LS   | 1.000   |
| 40 | Type 2 Erosion Control Blanket                        | SqYd | 422.000 |
| 41 | 12" Diameter Erosion Control Wattle                   | Ft   | 320.000 |
| 42 | Type B Drainage Fabric                                | SqYd | 422.000 |

5. **NH 0085(116)34** **Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970** **Phone: 605/394-2244**  
**Work Type 3 or Work Type 13** **DBE Goal: NONE** **Contract Id: 9976** **See Special Provisions for Completion Requirements**

|    |  |      |           |
|----|--|------|-----------|
| 1  | Mobilization                           | LS   | 1.000     |
| 2  | Incentive/Disincentive Pay             | Day  | 0.000     |
| 3  | Construction Schedule, Category II     | LS   | 1.000     |
| 4  | Clearing                               | LS   | 1.000     |
| 5  | Remove Traffic Sign                    | Each | 8.000     |
| 6  | Remove Pipe End Section                | Each | 1.000     |
| 7  | Remove Fence                           | Ft   | 1,570.000 |
| 8  | Remove Asphalt Concrete Pavement       | SqYd | 106.300   |
| 9  | Remove Concrete Pavement               | SqYd | 5,798.800 |
| 10 | Remove Silt Fence                      | Ft   | 395.000   |
| 11 | Salvage Riprap                         | Ton  | 12.400    |
| 12 | Remove Sign for Reset                  | Each | 3.000     |
| 13 | Unclassified Excavation                | CuYd | 6,926.000 |
| 14 | Contractor Furnished Borrow Excavation | CuYd | 7,622.000 |
| 15 | Undercutting                           | CuYd | 6,183.000 |
| 16 | Water for Granular Material            | MGal | 21.300    |
| 17 | Surface Preparation                    | Mile | 0.318     |
| 18 | Remove and Replace Topsoil             | LS   | 1.000     |
| 19 | Base Course                            | Ton  | 161.600   |

|    |  |      |            |
|----|--|------|------------|
| 20 | Gravel Cushion   | Ton  | 1,793.100  |
| 21 | Asphalt Concrete Composite   | Ton  | 135.000    |
| 22 | Cold Milling Asphalt Concrete  | SqYd | 430.000    |
| 23 | 9" Nonreinforced PCC Pavement  | SqYd | 7,550.000  |
| 24 | PCC Shoulder Pavement  | SqYd | 1,395.000  |
| 25 | Dowel Bar  | Each | 3,356.000  |
| 26 | Insert Steel Bar in PCC Pavement   | Each | 790.000    |
| 27 | 30" RCP Arch Class 2, Furnish  | Ft   | 24.000     |
| 28 | 30" RCP Arch, Install  | Ft   | 24.000     |
| 29 | 30" RCP Arch Bend, Furnish   | Each | 1.000      |
| 30 | 30" RCP Arch Bend, Install   | Each | 1.000      |
| 31 | 30" RCP Arch Sloped End, Furnish   | Each | 1.000      |
| 32 | 30" RCP Arch Sloped End, Install   | Each | 1.000      |
| 33 | Cleanout Pipe Culvert  | Each | 1.000      |
| 34 | Type II Field Laboratory   | Each | 1.000      |
| 35 | Type 2 Right-of-Way Fence  | Ft   | 1,570.000  |
| 36 | Type 2 Temporary Fence   | Ft   | 1,598.000  |
| 37 | 2 Post Panel   | Each | 4.000      |
| 38 | 1.12 Lb/Ft Flanged Channel Post  | Ft   | 6.100      |
| 39 | 2.0"x2.0" Perforated Tube Post   | Ft   | 10.600     |
| 40 | 2.5"x2.5" Perforated Tube Post   | Ft   | 22.000     |
| 41 | 4" Tubular White Delineator Reflector  | Each | 16.000     |
| 42 | Flat Aluminum Sign, Nonremovable Copy High Intensity                         | SqFt | 24.000     |
| 43 | Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity              | SqFt | 47.500     |
| 44 | Reset Sign   | Each | 3.000      |
| 45 | Cold Applied Plastic Pavement Marking, 4"                                    | Ft   | 11,520.000 |
| 46 | Cold Applied Plastic Pavement Marking, 24"                                   | Ft   | 343.000    |
| 47 | Cold Applied Plastic Pavement Marking, Arrow                                 | Each | 6.000      |
| 48 | High Build Waterborne Pavement Marking Paint with Reflective Elements, White | Gal  | 18.000     |
| 49 | Grooving for Cold Applied Plastic Pavement Marking, 4"                       | Ft   | 11,520.000 |
| 50 | Grooving for Cold Applied Plastic Pavement Marking, 24"                      | Ft   | 343.000    |
| 51 | Grooving for Cold Applied Plastic Pavement Marking, Arrow                    | Each | 6.000      |
| 52 | Grooving for Durable Pavement Marking, 4"                                    | Ft   | 3,293.000  |
| 53 | Flagging   | Hour | 1,000.000  |
| 54 | Traffic Control Signs  | SqFt | 383.400    |
| 55 | Traffic Control, Miscellaneous   | LS   | 1.000      |
| 56 | Type 3 Barricade   | Each | 3.000      |
| 57 | Temporary Raised Pavement Markers  | Ft   | 21,830.000 |
| 58 | Tubular Marker   | Each | 54.000     |
| 59 | Type C Advance Warning Arrow Board   | Each | 2.000      |
| 60 | Remove Pavement Marking, 4" or Equivalent                                    | Ft   | 1,040.000  |
| 61 | Detour and Restriction Signing   | SqFt | 504.000    |
| 62 | Contractor Furnished Vehicle Speed Feedback Sign                             | Each | 2.000      |
| 63 | Place Riprap   | Ton  | 12.400     |
| 64 | Type F Permanent Seed Mixture  | Lb   | 187.000    |
| 65 | Fertilizing  | Lb   | 240.000    |
| 66 | Fiber Mulching   | Ton  | 2.400      |
| 67 | 12" Diameter Erosion Control Wattle  | Ft   | 480.000    |
| 68 | High Flow Silt Fence   | Ft   | 1,580.000  |
| 69 | Mucking Silt Fence   | CuYd | 110.000    |
| 70 | Repair Silt Fence  | Ft   | 395.000    |

6. P 0042(101) Area Engineer: John Matthesen, W Hwy 34, Belle Fourche, SD, 57717-0786 Phone: 605/892-2872

Work Type 6 DBE Goal: NONE Contract Id: 9999 See Special Provisions for Completion Requirements

|   |                                   |    |       |
|---|-----------------------------------|----|-------|
| 1 | Mobilization                      | LS | 1.000 |
| 2 | Construction Schedule, Category I | LS | 1.000 |

|    |  |  |  |
|----|--|--|--|
| 3  | Asphalt Concrete Crack Sealing               | Lb   | 32,920.000   |
| 4  | Flagging                                     | Hour   | 400.000  |
| 5  | Pilot Car                                    | Hour   | 200.000  |
| 6  | Traffic Control Signs                        | SqFt   | 120.200  |
| 7  | Traffic Control, Miscellaneous               | LS   | 1.000  |
| 7. | <b>IM 0902(196)59</b><br><b>Work Type 13</b> | <b>Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970</b><br><b>DBE Goal: NONE</b> | <b>Phone: 605/394-2244</b><br><b>Contract Id: 9990</b> <b>See Special Provisions for Completion Requirements</b> |
| 1  | Mobilization                                 | LS   | 1.000  |
| 2  | Incentive/Disincentive Pay                   | Day  | 0.000  |
| 3  | Construction Schedule, Category I            | LS   | 1.000  |
| 4  | Clearing                                     | LS   | 1.000  |
| 5  | Remove Fence                                 | Ft   | 14,170.000   |
| 6  | 6' Chain Link Fence with Tension Wired Top   | Ft   | 14,170.000   |
| 7  | Double Vehicular Swing Gate                  | Each   | 2.000  |
| 8  | Traffic Control Signs                        | SqFt   | 32.000   |
| 9  | Traffic Control, Miscellaneous               | LS   | 1.000  |

#### Instructions

**PROPOSALS, PLANS AND SPECIFICATIONS:** Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

**MINIMUM WAGE RATES:** Minimum wage rates for 1 through 7 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

**BID PREPARATION:** Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

**NONDISCRIMINATION ASSURANCE:** The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

**EXECUTION OF CONTRACT:** In accordance with Section 7.14 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

**GENERALLY:** A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt  
SECRETARY OF TRANSPORTATION