

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on February 19, 2025, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
* 1.	IM-B-CR 2292(101)3 (PCN 05HN)	Minnehaha SWPPP = 66.00 AC	1.300	Grading, PCC Surfacing, Structures (10x4 RCBC extension, 163' Temporary Bridge, (2) 400' Steel Girder, (2) 12x8 CIP RCBC), Retaining Walls, Curb & Gutter, Storm Sewer, Signals, Lighting	I229 - Exit 4 (Cliff Ave) in Sioux Falls
* 2.	CIP 11100() (PCN X06A)	Minnehaha	1.300	Water and Sanitary Sewer	Cliff Ave from Park Access Rd to S of 38th Street in Sioux Falls
3.	P-PH-PT 0025(81)158 (PCN 04EW)	Clark SWPPP = 152.00 AC	10.013	Grading & Interim Surfacing	SD25 - Fm 9 N of US212 to the Clark/Day Co Line
4.	NH-CR 0012(311)343 (PCN 08XQ)	Day, Roberts	19.339	Cold Milling, Asphalt Concrete Resurfacing of Shoulders	US12, US12 E & W - Fm Webster E to I29
5.	NH 0281(128)193, NH 0012(300)276, NH 0012(301)301, P 0025(104)209 (PCN 08JN, 08JR, 08JP, 08JT)	Brown, Edmunds, Marshall	---	Polymer Chip Seal	US281 - 1.1 S of US12 over Foot Ck
6.	P TAPU(38) (PCN 09FV)	Minnehaha SWPPP = 2.26 AC	0.980	PCC Shared Use Path	Sioux Falls - Along E 26th St crossing Veterans Pkwy through an existing underpass

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

Work Type 7

DBE Goal: Not Specified

Contract Id: 9686

See Special Provisions for Completion Requirements

1	Temporary Detour Structure	Each	1.000
2	Mobilization	LS	1.000
3	Incentive/Disincentive Pay	Day	0.000
4	Incentive/Disincentive Pay	Day	0.000
5	Reestablish Right-of-Way and Property Corner	Each	80.000
6	Reestablish Public Land Survey System Corner	Each	2.000
7	Grade Staking	Mile	12.688
8	Miscellaneous Staking	Mile	12.688
9	Slope Staking	Mile	12.688
10	Structure Staking	Each	11.000
11	Engineer Directed Surveying/Staking	Hour	80.000
12	Bridge Elevation Survey	LS	1.000
13	Construction Schedule, Category III	LS	1.000
14	Project Management, Category III	LS	1.000
15	Concrete Penetrating Sealer	SqYd	4,988.000
16	Training Program	Hour	1,500.000
17	Clear and Grub Tree	Each	79.000
18	Clearing	LS	1.000
19	Remove Concrete Footing(s)	LS	1.000
20	Remove Sign Bridge	Each	3.000
21	Remove Traffic Sign	Each	62.000
22	Remove Delineator	Each	136.000
23	Remove Extruded Panel Sign	Each	6.000
24	Remove Concrete Curb and/or Gutter	Ft	4,134.000
25	Remove Drop Inlet	Each	20.000
26	Remove Manhole	Each	2.000
27	Remove Chain Link Fence	Ft	13,448.000
28	Remove 3 Cable Guardrail	Ft	3,280.000
29	Remove Beam Guardrail	Ft	215.500
30	Remove 3 Cable Guardrail Anchor Assembly	Each	11.000
31	Remove 3 Cable Guardrail Slip Base Anchor Assembly	Each	2.000
32	Remove W Beam Guardrail Breakaway Cable Terminal	Each	4.000
33	Remove Asphalt Concrete Pavement	SqYd	9,539.100
34	Remove Concrete Pavement	SqYd	101,275.500
35	Remove Concrete Median Pavement	SqYd	156.300
36	Remove Concrete Driveway Pavement	SqYd	947.900
37	Remove Concrete Sidewalk	SqYd	3,583.600
38	Remove Signal Pole Footing	Each	9.000
39	Remove Luminaire Pole Footing	Each	18.000
40	Remove Light Tower	Each	5.000
41	Remove Sediment	CuYd	35.000
42	Remove Erosion Control Wattle	Ft	1,359.000
43	Remove Sediment Filter Bag	Ft	2,516.000
44	Remove Silt Fence	Ft	3,240.000
45	Salvage Sign Bridge	Each	2.000
46	Salvage Traffic Sign	Each	10.000
47	Salvage Luminaire Pole	Each	15.000
48	Salvage Luminaire	Each	23.000
49	Salvage Signal Equipment	LS	1.000
50	Remove Sign for Reset	Each	25.000
51	Remove Luminaire Pole for Reset	Each	4.000
52	Remove Pipe End Section for Reset	Each	1.000
53	Unclassified Excavation	CuYd	192,134.000

54	Borrow Unclassified Excavation	CuYd	55,639.000
55	Contaminated Material Excavation	Ton	200.000
56	Muck Excavation	CuYd	6,799.000
57	Undercutting	CuYd	30,077.000
58	Water for Embankment	MGal	1,436.700
59	Water for Granular Material	MGal	1,030.500
60	Water for Vegetation	MGal	12,007.000
61	Select Granular Backfill	Ton	56.000
62	Pit Run	Ton	1,202.300
63	Placing Topsoil	CuYd	23,080.000
64	Contractor Furnished Topsoil	CuYd	2,178.000
65	Incidental Work, Grading	LS	1.000
66	Incidental Work, Structure	LS	1.000
67	Base Course	Ton	13,119.800
68	Gravel Cushion	Ton	41,250.000
69	Processed Subgrade Topping	CuYd	49,478.000
70	Granular Material	Ton	200.000
71	Asphalt Concrete Composite	Ton	8,129.300
72	Saw Joint in Asphalt Concrete	Ft	175.000
73	8.5" Nonreinforced PCC Pavement	SqYd	7,080.900
74	10.5" Nonreinforced PCC Pavement	SqYd	32,434.200
75	13" Nonreinforced PCC Pavement	SqYd	57,137.300
76	Colored Nonreinforced PCC Pavement	SqYd	1,614.000
77	Concrete Barrier and 10' Continuously Reinforced Concrete Shoulder	Ft	1,934.000
78	6" Barrier Type Colored Median PCC Pavement	SqYd	1,756.000
79	8" PCC Driveway Pavement	SqYd	405.800
80	8" Fast Track Concrete Driveway Pavement	SqYd	101.400
81	10.5" PCC Fillet Section	SqYd	161.500
82	Dowel Bar	Each	91,133.000
83	Insert Steel Bar in PCC Pavement	Each	207.000
84	Saw Joint in PCC Pavement	Ft	2,647.300
85	Structural Steel	LS	1.000
86	Structural Steel, Install	LS	1.000
87	Membrane Sealant Expansion Joint	Ft	475.100
88	Structure Excavation, Bridge	CuYd	1,513.000
89	Structure Excavation, Box Culvert	CuYd	125.000
90	Structure Excavation, Retaining Wall	CuYd	9,113.000
91	Structure Excavation, Miscellaneous	CuYd	178.000
92	Foundation Preparation, Retaining Wall	CuYd	1,343.000
93	Pipe Culvert Undercut	CuYd	620.000
94	Box Culvert Undercut	CuYd	275.000
95	Bridge End Embankment	CuYd	5,922.000
96	Granular Bridge End Backfill	CuYd	439.000
97	Approach Slab Underdrain Excavation	CuYd	9.200
98	Precast Concrete Headwall for Drain	Each	12.000
99	12" RCP Class 2, Furnish	Ft	546.000
100	12" RCP, Install	Ft	546.000
101	15" RCP Class 2, Furnish	Ft	1,204.000
102	15" RCP, Install	Ft	1,204.000
103	18" RCP Class 2, Furnish	Ft	2,282.000
104	18" RCP Class 3, Furnish	Ft	292.000
105	18" RCP Class 4, Furnish	Ft	14.000
106	18" RCP, Install	Ft	2,588.000
107	24" RCP Class 2, Furnish	Ft	740.000
108	24" RCP Class 3, Furnish	Ft	162.000
109	24" RCP, Install	Ft	902.000

110	30" RCP Class 2, Furnish	Ft	164.000
111	30" RCP, Install	Ft	164.000
112	48" RCP Class 3, Furnish	Ft	126.000
113	48" RCP, Install	Ft	126.000
114	54" RCP Class 3, Furnish	Ft	42.000
115	54" RCP, Install	Ft	42.000
116	24" RCP Bend, Furnish	Each	1.000
117	24" RCP Bend, Install	Each	1.000
118	12" RCP Flared End, Furnish	Each	5.000
119	12" RCP Flared End, Install	Each	5.000
120	15" RCP Flared End, Furnish	Each	5.000
121	15" RCP Flared End, Install	Each	5.000
122	18" RCP Flared End, Furnish	Each	16.000
123	18" RCP Flared End, Install	Each	16.000
124	24" RCP Flared End, Furnish	Each	6.000
125	24" RCP Flared End, Install	Each	6.000
126	30" RCP Flared End, Furnish	Each	2.000
127	30" RCP Flared End, Install	Each	2.000
128	54" RCP Flared End, Furnish	Each	1.000
129	54" RCP Flared End, Install	Each	1.000
130	24" RCP Sloped End, Furnish	Each	4.000
131	24" RCP Sloped End, Install	Each	4.000
132	30" RCP Sloped End, Furnish	Each	1.000
133	30" RCP Sloped End, Install	Each	1.000
134	54" RCP Sloped End, Furnish	Each	1.000
135	54" RCP Sloped End, Install	Each	1.000
136	24" RCP Safety End, Furnish	Each	2.000
137	24" RCP Safety End, Install	Each	2.000
138	24" RCP Arch Class 2, Furnish	Ft	158.000
139	24" RCP Arch, Install	Ft	158.000
140	30" RCP Arch Class 2, Furnish	Ft	104.000
141	30" RCP Arch, Install	Ft	104.000
142	48" RCP Arch Class 2, Furnish	Ft	92.000
143	48" RCP Arch, Install	Ft	92.000
144	54" RCP Arch Class 2, Furnish	Ft	124.000
145	54" RCP Arch Class 3, Furnish	Ft	62.000
146	54" RCP Arch, Install	Ft	186.000
147	72" RCP Arch Class 2, Furnish	Ft	548.000
148	72" RCP Arch, Install	Ft	548.000
149	84" RCP Arch Class 2, Furnish	Ft	252.000
150	84" RCP Arch, Install	Ft	252.000
151	24" RCP Arch Flared End, Furnish	Each	2.000
152	24" RCP Arch Flared End, Install	Each	2.000
153	30" RCP Arch Flared End, Furnish	Each	1.000
154	30" RCP Arch Flared End, Install	Each	1.000
155	48" RCP Arch Flared End, Furnish	Each	2.000
156	48" RCP Arch Flared End, Install	Each	2.000
157	54" RCP Arch Flared End, Furnish	Each	1.000
158	54" RCP Arch Flared End, Install	Each	1.000
159	72" RCP Arch Flared End, Furnish	Each	4.000
160	72" RCP Arch Flared End, Install	Each	4.000
161	84" RCP Arch Flared End, Furnish	Each	2.000
162	84" RCP Arch Flared End, Install	Each	2.000
163	15" CMP 14 Gauge, Furnish	Ft	286.000
164	15" CMP, Install	Ft	286.000
165	18" CMP 16 Gauge, Furnish	Ft	132.000

166	18" CMP, Install	Ft	132.000
167	24" CMP 14 Gauge, Furnish	Ft	222.000
168	24" CMP, Install	Ft	222.000
169	18" CMP Elbow, Furnish	Each	4.000
170	18" CMP Elbow, Install	Each	4.000
171	24" CMP Elbow, Furnish	Each	4.000
172	24" CMP Elbow, Install	Each	4.000
173	15" CMP Flared End, Furnish	Each	2.000
174	15" CMP Flared End, Install	Each	2.000
175	24" CMP Flared End, Furnish	Each	2.000
176	24" CMP Flared End, Install	Each	2.000
177	15" CMP Safety End, Furnish	Each	2.000
178	15" CMP Safety End, Install	Each	2.000
179	30" CMP Safety End, Furnish	Each	1.000
180	30" CMP Safety End, Install	Each	1.000
181	15" Slotted CMP 16 Gauge, Furnish	Ft	160.000
182	15" Slotted CMP, Install	Ft	160.000
183	Reset Pipe End Section	Each	1.000
184	Class A45 Concrete, Bridge Deck	CuYd	1,478.000
185	Class A45 Concrete, Bridge	CuYd	1,350.000
186	Class A45 Concrete, Box Culvert	CuYd	289.300
187	Concrete Approach Slab for Bridge	SqYd	752.500
188	Concrete Approach Sleeper Slab for Bridge	SqYd	184.200
189	Anti-Graffiti Coating	SqFt	8,751.000
190	Breakout Structural Concrete	CuYd	28.000
191	Install Dowel in Concrete	Each	32.000
192	Install Dowel in Rock	Ft	8.000
193	Class M6 Concrete	CuYd	339.700
194	Cellular Grout	CuYd	109.600
195	Controlled Density Fill	CuYd	28.900
196	Class A45 Concrete, Drilled Shaft	CuYd	15.800
197	Drilled Shaft Excavation	CuYd	15.800
198	Reinforcing Steel	Lb	389,260.000
199	Epoxy Coated Reinforcing Steel	Lb	13,896.000
200	Stainless Reinforcing Steel	Lb	384,736.000
201	Preboring Pile	Ft	360.000
202	HP 10 Pile Tip Reinforcement	Each	16.000
203	HP 14 Pile Tip Reinforcement	Each	276.000
204	HP 10x42 Steel Bearing Pile, Furnish and Drive	Ft	800.000
205	HP 14x73 Steel Test Pile, Furnish and Drive	Ft	365.000
206	HP 14x73 Steel Bearing Pile, Furnish and Drive	Ft	9,295.000
207	MSE Large Panel Wall, Furnish	SqFt	19,109.000
208	MSE Large Panel Wall, Install	SqFt	19,109.000
209	Gravity Large Concrete Block Wall	SqFt	1,271.000
210	Boulder Retaining Wall	SqFt	587.000
211	Granular Backfill for MSE Large Panel Wall	CuYd	9,548.000
212	Granular Backfill for Gravity Large Concrete Block Wall	CuYd	288.700
213	7'x3' Precast Concrete Box Culvert, Furnish	Ft	28.000
214	7'x3' Precast Concrete Box Culvert, Install	Ft	28.000
215	10'x4' Precast Concrete Box Culvert, Furnish	Ft	30.000
216	10'x4' Precast Concrete Box Culvert, Install	Ft	30.000
217	7'x3' Precast Concrete Box Culvert End Section, Furnish	Each	1.000
218	7'x3' Precast Concrete Box Culvert End Section, Install	Each	1.000
219	10'x4' Precast Concrete Box Culvert End Section, Furnish	Each	1.000
220	10'x4' Precast Concrete Box Culvert End Section, Install	Each	1.000
221	Type III Field Laboratory	Each	1.000

222	6' Chain Link Fence with Tension Wired Top	Ft	13,739.000
223	Movable F Shape Concrete Barrier, Interior Section	Each	91.000
224	Concrete Barrier End Protection	Each	6.000
225	Concrete Barrier End Protection Module Set or Repair Kit	Each	2.000
226	High Tension 4 Cable Guardrail	Ft	5,619.000
227	High Tension Cable Guardrail Anchor Assembly	Each	4.000
228	Furnish High Tension Cable Guardrail Post and Sleeve	Each	50.000
229	Crossover Closure	Ft	178.000
230	Type 1 MGS	Ft	4,049.000
231	Type 3 MGS	Ft	150.000
232	18'-9" Longspan MGS	Each	1.000
233	Type 1 Guardrail Transition	Each	2.000
234	MGS MASH Flared End Terminal	Each	3.000
235	MGS MASH Tangent End Terminal	Each	7.000
236	MGS Trailing End Terminal	Each	6.000
237	W Beam Guardrail End Block Adapter	Each	3.000
238	1.75' Diameter Breakaway Support Concrete Footing	Ft	126.000
239	4' Diameter Fixed Support Concrete Footing	Ft	76.000
240	W6x20 Steel Post	Ft	227.800
241	2.0"x2.0" Perforated Tube Post	Ft	1,045.300
242	2.5"x2.5" Perforated Tube Post	Ft	24.000
243	3" Diameter Steel Post, .216" Shell	Ft	27.500
244	4"x4" Amber Delineator with 1.12 Lb/Ft Post	Each	12.000
245	4"x8" Amber Delineator with 1.12 Lb/Ft Post	Each	15.000
246	4" Tubular Amber Delineator with 1.12 Lb/Ft Post	Each	4.000
247	4"x4" White Delineator with 1.12 Lb/Ft Post	Each	44.000
248	4"x8" White Delineator with 1.12 Lb/Ft Post	Each	98.000
249	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	5.000
250	Guardrail Delineator	Each	95.000
251	Type 2 Object Marker Back to Back	Each	63.000
252	Type 2 Object Marker	Each	2.000
253	Extruded Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	1,270.100
254	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	306.700
255	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	325.500
256	Reset Sign	Each	25.000
257	Overhead Cantilever Sign Support	Each	3.000
258	Cold Applied Plastic Pavement Marking, 4"	Ft	38,711.000
259	Cold Applied Plastic Pavement Marking, 4" with Contrast Border	Ft	27,663.000
260	Cold Applied Plastic Pavement Marking, 8" with Contrast Border	Ft	750.000
261	Cold Applied Plastic Pavement Marking, 12"	Ft	2,687.000
262	Cold Applied Plastic Pavement Marking, 24"	Ft	214.000
263	Cold Applied Plastic Pavement Marking, Arrow	Each	66.000
264	Cold Applied Plastic Pavement Marking, Combination Arrow	Each	9.000
265	Preformed Thermoplastic Pavement Marking, 4"	Ft	936.000
266	Preformed Thermoplastic Pavement Marking, 4" with Contrast Border	Ft	2,432.000
267	Preformed Thermoplastic Pavement Marking, 8"	Ft	322.000
268	Preformed Thermoplastic Pavement Marking, 8" with Contrast Border	Ft	2,242.000
269	Preformed Thermoplastic Pavement Marking, 24"	Ft	1,500.000
270	Preformed Thermoplastic Pavement Marking, Area	SqFt	57.000
271	Preformed Thermoplastic Pavement Marking, Arrow	Each	14.000
272	Epoxy Pavement Marking Paint, 4" White	Ft	1,159.000
273	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	29,298.000
274	Grooving for Cold Applied Plastic Pavement Marking, 4" with Contrast Border	Ft	28,336.000
275	Grooving for Cold Applied Plastic Pavement Marking, 8"	Ft	322.000
276	Grooving for Cold Applied Plastic Pavement Marking, 8" with Contrast Border	Ft	2,992.000
277	Grooving for Cold Applied Plastic Pavement Marking, 12"	Ft	2,687.000

278	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	1,714.000
279	Grooving for Cold Applied Plastic Pavement Marking, Area	SqFt	57.000
280	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	80.000
281	Surface Preparation for Pavement Marking	Ft	9,413.000
282	Flagging	Hour	500.000
283	Traffic Control Signs	SqFt	3,014.000
284	Traffic Control, Miscellaneous	LS	1.000
285	Traffic Control Supervisor	LS	1.000
286	Type 3 Barricade	Each	66.000
287	Temporary Raised Pavement Markers	Ft	12,673.000
288	Tubular Marker	Each	24.000
289	Replace Tubular Marker	Each	2.000
290	Type C Advance Warning Arrow Board	Each	3.000
291	Linear Delineation System Panel, Barrier Mounted	Each	465.000
292	Remove Pavement Marking, 4" or Equivalent	Ft	62,235.000
293	Remove Pavement Marking, Arrow	Each	9.000
294	Temporary Pavement Marking	Ft	125,212.000
295	Contractor Supplied Traffic Control Movable Concrete Barrier	Each	521.000
296	Remove and Reset Traffic Control Movable Concrete Barrier	Each	534.000
297	Temporary Concrete Barrier End Protection	Each	4.000
298	Remove and Reset Temporary Concrete Barrier End Protection	Each	5.000
299	Temporary Concrete Barrier End Protection Module Set or Repair Kit	Each	1.000
300	Short Term Temporary Traffic Control Signal	Site	1.000
301	Detour and Restriction Signing	SqFt	1,774.200
302	Temporary Business Signing	SqFt	379.800
303	Contractor Furnished Portable Changeable Message Sign	Each	12.000
304	Queue Detection System	Mth	18.000
305	Maintenance of Queue Detection System	Hour	376.000
306	Contractor Furnished Speed Monitoring Radar Trailer	Each	2.000
307	Longitudinal Pedestrian Barricade	Ft	8.000
308	Temporary Curb Ramp	Each	2.000
309	Longitudinal Pedestrian Barrier	Ft	308.000
310	Temporary Sidewalk	SqFt	600.000
311	Breakaway Base Luminaire Pole with Arm, 30' Mounting Height	Each	1.000
312	Breakaway Base Luminaire Pole with Arm, 40' Mounting Height	Each	35.000
313	Breakaway Base Luminaire Pole with Arm, 50' Mounting Height	Each	29.000
314	Breakaway Base Luminaire Pole with Twin Arms, 50' Mounting Height	Each	28.000
315	Fixed Base Luminaire Pole with Arm, 50' Mounting Height	Each	4.000
316	Pedestal Signal Pole	Each	15.000
317	Signal Pole with 25' Mast Arm	Each	1.000
318	Signal Pole with 30' Mast Arm	Each	1.000
319	Signal Pole with 35' Mast Arm and Luminaire Arm	Each	1.000
320	Signal Pole with 45' Mast Arm and Luminaire Arm	Each	1.000
321	Signal Pole with 50' Mast Arm and Luminaire Arm	Each	2.000
322	Signal Pole with 55' Mast Arm and Luminaire Arm	Each	2.000
323	Under Bridge Deck Luminaire, LED	Each	8.000
324	Tunnel Luminaire, LED	Each	11.000
325	Roadway Luminaire, LED with Photoelectric Cell	Each	127.000
326	3 Section Vehicle Signal Head	Each	39.000
327	4 Section Vehicle Signal Head	Each	17.000
328	2' Diameter Footing	Ft	580.000
329	2.5' Diameter Footing	Ft	13.300
330	3' Diameter Footing	Ft	52.000
331	4' Diameter Footing	Ft	9.000
332	Special Electrical Junction Box	Each	84.000
333	Surface Mounted Junction Box	Each	8.000

334	Electrical Service Cabinet	Each	3.000
335	Traffic Signal Controller	Each	3.000
336	Side Mounted Cabinet	Each	6.000
337	Battery Backup System for Traffic Signal	Each	3.000
338	Video Detection System	Each	3.000
339	Emergency Vehicle Preemption Unit	Each	3.000
340	Optical Detector	Each	12.000
341	Surveillance Camera	Each	2.000
342	Accessible Pedestrian Signal	Each	24.000
343	Pedestrian Push Button Pole	Each	13.000
344	Pedestrian Signal Head with Countdown Timer	Each	24.000
345	Pedestrian Crossing Sign	Each	24.000
346	Rectangular Rapid Flashing Beacon System	Each	4.000
347	Miscellaneous, Electrical	LS	1.000
348	Reset Luminaire Pole	Each	2.000
349	Maintenance of Traffic Signal(s)	Hour	40.000
350	0.75" Rigid Galvanized Steel Conduit	Ft	270.000
351	1" Rigid Galvanized Steel Conduit	Ft	211.000
352	2" Rigid Galvanized Steel Conduit	Ft	4,289.000
353	0.75" Rigid Conduit, Schedule 40	Ft	568.000
354	1" Rigid Conduit, Schedule 40	Ft	6,790.000
355	2" Rigid Conduit, Schedule 40	Ft	19,493.000
356	3" Rigid Conduit, Schedule 40	Ft	386.000
357	4" Rigid Conduit, Schedule 40	Ft	365.000
358	5" Rigid Conduit, Schedule 40	Ft	25.000
359	2" Rigid Conduit, Schedule 80	Ft	3,806.000
360	3" Rigid Conduit, Schedule 80	Ft	1,010.000
361	4" Rigid Conduit, Schedule 80	Ft	200.000
362	5" Rigid Conduit, Schedule 80	Ft	60.000
363	1.5" Innerduct, SDR 13.5	Ft	4,630.000
364	2/2/2/4 Aluminum Wire	Ft	8,728.000
365	1/C #2 AWG Copper Wire	Ft	13,476.000
366	1/C #4 AWG Copper Wire	Ft	6,574.000
367	1/C #6 AWG Copper Wire	Ft	38,893.000
368	1/C #8 AWG Copper Wire	Ft	13,201.000
369	1/C #10 AWG Copper Wire	Ft	9,672.000
370	1/C #12 AWG Copper Wire	Ft	6,059.000
371	2/C #14 AWG IMSA Copper Cable, K1	Ft	1,020.000
372	3/C #14 AWG IMSA Copper Cable, K1	Ft	480.000
373	5/C #14 AWG IMSA Copper Cable, K1	Ft	1,285.000
374	7/C #14 AWG IMSA Copper Cable, K1	Ft	8,345.000
375	12/C #14 AWG IMSA Copper Cable, K1	Ft	1,990.000
376	25/C #14 AWG IMSA Copper Cable, K1	Ft	2,270.000
377	Preemption Cable	Ft	7,990.000
378	6 Strand Fiber Optic Cable	Ft	1,133.000
379	24 Strand Fiber Optic Cable	Ft	4,745.000
380	Type B66 Concrete Curb and Gutter	Ft	1,813.000
381	Type B68.5 Concrete Curb and Gutter	Ft	3,281.000
382	Type B610.5 Concrete Curb and Gutter	Ft	9,970.000
383	Type B612 Concrete Curb and Gutter	Ft	60.000
384	Type C6 Concrete Gutter	Ft	321.000
385	4" Concrete Sidewalk	SqFt	1,219.000
386	6" Concrete Sidewalk	SqFt	60,159.000
387	Type 1 Detectable Warnings	SqFt	718.000
388	Type A Frame and Grate	Each	10.000
389	2' x 3' Type B Drop Inlet	Each	10.000

390	Type C Frame and Grate	Each	4.000
391	Type M Median Drain	Each	8.000
392	Type M Frame and Grate Assembly	Each	8.000
393	Special Frame and Grate Assembly	Each	45.000
394	Special Frame and Grate Assembly	Each	5.000
395	Special Frame and Grate Assembly	Each	5.000
396	Special Frame and Grate Assembly	Each	5.000
397	Precast Drop Inlet Collar	Each	4.000
398	Adjust Drop Inlet	Each	1.000
399	5' x 5' Junction Box	Each	1.000
400	Type A8 Manhole Frame and Lid	Each	4.000
401	Special Manhole Frame and Lid	Each	5.000
402	Manhole Frame	Each	1.000
403	Manhole Lid	Each	1.000
404	Connect Into Existing Manhole	Each	1.000
405	4" Underdrain Pipe	Ft	3,399.000
406	6" Perforated PVC Drain Pipe with Sleeve	Ft	576.000
407	6" PVC Outlet Pipe	Ft	263.000
408	Porous Backfill	Ton	767.400
409	Class B Riprap	Ton	651.000
410	Type B Permanent Seed Mixture	Lb	133.000
411	Type D Permanent Seed Mixture	Lb	12,585.000
412	Fertilizing	Lb	600.000
413	Fertilizing	Ton	34.310
414	Fiber Mulching	Ton	14.500
415	Bonded Fiber Matrix	Ton	80.500
416	Soil Stabilizer	Acre	41.300
417	Type 2 Erosion Control Blanket	SqYd	10,567.000
418	Type 3 Turf Reinforcement Mat	SqYd	997.000
419	12" Diameter Erosion Control Wattle	Ft	6,059.000
420	20" Diameter Erosion Control Wattle	Ft	216.000
421	Remove and Reset Erosion Control Wattle	Ft	1,569.000
422	Sediment Filter Bag	Ft	2,516.000
423	Surface Roughening	Acre	2.000
424	Shaping for Erosion Control Blanket	Ft	4,093.000
425	Low Flow Silt Fence	Ft	14,820.000
426	Mucking Silt Fence	CuYd	900.000
427	Repair Silt Fence	Ft	3,240.000
428	Floating Silt Curtain	Ft	600.000
429	Sediment Control at Inlet with Frame and Grate	Each	29.000
430	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	485.000
431	Bridge Berm Slope Protection, Quarried Aggregate	SqYd	2,404.500
432	Dewatering	LS	1.000
433	Sweeping	Hour	80.000
434	Shrub, Furnish and Plant	Each	257.000
435	6' Coniferous Evergreen, Furnish and Plant	Each	21.000
436	2" Caliper Deciduous Tree, Furnish and Plant	Each	48.000
437	2.5" Caliper Deciduous Tree, Furnish and Plant	Each	94.000
438	1 Gallon Ornamental Grass, Furnish and Plant	Each	741.000
439	Type A Drainage Fabric	SqYd	2,262.000
440	Type B Drainage Fabric	SqYd	3,871.000
441	Non-woven Separator Fabric	SqYd	1,674.000
442	Impermeable Plastic Membrane	SqYd	15.000
443	Perforated Geocell	SqFt	1,599.000
444	Orange Plastic Safety Fence	Ft	1,600.000
445	Concrete Washout Facility	Each	4.000

446	Construction Entrance	Each	8.000
447	Landscape Edging	Ft	240.000
448	Ornamental Landscaping Boulders	Each	33.000
449	Weed Barrier Fabric	SqYd	1,088.000
450	4" Depth Shredded Bark Mulch	SqYd	1,830.000
451	Ornamental Landscape Feature	Each	4.000
452	Irrigation System	LS	1.000

**2. CIP 11100()
Work Type 7**

Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107

Phone: 605/367-5680

DBE Goal: NONE

Contract Id: 9687

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Clear and Grub Tree	Each	2.000
3	Remove Manhole	Each	9.000
4	Remove Manhole Frame and Lid	Each	3.000
5	Remove Sewer Pipe	Ft	2,035.000
6	Remove Fire Hydrant	Each	3.000
7	Remove Valve Box	Each	1.000
8	Remove Water Main	Ft	3,250.000
9	Select Granular Backfill	Ton	200.000
10	Incidental Work	LS	1.000
11	Base Course	Ton	297.000
12	Temporary Asphalt	Ton	63.000
13	16" Steel Encasement Pipe	Ft	110.000
14	24" Steel Encasement Pipe	Ft	200.000
15	4" PVC Water Main	Ft	10.000
16	6" PVC Water Main	Ft	170.000
17	8" PVC Water Main	Ft	628.000
18	16" PVC Water Main	Ft	1,576.000
19	8" PVC Restrained Joint Water Main	Ft	215.000
20	16" PVC Restrained Joint Water Main	Ft	467.000
21	1" Copper Pipe	Ft	146.000
22	1.25" Copper Pipe	Ft	65.000
23	1.5" Copper Pipe	Ft	65.000
24	8" PVC Sewer Pipe	Ft	1,140.000
25	10" PVC Sewer Pipe	Ft	1,113.000
26	18" PVC Sewer Pipe	Ft	425.000
27	6" Sewer Service	Ft	40.000
28	8"x6" Pipe Wye	Each	1.000
29	6"x6" Pipe Tee	Each	1.000
30	8"x8" Pipe Tee	Each	1.000
31	16"x4" Pipe Tee	Each	1.000
32	16"x6" Pipe Tee	Each	4.000
33	8"x6" Pipe Reducer	Each	2.000
34	12"x8" Pipe Reducer	Each	1.000
35	1" Corporation Stop with Tapping Saddle	Each	2.000
36	1.25" Corporation Stop with Tapping Saddle	Each	1.000
37	1.5" Corporation Stop with Tapping Saddle	Each	1.000
38	1" Curb Stop with Box	Each	2.000
39	1.25" Curb Stop with Box	Each	1.000
40	1.5" Curb Stop with Box	Each	1.000
41	6" Pipe Bend	Each	1.000
42	8" Pipe Bend	Each	7.000
43	16" Pipe Bend	Each	12.000
44	8" Pipe Cap	Each	4.000
45	6" Pipe Coupling	Each	1.000
46	8" Pipe Coupling	Each	1.000

47	4" Retainer Gland	Each	5.000
48	6" Retainer Gland	Each	27.000
49	8" Retainer Gland	Each	26.000
50	12" Retainer Gland	Each	1.000
51	16" Retainer Gland	Each	50.000
52	4" Pipe Sleeve	Each	1.000
53	6" Pipe Sleeve	Each	1.000
54	16" Pipe Sleeve	Each	2.000
55	4" Gate Valve with Box	Each	1.000
56	6" Gate Valve with Box	Each	5.000
57	8" Gate Valve with Box	Each	3.000
58	16" Gate Valve with Box	Each	6.000
59	Pipe Insulation	SqFt	200.000
60	Standard Fire Hydrant	Each	4.000
61	Temporary Fire Hydrant	Each	2.000
62	Trench Stabilization Material	Ton	200.000
63	Pipe Bedding Material	Ton	130.000
64	Water Main Bedding Material	Ft	2,380.000
65	8" Sewer Pipe Bedding Material	Ft	1,140.000
66	10" Sewer Pipe Bedding Material	Ft	1,113.000
67	18" Sewer Pipe Bedding Material	Ft	425.000
68	Trench Dewatering, Water Main	Ft	1,700.000
69	Trench Dewatering, Sewer Main	Ft	1,113.000
70	Trench 6' to 8' Deep	Ft	425.000
71	Trench 8' to 10' Deep	Ft	892.000
72	Trench 10' to 12' Deep	Ft	610.000
73	Trench 12' to 14' Deep	Ft	389.000
74	Trench 14' to 16' Deep	Ft	362.000
75	Bore and Jack 24" Pipe	Ft	40.000
76	Bore Obstruction	Each	2.000
77	Temporary Water Service	Each	3.000
78	Adjust Water Valve Box	Each	15.000
79	Reconnect Water Service	Each	2.000
80	Cut and Tie to Existing Water Main	Each	9.000
81	Reconnect Sewer Service	Each	1.000
82	Connect to Existing Sewer Main	Each	1.000
83	Sewer Bypass Pumping	LS	1.000
84	Locate Utilities	Each	3.000
85	PVC Pipe Deflection Test	Ft	2,678.000
86	Pipe Exfiltration Test	Ft	2,678.000
87	Type 2 Object Marker	Each	1.000
88	48" Manhole 6' to 8' Deep	Each	5.000
89	48" Manhole 10' to 12' Deep	Each	2.000
90	48" Manhole 12' to 14' Deep	Each	1.000
91	8" Manhole Boot	Each	14.000
92	10" Manhole Boot	Each	6.000
93	18" Manhole Boot	Each	4.000
94	Manhole Drop Section	Each	1.000
95	Temporary Manhole Cover	Each	10.000
96	Manhole Frame & Lid, Install	Each	11.000
97	Adjust Manhole	Each	2.000
98	Connect Into Existing Manhole	Each	4.000
99	Manhole Exfiltration/Vacuum Test	Each	8.000

3. P-PH-PT 0025(81)158
Work Type 1

Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940

Phone: 605/353-7140

DBE Goal: Not Specified

Contract Id: 9436

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Reestablish Right-of-Way and Property Corner	Each	128.000
4	Reestablish Public Land Survey System Corner	Each	19.000
5	Grade Staking	Mile	10.013
6	Final Cross Section Survey	Mile	10.013
7	Miscellaneous Staking	Mile	10.013
8	Slope Staking	Mile	10.013
9	Engineer Directed Surveying/Staking	Hour	40.000
10	Construction Schedule, Category III	LS	1.000
11	Project Management, Category III	LS	1.000
12	Training Program	Hour	1,500.000
13	Clearing	LS	1.000
14	Remove Traffic Sign	Each	103.000
15	Remove Delineator	Each	88.000
16	Remove Fence	Ft	30,941.000
17	Remove Asphalt Concrete Approach Pavement	SqYd	1,051.900
18	Remove Sediment	CuYd	1.200
19	Remove Erosion Control Wattle	Ft	135.000
20	Remove Silt Fence	Ft	6,382.000
21	Salvage Riprap	Ton	14,798.600
22	Remove Gate for Reset	Each	4.000
23	Remove Sign for Reset	Each	1.000
24	Unclassified Excavation	CuYd	574,282.000
25	Option Borrow Excavation	CuYd	138,020.000
26	Contractor Furnished Borrow Excavation	CuYd	65,558.000
27	Contaminated Material Excavation	CuYd	1.000
28	Muck Excavation	CuYd	28,362.000
29	Undercutting	CuYd	139,548.000
30	Water for Embankment	MGal	5,837.000
31	Water for Granular Material	MGal	1,930.300
32	Dust Control Chloride	Lb	33,792.000
33	Placing Topsoil	CuYd	115,875.000
34	Incidental Work, Grading	LS	1.000
35	Base Course, Salvaged	Ton	160,281.400
36	Gravel Surfacing	Ton	250.000
37	Temporary Gravel Surfacing	Ton	400.000
38	Granular Material	Ton	120.000
39	Salvage Asphalt Mix Material	Ton	9,924.000
40	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	169,774.000
41	Haul and Stockpile Granular Material	Ton	9,357.200
42	Haul and Stockpile Asphalt Mix Material	Ton	9,924.000
43	Asphalt Concrete Composite	Ton	3,200.000
44	MC-70 Asphalt for Prime	Ton	301.600
45	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	40.600
46	Blotting Sand for Prime	Ton	752.200
47	Sand for Fog Seal	Ton	10.000
48	AE150S Asphalt for Surface Treatment	Ton	256.300
49	Type 3 Cover Aggregate	Ton	3,441.200
50	Pipe Culvert Undercut	CuYd	880.000
51	18" RCP Class 3, Furnish	Ft	142.000
52	18" RCP, Install	Ft	142.000
53	24" RCP Class 3, Furnish	Ft	2,370.000
54	24" RCP, Install	Ft	2,370.000
55	30" RCP Class 3, Furnish	Ft	636.000
56	30" RCP, Install	Ft	636.000

57	36" RCP Class 3, Furnish	Ft	480.000
58	36" RCP, Install	Ft	480.000
59	42" RCP Class 3, Furnish	Ft	496.000
60	42" RCP, Install	Ft	496.000
61	48" RCP Class 3, Furnish	Ft	194.000
62	48" RCP, Install	Ft	194.000
63	54" RCP Class 3, Furnish	Ft	414.000
64	54" RCP, Install	Ft	414.000
65	60" RCP Class 3, Furnish	Ft	80.000
66	60" RCP, Install	Ft	80.000
67	72" RCP Class 3, Furnish	Ft	80.000
68	72" RCP, Install	Ft	80.000
69	36" RCP Flared End, Furnish	Each	10.000
70	36" RCP Flared End, Install	Each	10.000
71	42" RCP Flared End, Furnish	Each	10.000
72	42" RCP Flared End, Install	Each	10.000
73	48" RCP Flared End, Furnish	Each	4.000
74	48" RCP Flared End, Install	Each	4.000
75	54" RCP Flared End, Furnish	Each	10.000
76	54" RCP Flared End, Install	Each	10.000
77	60" RCP Flared End, Furnish	Each	2.000
78	60" RCP Flared End, Install	Each	2.000
79	72" RCP Flared End, Furnish	Each	2.000
80	72" RCP Flared End, Install	Each	2.000
81	24" RCP Sloped End, Furnish	Each	42.000
82	24" RCP Sloped End, Install	Each	42.000
83	30" RCP Sloped End, Furnish	Each	16.000
84	30" RCP Sloped End, Install	Each	16.000
85	18" RCP Safety End, Furnish	Each	4.000
86	18" RCP Safety End, Install	Each	4.000
87	24" RCP Safety End, Furnish	Each	14.000
88	24" RCP Safety End, Install	Each	14.000
89	30" RCP Arch Class 3, Furnish	Ft	128.000
90	30" RCP Arch, Install	Ft	128.000
91	30" RCP Arch Sloped End, Furnish	Each	4.000
92	30" RCP Arch Sloped End, Install	Each	4.000
93	18" CMP 16 Gauge, Furnish	Ft	1,030.000
94	18" CMP, Install	Ft	1,030.000
95	24" CMP 16 Gauge, Furnish	Ft	414.000
96	24" CMP, Install	Ft	414.000
97	18" CMP Safety End, Furnish	Each	26.000
98	18" CMP Safety End, Install	Each	26.000
99	24" CMP Safety End, Furnish	Each	12.000
100	24" CMP Safety End, Install	Each	12.000
101	Adjust Water Valve Box	Each	1.000
102	Repair Drain Tile	Ft	500.000
103	Controlled Density Fill	CuYd	153.400
104	5'x7' Reinforced Concrete Cattle Pass, Furnish	Ft	84.000
105	5'x7' Reinforced Concrete Cattle Pass, Install	Ft	84.000
106	5'x7' Reinforced Concrete Cattle Pass End Section, Furnish	Each	2.000
107	5'x7' Reinforced Concrete Cattle Pass End Section, Install	Each	2.000
108	Type III Field Laboratory	Each	1.000
109	Type 2 Right-of-Way Fence	Ft	30,354.000
110	Type 4 Right-of-Way Fence	Ft	2,604.000
111	Type 1A Temporary Fence	Ft	2,500.000
112	Type 2 Temporary Fence	Ft	17,065.000

113	Type 3 Temporary Fence	Ft	1,272.000
114	2 Post Panel	Each	73.000
115	3 Post Panel	Each	40.000
116	12' Tubular Gate	Each	2.000
117	Reset Gate	Each	4.000
118	2.0"x2.0" Perforated Tube Post	Ft	935.000
119	2.5"x2.5" Perforated Tube Post	Ft	50.000
120	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	162.000
121	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	22.000
122	Type 2 Object Marker Back to Back	Each	232.000
123	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	321.300
124	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	198.500
125	Reset Sign	Each	1.000
126	High Build Waterborne Pavement Marking Paint, White	Gal	1,466.000
127	High Build Waterborne Pavement Marking Paint, Yellow	Gal	549.000
128	High Build Waterborne Pavement Marking Paint, Arrow	Each	6.000
129	Flagging	Hour	200.000
130	Pilot Car	Hour	50.000
131	Traffic Control Signs	SqFt	1,288.200
132	Traffic Control, Miscellaneous	LS	1.000
133	Type 3 Barricade	Each	52.000
134	Detour and Restriction Signing	SqFt	4,201.200
135	Class A Riprap	Ton	11,015.000
136	Place Riprap	Ton	14,798.600
137	PVC Coated Bank and Channel Protection Gabion	CuYd	102.500
138	Cover Crop Seeding	Bu	110.000
139	Type E Permanent Seed Mixture	Lb	91.000
140	Type G Permanent Seed Mixture	Lb	3,088.000
141	Fertilizing	Ton	61.100
142	Mulching	Ton	196.200
143	Fiber Reinforced Matrix	Ton	72.100
144	Type 3 Erosion Control Blanket	SqYd	49,356.000
145	12" Diameter Erosion Control Wattle	Ft	540.000
146	Remove and Reset Erosion Control Wattle	Ft	135.000
147	Surface Roughening	Acre	52.600
148	Shaping for Erosion Control Blanket	Ft	27,614.000
149	Low Flow Silt Fence	Ft	21,465.000
150	High Flow Silt Fence	Ft	4,080.000
151	Mucking Silt Fence	CuYd	1,772.000
152	Repair Silt Fence	Ft	6,382.000
153	Floating Silt Curtain	Ft	10,245.000
154	Type B Drainage Fabric	SqYd	18,354.000
155	Refurbish Single Mailbox	Each	6.000
156	Refurbish Double Mailbox	Each	1.000
157	Right of Way Marker	Each	70.000
158	Construction Entrance	Each	3.000

4. **NH-CR 0012(311)343** **Area Engineer: Lane Goldsmith, West Highway 12, Aberdeen, SD, 57402-1767** **Phone: 605/626-7885**
Work Type 5 **DBE Goal: Not Specified** **Contract Id: 9678** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Concrete Footing(s)	LS	1.000
3	Remove Traffic Sign	Each	415.000
4	Remove 3 Cable Guardrail	Ft	356.000
5	Remove Beam Guardrail	Ft	402.000
6	Remove 3 Cable Guardrail Anchor Assembly	Each	2.000
7	Remove Asphalt Concrete Pavement	SqYd	1,347.800

8	Remove Sign for Reset	Each	8.000
9	Unclassified Excavation, Digouts	CuYd	620.000
10	Contractor Furnished Borrow Excavation	CuYd	1,402.000
11	Shoulder Preparation	Mile	0.073
12	Base Course	Ton	4,490.000
13	Base Course, Salvaged Asphalt Mix	Ton	555.000
14	PG 58-34 Asphalt Binder	Ton	710.800
15	Class HR Asphalt Concrete	Ton	20,055.400
16	Asphalt Concrete Composite	Ton	322.400
17	Compaction Sample	Each	9.000
18	Saw and Seal Shoulder Joint	Ft	261,163.000
19	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	23.000
20	SS-1h or CSS-1h Asphalt for Tack	Ton	81.300
21	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	42.200
22	Sand for Flush Seal	Ton	673.500
23	Cold Milling Asphalt Concrete	SqYd	184,953.000
24	Type III Field Laboratory	Each	1.000
25	High Tension 4 Cable Guardrail	Ft	178.000
26	High Tension Cable Guardrail Anchor Assembly	Each	2.000
27	Type 1 MGS	Ft	125.000
28	Type 1 Retrofit Guardrail Transition	Each	4.000
29	MGS MASH Flared End Terminal	Each	4.000
30	2.0"x2.0" Perforated Tube Post	Ft	4,802.700
31	2.5"x2.5" Perforated Tube Post	Ft	1,609.000
32	4" Tubular Amber Delineator with 1.12 Lb/Ft Post	Each	10.000
33	4"x4" White Delineator with 1.12 Lb/Ft Post	Each	351.000
34	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	58.000
35	Guardrail Delineator	Each	16.000
36	Type 2 Object Marker Back to Back	Each	262.000
37	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	2,601.800
38	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	1,979.400
39	Reset Sign	Each	8.000
40	Cold Applied Plastic Pavement Marking, 24"	Ft	506.000
41	Preformed Thermoplastic Pavement Marking, 24"	Ft	295.000
42	Preformed Thermoplastic Pavement Marking, Arrow	Each	38.000
43	Preformed Thermoplastic Pavement Marking, Message	Word	2.000
44	Preformed Thermoplastic Pavement Marking, Symbol	Each	4.000
45	Durable Pavement Marking, 4" White	Ft	225,735.000
46	Durable Pavement Marking, 4" Yellow	Ft	219,037.000
47	Durable Pavement Marking, 8" White	Ft	1,871.000
48	Durable Pavement Marking, 8" Yellow	Ft	100.000
49	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	506.000
50	Grooving for Cold Applied Plastic Pavement Marking, Symbol	Each	4.000
51	Surface Preparation for Pavement Marking	Ft	446,858.000
52	Surface Preparation for Pavement Marking	Each	39.000
53	Grooving for Durable Pavement Marking, 4"	Ft	2,303.000
54	Flagging	Hour	200.000
55	Traffic Control Signs	SqFt	1,566.000
56	Traffic Control, Miscellaneous	LS	1.000
57	Type 3 Barricade	Each	20.000
58	Type C Advance Warning Arrow Board	Each	3.000
59	Remove Pavement Marking, Arrow	Each	2.000
60	4" Temporary Pavement Marking Tape Type I	Ft	5,040.000
61	Temporary Pavement Marking	Mile	0.400
62	Refurbish Single Mailbox	Each	9.000

5.	NH 0281(128)193, NH 0012(300)276, NH 0012(301)301, P 0025(104)209	Area Engineer: Lane Goldsmith, West Highway 12, Aberdeen, SD, 57402-1767	Phone: 605/626-7885
	Work Type 16	DBE Goal: Not Specified	Contract Id: 9699
		See Special Provisions for Completion Requirements	
	1 Mobilization	LS	1.000
	2 Two Coat Bridge Deck Polymer Chip Seal	SqYd	3,811.600
	3 Abrasive Blasting of Bridge Deck	SqYd	3,811.600
	4 Bridge Deck Grinding	SqYd	3,811.600
	5 Concrete Removal, Class A	SqYd	16.000
	6 Concrete Removal, Class B	SqYd	16.000
	7 Concrete Patching Material, Bridge Deck	CuFt	132.800
	8 High Build Waterborne Pavement Marking Paint, 4" White	Ft	2,076.000
	9 High Build Waterborne Pavement Marking Paint, 4" Yellow	Ft	1,924.000
	10 Flagging	Hour	40.000
	11 Traffic Control Signs	SqFt	645.700
	12 Traffic Control, Miscellaneous	LS	1.000
	13 Type 3 Barricade	Each	10.000
	14 Type C Advance Warning Arrow Board	Each	3.000
	15 Remove Pavement Marking, 4" or Equivalent	Ft	1,812.000
	16 4" Temporary Pavement Marking Tape Type I	Ft	12,510.000
	17 Portable Temporary Traffic Control Signal	Unit	4.000
	18 Detour and Restriction Signing	SqFt	1,103.100
	19 Railroad Protective Insurance	LS	1.000
6.	P TAPU(38)	Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107	Phone: 605/367-5680
	Work Type 14	DBE Goal: Not Specified	Contract Id: 9466
		See Special Provisions for Completion Requirements	
	1 Mobilization	LS	1.000
	2 Clear and Grub Tree	Each	6.000
	3 Clearing	LS	1.000
	4 Remove Concrete Curb and/or Gutter	Ft	35.000
	5 Remove Asphalt Concrete Pavement	SqYd	15.500
	6 Remove Concrete Pavement	SqYd	9.100
	7 Remove Concrete Sidewalk	SqYd	308.100
	8 Remove Riprap	SqYd	10.000
	9 Remove Silt Fence	Ft	623.000
	10 Remove Pipe End Section for Reset	Each	4.000
	11 Unclassified Excavation	CuYd	3,046.000
	12 Contractor Furnished Borrow	CuYd	150.000
	13 Water for Granular Material	MGal	23.500
	14 Water for Vegetation	MGal	574.500
	15 Placing Topsoil	CuYd	1,510.000
	16 Incidental Work, Grading	LS	1.000
	17 Gravel Cushion	Ton	1,949.100
	18 Granular Material	Ton	79.200
	19 Asphalt Concrete Composite	Ton	4.500
	20 6" PCC Fillet Section	SqYd	9.100
	21 Pipe Culvert Undercut	CuYd	40.000
	22 54" RCP Arch Class 2, Furnish	Ft	64.000
	23 54" RCP Arch, Install	Ft	64.000
	24 Reset Pipe End Section	Each	4.000
	25 Verify Utilities	Each	1.000
	26 Controlled Density Fill	CuYd	12.900
	27 Type 3 Double Sided Barricade	Ft	2.000
	28 Flagging	Hour	20.000
	29 Traffic Control Signs	SqFt	216.000
	30 Traffic Control, Miscellaneous	LS	1.000
	31 Type C Advance Warning Arrow Board	Each	1.000

32	Detour and Restriction Signing	SqFt	100.000
33	Longitudinal Pedestrian Barricade	Ft	48.000
34	Modified Type B66 Concrete Curb and Gutter	Ft	40.000
35	4" Concrete Sidewalk	SqFt	1,269.000
36	6" Concrete Sidewalk	SqFt	34,124.000
37	6" Colored Concrete Sidewalk	SqFt	1,417.000
38	Type 1 Detectable Warnings	SqFt	72.000
39	Class B Riprap	Ton	143.700
40	Type D Permanent Seed Mixture	Lb	380.000
41	Type G Permanent Seed Mixture	Lb	18.000
42	Fertilizing	Lb	2,676.000
43	Fiber Mulching	Ton	2.900
44	Sodding	SqYd	3,555.000
45	Low Flow Silt Fence	Ft	2,591.000
46	Mucking Silt Fence	CuYd	173.000
47	Repair Silt Fence	Ft	623.000
48	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	96.000
49	Sweeping	Hour	20.000
50	Type B Drainage Fabric	SqYd	103.000
51	Concrete Washout Facility	Each	2.000
52	Construction Entrance	Each	2.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1, 3 through 6 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION