

Advertisement of Highway Bid Letting

The U.S. Department of Labor published an updated Davis-Bacon Highway-Heavy Construction Wage Decision for South Dakota. The wage rates are effective for SDDOT's highway construction contracts beginning February 18, 2026. Please refer to new wage rates within the advertised bid proposal package.

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on March 04, 2026, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

| ITEM NO. | PROJECT NUMBER | COUNTY | LENGTH | | DESCRIPTION OF LOCATION |
|-------------|---|-----------------------------|--------|---|--|
| | | | MILES | TYPE OF WORK | |
| 1. | P 0271(06)189 (PCN 06RG) | Campbell | 13.677 | Cold Milling, Asphalt Concrete Resurfacing, Pipe Work | SD271 - Fm SD10 to the ND State Line |
| 2. | P 0047(00)89 (PCN 09VK) | Buffalo | 2.423 | Detour Surface Maintenance | SD47 - Detour on BIA Rd 8, Eagle Dr, N Shore Rd |
| 3. | NH 0037(166)73, CR 0907(91)330 (PCN 06WT, 09HU) | Davison SWPPP = 3.60 AC | 3.274 | Curb Ramps, Sidewalk, Signal & Lighting | SD37, SD37N - Through Mitchell; I90 - Exit 330 & 332 in Mitchell |
| 4. | NH 014A(34)39 (PCN 08RV) | Lawrence SWPPP = 0.60 AC | 0.150 | Inslope Repair, Pipe Work, Guardrail | US14A - 1 W of US85 in Deadwood |
| 5. | IM 0041(186) (PCN 09WG) | Pennington | 25.437 | Rout & Seal | I90- Fm Box Elder to East of New Underwood |
| 6. | NH 0042(102) (PCN 09WM) | Butte, Meade, Ziebach | 69.966 | Asphalt Surface Treatment | Various Locations in the Belle Fourche Area |

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1. P 0271(06)189
Work Type 5

Area Engineer: John Villbrandt, PO Box 488, Mobridge, SD, 57601-0488

Phone: 605/845-3844

DBE Goal: Not Specified

Contract Id: 9935

See Special Provisions for Completion Requirements

| | | | |
|----|--|------|-------------|
| 1 | Mobilization | LS | 1.000 |
| 2 | Construction Staking | Mile | 13.677 |
| 3 | Slope Staking | Mile | 0.142 |
| 4 | Engineer Directed Surveying/Staking | Hour | 40.000 |
| 5 | Checker | LS | 1.000 |
| 6 | Construction Schedule, Category II | LS | 1.000 |
| 7 | Remove Pipe Culvert | Ft | 62.000 |
| 8 | Remove Asphalt Concrete Pavement | SqYd | 1,481.000 |
| 9 | Remove Sediment | CuYd | 3.300 |
| 10 | Salvage Beam Guardrail | Ft | 250.000 |
| 11 | Remove Sign for Reset | Each | 3.000 |
| 12 | Remove Delineator for Reset | Each | 56.000 |
| 13 | Remove Fence for Reset | Ft | 100.000 |
| 14 | Unclassified Excavation, Digouts | CuYd | 683.000 |
| 15 | Contractor Furnished Borrow Excavation | CuYd | 144.000 |
| 16 | Reprofiling Ditch | Sta | 1.000 |
| 17 | Water for Granular Material | MGal | 56.000 |
| 18 | Shoulder Preparation | Mile | 0.122 |
| 19 | Remove and Replace Topsoil | LS | 1.000 |
| 20 | Base Course | Ton | 1,610.400 |
| 21 | Base Course, Salvaged | Ton | 1,307.000 |
| 22 | Base Course, Salvaged Asphalt Mix | Ton | 1,708.800 |
| 23 | Granular Material, Furnish | Ton | 2,153.500 |
| 24 | Salvage and Stockpile Asphalt Mix Material | Ton | 1,708.800 |
| 25 | Blend, Haul, and Stockpile Granular Material | Ton | 3,000.000 |
| 26 | Blend and Stockpile Granular Material | Ton | 1,307.000 |
| 27 | Asphalt Concrete Composite | Ton | 558.800 |
| 28 | Asphalt Concrete Blade Laid | Ton | 2,025.600 |
| 29 | Grind 8" Rumble Strip or Stripe in Asphalt Concrete | Mile | 27.300 |
| 30 | Grind 6" Transverse Rumble Strip in Asphalt Concrete | Ft | 408.000 |
| 31 | SS-1h or CSS-1h Asphalt for Tack | Ton | 143.200 |
| 32 | SS-1h or CSS-1h Asphalt for Flush Seal | Ton | 50.000 |
| 33 | Sand for Flush Seal | Ton | 741.200 |
| 34 | Cold Milling Asphalt Concrete | SqYd | 202,032.000 |
| 35 | Tie Bolts for RCP | Each | 32.000 |
| 36 | 18" CMP Sloped End, Furnish | Each | 20.000 |
| 37 | 18" CMP Sloped End, Install | Each | 20.000 |
| 38 | 24" CMP Sloped End, Furnish | Each | 24.000 |
| 39 | 24" CMP Sloped End, Install | Each | 24.000 |
| 40 | 30" CMP Sloped End, Furnish | Each | 6.000 |
| 41 | 30" CMP Sloped End, Install | Each | 6.000 |
| 42 | 36" CMP Sloped End, Furnish | Each | 4.000 |
| 43 | 36" CMP Sloped End, Install | Each | 4.000 |
| 44 | 42" CMP Sloped End, Furnish | Each | 2.000 |
| 45 | 42" CMP Sloped End, Install | Each | 2.000 |
| 46 | Culvert Joint Cleaning | Ft | 286.000 |
| 47 | Repair Culvert Joint | Ft | 286.000 |
| 48 | Chemical Grout Void Fill | Gal | 80.000 |
| 49 | Cleanout for Culvert Treatment | Each | 30.000 |
| 50 | 18" Cured in Place Pipe | Ft | 674.000 |
| 51 | 24" Cured in Place Pipe | Ft | 778.000 |
| 52 | 30" Cured in Place Pipe | Ft | 182.000 |
| 53 | 36" Cured in Place Pipe | Ft | 120.000 |

| | | | |
|----|--|------|------------|
| 54 | 42" Cured in Place Pipe | Ft | 70.000 |
| 55 | Type III Field Laboratory | Each | 1.000 |
| 56 | Type 1 Temporary Fence | Ft | 100.000 |
| 57 | 2 Post Panel | Each | 4.000 |
| 58 | Reset Fence | Ft | 100.000 |
| 59 | Type 1 MGS | Ft | 100.000 |
| 60 | Type 1 Retrofit Guardrail Transition | Each | 4.000 |
| 61 | MGS MASH Flared End Terminal | Each | 4.000 |
| 62 | Reset Delineator | Each | 56.000 |
| 63 | Guardrail Delineator | Each | 16.000 |
| 64 | Reset Sign | Each | 3.000 |
| 65 | High Build Waterborne Pavement Marking Paint, White | Gal | 618.000 |
| 66 | High Build Waterborne Pavement Marking Paint, Yellow | Gal | 206.000 |
| 67 | Flagging | Hour | 420.000 |
| 68 | Pilot Car | Hour | 200.000 |
| 69 | Traffic Control Signs | SqFt | 816.200 |
| 70 | Traffic Control, Miscellaneous | LS | 1.000 |
| 71 | Temporary Pavement Marking | Mile | 54.800 |
| 72 | PVC Coated Bank and Channel Protection Gabion | CuYd | 12.000 |
| 73 | Erosion Control | LS | 1.000 |
| 74 | 12" Diameter Erosion Control Wattle | Ft | 1,500.000 |
| 75 | Remove and Reset Erosion Control Wattle | Ft | 375.000 |
| 76 | Type B Drainage Fabric | SqYd | 38.000 |
| 77 | Refurbish Single Mailbox | Each | 4.000 |
| 78 | Storage Unit | Each | 1.000 |
| 79 | PG 58-34 Asphalt Binder | Ton | 1,349.400 |
| 80 | CLASS Q2R HOT MIXED ASPHALT CONCRETE | Ton | 26,462.900 |
| 81 | Hydrated Lime | Ton | 276.900 |
| 82 | PG 58-34 Asphalt Binder | Ton | 1,138.400 |
| 83 | CLASS Q2R HOT MIXED ASPHALT CONCRETE | Ton | 27,073.200 |
| 84 | Hydrated Lime | Ton | 290.900 |

2. **P 0047(00)89** **Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940** **Phone: 605/353-7140**
Work Type 5 **DBE Goal: NONE** **Contract Id: 9995** **See Special Provisions for Completion Requirements**

| | | | |
|----|--|------|-----------|
| 1 | Mobilization | LS | 1.000 |
| 2 | Construction Schedule, Category II | LS | 1.000 |
| 3 | Remove Asphalt Concrete Pavement | SqYd | 131.000 |
| 4 | Unclassified Excavation, Digouts | CuYd | 122.000 |
| 5 | Shoulder Clearing | Mile | 3.900 |
| 6 | Surface Preparation | Mile | 0.681 |
| 7 | Base Course | Ton | 517.200 |
| 8 | Base Course, Salvaged | Ton | 71.000 |
| 9 | Asphalt Concrete Composite | Ton | 4,976.300 |
| 10 | Grind 8" Sinusoidal Rumble Strip or Stripe in Asphalt Concrete | Mile | 3.200 |
| 11 | Grind Sinusoidal Centerline Rumble Stripe in Asphalt Concrete | Mile | 1.600 |
| 12 | Cold Milling Asphalt Concrete | SqYd | 2,015.000 |
| 13 | Type III Field Laboratory | Each | 1.000 |
| 14 | High Build Waterborne Pavement Marking Paint, White | Gal | 95.000 |
| 15 | High Build Waterborne Pavement Marking Paint, Yellow | Gal | 35.000 |
| 16 | Flagging | Hour | 175.000 |
| 17 | Pilot Car | Hour | 75.000 |
| 18 | Traffic Control Signs | SqFt | 494.100 |
| 19 | Traffic Control, Miscellaneous | LS | 1.000 |
| 20 | Temporary Pavement Marking | Mile | 8.100 |

3. **NH 0037(166)73, CR 0907(91)330** **Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206** **Phone: 605/995-8120**
Work Type 10 or Work Type 14 **DBE Goal: NONE** **Contract Id: 9894** **See Special Provisions for Completion Requirements**

| | | | |
|----|--|------|-----------|
| 1 | Mobilization | LS | 1.000 |
| 2 | Reestablish Right-of-Way and Property Corner | Each | 17.000 |
| 3 | Reestablish Public Land Survey System Corner | Each | 2.000 |
| 4 | Miscellaneous Staking | Mile | 1.470 |
| 5 | Miscellaneous Staking | LS | 1.000 |
| 6 | Engineer Directed Surveying/Staking | Hour | 40.000 |
| 7 | Construction Schedule, Category II | LS | 1.000 |
| 8 | Remove Concrete Footing(s) | LS | 1.000 |
| 9 | Remove Concrete Curb and/or Gutter | Ft | 247.000 |
| 10 | Remove Drop Inlet | Each | 1.000 |
| 11 | Remove Asphalt Concrete Pavement | SqYd | 60.600 |
| 12 | Remove Concrete Pavement | SqYd | 408.000 |
| 13 | Remove Concrete Driveway Pavement | SqYd | 182.200 |
| 14 | Remove Concrete Sidewalk | SqYd | 3,726.600 |
| 15 | Remove Signal Pole Footing | Each | 5.000 |
| 16 | Remove Light Tower | Each | 7.000 |
| 17 | Remove Sediment | CuYd | 2.700 |
| 18 | Remove Erosion Control Wattle | Ft | 244.000 |
| 19 | Remove Sediment Filter Bag | Ft | 80.000 |
| 20 | Remove Silt Fence | Ft | 620.000 |
| 21 | Salvage Signal Equipment | LS | 1.000 |
| 22 | Remove Sign for Reset | Each | 5.000 |
| 23 | Unclassified Excavation | CuYd | 3,728.000 |
| 24 | Contractor Furnished Borrow Excavation | CuYd | 2,234.000 |
| 25 | Contaminated Material Excavation | CuYd | 100.000 |
| 26 | Muck Excavation | CuYd | 219.000 |
| 27 | Undercutting | CuYd | 2,020.000 |
| 28 | Water for Vegetation | MGal | 111.700 |
| 29 | Placing Topsoil | CuYd | 1,432.000 |
| 30 | Incidental Work, Grading | LS | 1.000 |
| 31 | Gravel Cushion | Ton | 949.300 |
| 32 | Granular Material | Ton | 50.000 |
| 33 | Asphalt Concrete Composite | Ton | 11.600 |
| 34 | 6" PCC Driveway Pavement | SqYd | 18.400 |
| 35 | 6" PCC Approach Pavement | SqYd | 191.300 |
| 36 | 8.5" PCC Fillet Section | SqYd | 236.400 |
| 37 | Insert Steel Bar in PCC Pavement | Each | 186.000 |
| 38 | Pipe Culvert Undercut | CuYd | 27.000 |
| 39 | 18" RCP Class 2, Furnish | Ft | 6.000 |
| 40 | 18" RCP, Install | Ft | 6.000 |
| 41 | 18" RCP Arch Class 2, Furnish | Ft | 48.000 |
| 42 | 18" RCP Arch, Install | Ft | 48.000 |
| 43 | 30" RCP Arch Class 2, Furnish | Ft | 28.000 |
| 44 | 30" RCP Arch, Install | Ft | 28.000 |
| 45 | 30" RCP Arch Flared End, Furnish | Each | 4.000 |
| 46 | 30" RCP Arch Flared End, Install | Each | 4.000 |
| 47 | 18" RCP Arch Safety End, Furnish | Each | 6.000 |
| 48 | 18" RCP Arch Safety End, Install | Each | 6.000 |
| 49 | Class M6 Concrete | CuYd | 1.000 |
| 50 | Controlled Density Fill | CuYd | 1.100 |
| 51 | Reinforcing Steel | Lb | 169.000 |
| 52 | Reset Sign | Each | 5.000 |
| 53 | Flagging | Hour | 40.000 |
| 54 | Traffic Control Signs | SqFt | 1,040.100 |
| 55 | Traffic Control, Miscellaneous | LS | 1.000 |
| 56 | Type 3 Barricade | Each | 7.000 |

| | | | |
|-----|---|------|------------|
| 57 | Type C Advance Warning Arrow Board | Each | 3.000 |
| 58 | Short Term Temporary Traffic Control Signal | Site | 1.000 |
| 59 | Longitudinal Pedestrian Barricade | Ft | 115.000 |
| 60 | Temporary Pedestrian Access Route | LS | 1.000 |
| 61 | Temporary Curb Ramp | Each | 10.000 |
| 62 | Longitudinal Pedestrian Barrier | Ft | 100.000 |
| 63 | Breakaway Base Luminaire Pole with Arm, 50' Mounting Height | Each | 73.000 |
| 64 | Breakaway Base Luminaire Pole with Twin Arms, 50' Mounting Height | Each | 6.000 |
| 65 | Signal Pole with 65' Mast Arm | Each | 1.000 |
| 66 | Signal Pole with 50' Mast Arm and Luminaire Arm | Each | 2.000 |
| 67 | Signal Pole with 55' Mast Arm and Luminaire Arm | Each | 1.000 |
| 68 | Roadway Luminaire, LED with Photoelectric Cell | Each | 180.000 |
| 69 | 3 Section Vehicle Signal Head | Each | 12.000 |
| 70 | 4 Section Directional Vehicle Signal Head | Each | 8.000 |
| 71 | 2' Diameter Footing | Ft | 638.000 |
| 72 | 3' Diameter Footing | Ft | 49.000 |
| 73 | Type 1 Electrical Junction Box | Each | 11.000 |
| 74 | Type 2 Electrical Junction Box | Each | 4.000 |
| 75 | Type 4 Electrical Junction Box | Each | 1.000 |
| 76 | Electrical Service Cabinet | Each | 5.000 |
| 77 | Traffic Signal Controller | Each | 1.000 |
| 78 | Battery Backup System for Traffic Signal | Each | 1.000 |
| 79 | Video Detection System | Each | 1.000 |
| 80 | Emergency Vehicle Preemption Unit | Each | 1.000 |
| 81 | Optical Detector | Each | 4.000 |
| 82 | Accessible Pedestrian Signal | Each | 8.000 |
| 83 | Pedestrian Push Button Pole | Each | 8.000 |
| 84 | Pedestrian Signal Head with Countdown Timer | Each | 8.000 |
| 85 | Miscellaneous, Electrical | LS | 1.000 |
| 86 | Maintenance of Traffic Signal(s) | Hour | 40.000 |
| 87 | 1" Rigid Conduit, Schedule 40 | Ft | 155.000 |
| 88 | 2" Rigid Conduit, Schedule 40 | Ft | 16,245.000 |
| 89 | 3" Rigid Conduit, Schedule 40 | Ft | 85.000 |
| 90 | 4" Rigid Conduit, Schedule 40 | Ft | 40.000 |
| 91 | 2" Rigid Conduit, Schedule 80 | Ft | 330.000 |
| 92 | 3" Rigid Conduit, Schedule 80 | Ft | 470.000 |
| 93 | 1/C #6 AWG Copper Wire | Ft | 25,570.000 |
| 94 | 1/C #8 AWG Copper Wire | Ft | 28,350.000 |
| 95 | 2/C #14 AWG Copper Tray Cable, K2 | Ft | 1,635.000 |
| 96 | 3/C #14 AWG Copper Tray Cable, K2 | Ft | 120.000 |
| 97 | 4/C #14 AWG Copper Tray Cable, K2 | Ft | 540.000 |
| 98 | 5/C #14 AWG Copper Tray Cable, K2 | Ft | 380.000 |
| 99 | 12/C #14 AWG Copper Tray Cable, K2 | Ft | 780.000 |
| 100 | 25/C #14 AWG Copper Tray Cable, K2 | Ft | 780.000 |
| 101 | 2/C #10 AWG Copper Pole and Bracket Cable | Ft | 5,330.000 |
| 102 | Type B68.5 Concrete Curb and Gutter | Ft | 248.000 |
| 103 | 4" Concrete Sidewalk | SqFt | 20,428.000 |
| 104 | 6" Concrete Sidewalk | SqFt | 55,938.000 |
| 105 | Type 1 Detectable Warnings | SqFt | 350.000 |
| 106 | Type C Frame and Grate | Each | 1.000 |
| 107 | Precast Drop Inlet Collar | Each | 1.000 |
| 108 | Type D Permanent Seed Mixture | Lb | 391.000 |
| 109 | Fertilizing | Ton | 1.000 |
| 110 | Fiber Mulching | Ton | 1.900 |
| 111 | Type 2 Erosion Control Blanket | SqYd | 300.000 |
| 112 | 12" Diameter Erosion Control Wattle | Ft | 975.000 |

| | | | |
|-----|---|------|-----------|
| 113 | Remove and Reset Erosion Control Wattle | Ft | 244.000 |
| 114 | Sediment Filter Bag | Ft | 80.000 |
| 115 | Low Flow Silt Fence | Ft | 2,050.000 |
| 116 | High Flow Silt Fence | Ft | 428.000 |
| 117 | Mucking Silt Fence | CuYd | 172.000 |
| 118 | Repair Silt Fence | Ft | 620.000 |
| 119 | Sediment Control at Inlet with Frame and Grate | Each | 29.000 |
| 120 | Sediment Control at Type S Reinforced Concrete Drop Inlet | Ft | 13.000 |
| 121 | Sweeping | Hour | 10.000 |
| 122 | Construction Entrance | Each | 1.000 |

4. **NH 014A(34)39** **Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970** **Phone: 605/394-2244**
Work Type 2 or Work Type 13 **DBE Goal: NONE** **Contract Id: 9991** **See Special Provisions for Completion Requirements**

| | | | |
|----|---|------|-----------|
| 1 | Mobilization | LS | 1.000 |
| 2 | Miscellaneous Staking | Mile | 0.140 |
| 3 | Slope Staking | Mile | 0.140 |
| 4 | Engineer Directed Surveying/Staking | Hour | 20.000 |
| 5 | Construction Schedule, Category II | LS | 1.000 |
| 6 | Clearing | LS | 1.000 |
| 7 | Remove Concrete Curb and/or Gutter | Ft | 103.000 |
| 8 | Remove Asphalt Concrete Pavement | SqYd | 608.000 |
| 9 | Remove Silt Fence | Ft | 950.000 |
| 10 | Remove W Beam Guardrail for Reset | Ft | 775.000 |
| 11 | Remove MGS MASH Flared End Terminal for Reset | Each | 1.000 |
| 12 | Remove Sign for Reset | Each | 1.000 |
| 13 | Remove Pipe End Section for Reset | Each | 1.000 |
| 14 | Unclassified Excavation | CuYd | 1,182.000 |
| 15 | Select Rock Fill Material | CuYd | 160.000 |
| 16 | Placing Topsoil | CuYd | 114.000 |
| 17 | Contractor Furnished Topsoil | CuYd | 53.000 |
| 18 | Incidental Work, Grading | LS | 1.000 |
| 19 | Base Course | Ton | 102.000 |
| 20 | Asphalt Concrete Composite | Ton | 114.000 |
| 21 | 6" Miscellaneous PCC Pavement | SqYd | 5.900 |
| 22 | 24" RCP Class 2, Furnish | Ft | 68.000 |
| 23 | 24" RCP, Install | Ft | 68.000 |
| 24 | 24" RCP Flared End, Furnish | Each | 1.000 |
| 25 | 24" RCP Flared End, Install | Each | 1.000 |
| 26 | Reset Pipe End Section | Each | 1.000 |
| 27 | Class M6 Concrete | CuYd | 1.200 |
| 28 | Reinforcing Steel | Lb | 199.000 |
| 29 | Type 1C MGS | Ft | 25.000 |
| 30 | Beam Guardrail Post and Block | Each | 124.000 |
| 31 | Reset Type 1C MGS | Ft | 775.000 |
| 32 | Reset MGS MASH Flared End Terminal | Each | 1.000 |
| 33 | Reset Sign | Each | 1.000 |
| 34 | Cold Applied Plastic Pavement Marking, 4" | Ft | 4,320.000 |
| 35 | Cold Applied Plastic Pavement Marking, 24" | Ft | 194.000 |
| 36 | Cold Applied Plastic Pavement Marking, Arrow | Each | 3.000 |
| 37 | Grooving for Cold Applied Plastic Pavement Marking, 4" | Ft | 4,320.000 |
| 38 | Grooving for Cold Applied Plastic Pavement Marking, 24" | Ft | 194.000 |
| 39 | Grooving for Cold Applied Plastic Pavement Marking, Arrow | Each | 3.000 |
| 40 | Flagging | Hour | 100.000 |
| 41 | Traffic Control Signs | SqFt | 153.600 |
| 42 | Traffic Control, Miscellaneous | LS | 1.000 |
| 43 | Temporary Raised Pavement Markers | Ft | 900.000 |

| | | | |
|----|--|------|-----------|
| 44 | Tubular Marker | Each | 23.000 |
| 45 | Linear Delineation System Panel, Barrier Mounted | Each | 40.000 |
| 46 | Remove Pavement Marking, 4" or Equivalent | Ft | 5,700.000 |
| 47 | Remove Pavement Marking, Arrow | Each | 3.000 |
| 48 | Traffic Control Movable Concrete Barrier | Each | 66.000 |
| 49 | Temporary Concrete Barrier End Protection | Each | 2.000 |
| 50 | Temporary Concrete Barrier End Protection Module Set or Repair Kit | Each | 2.000 |
| 51 | Detour and Restriction Signing | SqFt | 261.000 |
| 52 | Contractor Furnished Portable Changeable Message Sign | Each | 2.000 |
| 53 | Type B66 Concrete Curb and Gutter | Ft | 11.000 |
| 54 | Modified Type P9 Concrete Gutter | Ft | 17.000 |
| 55 | Type C Frame and Grate | Each | 1.000 |
| 56 | Precast Drop Inlet Collar | Each | 1.000 |
| 57 | Class C Riprap | Ton | 1,138.000 |
| 58 | Bank and Channel Protection Gabion | CuYd | 11.500 |
| 59 | Type F Permanent Seed Mixture | Lb | 13.000 |
| 60 | Fertilizing | Lb | 750.000 |
| 61 | Fiber Mulching | Lb | 960.000 |
| 62 | Low Flow Silt Fence | Ft | 950.000 |
| 63 | Mucking Silt Fence | CuYd | 66.000 |
| 64 | Repair Silt Fence | Ft | 238.000 |
| 65 | Temporary Diversion Channel for Fish Passage | Each | 1.000 |
| 66 | Type B Drainage Fabric | SqYd | 1,422.000 |

5. **IM 0041(186)** **Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970** **Phone: 605/394-2244**
Work Type 6 **DBE Goal: NONE** **Contract Id: 9998** **See Special Provisions for Completion Requirements**

| | | | |
|---|--|------|------------|
| 1 | Mobilization | LS | 1.000 |
| 2 | Construction Schedule, Category I | LS | 1.000 |
| 3 | Asphalt Concrete Crack Sealing | Lb | 10,337.000 |
| 4 | Flagging | Hour | 200.000 |
| 5 | Traffic Control Signs | SqFt | 688.000 |
| 6 | Traffic Control, Miscellaneous | LS | 1.000 |
| 7 | Type 3 Barricade | Each | 4.000 |
| 8 | Type C Advance Warning Arrow Board | Each | 2.000 |
| 9 | Contractor Furnished Vehicle Speed Feedback Sign | Each | 2.000 |

6. **NH 0042(102)** **Area Engineer: John Matthesen, W Hwy 34, Belle Fourche, SD, 57717-0786** **Phone: 605/892-2872**
Work Type 6 **DBE Goal: NONE** **Contract Id: 10010** **See Special Provisions for Completion Requirements**

| | | | |
|----|--|------|------------|
| 1 | Mobilization | LS | 1.000 |
| 2 | Construction Schedule, Category I | LS | 1.000 |
| 3 | SS-1h or CSS-1h Asphalt for Fog Seal | Ton | 277.200 |
| 4 | Sand for Fog Seal | Ton | 30.000 |
| 5 | HFMS-2 Asphalt for Surface Treatment | Ton | 1,662.900 |
| 6 | Type 2A Cover Aggregate | Ton | 106.300 |
| 7 | Type 2A Cover Aggregate | Ton | 4,540.900 |
| 8 | Type 2A Cover Aggregate | Ton | 10,351.400 |
| 9 | High Build Waterborne Pavement Marking Paint, White | Gal | 3,895.000 |
| 10 | High Build Waterborne Pavement Marking Paint, Yellow | Gal | 1,449.000 |
| 11 | Pavement Marking Masking, 5" | Ft | 2,096.000 |
| 12 | Pavement Marking Masking, 25" | Ft | 145.000 |
| 13 | Pavement Marking Masking, Area | SqFt | 28.000 |
| 14 | Pavement Marking Masking, Arrow | Each | 2.000 |
| 15 | Flagging | Hour | 1,820.000 |
| 16 | Pilot Car | Hour | 455.000 |
| 17 | Traffic Control Signs | SqFt | 1,829.300 |
| 18 | Traffic Control, Miscellaneous | LS | 1.000 |
| 19 | Remove Pavement Marking, Area | SqFt | 60.000 |

| | | | |
|----|---|------|---------|
| 20 | Temporary Pavement Marking | Mile | 206.200 |
| 21 | Contractor Furnished Portable Changeable Message Sign | Each | 4.000 |

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1, 3 through 6 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations. Minimum wage rates for 2 have been predetermined by the Department of Transportation, and are set forth in the advertised specification.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.14 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION