

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on March 05, 2025, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
** 1.	IM 0909(92)387 (PCN 06G8)	Minnehaha SWPPP = 24.60 AC	1.016	Interchange Reconstruction, Structure (258' Steel Girder Bridge), PCC Surfacing, Sidewalk	I90 - Exit 387 (Hartford)
** 2.	P 6353(00) (PCN 08CU)	Minnehaha SWPPP = 6.55 AC	0.352	Urban Grading, PCC Surfacing, Curb & Gutter, Storm Sewer, Shared Use Path, Sidewalk, Lighting	Western Ave - Fm N of I90 Exit 387 to Mickelson Rd in Hartford
3.	BRO 8014(38), BRO 8014(39), BRO 8034(36), BRO 8068(18) (PCN 08NG, 08NH, 08NN, 08NR)	Clay, Hutchinson, Yankton SWPPP = 0.32 AC	0.800	Structure Removal (91' Steel Thru Truss, 152' Steel Thru Truss, 24.5' Steel Girder, 55' Steel Pony Truss)	314th St. Str. No. 14-088-170; 314th St. Str. No. 14-133-170; Ash St. Str. No. 34-063-072; 429th St. Str. No. 68-010-134
4.	BRO-B 8003(39) (PCN 08MG)	Beadle SWPPP = 1.63 AC	---	Structure (5-12x8 CIP RCBC) & Approach Grading	Structure 4.5 N & 4.0 W of Wolsey on 383rd Ave over Cain Ck SN 03-070-104
5.	EM-PH-PP 0013(49)121 (PCN 05EX)	Brookings SWPPP = 115.00 AC	6.774	Shoulder Widening, Cold Milling, Asphalt Concrete Resurfacing, Replace Str (4-12x12 CIP RCBC), Pipe Work	SD13 - Fm SD324 to US14; Str 0.8 S of US14 Over Medary Ck
6.	P TAPR(52) (PCN 09G2)	Minnehaha SWPPP = 2.50 AC	0.640	PCC Shared Use Path	Dell Rapids - Along 474th Ave fm W 7th St to SD115 & Along 474th Ave fm 15th St to W 10th St
7.	NH 0041(184) (PCN 09L4)	Pennington	11.620	Asphalt Surface Treatment	Various Locations in the Rapid City Area
8.	NH-P 0032(46) (PCN 09L1)	Campbell, Corson, Dewey, McPherson, Walworth	96.400	Asphalt Surface Treatment	Various Routes in the Mobridge Area
9.	IM-P 0022(96) (PCN 0975)	Lincoln, McCook, Minnehaha	46.500	Asphalt Surface Treatment	Various Locations in the Sioux Falls Area
10.	NH 0042(97) (PCN 0968)	Butte, Meade, Ziebach	82.900	Rout & Seal	Various Locations in the Belle Fourche Area

11.	P 0012(318) (PCN 09KR)	Codington, Grant	9.150	Rout & Seal	Various Locations in the Watertown Area
12.	PH 0020(211) (PCN 06UA)	Regionwide	15.471	Rumble Stripes	Various locations on the local system in the Mitchell Region
13.	NH 0081(114)0 (PCN 07DH)	Yankton	---	ADA, Modify Intersection, Signals	US81 - Fm SD50 to 23rd St in Yankton
14.	PH 8048(04) (PCN 04JH)	Mellette	---	Signing & Delineation - Gravel Roads ONLY	Various County, City, & Township Roads in Mellette County

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	IM 0909(92)387	Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107	Phone: 605/367-5680
	Work Type 1 or Work Type 3 or Work Type 7	DBE Goal: 3.000%	Contract Id: 9561 See Special Provisions for Completion Requirements
1	Remove Traffic Diversion(s)	LS	1.000
2	Mobilization	LS	1.000
3	Reestablish Right-of-Way and Property Corner	Each	50.000
4	Reestablish Public Land Survey System Corner	Each	1.000
5	Grade Staking	Mile	3.757
6	Miscellaneous Staking	Mile	1.705
7	Slope Staking	Mile	1.705
8	Structure Staking	Each	1.000
9	Engineer Directed Surveying/Staking	Hour	40.000
10	Bridge Elevation Survey	LS	1.000
11	Construction Schedule, Category III	LS	1.000
12	Project Management, Category III	LS	1.000
13	Concrete Penetrating Sealer	SqYd	1,758.000
14	Training Program	Hour	1,500.000
15	Clearing	LS	1.000
16	Remove Concrete Footing(s)	LS	1.000
17	Remove Traffic Sign	Each	14.000
18	Remove Delineator	Each	180.000
19	Remove Extruded Panel Sign	Each	6.000
20	Remove Concrete Curb and/or Gutter	Ft	166.000
21	Remove Drop Inlet	Each	4.000
22	Remove Fence	Ft	3,539.000
23	Remove 3 Cable Guardrail	Ft	1,612.000
24	Remove Beam Guardrail	Ft	745.400
25	Remove 3 Cable Guardrail Anchor Assembly	Each	8.000
26	Remove W Beam Guardrail End Terminal	Each	6.000
27	Remove Asphalt Concrete Pavement	SqYd	27,222.700
28	Remove Asphalt Concrete Approach Pavement	SqYd	896.200
29	Remove Sediment	CuYd	9.400
30	Remove Erosion Control Wattle	Ft	255.000
31	Remove Sediment Filter Bag	Ft	732.000
32	Remove Silt Fence	Ft	3,242.000
33	Salvage Riprap	Ton	4.200
34	Remove Pipe for Reset	Ft	28.000
35	Remove Pipe End Section for Reset	Each	2.000
36	Remove Pipe Bend for Reset	Each	2.000
37	Unclassified Excavation	CuYd	58,177.000
38	Option Borrow Excavation	CuYd	180,808.000
39	Contractor Furnished Borrow	CuYd	53,471.000
40	Contaminated Material Excavation	CuYd	100.000
41	Muck Excavation	CuYd	5,288.000
42	Undercutting	CuYd	15,421.000
43	Water for Embankment	MGal	2,128.100
44	Water for Granular Material	MGal	222.800
45	Select Granular Backfill	Ton	27.400
46	Pit Run	Ton	3,010.000
47	Placing Topsoil	CuYd	28,941.000
48	Obliterate Old Road	Sta	4.000
49	Incidental Work, Grading	LS	1.000
50	Incidental Work, Structure	LS	1.000
51	Base Course	Ton	6,767.300
52	Gravel Cushion	Ton	1,594.000
53	Gravel Cushion, Salvaged	Ton	11,084.800

54	Gravel Surfacing	Ton	684.100
55	Salvage and Stockpile Granular Material	Ton	11,123.900
56	Asphalt Concrete Composite	Ton	2,891.800
57	9" Nonreinforced PCC Pavement	SqYd	27,846.000
58	Dowel Bar	Each	12,999.000
59	Insert Steel Bar in PCC Pavement	Each	60.000
60	Structural Steel, Install	LS	1.000
61	Membrane Sealant Expansion Joint	Ft	204.400
62	Structure Excavation, Bridge	CuYd	225.000
63	Bridge End Embankment	CuYd	965.000
64	Granular Bridge End Backfill	CuYd	89.800
65	18" RCP Class 2, Furnish	Ft	1,500.000
66	18" RCP, Install	Ft	1,500.000
67	30" RCP Class 2, Furnish	Ft	38.000
68	30" RCP Class 3, Furnish	Ft	132.000
69	30" RCP Class 4, Furnish	Ft	66.000
70	30" RCP, Install	Ft	236.000
71	36" RCP Class 2, Furnish	Ft	214.000
72	36" RCP, Install	Ft	214.000
73	18" RCP Flared End, Furnish	Each	2.000
74	18" RCP Flared End, Install	Each	2.000
75	30" RCP Flared End, Furnish	Each	5.000
76	30" RCP Flared End, Install	Each	5.000
77	30" RCP Sloped End, Furnish	Each	3.000
78	30" RCP Sloped End, Install	Each	3.000
79	18" RCP Safety End, Furnish	Each	1.000
80	18" RCP Safety End, Install	Each	1.000
81	18" CMP 14 Gauge, Furnish	Ft	254.000
82	18" CMP, Install	Ft	254.000
83	30" CMP 14 Gauge, Furnish	Ft	18.000
84	30" CMP, Install	Ft	18.000
85	18" CMP Elbow, Furnish	Each	8.000
86	18" CMP Elbow, Install	Each	8.000
87	18" CMP Flared End, Furnish	Each	4.000
88	18" CMP Flared End, Install	Each	4.000
89	30" CMP Flared End, Furnish	Each	1.000
90	30" CMP Flared End, Install	Each	1.000
91	18" CMP Arch 14 Gauge, Furnish	Ft	38.000
92	18" CMP Arch, Install	Ft	38.000
93	18" CMP Arch Flared End, Furnish	Each	2.000
94	18" CMP Arch Flared End, Install	Each	2.000
95	18" RCP to CMP Transition, Furnish	Each	4.000
96	18" Pipe Transition, Install	Each	4.000
97	Reset Pipe	Ft	28.000
98	Reset Pipe End Section	Each	2.000
99	Reset Pipe Bend	Each	2.000
100	Class A45 Concrete, Bridge Deck	CuYd	502.300
101	Class A45 Concrete, Bridge	CuYd	248.600
102	Concrete Approach Slab for Bridge	SqYd	199.700
103	Concrete Approach Sleeper Slab for Bridge	SqYd	70.700
104	Install Dowel in Concrete	Each	760.000
105	Deck Drain, Girder Bridge	Each	30.000
106	Class M6 Concrete	CuYd	45.700
107	Steel Pedestrian Railing on Sidewalk	Ft	547.500
108	Steel Pedestrian Railing on Concrete Barrier	Ft	507.000
109	Reinforcing Steel	Lb	65,698.000

110	Epoxy Coated Reinforcing Steel	Lb	3,190.000
111	Stainless Reinforcing Steel	Lb	120,670.000
112	No. 9 Rebar Splice	Each	4.000
113	No. 11 Rebar Splice	Each	28.000
114	No. 14 Rebar Splice	Each	84.000
115	Extract Pile	Each	5.000
116	Preboring Pile	Ft	240.000
117	HP 12x53 Steel Test Pile, Furnish and Drive	Ft	275.000
118	HP 12x53 Steel Bearing Pile, Furnish and Drive	Ft	6,700.000
119	Type III Field Laboratory	Each	1.000
120	Type 2 Right-of-Way Fence	Ft	4,779.000
121	2 Post Panel	Each	38.000
122	3 Post Panel	Each	13.000
123	Chain Link Fence for Bridge Sidewalk	Ft	548.000
124	High Tension 4 Cable Guardrail	Ft	1,172.000
125	High Tension Cable Guardrail Anchor Assembly	Each	4.000
126	Type 4 MGS	Ft	200.000
127	Type 1 Guardrail Transition	Each	4.000
128	MGS MASH Tangent End Terminal	Each	4.000
129	1.75' Diameter Breakaway Support Concrete Footing	Ft	56.000
130	W6x20 Steel Post	Ft	128.400
131	2.5"x2.5" Perforated Tube Post	Ft	230.700
132	4"x4" Amber Delineator with 1.12 Lb/Ft Post	Each	8.000
133	4"x8" Amber Delineator with 1.12 Lb/Ft Post	Each	10.000
134	4" Tubular Amber Delineator with 1.12 Lb/Ft Post	Each	16.000
135	4"x4" White Delineator with 1.12 Lb/Ft Post	Each	10.000
136	4"x8" White Delineator with 1.12 Lb/Ft Post	Each	62.000
137	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	20.000
138	Guardrail Delineator	Each	16.000
139	Type 2 Object Marker	Each	21.000
140	Extruded Aluminum Sign, Nonremovable Copy High Intensity	SqFt	280.000
141	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	162.400
142	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	104.000
143	Preformed Thermoplastic Pavement Marking, 4" with Contrast Border	Ft	20,103.000
144	Preformed Thermoplastic Pavement Marking, 24"	Ft	518.000
145	Preformed Thermoplastic Pavement Marking, Arrow	Each	19.000
146	Preformed Thermoplastic Pavement Marking, Combination Arrow	Each	5.000
147	Grooving for Cold Applied Plastic Pavement Marking, 4" with Contrast Border	Ft	20,103.000
148	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	518.000
149	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	19.000
150	Grooving for Cold Applied Plastic Pavement Marking, Combination Arrow	Each	5.000
151	Flagging	Hour	200.000
152	Traffic Control Signs	SqFt	3,030.600
153	Traffic Control, Miscellaneous	LS	1.000
154	Type 3 Barricade	Each	24.000
155	Temporary Raised Pavement Markers	Ft	29,410.000
156	Tubular Marker	Each	775.000
157	Replace Tubular Marker	Each	100.000
158	Type C Advance Warning Arrow Board	Each	6.000
159	Linear Delineation System Panel, Barrier Mounted	Each	124.000
160	Remove Pavement Marking, 4" or Equivalent	Ft	9,500.000
161	Temporary Pavement Marking	Ft	44,470.000
162	Traffic Control Movable Concrete Barrier	Each	124.000
163	Remove and Reset Traffic Control Movable Concrete Barrier	Each	66.000
164	Temporary Concrete Barrier End Protection	Each	4.000
165	Temporary Concrete Barrier End Protection Module Set or Repair Kit	Each	1.000

166	Contractor Furnished Portable Changeable Message Sign	Each	1.000
167	Breakaway Base Luminaire Pole with Arm, 50' Mounting Height	Each	40.000
168	Breakaway Base Luminaire Pole with Twin Arms, 50' Mounting Height	Each	16.000
169	Roadway Luminaire, LED with Photoelectric Cell	Each	72.000
170	2' Diameter Footing	Ft	464.000
171	Type 1 Electrical Junction Box	Each	3.000
172	Type 2 Electrical Junction Box	Each	1.000
173	Type 3 Electrical Junction Box	Each	10.000
174	Electrical Service Cabinet	Each	2.000
175	2" Rigid Conduit, Schedule 40	Ft	12,135.000
176	3" Rigid Conduit, Schedule 40	Ft	30.000
177	2" Rigid Conduit, Schedule 80	Ft	790.000
178	1" Innerduct, Schedule 40	Ft	12,210.000
179	1/C #1 AWG Copper Wire	Ft	11,330.000
180	1/C #4 AWG Copper Wire	Ft	12,030.000
181	1/C #8 AWG Copper Wire	Ft	27,340.000
182	1/C #10 AWG Copper Wire	Ft	12,610.000
183	2/C #10 AWG Copper Pole and Bracket Cable	Ft	4,840.000
184	Type F69 Concrete Curb and Gutter	Ft	3,158.000
185	Type FL69 Concrete Curb and Gutter	Ft	281.000
186	Type D49 Concrete Curb and Gutter	Ft	242.000
187	Type P9 Concrete Gutter	Ft	448.000
188	4" Concrete Sidewalk	SqFt	7,972.000
189	6" Concrete Sidewalk	SqFt	19,770.000
190	6" Reinforced Concrete Sidewalk	SqFt	610.000
191	Type 1 Detectable Warnings	SqFt	312.000
192	Type A Frame and Grate	Each	2.000
193	Type B Frame and Grate	Each	20.000
194	Type E Frame and Grate	Each	4.000
195	Special Precast Concrete Type S Drop Inlet Lid	Each	1.000
196	Precast Drop Inlet Collar	Each	27.000
197	Type A7 Manhole Frame and Lid	Each	1.000
198	Type S Manhole Frame and Lid	Each	1.000
199	Class A Riprap	Ton	198.400
200	Place Riprap	Ton	4.200
201	Cover Crop Seeding	Bu	52.100
202	Type G Permanent Seed Mixture	Lb	457.000
203	Fertilizing	Ton	17.800
204	Mulching	Ton	36.200
205	Fiber Reinforced Matrix	Ton	18.300
206	Type 3 Erosion Control Blanket	SqYd	5,996.000
207	12" Diameter Erosion Control Wattle	Ft	1,020.000
208	Remove and Reset Erosion Control Wattle	Ft	255.000
209	Sediment Filter Bag	Ft	732.000
210	Remove and Reset Sediment Filter Bag	Ft	183.000
211	Surface Roughening	Acre	14.000
212	Shaping for Erosion Control Blanket	Ft	2,360.000
213	Low Flow Silt Fence	Ft	11,855.000
214	High Flow Silt Fence	Ft	1,112.000
215	Mucking Silt Fence	CuYd	900.000
216	Repair Silt Fence	Ft	3,242.000
217	Sediment Control at Inlet with Frame and Grate	Each	26.000
218	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	13.000
219	Bridge Berm Slope Protection, Quarried Aggregate	SqYd	511.000
220	Type B Drainage Fabric	SqYd	238.000
221	Non-woven Separator Fabric	SqYd	3,080.000

222	Perforated Geocell	SqFt	783.000
223	Refurbish Single Mailbox	Each	2.000
224	Refurbish Double Mailbox	Each	2.000
225	Construction Entrance	Each	2.000
226	Articulated Concrete Mattress	SqYd	347.000

2. **P 6353(00)** **Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107** **Phone: 605/367-5680**
Work Type 1 or Work Type 3 or **DBE Goal: NONE** **Contract Id: 9651** **See Special Provisions for Completion Requirements**
Work Type 7

1	Construction and Maintenance of Detour(s)	LS	1.000
2	Mobilization	LS	1.000
3	Remove Concrete Footing(s)	LS	1.000
4	Remove Traffic Sign	Each	18.000
5	Remove Concrete Curb and/or Gutter	Ft	456.000
6	Remove Drop Inlet	Each	2.000
7	Remove Manhole	Each	3.000
8	Remove Pipe Culvert	Ft	1,118.000
9	Remove Sewer Pipe	Ft	404.000
10	Remove Concrete Pavement	SqYd	225.000
11	Remove Concrete Driveway Pavement	SqYd	170.500
12	Remove Concrete Sidewalk	SqYd	28.200
13	Remove Riprap	SqYd	80.000
14	Remove Granular Material	CuYd	276.000
15	Remove Sediment	CuYd	20.300
16	Remove Erosion Control Wattle	Ft	4,167.000
17	Remove Silt Fence	Ft	3,359.000
18	Remove Fire Hydrant	Each	2.000
19	Remove Valve Box	Each	7.000
20	Remove Gate Valve	Each	1.000
21	Remove Water Main	Ft	177.000
22	Salvage Traffic Sign	Each	3.000
23	Salvage Signal Equipment	LS	1.000
24	Remove Pedestrian Push Button for Reset	Each	2.000
25	Unclassified Excavation	CuYd	3,943.000
26	Contaminated Material Excavation	CuYd	100.000
27	Muck Excavation	CuYd	1,576.000
28	Water for Vegetation	MGal	605.000
29	Ordinary Roadway Shaping	SqYd	13,559.000
30	Remove and Replace Topsoil	LS	1.000
31	Incidental Work, Grading	LS	1.000
32	Base Course	Ton	9,869.000
33	Gravel Surfacing	Ton	100.000
34	Salvage and Stockpile Asphalt Mix Material	Ton	3,221.000
35	Saw Joint in Asphalt Concrete	Ft	273.000
36	Temporary Asphalt	Ton	488.000
37	Cold Milling Asphalt Concrete	SqYd	10,413.000
38	8" Nonreinforced PCC Pavement	SqYd	12,499.000
39	6" PCC Driveway Pavement	SqYd	488.000
40	Dowel Bar	Each	6,012.000
41	Insert Steel Bar in PCC Pavement	Each	78.000
42	Saw Joint in PCC Pavement	Ft	102.100
43	Temporary Gravel Crossing	Each	10.000
44	15" RCP Class 4, Furnish	Ft	376.000
45	15" RCP, Install	Ft	376.000
46	18" RCP Class 3, Furnish	Ft	432.000
47	18" RCP, Install	Ft	432.000
48	24" RCP Class 3, Furnish	Ft	120.000

49	24" RCP, Install	Ft	120.000
50	36" RCP Class 3, Furnish	Ft	1,108.000
51	36" RCP, Install	Ft	1,108.000
52	42" RCP Class 3, Furnish	Ft	622.000
53	42" RCP, Install	Ft	622.000
54	15" RCP Flared End, Furnish	Each	3.000
55	15" RCP Flared End, Install	Each	3.000
56	18" RCP Flared End, Furnish	Each	2.000
57	18" RCP Flared End, Install	Each	2.000
58	36" RCP Flared End, Furnish	Each	8.000
59	36" RCP Flared End, Install	Each	8.000
60	48" RCP Arch Class 3, Furnish	Ft	344.000
61	48" RCP Arch, Install	Ft	344.000
62	48" RCP Arch Flared End, Furnish	Each	1.000
63	48" RCP Arch Flared End, Install	Each	1.000
64	6" PVC Water Main	Ft	149.000
65	8" PVC Water Main	Ft	20.000
66	12" PVC Water Main	Ft	289.000
67	2" Copper Pipe	Ft	358.000
68	6" PVC Sewer Pipe	Ft	32.000
69	8" PVC Sewer Pipe	Ft	354.000
70	10" PVC Sewer Pipe	Ft	286.000
71	10"x6" Pipe Wye	Each	1.000
72	6"x6" Pipe Tee	Each	1.000
73	12"x6" Pipe Tee	Each	1.000
74	2" Corporation Stop with Tapping Saddle	Each	3.000
75	2" Curb Stop with Box	Each	3.000
76	8" Pipe Bend	Each	4.000
77	12" Pipe Bend	Each	8.000
78	6" Pipe Cap	Each	1.000
79	10" Pipe Cap	Each	1.000
80	12" Pipe Cap	Each	1.000
81	8" Pipe Coupling	Each	2.000
82	6" Retainer Gland	Each	15.000
83	8" Retainer Gland	Each	8.000
84	12" Retainer Gland	Each	19.000
85	6" Gate Valve with Box	Each	3.000
86	12" Gate Valve with Box	Each	1.000
87	Valve Box	Each	7.000
88	48" Fire Hydrant Extension	Each	1.000
89	Standard Fire Hydrant	Each	2.000
90	Water Main Bedding Material	Ft	458.000
91	8" Sewer Pipe Bedding Material	Ft	354.000
92	10" Sewer Pipe Bedding Material	Ft	286.000
93	Utility Trench Compaction Testing	LS	1.000
94	Adjust Water Valve Box	Each	9.000
95	Cut and Tie to Existing Water Main	Each	6.000
96	Connect to Existing Sewer Main	Each	4.000
97	PVC Pipe Deflection Test	Ft	610.000
98	Pipe Exfiltration Test	Ft	318.000
99	Class M6 Concrete	CuYd	104.800
100	Reinforcing Steel	Lb	16,603.000
101	2.0"x2.0" Perforated Tube Post	Ft	176.700
102	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	187.500
103	Reset Sign	Each	3.000
104	Durable Pavement Marking, 4" White	Ft	1,318.000

105	Durable Pavement Marking, 4" Yellow	Ft	4,985.000
106	Durable Pavement Marking, 6" White	Ft	1,015.000
107	Durable Pavement Marking, 12" Yellow	Ft	121.000
108	Durable Pavement Marking, 24" White	Ft	138.000
109	Durable Pavement Marking, Arrow	Each	27.000
110	Durable Pavement Marking, Combination Arrow	Each	7.000
111	Grooving for Durable Pavement Marking, 4"	Ft	6,303.000
112	Grooving for Durable Pavement Marking, 6"	Ft	1,015.000
113	Grooving for Durable Pavement Marking, 12"	Ft	121.000
114	Grooving for Durable Pavement Marking, 24"	Ft	138.000
115	Grooving for Durable Pavement Marking, Arrow	Each	27.000
116	Grooving for Durable Pavement Marking, Combination Arrow	Each	7.000
117	Traffic Control Signs	SqFt	127.000
118	Traffic Control, Miscellaneous	LS	1.000
119	Traffic Control Supervisor	LS	1.000
120	Type 3 Barricade	Each	14.000
121	Type C Advance Warning Arrow Board	Each	1.000
122	Remove Pavement Marking, 4" or Equivalent	Ft	208.000
123	Detour and Restriction Signing	SqFt	196.000
124	2' Diameter Footing	Ft	10.500
125	Remove and Reset Pedestal Signal Pole	Each	2.000
126	Reset Pedestrian Push Button	Each	2.000
127	4" Concrete Sidewalk	SqFt	20,428.000
128	6" Concrete Sidewalk	SqFt	3,583.000
129	Type 1 Detectable Warnings	SqFt	268.000
130	Special Frame and Grate Assembly	Each	41.000
131	Special Frame and Grate	Each	2.000
132	Adjust Drop Inlet	Each	21.000
133	Adjust Junction Box	Each	16.000
134	78" Manhole	Each	1.000
135	48" Manhole 10' to 12' Deep	Each	1.000
136	48" Manhole 12' to 14' Deep	Each	1.000
137	48" Manhole 14' to 16' Deep	Each	1.000
138	48" Manhole 16' to 18' Deep	Each	1.000
139	Temporary Manhole Cover	Each	21.000
140	Type A7 Manhole Frame and Lid	Each	3.000
141	Special Manhole Frame and Lid	Each	21.000
142	Adjust Manhole	Each	5.000
143	Connect Into Existing Manhole	Each	3.000
144	Reconstruct Manhole	Each	4.000
145	Manhole Exfiltration/Vacuum Test	Each	4.000
146	Underdrain Service Cleanout	Each	12.000
147	6" Corrugated Polyethylene Drainage Tubing	Ft	3,295.000
148	Class C Riprap	Ton	994.900
149	Type D Permanent Seed Mixture	Lb	707.000
150	Fertilizing	Lb	232.000
151	Type 3 Erosion Control Blanket	SqYd	10,192.000
152	6" Diameter Erosion Control Wattle	Ft	3,378.000
153	12" Diameter Erosion Control Wattle	Ft	789.000
154	Low Flow Silt Fence	Ft	3,289.000
155	High Flow Silt Fence	Ft	70.000
156	Mucking Silt Fence	CuYd	233.000
157	Repair Silt Fence	Ft	840.000
158	Sediment Control at Inlet with Frame and Grate	Each	45.000
159	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	24.000
160	Sweeping	Hour	10.000

161	Type B Drainage Fabric	SqYd	702.000
162	Non-woven Separator Fabric	SqYd	13,559.000
163	Refurbish Single Mailbox	Each	2.000
164	Construction Entrance	Each	10.000

3. BRO 8014(38), BRO 8014(39), BRO 8034(36), BRO 8068(18)
Work Type 7 or Work Type 8 or Work Type 9

Area Engineer: Greg Rothschadl, 1306 W 31st St, Yankton, SD, 57078-9662 Phone: 605/668-2929
DBE Goal: Not Specified Contract Id: 9170 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Clearing	LS	1.000
3	Remove Traffic Sign	Each	31.000
4	Remove Pipe Culvert	Ft	46.000
5	Remove Fence	Ft	48.000
6	Remove Sediment	CuYd	1.200
7	Unclassified Excavation	CuYd	687.000
8	Placing Topsoil	CuYd	99.000
9	Incidental Work, Structure	LS	1.000
10	2.0"x2.0" Perforated Tube Post	Ft	949.000
11	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	598.500
12	Traffic Control Signs	SqFt	251.000
13	Traffic Control, Miscellaneous	LS	1.000
14	Type 3 Barricade	Each	30.000
15	Erosion Control	LS	1.000
16	Type 2 Erosion Control Blanket	SqYd	315.000
17	Type 3 Erosion Control Blanket	SqYd	910.000
18	12" Diameter Erosion Control Wattle	Ft	440.000
19	Remove and Reset Erosion Control Wattle	Ft	110.000
20	Floating Silt Curtain	Ft	300.000

4. BRO-B 8003(39)
Work Type 9

Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940 Phone: 605/353-7140
DBE Goal: Not Specified Contract Id: 9432 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Construction Staking	LS	1.000
3	Structure Staking	Each	1.000
4	Clear and Grub Tree	Each	5.000
5	Remove Fence	Ft	794.000
6	Remove Sediment	CuYd	1.000
7	Remove Erosion Control Wattle	Ft	100.000
8	Remove Silt Fence	Ft	900.000
9	Unclassified Excavation	CuYd	3,109.000
10	Contractor Furnished Borrow Excavation	CuYd	576.000
11	Placing Topsoil	CuYd	750.000
12	Incidental Work, Structure	LS	1.000
13	Gravel Surfacing	Ton	747.600
14	Structure Excavation, Box Culvert	CuYd	174.000
15	Box Culvert Undercut	CuYd	228.000
16	Class A45 Concrete, Box Culvert	CuYd	343.400
17	Reinforcing Steel	Lb	47,311.000
18	Type 2 Right-of-Way Fence	Ft	797.000
19	Type 1 Temporary Fence	Ft	744.000
20	2 Post Panel	Each	12.000
21	Type 2 Object Marker	Each	4.000
22	Traffic Control Signs	SqFt	109.000
23	Traffic Control, Miscellaneous	LS	1.000
24	Type 3 Barricade	Each	8.000
25	Class B Riprap	Ton	119.000
26	Erosion Control	LS	1.000

27	12" Diameter Erosion Control Wattle	Ft	200.000
28	Remove and Reset Erosion Control Wattle	Ft	40.000
29	High Flow Silt Fence	Ft	900.000
30	Mucking Silt Fence	CuYd	63.000
31	Repair Silt Fence	Ft	100.000
32	Type B Drainage Fabric	SqYd	143.000

5. **EM-PH-PP 0013(49)121** **Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201** **Phone: 605/882-5166**
Work Type 1 or Work Type 5 **DBE Goal: Not Specified** **Contract Id: 9467** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Reestablish Right-of-Way and Property Corner	Each	123.000
3	Reestablish Public Land Survey System Corner	Each	18.000
4	Grade Staking	Mile	6.890
5	Final Cross Section Survey	Mile	6.775
6	Miscellaneous Staking	Mile	6.775
7	Slope Staking	Mile	6.775
8	Structure Staking	Each	1.000
9	Engineer Directed Surveying/Staking	Hour	40.000
10	Checker	LS	1.000
11	Construction Schedule, Category II	LS	1.000
12	Training Program	Hour	1,000.000
13	Clearing	LS	1.000
14	Remove Traffic Sign	Each	87.000
15	Remove Delineator	Each	20.000
16	Remove Fence	Ft	18,688.000
17	Remove 3 Cable Guardrail	Ft	339.000
18	Remove Beam Guardrail	Ft	328.000
19	Remove 3 Cable Guardrail Anchor Assembly	Each	2.000
20	Remove Asphalt Concrete Pavement	SqYd	1,568.300
21	Remove Sediment	CuYd	2.600
22	Remove Silt Fence	Ft	3,067.000
23	Unclassified Excavation	CuYd	268,237.000
24	Unclassified Excavation, Digouts	CuYd	294.000
25	Contractor Furnished Borrow Excavation	CuYd	61,599.000
26	Contaminated Material Excavation	CuYd	100.000
27	Muck Excavation	CuYd	4,937.000
28	Undercutting	CuYd	36,832.000
29	Water for Embankment	MGal	2,339.000
30	Water for Granular Material	MGal	992.200
31	Placing Topsoil	CuYd	74,923.000
32	Obliterate Old Road	Sta	6.000
33	Incidental Work, Grading	LS	1.000
34	Incidental Work, Structure	LS	1.000
35	Base Course	Ton	45,276.900
36	Base Course, Salvaged	Ton	36,114.500
37	Base Course, Salvaged Asphalt Mix	Ton	1,306.100
38	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	36,114.500
39	PG 58-34 Asphalt Binder	Ton	1,460.900
40	Asphalt Concrete Composite	Ton	446.800
41	Class Q2R Hot Mixed Asphalt Concrete	Ton	28,563.500
42	Asphalt Concrete Blade Laid	Ton	880.900
43	Hydrated Lime	Ton	284.400
44	Saw Joint in Asphalt Concrete	Ft	62,014.000
45	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	13.500
46	Grind Centerline Rumble Stripe in Asphalt Concrete	Mile	4.100
47	Grind Sinusoidal Centerline Rumble Stripe in Asphalt Concrete	Mile	2.700

48	MC-70 Asphalt for Prime	Ton	128.000
49	SS-1h or CSS-1h Asphalt for Tack	Ton	107.800
50	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	42.700
51	Blotting Sand for Prime	Ton	10.000
52	Sand for Flush Seal	Ton	414.400
53	Cold Milling Asphalt Concrete	SqYd	103,140.000
54	Structure Excavation, Box Culvert	CuYd	227.000
55	Pipe Culvert Undercut	CuYd	541.000
56	Box Culvert Undercut	CuYd	645.000
57	24" RCP Class 2, Furnish	Ft	68.000
58	24" RCP, Install	Ft	68.000
59	36" RCP Class 2, Furnish	Ft	336.000
60	36" RCP, Install	Ft	336.000
61	48" RCP Class 2, Furnish	Ft	168.000
62	48" RCP, Install	Ft	168.000
63	36" RCP Flared End, Furnish	Each	8.000
64	36" RCP Flared End, Install	Each	8.000
65	48" RCP Flared End, Furnish	Each	4.000
66	48" RCP Flared End, Install	Each	4.000
67	24" RCP Sloped End, Furnish	Each	2.000
68	24" RCP Sloped End, Install	Each	2.000
69	24" RCP Arch Class 2, Furnish	Ft	140.000
70	24" RCP Arch, Install	Ft	140.000
71	36" RCP Arch Class 2, Furnish	Ft	168.000
72	36" RCP Arch, Install	Ft	168.000
73	48" RCP Arch Class 2, Furnish	Ft	84.000
74	48" RCP Arch, Install	Ft	84.000
75	60" RCP Arch Class 2, Furnish	Ft	336.000
76	60" RCP Arch, Install	Ft	336.000
77	36" RCP Arch Flared End, Furnish	Each	4.000
78	36" RCP Arch Flared End, Install	Each	4.000
79	48" RCP Arch Flared End, Furnish	Each	2.000
80	48" RCP Arch Flared End, Install	Each	2.000
81	60" RCP Arch Flared End, Furnish	Each	8.000
82	60" RCP Arch Flared End, Install	Each	8.000
83	24" RCP Arch Sloped End, Furnish	Each	4.000
84	24" RCP Arch Sloped End, Install	Each	4.000
85	18" CMP 16 Gauge, Furnish	Ft	2,260.000
86	18" CMP, Install	Ft	2,260.000
87	24" CMP 16 Gauge, Furnish	Ft	338.000
88	24" CMP, Install	Ft	338.000
89	18" CMP Safety End, Furnish	Each	68.000
90	18" CMP Safety End, Install	Each	68.000
91	24" CMP Safety End, Furnish	Each	12.000
92	24" CMP Safety End, Install	Each	12.000
93	Class A45 Concrete, Box Culvert	CuYd	544.200
94	Controlled Density Fill	CuYd	95.100
95	Reinforcing Steel	Lb	76,357.000
96	Type III Field Laboratory	Each	1.000
97	Type 2 Right-of-Way Fence	Ft	6,906.000
98	Type 3 Right-of-Way Fence	Ft	7,679.000
99	Type 6 Right-of-Way Fence	Ft	195.000
100	Type 1A Temporary Fence	Ft	3,137.000
101	Type 2 Temporary Fence	Ft	7,039.000
102	2 Post Panel	Each	24.000
103	3 Post Panel	Each	39.000

104	2.0"x2.0" Perforated Tube Post	Ft	969.500
105	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	8.000
106	Type 2 Object Marker Back to Back	Each	96.000
107	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	209.800
108	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	422.300
109	Cold Applied Plastic Pavement Marking, 24"	Ft	50.000
110	Cold Applied Plastic Pavement Marking, Railroad Crossing	Each	3.000
111	High Build Waterborne Pavement Marking Paint, White	Gal	305.000
112	High Build Waterborne Pavement Marking Paint, Yellow	Gal	105.000
113	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	50.000
114	Grooving for Cold Applied Plastic Pavement Marking, Railroad Crossing	Each	3.000
115	Flagging	Hour	3,200.000
116	Pilot Car	Hour	1,500.000
117	Traffic Control Signs	SqFt	1,146.400
118	Traffic Control, Miscellaneous	LS	1.000
119	Type 3 Barricade	Each	14.000
120	4" Temporary Pavement Marking Tape Type I	Ft	17,152.000
121	Temporary Pavement Marking	Mile	34.000
122	Detour and Restriction Signing	SqFt	364.000
123	4" Corrugated Polyethylene Drainage Tubing	Ft	100.000
124	6" Corrugated Polyethylene Drainage Tubing	Ft	100.000
125	8" Corrugated Polyethylene Drainage Tubing	Ft	100.000
126	12" Corrugated Polyethylene Drainage Tubing	Ft	100.000
127	18" Corrugated Polyethylene Drainage Tubing	Ft	100.000
128	Class B Riprap	Ton	96.300
129	PVC Coated Bank and Channel Protection Gabion	CuYd	81.500
130	Cover Crop Seeding	Bu	100.000
131	Type G Permanent Seed Mixture	Lb	2,415.000
132	Fertilizing	Ton	46.500
133	Mulching	Ton	185.800
134	Type 3 Erosion Control Blanket	SqYd	13,537.000
135	12" Diameter Erosion Control Wattle	Ft	1,150.000
136	Remove and Reset Erosion Control Wattle	Ft	288.000
137	Shaping for Erosion Control Blanket	Ft	3,125.000
138	Low Flow Silt Fence	Ft	10,828.000
139	High Flow Silt Fence	Ft	3,028.000
140	Mucking Silt Fence	CuYd	851.000
141	Repair Silt Fence	Ft	3,067.000
142	Floating Silt Curtain	Ft	250.000
143	Temporary Diversion Channel for Fish Passage	Each	1.000
144	Type B Drainage Fabric	SqYd	355.000
145	Geogrid Reinforcement	SqYd	2,193.000
146	Refurbish Single Mailbox	Each	9.000
147	Construction Entrance	Each	2.000
148	Storage Unit	Each	1.000
149	Railroad Protective Insurance	LS	1.000

6.	P TAPR(52)	Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107		Phone: 605/367-5680
	Work Type 14	DBE Goal: Not Specified	Contract Id: 9704	See Special Provisions for Completion Requirements
	1 Mobilization	LS	1.000	
	2 Clear and Grub Stump	Each	1.000	
	3 Clear and Grub Tree	Each	22.000	
	4 Clearing	LS	1.000	
	5 Remove Concrete Curb and/or Gutter	Ft	120.000	
	6 Remove Pipe Culvert	Ft	24.000	
	7 Remove Asphalt Concrete Pavement	SqYd	1,068.000	

8	Remove Concrete Pavement	SqYd	207.000
9	Remove Concrete Sidewalk	SqYd	22.000
10	Remove Silt Fence	Ft	50.000
11	Remove Sign for Reset	Each	5.000
12	Remove Manhole Frame and Lid for Reset	Each	1.000
13	Unclassified Excavation	CuYd	2,570.000
14	Unclassified Excavation, Digouts	CuYd	50.000
15	Contractor Furnished Borrow Excavation	CuYd	2,110.000
16	Water for Vegetation	MGal	490.000
17	Placing Topsoil	CuYd	1,780.000
18	Contractor Furnished Topsoil	CuYd	240.000
19	Incidental Work, Grading	LS	1.000
20	Base Course	Ton	700.000
21	Gravel Cushion	Ton	900.000
22	Gravel Surfacing	Ton	110.000
23	Asphalt Concrete Composite	Ton	240.000
24	6" PCC Driveway Pavement	SqYd	157.000
25	6" PCC Fillet Section	SqYd	26.000
26	4" Extruded Polystyrene Insulation Board	SqYd	32.000
27	24" RCP Class 3, Furnish	Ft	8.000
28	24" RCP, Install	Ft	8.000
29	36" RCP Class 3, Furnish	Ft	8.000
30	36" RCP, Install	Ft	8.000
31	24" RCP Flared End, Furnish	Each	1.000
32	24" RCP Flared End, Install	Each	1.000
33	36" RCP Flared End, Furnish	Each	1.000
34	36" RCP Flared End, Install	Each	1.000
35	30" CMP 16 Gauge, Furnish	Ft	8.000
36	30" CMP, Install	Ft	8.000
37	30" CMP Flared End, Furnish	Each	1.000
38	30" CMP Flared End, Install	Each	1.000
39	12" Fire Hydrant Extension	Each	1.000
40	Adjust Water Valve Box	Each	2.000
41	Verify Utilities	Each	5.000
42	Class M6 Concrete	CuYd	0.700
43	Reinforcing Steel	Lb	67.000
44	2.0"x2.0" Perforated Tube Post	Ft	116.000
45	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	63.200
46	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	10.900
47	Reset Sign	Each	5.000
48	Epoxy Pavement Marking Paint, 24" White	Ft	136.000
49	Epoxy Pavement Marking Paint, Arrow	Each	10.000
50	Surface Preparation for Pavement Marking	SqFt	302.000
51	Traffic Control Signs	SqFt	304.000
52	Traffic Control, Miscellaneous	LS	1.000
53	Type 3 Barricade	Each	27.000
54	Pedestal Signal Pole	Each	2.000
55	2' Diameter Footing	Ft	12.000
56	Rectangular Rapid Flashing Beacon System	Each	1.000
57	Special Concrete Curb and Gutter	Ft	153.000
58	4" Concrete Sidewalk	SqFt	348.000
59	5" Concrete Sidewalk	SqFt	22,909.000
60	6" Reinforced Concrete Sidewalk	SqFt	3,445.000
61	Type 1 Detectable Warnings	SqFt	101.000
62	Special Frame and Grate	Each	1.000
63	Adjust Junction Box	Each	1.000

64	Temporary Manhole Cover	Each	1.000
65	Reset Manhole Frame and Lid	Each	1.000
66	Class A Riprap	Ton	73.000
67	Special Permanent Seed Mixture 1	Lb	427.000
68	Fertilizing	Lb	493.000
69	Fiber Mulching	Ton	1.400
70	Soil Stabilizer	Acre	1.700
71	Type 3 Erosion Control Blanket	SqYd	2,621.000
72	Type 3 Turf Reinforcement Mat	SqYd	157.000
73	12" Diameter Erosion Control Wattle	Ft	50.000
74	Shaping for Erosion Control Blanket	Ft	128.000
75	Low Flow Silt Fence	Ft	50.000
76	Mucking Silt Fence	CuYd	5.000
77	Repair Silt Fence	Ft	25.000
78	Interim Sediment Control at Inlet	Each	1.000
79	Sweeping	Hour	20.000
80	Type B Drainage Fabric	SqYd	93.000
81	Woven Separator Fabric	SqYd	250.000
82	Refurbish Single Mailbox	Each	4.000
83	Refurbish Double Mailbox	Each	8.000

7. NH 0041(184) Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970 Phone: 605/394-2244
Work Type 6 DBE Goal: Not Specified Contract Id: 9735 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	47.400
4	Sand for Fog Seal	Ton	40.000
5	HFMS-2 Asphalt for Surface Treatment	Ton	283.800
6	Type 2A Cover Aggregate	Ton	986.300
7	Type 2A Cover Aggregate	Ton	306.200
8	Type 2A Cover Aggregate	Ton	126.300
9	Type 2A Cover Aggregate	Ton	1,091.200
10	High Build Waterborne Pavement Marking Paint with Reflective Elements, White	Gal	29.000
11	High Build Waterborne Pavement Marking Paint with Reflective Elements, Yellow	Gal	681.000
12	Pavement Marking Masking, 5"	Ft	12,730.000
13	Pavement Marking Masking, Arrow	Each	3.000
14	Flagging	Hour	200.000
15	Traffic Control Signs	SqFt	1,862.000
16	Traffic Control, Miscellaneous	LS	1.000
17	Type 3 Barricade	Each	4.000
18	Type C Advance Warning Arrow Board	Each	4.000

8. NH-P 0032(46) Area Engineer: John Villbrandt, PO Box 488, Mobridge, SD, 57601-0488 Phone: 605/845-3844
Work Type 6 DBE Goal: Not Specified Contract Id: 9714 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	432.400
3	Sand for Fog Seal	Ton	120.000
4	CRS-2P Asphalt for Surface Treatment	Ton	3,077.000
5	Modified Cover Aggregate	Ton	100.700
6	Modified Cover Aggregate	Ton	2,244.400
7	Modified Cover Aggregate	Ton	2,355.900
8	Modified Cover Aggregate	Ton	470.100
9	Modified Cover Aggregate	Ton	1,039.700
10	Modified Cover Aggregate	Ton	545.600
11	Modified Cover Aggregate	Ton	1,307.300
12	Modified Cover Aggregate	Ton	1,669.200
13	Modified Cover Aggregate	Ton	4,244.600

14	Modified Cover Aggregate	Ton	4,927.000
15	Modified Cover Aggregate	Ton	208.500
16	Modified Cover Aggregate	Ton	1,838.900
17	High Build Waterborne Pavement Marking Paint, White	Gal	5,376.000
18	High Build Waterborne Pavement Marking Paint, Yellow	Gal	1,951.000
19	High Build Waterborne Pavement Marking Paint, Arrow	Each	2.000
20	High Build Waterborne Pavement Marking Paint, Symbol	Each	8.000
21	Pavement Marking Masking, 5"	Ft	53,054.000
22	Pavement Marking Masking, 9"	Ft	7,574.000
23	Pavement Marking Masking, 25"	Ft	2,570.000
24	Pavement Marking Masking, Arrow	Each	14.000
25	Flagging	Hour	2,192.000
26	Pilot Car	Hour	497.000
27	Traffic Control Signs	SqFt	5,138.600
28	Traffic Control, Miscellaneous	LS	1.000
29	Temporary Pavement Marking	Mile	292.200

9. IM-P 0022(96) Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107 Phone: 605/367-5680
Work Type 6 DBE Goal: Not Specified Contract Id: 9710 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	101.200
3	Sand for Fog Seal	Ton	40.000
4	CRS-2P Asphalt for Surface Treatment	Ton	529.100
5	Type 2B Cover Aggregate	Ton	501.400
6	Type 2B Cover Aggregate	Ton	700.500
7	Type 2B Cover Aggregate	Ton	551.200
8	Type 2B Cover Aggregate	Ton	707.300
9	Type 2B Cover Aggregate	Ton	218.100
10	Type 2B Cover Aggregate	Ton	281.800
11	Type 2B Cover Aggregate	Ton	542.400
12	High Build Waterborne Pavement Marking Paint, White	Gal	232.000
13	High Build Waterborne Pavement Marking Paint, Yellow	Gal	208.000
14	High Build Waterborne Pavement Marking Paint, Railroad Crossing	Each	2.000
15	Durable Pavement Marking, 4" White	Ft	133,126.000
16	Durable Pavement Marking, 4" Yellow	Ft	99,971.000
17	Durable Pavement Marking, 8" White	Ft	1,310.000
18	Durable Pavement Marking, 12" White	Ft	5,128.000
19	Surface Preparation for Pavement Marking	Ft	251,101.000
20	Flagging	Hour	500.000
21	Pilot Car	Hour	70.000
22	Traffic Control Signs	SqFt	4,911.100
23	Traffic Control, Miscellaneous	LS	1.000
24	Type 3 Barricade	Each	10.000
25	Type C Advance Warning Arrow Board	Each	6.000
26	Temporary Pavement Marking	Mile	10.900
27	Contractor Furnished Portable Changeable Message Sign	Each	10.000
28	Railroad Protective Insurance	LS	1.000

10. NH 0042(97) Area Engineer: John Matthesen, W Hwy 34, Belle Fourche, SD, 57717-0786 Phone: 605/892-2872
Work Type 6 DBE Goal: Not Specified Contract Id: 9708 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Asphalt Concrete Crack Sealing	Lb	264,445.000
3	Flagging	Hour	800.000
4	Pilot Car	Hour	400.000
5	Traffic Control Signs	SqFt	360.600
6	Traffic Control, Miscellaneous	LS	1.000

11.	P 0012(318)	Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201	Phone: 605/882-5166
	Work Type 6	DBE Goal: Not Specified	Contract Id: 9730 See Special Provisions for Completion Requirements
	1 Mobilization		LS 1.000
	2 Asphalt Concrete Crack Sealing		Lb 19,626.000
	3 Flagging		Hour 220.000
	4 Pilot Car		Hour 100.000
	5 Traffic Control Signs		SqFt 368.400
	6 Traffic Control, Miscellaneous		LS 1.000
12.	PH 0020(211)	Area Engineer: Greg Rothschadl, 1306 W 31st St, Yankton, SD, 57078-9662	Phone: 605/668-2929
	Work Type 13	DBE Goal: Not Specified	Contract Id: 9711 See Special Provisions for Completion Requirements
	1 Mobilization		LS 1.000
	2 Remove Traffic Sign		Each 6.000
	3 Remove Sign for Reset		Each 58.000
	4 Grind Sinusoidal Transverse Rumble Strip in Asphalt Concrete		SqFt 15,680.000
	5 Grind 6" Transverse Rumble Strip in Asphalt Concrete		Ft 15,147.000
	6 SS-1h or CSS-1h Asphalt for Flush Seal		Ton 0.800
	7 2.0"x2.0" Perforated Tube Post		Ft 149.700
	8 Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity		SqFt 90.300
	9 Reset Sign		Each 58.000
	10 Flagging		Hour 400.000
	11 Traffic Control Signs		SqFt 105.000
	12 Traffic Control, Miscellaneous		LS 1.000
13.	NH 0081(114)0	Area Engineer: Greg Rothschadl, 1306 W 31st St, Yankton, SD, 57078-9662	Phone: 605/668-2929
	Work Type 14	DBE Goal: Not Specified	Contract Id: 9359 See Special Provisions for Completion Requirements
	1 Mobilization		LS 1.000
	2 Reestablish Right-of-Way and Property Corner		Each 15.000
	3 Grade Staking		Mile 0.141
	4 Miscellaneous Staking		Mile 0.070
	5 Slope Staking		Mile 0.070
	6 Construction Schedule, Category II		LS 1.000
	7 Remove Traffic Sign		Each 22.000
	8 Remove Concrete Curb and/or Gutter		Ft 1,722.000
	9 Remove Drop Inlet		Each 4.000
	10 Remove Asphalt Concrete Pavement		SqYd 1.300
	11 Remove Concrete Pavement		SqYd 543.000
	12 Remove Concrete Sidewalk		SqYd 1,175.900
	13 Remove Luminaire Pole		Each 1.000
	14 Remove Signal Equipment		LS 1.000
	15 Remove Signal Pole Footing		Each 19.000
	16 Remove Luminaire Pole Footing		Each 1.000
	17 Remove Sediment		CuYd 1.900
	18 Remove Erosion Control Wattle		Ft 250.000
	19 Remove Sediment Filter Bag		Ft 244.000
	20 Remove Silt Fence		Ft 196.000
	21 Salvage Signal Equipment		LS 1.000
	22 Remove and Replace Topsoil		LS 1.000
	23 Incidental Work, Grading		LS 1.000
	24 Gravel Cushion		Ton 287.400
	25 Asphalt Concrete Composite		Ton 0.200
	26 9.5" Nonreinforced PCC Pavement		SqYd 547.400
	27 8" PCC Approach Pavement		SqYd 396.000
	28 9.5" PCC Fillet Section		SqYd 623.500
	29 Insert Steel Bar in PCC Pavement		Each 1,143.000
	30 Structure Excavation, Miscellaneous		CuYd 25.000

31	18" RCP Class 2, Furnish	Ft	4.000
32	18" RCP, Install	Ft	4.000
33	24" RCP Class 2, Furnish	Ft	36.000
34	24" RCP, Install	Ft	36.000
35	24" RCP Bend, Furnish	Each	1.000
36	24" RCP Bend, Install	Each	1.000
37	Install Dowel in Rock	Ft	10.000
38	Class M6 Concrete	CuYd	24.900
39	Reinforcing Steel	Lb	2,866.000
40	Epoxy Coated Reinforcing Steel	Lb	846.000
41	2.0"x2.0" Perforated Tube Post	Ft	68.000
42	2.5"x2.5" Perforated Tube Post	Ft	148.000
43	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	660.000
44	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	25.200
45	Preformed Thermoplastic Pavement Marking, 4"	Ft	47,340.000
46	Preformed Thermoplastic Pavement Marking, 24"	Ft	3,240.000
47	Preformed Thermoplastic Pavement Marking, Area	SqFt	19.000
48	Preformed Thermoplastic Pavement Marking, Arrow	Each	98.000
49	Preformed Thermoplastic Pavement Marking, Railroad Crossing	Each	4.000
50	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	47,340.000
51	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	3,240.000
52	Grooving for Cold Applied Plastic Pavement Marking, Area	SqFt	19.000
53	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	98.000
54	Grooving for Cold Applied Plastic Pavement Marking, Railroad Crossing	Each	4.000
55	Flagging	Hour	50.000
56	Traffic Control Signs	SqFt	1,075.200
57	Traffic Control, Miscellaneous	LS	1.000
58	Type 3 Barricade	Each	6.000
59	Temporary Raised Pavement Markers	Ft	9,240.000
60	Type C Advance Warning Arrow Board	Each	2.000
61	Breakaway Base Luminaire Pole with Arm, 40' Mounting Height	Each	1.000
62	Signal Pole with 25' Mast Arm	Each	2.000
63	Signal Pole with 20' Mast Arm and Luminaire Arm	Each	1.000
64	Signal Pole with 35' Mast Arm and Luminaire Arm	Each	1.000
65	Signal Pole with 45' Mast Arm and Luminaire Arm	Each	2.000
66	Signal Pole with 50' Mast Arm and Luminaire Arm	Each	5.000
67	Signal Pole with 55' Mast Arm and Luminaire Arm	Each	4.000
68	Signal Pole with 60' Mast Arm and Luminaire Arm	Each	2.000
69	Signal Pole with 65' Mast Arm and Luminaire Arm	Each	2.000
70	Roadway Luminaire, LED with Photoelectric Cell	Each	89.000
71	Decorative Luminaire, LED with Photoelectric Cell	Each	61.000
72	3 Section Vehicle Signal Head	Each	49.000
73	5 Section Vehicle Signal Head	Each	10.000
74	4 Section Directional Vehicle Signal Head	Each	32.000
75	2' Diameter Footing	Ft	6.000
76	3' Diameter Footing	Ft	240.000
77	Type 1 Electrical Junction Box	Each	15.000
78	Type 3 Electrical Junction Box	Each	14.000
79	Electrical Service Cabinet	Each	5.000
80	Traffic Signal Controller	Each	5.000
81	Battery Backup System for Traffic Signal	Each	5.000
82	Video Detection System	Each	6.000
83	Emergency Vehicle Preemption Unit	Each	5.000
84	Optical Detector	Each	19.000
85	Accessible Pedestrian Signal	Each	38.000
86	Pedestrian Push Button Pole	Each	38.000

87	Pedestrian Signal Head with Countdown Timer	Each	38.000
88	Pedestrian Crossing Sign	Each	38.000
89	Miscellaneous, Electrical	LS	1.000
90	1" Rigid Conduit, Schedule 40	Ft	890.000
91	2" Rigid Conduit, Schedule 40	Ft	765.000
92	3" Rigid Conduit, Schedule 40	Ft	85.000
93	4" Rigid Conduit, Schedule 40	Ft	120.000
94	2" Rigid Conduit, Schedule 80	Ft	920.000
95	3" Rigid Conduit, Schedule 80	Ft	1,315.000
96	1/C #6 AWG Copper Wire	Ft	455.000
97	1/C #8 AWG Copper Wire	Ft	7,005.000
98	2/C #14 AWG Copper Tray Cable, K2	Ft	7,200.000
99	3/C #14 AWG Copper Tray Cable, K2	Ft	920.000
100	4/C #14 AWG Copper Tray Cable, K2	Ft	2,625.000
101	5/C #14 AWG Copper Tray Cable, K2	Ft	1,400.000
102	6/C #14 AWG Copper Tray Cable, K2	Ft	2,020.000
103	7/C #14 AWG Copper Tray Cable, K2	Ft	1,435.000
104	15/C #14 AWG Copper Tray Cable, K2	Ft	140.000
105	19/C #14 AWG Copper Tray Cable, K2	Ft	710.000
106	25/C #14 AWG Copper Tray Cable, K2	Ft	2,900.000
107	2/C #10 AWG Copper Pole and Bracket Cable	Ft	6,525.000
108	Type B69.5 Concrete Curb and Gutter	Ft	1,074.000
109	Type BL69.5 Concrete Curb and Gutter	Ft	499.000
110	Type P9.5 Concrete Gutter	Ft	24.000
111	4" Concrete Sidewalk	SqFt	11,367.000
112	4" Reinforced Colored Concrete Sidewalk	SqFt	187.000
113	Type 1 Detectable Warnings	SqFt	660.000
114	4' x 11' Precast Concrete Type S Drop Inlet Lid	Each	4.000
115	Type A7 Manhole Frame and Lid	Each	1.000
116	Type D Permanent Seed Mixture	Lb	30.000
117	Fertilizing	Lb	146.000
118	Hydraulic Straw Mulch	Lb	297.000
119	12" Diameter Erosion Control Wattle	Ft	250.000
120	Remove and Reset Erosion Control Wattle	Ft	63.000
121	Sediment Filter Bag	Ft	244.000
122	High Flow Silt Fence	Ft	196.000
123	Mucking Silt Fence	CuYd	14.000
124	Repair Silt Fence	Ft	49.000
125	Sediment Control at Inlet with Frame and Grate	Each	1.000
126	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	52.000
127	Dewatering	LS	1.000
128	Railroad Protective Insurance	LS	1.000

14. PH 8048(04) Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771 Phone: 605/842-0810
Work Type 11 DBE Goal: Not Specified Contract Id: 9655 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	As-Built Survey	LS	1.000
3	Salvage Traffic Sign	Each	944.000
4	2.0"x2.0" Perforated Tube Post	Each	1,562.000
5	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	912.000
6	4" Tubular White Delineator Reflector	Each	301.000
7	Guardrail Delineator	Each	48.000
8	Type 2 Object Marker Back to Back	Each	643.000
9	Type 3 Flexible Object Marker	Each	4.000
10	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	3,939.800
11	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	6,620.400

12 Type 3 Single Sided Barricade	Ft	60.000
13 Traffic Control, Miscellaneous	LS	1.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 14 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION