

**Advertisement of Highway Bid Letting**

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on March 12, 2025, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
** 1.	IM 0909(92)387 (PCN 06G8)	Minnehaha SWPPP = 24.60 AC	1.016	Interchange Reconstruction, Structure (258' Steel Girder Bridge), PCC Surfacing, Sidewalk	I90 - Exit 387 (Hartford)
** 2.	P 6353(00) (PCN 08CU)	Minnehaha SWPPP = 6.55 AC	0.352	Urban Grading, PCC Surfacing, Curb & Gutter, Storm Sewer, Shared Use Path, Sidewalk, Lighting	Western Ave - Fm N of I90 Exit 387 to Mickelson Rd in Hartford

\* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	IM 0909(92)387	Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107	Phone: 605/367-5680
	Work Type 1 or Work Type 3 or Work Type 7	DBE Goal: 3.000%	Contract Id: 9561 See Special Provisions for Completion Requirements
1	Remove Traffic Diversion(s)	LS	1.000
2	Mobilization	LS	1.000
3	Reestablish Right-of-Way and Property Corner	Each	50.000
4	Reestablish Public Land Survey System Corner	Each	1.000
5	Grade Staking	Mile	3.757
6	Miscellaneous Staking	Mile	1.705
7	Slope Staking	Mile	1.705
8	Structure Staking	Each	1.000
9	Engineer Directed Surveying/Staking	Hour	40.000
10	Bridge Elevation Survey	LS	1.000
11	Construction Schedule, Category III	LS	1.000
12	Project Management, Category III	LS	1.000
13	Concrete Penetrating Sealer	SqYd	1,758.000
14	Training Program	Hour	1,500.000
15	Clearing	LS	1.000
16	Remove Concrete Footing(s)	LS	1.000
17	Remove Traffic Sign	Each	14.000
18	Remove Delineator	Each	180.000
19	Remove Extruded Panel Sign	Each	6.000
20	Remove Concrete Curb and/or Gutter	Ft	166.000
21	Remove Drop Inlet	Each	4.000
22	Remove Fence	Ft	3,539.000
23	Remove 3 Cable Guardrail	Ft	1,612.000
24	Remove Beam Guardrail	Ft	745.400
25	Remove 3 Cable Guardrail Anchor Assembly	Each	8.000
26	Remove W Beam Guardrail End Terminal	Each	6.000
27	Remove Asphalt Concrete Pavement	SqYd	27,222.700
28	Remove Asphalt Concrete Approach Pavement	SqYd	896.200
29	Remove Sediment	CuYd	9.400
30	Remove Erosion Control Wattle	Ft	255.000
31	Remove Sediment Filter Bag	Ft	732.000
32	Remove Silt Fence	Ft	3,242.000
33	Salvage Riprap	Ton	4.200
34	Remove Pipe for Reset	Ft	28.000
35	Remove Pipe End Section for Reset	Each	2.000
36	Remove Pipe Bend for Reset	Each	2.000
37	Unclassified Excavation	CuYd	58,177.000
38	Option Borrow Excavation	CuYd	180,808.000
39	Contractor Furnished Borrow	CuYd	53,471.000
40	Contaminated Material Excavation	CuYd	100.000
41	Muck Excavation	CuYd	5,288.000
42	Undercutting	CuYd	15,421.000
43	Water for Embankment	MGal	2,128.100
44	Water for Granular Material	MGal	222.800
45	Select Granular Backfill	Ton	27.400
46	Pit Run	Ton	3,010.000
47	Placing Topsoil	CuYd	28,941.000
48	Obliterate Old Road	Sta	4.000
49	Incidental Work, Grading	LS	1.000
50	Incidental Work, Structure	LS	1.000
51	Base Course	Ton	8,361.300
52	Deleted Item	Del	0.000
53	Gravel Cushion, Salvaged	Ton	11,084.800

54	Gravel Surfacing	Ton	684.100
55	Salvage and Stockpile Granular Material	Ton	11,123.900
56	Asphalt Concrete Composite	Ton	2,891.800
57	9" Nonreinforced PCC Pavement	SqYd	27,846.000
58	Dowel Bar	Each	12,999.000
59	Insert Steel Bar in PCC Pavement	Each	60.000
60	Structural Steel, Install	LS	1.000
61	Membrane Sealant Expansion Joint	Ft	204.400
62	Structure Excavation, Bridge	CuYd	225.000
63	Bridge End Embankment	CuYd	965.000
64	Granular Bridge End Backfill	CuYd	89.800
65	18" RCP Class 2, Furnish	Ft	1,500.000
66	18" RCP, Install	Ft	1,500.000
67	30" RCP Class 2, Furnish	Ft	38.000
68	30" RCP Class 3, Furnish	Ft	132.000
69	30" RCP Class 4, Furnish	Ft	66.000
70	30" RCP, Install	Ft	236.000
71	36" RCP Class 2, Furnish	Ft	214.000
72	36" RCP, Install	Ft	214.000
73	18" RCP Flared End, Furnish	Each	2.000
74	18" RCP Flared End, Install	Each	2.000
75	30" RCP Flared End, Furnish	Each	5.000
76	30" RCP Flared End, Install	Each	5.000
77	30" RCP Sloped End, Furnish	Each	3.000
78	30" RCP Sloped End, Install	Each	3.000
79	18" RCP Safety End, Furnish	Each	1.000
80	18" RCP Safety End, Install	Each	1.000
81	18" CMP 14 Gauge, Furnish	Ft	254.000
82	18" CMP, Install	Ft	254.000
83	30" CMP 14 Gauge, Furnish	Ft	18.000
84	30" CMP, Install	Ft	18.000
85	18" CMP Elbow, Furnish	Each	8.000
86	18" CMP Elbow, Install	Each	8.000
87	18" CMP Flared End, Furnish	Each	4.000
88	18" CMP Flared End, Install	Each	4.000
89	30" CMP Flared End, Furnish	Each	1.000
90	30" CMP Flared End, Install	Each	1.000
91	18" CMP Arch 14 Gauge, Furnish	Ft	38.000
92	18" CMP Arch, Install	Ft	38.000
93	18" CMP Arch Flared End, Furnish	Each	2.000
94	18" CMP Arch Flared End, Install	Each	2.000
95	18" RCP to CMP Transition, Furnish	Each	4.000
96	18" Pipe Transition, Install	Each	4.000
97	Reset Pipe	Ft	28.000
98	Reset Pipe End Section	Each	2.000
99	Reset Pipe Bend	Each	2.000
100	Class A45 Concrete, Bridge Deck	CuYd	502.300
101	Class A45 Concrete, Bridge	CuYd	248.600
102	Concrete Approach Slab for Bridge	SqYd	199.700
103	Concrete Approach Sleeper Slab for Bridge	SqYd	70.700
104	Install Dowel in Concrete	Each	760.000
105	Deck Drain, Girder Bridge	Each	30.000
106	Class M6 Concrete	CuYd	45.700
107	Steel Pedestrian Railing on Sidewalk	Ft	547.500
108	Steel Pedestrian Railing on Concrete Barrier	Ft	507.000
109	Reinforcing Steel	Lb	65,698.000

110	Epoxy Coated Reinforcing Steel	Lb	3,190.000
111	Stainless Reinforcing Steel	Lb	120,670.000
112	No. 9 Rebar Splice	Each	4.000
113	No. 11 Rebar Splice	Each	28.000
114	No. 14 Rebar Splice	Each	84.000
115	Extract Pile	Each	5.000
116	Preboring Pile	Ft	240.000
117	HP 12x53 Steel Test Pile, Furnish and Drive	Ft	275.000
118	HP 12x53 Steel Bearing Pile, Furnish and Drive	Ft	6,700.000
119	Type III Field Laboratory	Each	1.000
120	Type 2 Right-of-Way Fence	Ft	4,779.000
121	2 Post Panel	Each	38.000
122	3 Post Panel	Each	13.000
123	Chain Link Fence for Bridge Sidewalk	Ft	548.000
124	High Tension 4 Cable Guardrail	Ft	1,172.000
125	High Tension Cable Guardrail Anchor Assembly	Each	4.000
126	Type 4 MGS	Ft	200.000
127	Type 1 Guardrail Transition	Each	4.000
128	MGS MASH Tangent End Terminal	Each	4.000
129	1.75' Diameter Breakaway Support Concrete Footing	Ft	56.000
130	W6x20 Steel Post	Ft	128.400
131	2.5"x2.5" Perforated Tube Post	Ft	230.700
132	4"x4" Amber Delineator with 1.12 Lb/Ft Post	Each	8.000
133	4"x8" Amber Delineator with 1.12 Lb/Ft Post	Each	10.000
134	4" Tubular Amber Delineator with 1.12 Lb/Ft Post	Each	16.000
135	4"x4" White Delineator with 1.12 Lb/Ft Post	Each	10.000
136	4"x8" White Delineator with 1.12 Lb/Ft Post	Each	62.000
137	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	20.000
138	Guardrail Delineator	Each	16.000
139	Type 2 Object Marker	Each	21.000
140	Extruded Aluminum Sign, Nonremovable Copy High Intensity	SqFt	280.000
141	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	162.400
142	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	104.000
143	Preformed Thermoplastic Pavement Marking, 4" with Contrast Border	Ft	20,103.000
144	Preformed Thermoplastic Pavement Marking, 24"	Ft	518.000
145	Preformed Thermoplastic Pavement Marking, Arrow	Each	19.000
146	Preformed Thermoplastic Pavement Marking, Combination Arrow	Each	5.000
147	Grooving for Cold Applied Plastic Pavement Marking, 4" with Contrast Border	Ft	20,103.000
148	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	518.000
149	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	19.000
150	Grooving for Cold Applied Plastic Pavement Marking, Combination Arrow	Each	5.000
151	Flagging	Hour	200.000
152	Traffic Control Signs	SqFt	3,030.600
153	Traffic Control, Miscellaneous	LS	1.000
154	Type 3 Barricade	Each	24.000
155	Temporary Raised Pavement Markers	Ft	29,410.000
156	Tubular Marker	Each	775.000
157	Replace Tubular Marker	Each	100.000
158	Type C Advance Warning Arrow Board	Each	6.000
159	Linear Delineation System Panel, Barrier Mounted	Each	124.000
160	Remove Pavement Marking, 4" or Equivalent	Ft	9,500.000
161	Temporary Pavement Marking	Ft	44,470.000
162	Traffic Control Movable Concrete Barrier	Each	124.000
163	Remove and Reset Traffic Control Movable Concrete Barrier	Each	66.000
164	Temporary Concrete Barrier End Protection	Each	4.000
165	Temporary Concrete Barrier End Protection Module Set or Repair Kit	Each	1.000

166	Contractor Furnished Portable Changeable Message Sign	Each	1.000
167	Breakaway Base Luminaire Pole with Arm, 50' Mounting Height	Each	40.000
168	Breakaway Base Luminaire Pole with Twin Arms, 50' Mounting Height	Each	16.000
169	Roadway Luminaire, LED with Photoelectric Cell	Each	72.000
170	2' Diameter Footing	Ft	464.000
171	Type 1 Electrical Junction Box	Each	3.000
172	Type 2 Electrical Junction Box	Each	1.000
173	Type 3 Electrical Junction Box	Each	10.000
174	Electrical Service Cabinet	Each	2.000
175	2" Rigid Conduit, Schedule 40	Ft	12,135.000
176	3" Rigid Conduit, Schedule 40	Ft	30.000
177	2" Rigid Conduit, Schedule 80	Ft	790.000
178	1" Innerduct, Schedule 40	Ft	12,210.000
179	1/C #1 AWG Copper Wire	Ft	11,330.000
180	1/C #4 AWG Copper Wire	Ft	12,030.000
181	1/C #8 AWG Copper Wire	Ft	27,340.000
182	1/C #10 AWG Copper Wire	Ft	12,610.000
183	2/C #10 AWG Copper Pole and Bracket Cable	Ft	4,840.000
184	Type F69 Concrete Curb and Gutter	Ft	3,158.000
185	Type FL69 Concrete Curb and Gutter	Ft	281.000
186	Type D49 Concrete Curb and Gutter	Ft	242.000
187	Type P9 Concrete Gutter	Ft	448.000
188	4" Concrete Sidewalk	SqFt	7,972.000
189	6" Concrete Sidewalk	SqFt	19,770.000
190	6" Reinforced Concrete Sidewalk	SqFt	610.000
191	Type 1 Detectable Warnings	SqFt	312.000
192	Type A Frame and Grate	Each	2.000
193	Type B Frame and Grate	Each	20.000
194	Type E Frame and Grate	Each	4.000
195	Special Precast Concrete Type S Drop Inlet Lid	Each	1.000
196	Precast Drop Inlet Collar	Each	27.000
197	Type A7 Manhole Frame and Lid	Each	1.000
198	Type S Manhole Frame and Lid	Each	1.000
199	Class A Riprap	Ton	198.400
200	Place Riprap	Ton	4.200
201	Cover Crop Seeding	Bu	52.100
202	Type G Permanent Seed Mixture	Lb	457.000
203	Fertilizing	Ton	17.800
204	Mulching	Ton	36.200
205	Fiber Reinforced Matrix	Ton	18.300
206	Type 3 Erosion Control Blanket	SqYd	5,996.000
207	12" Diameter Erosion Control Wattle	Ft	1,020.000
208	Remove and Reset Erosion Control Wattle	Ft	255.000
209	Sediment Filter Bag	Ft	732.000
210	Remove and Reset Sediment Filter Bag	Ft	183.000
211	Surface Roughening	Acre	14.000
212	Shaping for Erosion Control Blanket	Ft	2,360.000
213	Low Flow Silt Fence	Ft	11,855.000
214	High Flow Silt Fence	Ft	1,112.000
215	Mucking Silt Fence	CuYd	900.000
216	Repair Silt Fence	Ft	3,242.000
217	Sediment Control at Inlet with Frame and Grate	Each	26.000
218	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	13.000
219	Bridge Berm Slope Protection, Quarried Aggregate	SqYd	511.000
220	Type B Drainage Fabric	SqYd	238.000
221	Non-woven Separator Fabric	SqYd	3,080.000

222	Perforated Geocell	SqFt	783.000
223	Refurbish Single Mailbox	Each	2.000
224	Refurbish Double Mailbox	Each	2.000
225	Construction Entrance	Each	2.000
226	Articulated Concrete Mattress	SqYd	347.000
227	Geogrid Reinforcement	SqYd	1,636.000

2. **P 6353(00)** **Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107** **Phone: 605/367-5680**  
**Work Type 1 or Work Type 3 or** **DBE Goal: NONE** **Contract Id: 9651** **See Special Provisions for Completion Requirements**  
**Work Type 7**

1	Construction and Maintenance of Detour(s)	LS	1.000
2	Mobilization	LS	1.000
3	Remove Concrete Footing(s)	LS	1.000
4	Remove Traffic Sign	Each	18.000
5	Remove Concrete Curb and/or Gutter	Ft	456.000
6	Remove Drop Inlet	Each	2.000
7	Remove Manhole	Each	3.000
8	Remove Pipe Culvert	Ft	1,118.000
9	Remove Sewer Pipe	Ft	404.000
10	Remove Concrete Pavement	SqYd	225.000
11	Remove Concrete Driveway Pavement	SqYd	170.500
12	Remove Concrete Sidewalk	SqYd	28.200
13	Remove Riprap	SqYd	80.000
14	Remove Granular Material	CuYd	276.000
15	Remove Sediment	CuYd	20.300
16	Remove Erosion Control Wattle	Ft	4,167.000
17	Remove Silt Fence	Ft	3,359.000
18	Remove Fire Hydrant	Each	2.000
19	Remove Valve Box	Each	7.000
20	Remove Gate Valve	Each	1.000
21	Remove Water Main	Ft	177.000
22	Salvage Traffic Sign	Each	3.000
23	Salvage Signal Equipment	LS	1.000
24	Remove Pedestrian Push Button for Reset	Each	2.000
25	Unclassified Excavation	CuYd	3,943.000
26	Contaminated Material Excavation	CuYd	100.000
27	Muck Excavation	CuYd	1,576.000
28	Water for Vegetation	MGal	605.000
29	Ordinary Roadway Shaping	SqYd	13,559.000
30	Remove and Replace Topsoil	LS	1.000
31	Incidental Work, Grading	LS	1.000
32	Base Course	Ton	9,869.000
33	Gravel Surfacing	Ton	100.000
34	Salvage and Stockpile Asphalt Mix Material	Ton	3,221.000
35	Saw Joint in Asphalt Concrete	Ft	273.000
36	Temporary Asphalt	Ton	488.000
37	Cold Milling Asphalt Concrete	SqYd	10,413.000
38	8" Nonreinforced PCC Pavement	SqYd	12,499.000
39	6" PCC Driveway Pavement	SqYd	488.000
40	Dowel Bar	Each	6,012.000
41	Insert Steel Bar in PCC Pavement	Each	78.000
42	Saw Joint in PCC Pavement	Ft	102.100
43	Temporary Gravel Crossing	Each	10.000
44	15" RCP Class 4, Furnish	Ft	376.000
45	15" RCP, Install	Ft	376.000
46	18" RCP Class 3, Furnish	Ft	432.000
47	18" RCP, Install	Ft	432.000

48	24" RCP Class 3, Furnish	Ft	120.000
49	24" RCP, Install	Ft	120.000
50	36" RCP Class 3, Furnish	Ft	1,108.000
51	36" RCP, Install	Ft	1,108.000
52	42" RCP Class 3, Furnish	Ft	622.000
53	42" RCP, Install	Ft	622.000
54	15" RCP Flared End, Furnish	Each	3.000
55	15" RCP Flared End, Install	Each	3.000
56	18" RCP Flared End, Furnish	Each	2.000
57	18" RCP Flared End, Install	Each	2.000
58	36" RCP Flared End, Furnish	Each	8.000
59	36" RCP Flared End, Install	Each	8.000
60	48" RCP Arch Class 3, Furnish	Ft	344.000
61	48" RCP Arch, Install	Ft	344.000
62	48" RCP Arch Flared End, Furnish	Each	1.000
63	48" RCP Arch Flared End, Install	Each	1.000
64	6" PVC Water Main	Ft	149.000
65	8" PVC Water Main	Ft	20.000
66	12" PVC Water Main	Ft	289.000
67	2" Copper Pipe	Ft	358.000
68	6" PVC Sewer Pipe	Ft	32.000
69	8" PVC Sewer Pipe	Ft	354.000
70	10" PVC Sewer Pipe	Ft	286.000
71	10"x6" Pipe Wye	Each	1.000
72	6"x6" Pipe Tee	Each	1.000
73	12"x6" Pipe Tee	Each	1.000
74	2" Corporation Stop with Tapping Saddle	Each	3.000
75	2" Curb Stop with Box	Each	3.000
76	8" Pipe Bend	Each	4.000
77	12" Pipe Bend	Each	8.000
78	6" Pipe Cap	Each	1.000
79	10" Pipe Cap	Each	1.000
80	12" Pipe Cap	Each	1.000
81	8" Pipe Coupling	Each	2.000
82	6" Retainer Gland	Each	15.000
83	8" Retainer Gland	Each	8.000
84	12" Retainer Gland	Each	19.000
85	6" Gate Valve with Box	Each	3.000
86	12" Gate Valve with Box	Each	1.000
87	Valve Box	Each	7.000
88	48" Fire Hydrant Extension	Each	1.000
89	Standard Fire Hydrant	Each	2.000
90	Water Main Bedding Material	Ft	458.000
91	8" Sewer Pipe Bedding Material	Ft	354.000
92	10" Sewer Pipe Bedding Material	Ft	286.000
93	Utility Trench Compaction Testing	LS	1.000
94	Adjust Water Valve Box	Each	9.000
95	Cut and Tie to Existing Water Main	Each	6.000
96	Connect to Existing Sewer Main	Each	4.000
97	PVC Pipe Deflection Test	Ft	610.000
98	Pipe Exfiltration Test	Ft	318.000
99	Class M6 Concrete	CuYd	104.800
100	Reinforcing Steel	Lb	16,603.000
101	2.0"x2.0" Perforated Tube Post	Ft	176.700
102	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	187.500
103	Reset Sign	Each	3.000

104	Durable Pavement Marking, 4" White	Ft	1,318.000
105	Durable Pavement Marking, 4" Yellow	Ft	4,985.000
106	Durable Pavement Marking, 6" White	Ft	1,015.000
107	Durable Pavement Marking, 12" Yellow	Ft	121.000
108	Durable Pavement Marking, 24" White	Ft	138.000
109	Durable Pavement Marking, Arrow	Each	27.000
110	Durable Pavement Marking, Combination Arrow	Each	7.000
111	Grooving for Durable Pavement Marking, 4"	Ft	6,303.000
112	Grooving for Durable Pavement Marking, 6"	Ft	1,015.000
113	Grooving for Durable Pavement Marking, 12"	Ft	121.000
114	Grooving for Durable Pavement Marking, 24"	Ft	138.000
115	Grooving for Durable Pavement Marking, Arrow	Each	27.000
116	Grooving for Durable Pavement Marking, Combination Arrow	Each	7.000
117	Traffic Control Signs	SqFt	127.000
118	Traffic Control, Miscellaneous	LS	1.000
119	Traffic Control Supervisor	LS	1.000
120	Type 3 Barricade	Each	14.000
121	Type C Advance Warning Arrow Board	Each	1.000
122	Remove Pavement Marking, 4" or Equivalent	Ft	208.000
123	Detour and Restriction Signing	SqFt	196.000
124	2' Diameter Footing	Ft	10.500
125	Remove and Reset Pedestal Signal Pole	Each	2.000
126	Reset Pedestrian Push Button	Each	2.000
127	4" Concrete Sidewalk	SqFt	20,428.000
128	6" Concrete Sidewalk	SqFt	3,583.000
129	Type 1 Detectable Warnings	SqFt	268.000
130	Special Frame and Grate Assembly	Each	41.000
131	Special Frame and Grate	Each	2.000
132	Adjust Drop Inlet	Each	21.000
133	Adjust Junction Box	Each	16.000
134	78" Manhole	Each	1.000
135	48" Manhole 10' to 12' Deep	Each	1.000
136	48" Manhole 12' to 14' Deep	Each	1.000
137	48" Manhole 14' to 16' Deep	Each	1.000
138	48" Manhole 16' to 18' Deep	Each	1.000
139	Temporary Manhole Cover	Each	21.000
140	Type A7 Manhole Frame and Lid	Each	3.000
141	Special Manhole Frame and Lid	Each	21.000
142	Adjust Manhole	Each	5.000
143	Connect Into Existing Manhole	Each	3.000
144	Reconstruct Manhole	Each	4.000
145	Manhole Exfiltration/Vacuum Test	Each	4.000
146	Underdrain Service Cleanout	Each	12.000
147	6" Corrugated Polyethylene Drainage Tubing	Ft	3,295.000
148	Class C Riprap	Ton	994.900
149	Type D Permanent Seed Mixture	Lb	707.000
150	Fertilizing	Lb	232.000
151	Type 3 Erosion Control Blanket	SqYd	10,192.000
152	6" Diameter Erosion Control Wattle	Ft	3,378.000
153	12" Diameter Erosion Control Wattle	Ft	789.000
154	Low Flow Silt Fence	Ft	3,289.000
155	High Flow Silt Fence	Ft	70.000
156	Mucking Silt Fence	CuYd	233.000
157	Repair Silt Fence	Ft	840.000
158	Sediment Control at Inlet with Frame and Grate	Each	45.000
159	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	24.000



160	Sweeping	Hour	10.000
161	Type B Drainage Fabric	SqYd	702.000
162	Non-woven Separator Fabric	SqYd	13,559.000
163	Refurbish Single Mailbox	Each	2.000
164	Construction Entrance	Each	10.000

**Instructions**

**PROPOSALS, PLANS AND SPECIFICATIONS:** Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

**MINIMUM WAGE RATES:** Minimum wage rates for 1 & 2 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

**BID PREPARATION:** Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

**NONDISCRIMINATION ASSURANCE:** The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

**EXECUTION OF CONTRACT:** In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

**GENERALLY:** A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt  
SECRETARY OF TRANSPORTATION