

### Advertisement of Highway Bid Letting

The U.S. Department of Labor published an updated Davis-Bacon Highway-Heavy Construction Wage Decision for South Dakota. The wage rates are effective for SDDOT's highway construction contracts beginning February 18, 2026. Please refer to new wage rates within the advertised bid proposal package.

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on March 18, 2026, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	NH 0281(127)124, NH 0014(245)326 (PCN 06PG, 06CT)	Beadle, Spink SWPPP = 9.00 AC	32.034	Cold Milling, Asphalt Concrete Resurfacing, Pipe Work, Modify Intersection, Lighting, AC Resurfacing of Shoulders	US281 - Fm the W US14 Jct to Redfield; US14 - Fm the US281 N Jct to the Wolsey N City Limits; US14 - Fm Birch St in
2.	P 1806(25)372 (PCN 06RJ)	Corson	14.213	Cold Milling, Asphalt Concrete Resurfacing, Pipe Work	SD1806 - Fm N of 1806 P to Kenel
3.	NH-B 0012(00)291 (PCN 0ACF)	Brown	7.929	Detour Surface Maintenance	US12 - 2.4 E of US281 N Over Moccasin Creek - Truck Detour - Brwn Co 14, Brwn Co 13, US281; Car Detour - Roosevelt St, Melgard Rd, US 281
4.	NH-P 0031(63) (PCN 09WR)	Faulk, Haakon, Hughes, Lyman, Potter, Stanley, Sully	84.617	Asphalt Surface Treatment	Various Locations in the Pierre Area
5.	NH-P 0043(249) (PCN 09X9)	Custer, Fall River, Oglala Lakota, Pennington	54.128	Asphalt Surface Treatment	Various Locations in the Custer Area
6.	P 0042(103) (PCN 09WY)	Perkins	29.400	Crack Leveling & Rout and Seal	Various Locations in the Belle Fourche Area
7.	PH 0040(346) (PCN 089U)	Lawrence SWPPP = 32.80 AC	2.178	Guardrail Elimination, Slope Flattening, Box Culvert Extension (12x12 CIP)	Various Locations in the Rapid City Region
8.	PH 0010(232) (PCN 09UR)	Brookings, Brown, Buffalo, Clark, Codington, Deuel, Grant, Hand, Hughes, Kingsbury, Marshall, Miner, Roberts, Spink	189.060	Centerline Rumble Stripes	Aberdeen Region
9.	PH 0040(365) (PCN 0ACJ)	Custer, Harding, Lawrence, Pennington	---	Vehicle Feedback Signs	Various Locations on the State and Local System in the Rapid City Region

\* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	NH 0281(127)124, NH 0014(245)326	Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940	Phone: 605/353-7140	
	DBE Goal: NONE	Contract Id: 10001	See Special Provisions for Completion Requirements	
	Work Type 5			
	1 Mobilization	LS		1.000
	2 Incentive/Disincentive Pay	Day		0.000
	3 Construction Staking	Mile		31.165
	4 Grade Staking	Mile		1.013
	5 Miscellaneous Staking	Mile		31.165
	6 Slope Staking	Mile		0.676
	7 Engineer Directed Surveying/Staking	Hour		80.000
	8 Construction Schedule, Category II	LS		1.000
	9 Training Program	Hour		500.000
	10 Remove Pipe End Section	Each		4.000
	11 Remove Fence	Ft		695.000
	12 Remove Asphalt Concrete Pavement	SqYd		15,616.700
	13 Remove Sediment	CuYd		10.000
	14 Remove Erosion Control Wattle	Ft		400.000
	15 Remove Silt Fence	Ft		1,650.000
	16 Salvage Luminaire	Each		23.000
	17 Remove Sign for Reset	Each		26.000
	18 Remove Delineator for Reset	Each		6.000
	19 Remove Pipe End Section for Reset	Each		2.000
	20 Unclassified Excavation	CuYd		5,330.000
	21 Unclassified Excavation, Digouts	CuYd		4,265.000
	22 Contractor Furnished Borrow Excavation	CuYd		4,963.000
	23 Undercutting	CuYd		1,566.000
	24 Water for Granular Material	MGal		470.000
	25 Shoulder Preparation	Mile		49.951
	26 Placing Topsoil	CuYd		1,980.000
	27 Contractor Furnished Topsoil	CuYd		10.000
	28 Base Course	Ton		3,212.500
	29 Base Course, Salvaged	Ton		10,950.000
	30 Granular Material, Furnish	Ton		9,650.000
	31 Salvage and Stockpile Granular Material	Ton		10,950.000
	32 Blend, Haul, and Stockpile Granular Material	Ton		19,300.000
	33 PG 58H-34 Asphalt Binder	Ton		5,314.800
	34 Asphalt Concrete Composite	Ton		760.800
	35 CLASS Q3R HOT MIXED ASPHALT CONCRETE	Ton		106,230.100
	36 Asphalt Concrete Blade Laid	Ton		4,903.200
	37 Hydrated Lime	Ton		1,112.600
	38 Saw and Seal Shoulder Joint	Ft		7,998.000
	39 Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile		57.400
	40 Grind Centerline Rumble Stripe in Asphalt Concrete	Mile		25.300
	41 Grind Sinusoidal Centerline Rumble Stripe in Asphalt Concrete	Mile		3.700
	42 MC-70 Asphalt for Prime	Ton		299.300
	43 SS-1h or CSS-1h Asphalt for Tack	Ton		452.300
	44 SS-1h or CSS-1h Asphalt for Flush Seal	Ton		171.800
	45 Blotting Sand for Prime	Ton		20.000
	46 Sand for Flush Seal	Ton		1,729.300
	47 Cold Milling Asphalt Concrete	SqYd		584,628.000

48	24" RCP Class 2, Furnish	Ft	12.000
49	24" RCP, Install	Ft	12.000
50	36" RCP Flared End, Furnish	Each	1.000
51	36" RCP Flared End, Install	Each	1.000
52	24" RCP Sloped End, Furnish	Each	1.000
53	24" RCP Sloped End, Install	Each	1.000
54	30" RCP Sloped End, Furnish	Each	1.000
55	30" RCP Sloped End, Install	Each	1.000
56	24" RCP Arch Sloped End, Furnish	Each	1.000
57	24" RCP Arch Sloped End, Install	Each	1.000
58	Cleanout Pipe Culvert	Each	5.000
59	Reset Pipe End Section	Each	2.000
60	Type III Field Laboratory	Each	1.000
61	Type 2 Right-of-Way Fence	Ft	141.000
62	Type 3 Right-of-Way Fence	Ft	302.000
63	Type 2 Temporary Fence	Ft	141.000
64	Type 3 Temporary Fence	Ft	302.000
65	2 Post Panel	Each	3.000
66	3 Post Panel	Each	1.000
67	Reset Delineator	Each	6.000
68	Reset Sign	Each	26.000
69	Cold Applied Plastic Pavement Marking, 24"	Ft	705.000
70	Cold Applied Plastic Pavement Marking, Area	SqFt	113.000
71	Cold Applied Plastic Pavement Marking, Arrow	Each	52.000
72	High Build Waterborne Pavement Marking Paint, White	Gal	1,335.000
73	High Build Waterborne Pavement Marking Paint, Yellow	Gal	298.000
74	Durable Pavement Marking, 4" White	Ft	6,101.000
75	Durable Pavement Marking, 8" White	Ft	483.000
76	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	705.000
77	Grooving for Cold Applied Plastic Pavement Marking, Area	SqFt	113.000
78	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	52.000
79	Surface Preparation for Pavement Marking	Ft	6,584.000
80	Grooving for Durable Pavement Marking, 4"	Ft	310,160.000
81	Flagging	Hour	1,750.000
82	Pilot Car	Hour	625.000
83	Traffic Control Signs	SqFt	1,908.600
84	Traffic Control, Miscellaneous	LS	1.000
85	Type 3 Barricade	Each	2.000
86	Temporary Pavement Marking	Mile	192.200
87	Roadway Luminaire, LED with Photoelectric Cell	Each	34.000
88	Cover Crop Seeding	Bu	8.800
89	Type G Permanent Seed Mixture	Lb	229.000
90	Fertilizing	Lb	17,620.000
91	Mulching	Ton	18.600
92	Fiber Mulching	Lb	27,000.000
93	12" Diameter Erosion Control Wattle	Ft	400.000
94	Low Flow Silt Fence	Ft	1,650.000
95	Mucking Silt Fence	CuYd	25.000
96	Repair Silt Fence	Ft	150.000
97	Refurbish Single Mailbox	Each	10.000
98	Refurbish Double Mailbox	Each	2.000
99	Orange Plastic Safety Fence	Ft	1,010.000
100	Storage Unit	Each	1.000
101	Railroad Protective Insurance	LS	1.000

2.	<b>P 1806(25)372</b>	<b>Area Engineer: John Villbrandt, PO Box 488, Mobridge, SD, 57601-0488</b>		<b>Phone: 605/845-3844</b>	
	<b>Work Type 5</b>	<b>DBE Goal: NONE</b>	<b>Contract Id: 9778</b>	<b>See Special Provisions for Completion Requirements</b>	
1	Mobilization	LS	1.000		
2	Construction Staking	Mile	14.213		
3	Miscellaneous Staking	Mile	14.123		
4	Slope Staking	Mile	0.107		
5	Engineer Directed Surveying/Staking	Hour	40.000		
6	Checker	LS	1.000		
7	Construction Schedule, Category II	LS	1.000		
8	Training Program	Hour	1,000.000		
9	Remove Pipe End Section	Each	1.000		
10	Remove Asphalt Concrete Pavement	SqYd	1,066.000		
11	Remove Sediment	CuYd	1.600		
12	Unclassified Excavation	CuYd	95.000		
13	Unclassified Excavation, Digouts	CuYd	711.000		
14	Contractor Furnished Borrow Excavation	CuYd	289.000		
15	Remove and Replace Topsoil	LS	1.000		
16	Base Course	Ton	1,623.000		
17	Base Course, Salvaged	Ton	1,470.000		
18	Granular Material, Furnish	Ton	735.000		
19	Blend and Stockpile Granular Material	Ton	1,470.000		
20	Asphalt Concrete Composite	Ton	355.000		
21	Asphalt Concrete Blade Laid	Ton	2,132.000		
22	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	28.400		
23	SS-1h or CSS-1h Asphalt for Tack	Ton	146.500		
24	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	51.800		
25	Sand for Flush Seal	Ton	777.100		
26	Cold Milling Asphalt Concrete	SqYd	209,308.000		
27	Tie Bolts for RCP	Each	82.000		
28	54" CMP Flared End, Furnish	Each	1.000		
29	54" CMP Flared End, Install	Each	1.000		
30	Culvert Joint Cleaning	Ft	1,015.000		
31	Repair Culvert Joint	Ft	1,015.000		
32	Chemical Grout Void Fill	Gal	250.000		
33	Cleanout for Culvert Treatment	Each	42.000		
34	24" Cured in Place Pipe	Ft	2,108.000		
35	30" Cured in Place Pipe	Ft	120.000		
36	36" Cured in Place Pipe	Ft	354.000		
37	42" Cured in Place Pipe	Ft	50.000		
38	48" Cured in Place Pipe	Ft	132.000		
39	54" Cured in Place Pipe	Ft	180.000		
40	Type III Field Laboratory	Each	1.000		
41	Type 2 Object Marker Back to Back	Each	8.000		
42	High Build Waterborne Pavement Marking Paint, White	Gal	640.000		
43	High Build Waterborne Pavement Marking Paint, Yellow	Gal	169.000		
44	Flagging	Hour	440.000		
45	Pilot Car	Hour	210.000		
46	Traffic Control Signs	SqFt	720.200		
47	Traffic Control, Miscellaneous	LS	1.000		
48	Temporary Pavement Marking	Mile	56.900		
49	PVC Coated Bank and Channel Protection Gabion	CuYd	28.500		
50	Erosion Control	LS	1.000		
51	12" Diameter Erosion Control Wattle	Ft	700.000		
52	Remove and Reset Erosion Control Wattle	Ft	175.000		
53	Floating Silt Curtain	Ft	300.000		

54	Type B Drainage Fabric	SqYd	83.000
55	Refurbish Single Mailbox	Each	3.000
56	Storage Unit	Each	1.000
57	PG 58-34 Asphalt Binder	Ton	1,350.700
58	Class Q2R Hot Mixed Asphalt Concrete	Ton	26,055.500
59	Hydrated Lime	Ton	273.500
60	PG 58-34 Asphalt Binder	Ton	1,130.900
61	Class Q2R Hot Mixed Asphalt Concrete	Ton	26,728.400
62	Hydrated Lime	Ton	288.100
63	Granular Material, Furnish	Ton	5,182.100
64	Blend, Haul, and Stockpile Granular Material	Ton	10,364.200
65	Granular Material, Furnish	Ton	5,005.300
66	Blend, Haul, and Stockpile Granular Material	Ton	10,010.600

**3. NH-B 0012(00)291** **Area Engineer: Lane Goldsmith, West Highway 12, Aberdeen, SD, 57402-1767** **Phone: 605/626-7885**  
**Work Type 6** **DBE Goal: NONE** **Contract Id: 10013** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Construction Schedule, Category I	LS	1.000
3	Remove Asphalt Concrete Pavement	SqYd	150.000
4	Remove Sign for Reset	Each	3.000
5	Unclassified Excavation, Digouts	CuYd	100.000
6	Base Course	Ton	200.000
7	Gravel Surfacing	Ton	800.000
8	Asphalt Repair Mastic Type 2	Lb	15,900.000
9	Asphalt Concrete Composite	Ton	900.000
10	Grind Sinusoidal Transverse Rumble Strip in Asphalt Concrete	SqFt	392.000
11	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	37.000
12	Sand for Fog Seal	Ton	10.000
13	CRS-2P Asphalt for Surface Treatment	Ton	202.100
14	Type 1A Cover Aggregate	Ton	1,380.000
15	Reset Sign	Each	3.000
16	Cold Applied Plastic Pavement Marking, 24"	Ft	85.000
17	High Build Waterborne Pavement Marking Paint, White	Gal	453.000
18	High Build Waterborne Pavement Marking Paint, Yellow	Gal	150.000
19	High Build Waterborne Pavement Marking Paint, 24" White	Ft	30.000
20	High Build Waterborne Pavement Marking Paint, 24" Yellow	Ft	665.000
21	High Build Waterborne Pavement Marking Paint, Area	SqFt	55.000
22	High Build Waterborne Pavement Marking Paint, Arrow	Each	21.000
23	High Build Waterborne Pavement Marking Paint, Combination Arrow	Each	11.000
24	High Build Waterborne Pavement Marking Paint, Railroad Crossing	Each	4.000
25	Surface Preparation for Pavement Marking	Ft	510.000
26	Pavement Marking Masking, 25"	Ft	80.000
27	Flagging	Hour	200.000
28	Pilot Car	Hour	70.000
29	Traffic Control Signs	SqFt	606.300
30	Traffic Control, Miscellaneous	LS	1.000
31	Temporary Pavement Marking	Mile	23.700
32	Railroad Protective Insurance	LS	1.000

**4. NH-P 0031(63)** **Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405** **Phone: 605/773-5294**  
**Work Type 6** **DBE Goal: NONE** **Contract Id: 10015** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Construction Schedule, Category I	LS	1.000
3	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	544.500
4	Sand for Fog Seal	Ton	70.000
5	CRS-2P Asphalt for Surface Treatment	Ton	1,874.200
6	Modified Cover Aggregate	Ton	1,629.200

7	Modified Cover Aggregate	Ton	1,623.500
8	Modified Cover Aggregate	Ton	2,632.200
9	Modified Cover Aggregate	Ton	3,758.600
10	Modified Cover Aggregate	Ton	2,741.800
11	Modified Cover Aggregate	Ton	216.200
12	Cold Applied Plastic Pavement Marking, 4"	Ft	440.000
13	Cold Applied Plastic Pavement Marking, Arrow	Each	1.000
14	High Build Waterborne Pavement Marking Paint, White	Gal	4,701.000
15	High Build Waterborne Pavement Marking Paint, Yellow	Gal	1,291.000
16	Pavement Marking Masking, 5"	Ft	6,352.000
17	Pavement Marking Masking, 25"	Ft	215.000
18	Pavement Marking Masking, Arrow	Each	2.000
19	Flagging	Hour	1,744.000
20	Pilot Car	Hour	431.000
21	Traffic Control Signs	SqFt	2,851.400
22	Traffic Control, Miscellaneous	LS	1.000
23	Temporary Pavement Marking	Mile	254.500

**5. NH-P 0043(249)** **Area Engineer: Bruce Schroeder, PO Box 431, Custer, SD, 57730-0431** **Phone: 605/673-4948**  
**Work Type 6** **DBE Goal: NONE** **Contract Id: 10008** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Construction Schedule, Category I	LS	1.000
4	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	273.700
5	Sand for Fog Seal	Ton	80.000
6	HFMS-2 Asphalt for Surface Treatment	Ton	977.200
7	Type 2A Cover Aggregate	Ton	1,254.000
8	Type 2A Cover Aggregate	Ton	521.700
9	Type 2A Cover Aggregate	Ton	32.100
10	Type 2A Cover Aggregate	Ton	2,470.300
11	Type 2A Cover Aggregate	Ton	180.900
12	Type 2A Cover Aggregate	Ton	1,346.900
13	Type 2A Cover Aggregate	Ton	2,731.100
14	Type 2A Cover Aggregate	Ton	277.100
15	High Build Waterborne Pavement Marking Paint, White	Gal	3,020.000
16	High Build Waterborne Pavement Marking Paint, Yellow	Gal	1,193.000
17	Pavement Marking Masking, 5"	Ft	4,598.000
18	Pavement Marking Masking, 9"	Ft	973.000
19	Pavement Marking Masking, 25"	Ft	1,412.000
20	Pavement Marking Masking, Arrow	Each	111.000
21	Pavement Marking Masking, Message	Word	4.000
22	Flagging	Hour	2,840.000
23	Pilot Car	Hour	710.000
24	Traffic Control Signs	SqFt	3,739.100
25	Traffic Control, Miscellaneous	LS	1.000
26	Type 3 Barricade	Each	4.000
27	Type C Advance Warning Arrow Board	Each	1.000
28	Remove Pavement Marking, Area	SqFt	80.000
29	Temporary Pavement Marking	Mile	164.100

**6. P 0042(103)** **Area Engineer: John Matthesen, W Hwy 34, Belle Fourche, SD, 57717-0786** **Phone: 605/892-2872**  
**Work Type 6** **DBE Goal: NONE** **Contract Id: 10023** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Construction Schedule, Category I	LS	1.000
3	Asphalt Repair Mastic Type 2	Lb	76,612.000
4	Asphalt Concrete Crack Sealing	Lb	52,160.000
5	High Build Waterborne Pavement Marking Paint, 4" White	Ft	7,770.000

6	High Build Waterborne Pavement Marking Paint, 4" Yellow	Ft	3,885.000
7	Flagging	Hour	300.000
8	Pilot Car	Hour	150.000
9	Traffic Control Signs	SqFt	120.200
10	Traffic Control, Miscellaneous	LS	1.000

7. **PH 0040(346)** **Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970** **Phone: 605/394-2244**  
**Work Type 2** **DBE Goal: NONE** **Contract Id: 9936** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Reestablish Right-of-Way and Property Corner	Each	54.000
4	Miscellaneous Staking	Mile	2.263
5	Slope Staking	Mile	2.263
6	Engineer Directed Surveying/Staking	Hour	40.000
7	Construction Schedule, Category II	LS	1.000
8	Clearing	LS	1.000
9	Remove Fence	Ft	2,568.000
10	Remove 3 Cable Guardrail Anchor Assembly	Each	12.000
11	Remove 3 Cable Guardrail Slip Base Anchor Assembly	Each	16.000
12	Remove Asphalt Concrete Pavement	SqYd	3,063.000
13	Remove Sediment	CuYd	64.000
14	Remove Silt Fence	Ft	336.000
15	Salvage 3 Cable Guardrail	Ft	9,662.000
16	Remove Sign for Reset	Each	3.000
17	Remove Delineator for Reset	Each	11.000
18	Remove Pipe End Section for Reset	Each	6.000
19	Remove Fence for Reset	Ft	270.000
20	Contractor Furnished Borrow	CuYd	127,364.000
21	Unclassified/Rock Excavation	CuYd	77,742.000
22	Water for Embankment	MGal	1,822.400
23	Placing Topsoil	CuYd	14,590.000
24	Incidental Work, Grading	LS	1.000
25	Base Course	Ton	160.200
26	Asphalt Concrete Composite	Ton	697.700
27	Structure Excavation, Box Culvert	CuYd	45.000
28	Pipe Culvert Undercut	CuYd	99.000
29	Box Culvert Undercut	CuYd	67.000
30	18" RCP Class 3, Furnish	Ft	34.000
31	18" RCP, Install	Ft	34.000
32	48" RCP Class 3, Furnish	Ft	92.000
33	48" RCP, Install	Ft	92.000
34	54" RCP Class 3, Furnish	Ft	20.000
35	54" RCP, Install	Ft	20.000
36	72" RCP Class 3, Furnish	Ft	52.000
37	72" RCP, Install	Ft	52.000
38	48" RCP Bend, Furnish	Each	1.000
39	48" RCP Bend, Install	Each	1.000
40	72" RCP Bend, Furnish	Each	4.000
41	72" RCP Bend, Install	Each	4.000
42	18" RCP Flared End, Furnish	Each	1.000
43	18" RCP Flared End, Install	Each	1.000
44	54" RCP Flared End, Furnish	Each	2.000
45	54" RCP Flared End, Install	Each	2.000
46	72" RCP Flared End, Furnish	Each	1.000
47	72" RCP Flared End, Install	Each	1.000
48	18" CMP 16 Gauge, Furnish	Ft	30.000

49	18" CMP, Install	Ft	30.000
50	24" CMP 16 Gauge, Furnish	Ft	56.000
51	24" CMP, Install	Ft	56.000
52	36" CMP 16 Gauge, Furnish	Ft	18.000
53	36" CMP, Install	Ft	18.000
54	72" CMP 14 Gauge, Furnish	Ft	80.000
55	72" CMP, Install	Ft	80.000
56	18" CMP Flared End, Furnish	Each	2.000
57	18" CMP Flared End, Install	Each	2.000
58	24" CMP Flared End, Furnish	Each	2.000
59	24" CMP Flared End, Install	Each	2.000
60	36" CMP Flared End, Furnish	Each	1.000
61	36" CMP Flared End, Install	Each	1.000
62	72" RCP to CMP Transition, Furnish	Each	1.000
63	72" Pipe Transition, Install	Each	1.000
64	Reset Pipe End Section	Each	6.000
65	Class A45 Concrete, Box Culvert	CuYd	89.100
66	Breakout Structural Concrete	CuYd	53.600
67	Install Dowel in Concrete	Each	44.000
68	Reinforcing Steel	Lb	10,099.000
69	Type 3 Right-of-Way Fence	Ft	2,514.000
70	Type 2 Temporary Fence	Ft	2,523.000
71	2 Post Panel	Each	17.000
72	3 Post Panel	Each	7.000
73	Reset Fence	Ft	270.000
74	Reset Delineator	Each	11.000
75	Reset Sign	Each	3.000
76	Flagging	Hour	1,200.000
77	Traffic Control Signs	SqFt	512.000
78	Traffic Control, Miscellaneous	LS	1.000
79	Type 3 Barricade	Each	16.000
80	Type C Advance Warning Arrow Board	Each	2.000
81	Contractor Furnished Speed Monitoring Radar Trailer	Each	2.000
82	4" Dual Wall HDPE Pipe	Ft	40.000
83	4" Slotted Corrugated Polyethylene Drainage Tubing	Ft	370.000
84	Porous Backfill	Ton	156.000
85	Class C Riprap	Ton	4,802.000
86	Bank and Channel Protection Gabion	CuYd	54.000
87	Cover Crop Seeding	Bu	32.800
88	Type F Permanent Seed Mixture	Lb	852.000
89	Fertilizing	Ton	24.600
90	Mulching	Ton	70.600
91	Type 3 Erosion Control Blanket	SqYd	4,198.000
92	12" Diameter Erosion Control Wattle	Ft	27,750.000
93	Rock Check Dam	CuYd	5.600
94	Shaping for Erosion Control Blanket	Ft	1,629.000
95	High Flow Silt Fence	Ft	1,235.000
96	Mucking Silt Fence	CuYd	93.000
97	Repair Silt Fence	Ft	336.000
98	Silt Trap	CuYd	4.000
99	Type B Drainage Fabric	SqYd	5,370.000

8.	<b>PH 0010(232)</b>	<b>Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201</b>		<b>Phone: 605/882-5166</b>	
	<b>Work Type 11</b>	<b>DBE Goal: NONE</b>	<b>Contract Id: 9997</b>	<b>See Special Provisions for Completion Requirements</b>	
	1 Mobilization		LS		1.000
	2 Construction Schedule, Category I		LS		1.000



3	Grind Centerline Rumble Stripe in Asphalt Concrete	Mile	140.100
4	Grind Sinusoidal Centerline Rumble Stripe in Asphalt Concrete	Mile	29.200
5	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	98.900
6	Cold Applied Plastic Pavement Marking, 24"	Ft	464.000
7	Cold Applied Plastic Pavement Marking, Arrow	Each	5.000
8	Cold Applied Plastic Pavement Marking, Railroad Crossing	Each	4.000
9	High Build Waterborne Pavement Marking Paint with Reflective Elements, White	Gal	10,512.000
10	High Build Waterborne Pavement Marking Paint with Reflective Elements, Yellow	Gal	5,858.000
11	Surface Preparation for Pavement Marking	Ft	464.000
12	Surface Preparation for Pavement Marking	Each	11.000
13	Flagging	Hour	300.000
14	Pilot Car	Hour	100.000
15	Traffic Control Signs	SqFt	1,126.000
16	Traffic Control, Miscellaneous	LS	1.000
17	Temporary Flexible Vertical Markers (Tabs)	Mile	189.100

**9. PH 0040(365)**                      **Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970**                      **Phone: 605/394-2244**  
**Work Type 11**                      **DBE Goal: NONE**                      **Contract Id: 10000**                      **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Construction Schedule, Category I	LS	1.000
4	Remove Traffic Sign	Each	22.000
5	Salvage Traffic Sign	Each	3.000
6	Remove Sign for Reset	Each	2.000
7	2.0"x2.0" Perforated Tube Post	Ft	115.500
8	2.5"x2.5" Perforated Tube Post	Ft	366.200
9	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	20.000
10	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	88.000
11	Reset Sign	Each	2.000
12	Radar Speed Sign, Solar Powered	Each	13.000
13	Flagging	Hour	200.000
14	Traffic Control Signs	SqFt	81.000
15	Traffic Control, Miscellaneous	LS	1.000
16	Miscellaneous, Electrical	LS	1.000

### Instructions

**PROPOSALS, PLANS AND SPECIFICATIONS:** Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

**MINIMUM WAGE RATES:** Minimum wage rates for 1, 2 and 4 through 9 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations. Minimum wage rates for 3 have been predetermined by the Department of Transportation, and are set forth in the advertised specification.

**BID PREPARATION:** Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

**NONDISCRIMINATION ASSURANCE:** The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

**EXECUTION OF CONTRACT:** In accordance with Section 7.14 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

**GENERALLY:** A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt  
SECRETARY OF TRANSPORTATION