

**Advertisement of Highway Bid Letting**

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on March 19, 2025, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	NH 0212(206)313 (PCN 0808)	Spink SWPPP = 96.00 AC	5.020	Grading, Interim Surfacing	US212 - Fm 5 E of Redfield to E of Frankfort
2.	P TAPU(40) (PCN 09FX)	Brookings SWPPP = 1.13 AC	0.450	PCC Shared Use Path	Brookings - Along 12th St S fm 17th Ave S to 22nd Ave
3.	NH 0018(231)339 (PCN 07M9)	Charles Mix SWPPP = 6.42 AC	0.341	Inslope Flattening, Shared Use Path, Pedestrian Bridge, Lighting	US18 - 0.5 E of Lake Andes
4.	PH 8051(14) (PCN 03V2)	Lake, Moody	---	Signing & Delineation	Various County, City, Tribal and Township Roads in Moody County (& Lake County)
5.	PH 0010(166) (PCN 06UC)	Regionwide	40.000	Rumble Stripes and High Grade Polymer Pavement Markings	Various locations on the local system in the Aberdeen Region
6.	NH-P 0041(183) (PCN 09KQ)	Lawrence, Pennington	30.225	Rout & Seal	Various Locations in the Rapid City Area
7.	NH-P 0013(169) (PCN 09KL)	Clark, Hand	51.100	Rout & Seal	Various Locations in the Huron Area
8.	NH 0043(38) (PCN 09KX)	Custer, Pennington	24.855	Asphalt Surface Treatment	Various Locations in the Custer Area
9.	P 0013(170) (PCN 09KY)	Faulk, Hand, Hyde	38.900	Asphalt Surface Treatment	Various Locations in the Huron & Aberdeen Areas
10.	P 0011(318) (PCN 09L9)	Brown	10.116	Crack Leveling	SD37 - Fm SD10 to North Dakota State Line
11.	P 0012(326) (PCN 09W8)	Hamlin	5.294	Crack Leveling	SD21 - Fm Lake Norden to Hayti

\* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	NH 0212(206)313 Work Type 1	Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940 DBE Goal: Not Specified	Contract Id: 9691	See Special Provisions for Completion Requirements	Phone: 605/353-7140
1	Blading			Hour	100.000
2	Mobilization			LS	1.000
3	Incentive/Disincentive Pay			Day	0.000
4	Reestablish Right-of-Way and Property Corner			Each	101.000
5	Reestablish Public Land Survey System Corner			Each	5.000
6	Grade Staking			Mile	5.718
7	Final Cross Section Survey			Mile	5.410
8	Miscellaneous Staking			Mile	5.410
9	Slope Staking			Mile	5.410
10	Engineer Directed Surveying/Staking			Hour	40.000
11	Checker			LS	1.000
12	Construction Schedule, Category II			LS	1.000
13	Training Program			Hour	1,000.000
14	Clear and Grub Tree			Each	2.000
15	Clearing			LS	1.000
16	Remove Traffic Sign			Each	43.000
17	Remove Delineator			Each	120.000
18	Remove Fence			Ft	35,777.000
19	Remove Beam Guardrail			Ft	506.000
20	Remove Asphalt Concrete Pavement			CuYd	24,209.000
21	Remove Sediment			CuYd	3.700
22	Remove Erosion Control Wattle			Ft	400.000
23	Remove Silt Fence			Ft	2,389.000
24	Remove Sign for Reset			Each	7.000
25	Unclassified Excavation			CuYd	351,409.000
26	Contractor Furnished Borrow Excavation			CuYd	21,019.000
27	Muck Excavation			CuYd	15,162.000
28	Undercutting			CuYd	146,086.000
29	Water for Embankment			MGal	2,520.000
30	Water for Granular Material			MGal	1,631.200
31	Placing Topsoil			CuYd	52,018.000
32	Incidental Work, Grading			LS	1.000
33	Base Course			Ton	500.000
34	Base Course, Salvaged			Ton	135,916.500
35	Granular Material, Furnish			Ton	33,790.300
36	Granular Material			Ton	200.000
37	Salvage and Stockpile Asphalt Mix Material			Ton	33,790.000
38	Salvage and Stockpile Asphalt Mix and Granular Base Material			Ton	68,336.000
39	Blend and Stockpile Granular Material			Ton	67,580.600
40	MC-70 Asphalt for Prime			Ton	93.000
41	SS-1h or CSS-1h Asphalt for Fog Seal			Ton	20.400
42	Blotting Sand for Prime			Ton	434.800
43	Sand for Fog Seal			Ton	10.000
44	Cold Milling Asphalt Concrete			SqYd	85,714.000
45	AE150S Asphalt for Surface Treatment			Ton	145.300
46	Type 3 Cover Aggregate			Ton	1,956.400
47	Pipe Culvert Undercut			CuYd	577.000

48	24" RCP Class 2, Furnish	Ft	284.000
49	24" RCP, Install	Ft	284.000
50	30" RCP Class 2, Furnish	Ft	548.000
51	30" RCP, Install	Ft	548.000
52	36" RCP Class 2, Furnish	Ft	110.000
53	36" RCP Class 4, Furnish	Ft	110.000
54	36" RCP, Install	Ft	220.000
55	60" RCP Class 2, Furnish	Ft	132.000
56	60" RCP Class 4, Furnish	Ft	208.000
57	60" RCP, Install	Ft	340.000
58	36" RCP Flared End, Furnish	Each	2.000
59	36" RCP Flared End, Install	Each	2.000
60	60" RCP Flared End, Furnish	Each	4.000
61	60" RCP Flared End, Install	Each	4.000
62	24" RCP Sloped End, Furnish	Each	6.000
63	24" RCP Sloped End, Install	Each	6.000
64	30" RCP Sloped End, Furnish	Each	12.000
65	30" RCP Sloped End, Install	Each	12.000
66	30" RCP Arch Class 2, Furnish	Ft	290.000
67	30" RCP Arch, Install	Ft	290.000
68	36" RCP Arch Class 2, Furnish	Ft	388.000
69	36" RCP Arch, Install	Ft	388.000
70	48" RCP Arch Class 2, Furnish	Ft	156.000
71	48" RCP Arch, Install	Ft	156.000
72	36" RCP Arch Flared End, Furnish	Each	8.000
73	36" RCP Arch Flared End, Install	Each	8.000
74	48" RCP Arch Flared End, Furnish	Each	4.000
75	48" RCP Arch Flared End, Install	Each	4.000
76	30" RCP Arch Sloped End, Furnish	Each	6.000
77	30" RCP Arch Sloped End, Install	Each	6.000
78	18" CMP 16 Gauge, Furnish	Ft	1,106.000
79	18" CMP, Install	Ft	1,106.000
80	24" CMP 14 Gauge, Furnish	Ft	156.000
81	24" CMP 16 Gauge, Furnish	Ft	340.000
82	24" CMP, Install	Ft	496.000
83	24" CMP Elbow, Furnish	Each	4.000
84	24" CMP Elbow, Install	Each	4.000
85	24" CMP Flared End, Furnish	Each	2.000
86	24" CMP Flared End, Install	Each	2.000
87	18" CMP Safety End, Furnish	Each	30.000
88	18" CMP Safety End, Install	Each	30.000
89	24" CMP Safety End, Furnish	Each	12.000
90	24" CMP Safety End, Install	Each	12.000
91	Type II Field Laboratory	Each	1.000
92	Dust Control Chloride, Haul Road Restoration	Lb	16,000.000
93	Type 2 Right-of-Way Fence	Ft	20,139.000
94	Type 1 Temporary Fence	Ft	15,633.000
95	Type 2 Temporary Fence	Ft	4,506.000
96	2 Post Panel	Each	31.000
97	3 Post Panel	Each	20.000
98	Type 1 MGS	Ft	175.000
99	Type 1 Retrofit Guardrail Transition	Each	4.000
100	MGS MASH Tangent End Terminal	Each	4.000
101	2.0"x2.0" Perforated Tube Post	Ft	790.300
102	2.5"x2.5" Perforated Tube Post	Ft	8.000
103	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	130.000

104	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	29.000
105	Guardrail Delineator	Each	16.000
106	Type 2 Object Marker Back to Back	Each	82.000
107	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	258.900
108	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	232.100
109	Reset Sign	Each	5.000
110	High Build Waterborne Pavement Marking Paint, 4" White	Ft	53,942.000
111	High Build Waterborne Pavement Marking Paint, 4" Yellow	Ft	13,158.000
112	Flagging	Hour	100.000
113	Pilot Car	Hour	50.000
114	Traffic Control Signs	SqFt	968.500
115	Traffic Control, Miscellaneous	LS	1.000
116	Type 3 Barricade	Each	36.000
117	Detour and Restriction Signing	SqFt	2,114.800
118	Class B Riprap	Ton	32.600
119	Class C Riprap	Ton	364.000
120	Bank and Channel Protection Gabion	CuYd	37.000
121	Cover Crop Seeding	Bu	30.000
122	Type G Permanent Seed Mixture	Lb	1,677.000
123	Fertilizing	Ton	32.200
124	Mulching	Ton	129.000
125	Soil Stabilizer	Acre	5.800
126	Type 3 Erosion Control Blanket	SqYd	9,964.000
127	12" Diameter Erosion Control Wattle	Ft	1,600.000
128	Remove and Reset Erosion Control Wattle	Ft	400.000
129	Surface Roughening	Acre	5.800
130	Shaping for Erosion Control Blanket	Ft	2,107.000
131	Low Flow Silt Fence	Ft	7,445.000
132	High Flow Silt Fence	Ft	2,110.000
133	Mucking Silt Fence	CuYd	663.000
134	Repair Silt Fence	Ft	2,389.000
135	Floating Silt Curtain	Ft	600.000
136	Remove and Reset Floating Silt Curtain	Ft	200.000
137	Type B Drainage Fabric	SqYd	485.000
138	Refurbish Single Mailbox	Each	2.000
139	Right of Way Marker	Each	27.000
140	Construction Entrance	Each	2.000

<b>2.</b>	<b>P TAPU(40)</b>	<b>Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201</b>		<b>Phone: 605/882-5166</b>
	<b>Work Type 14</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 9680</b>	<b>See Special Provisions for Completion Requirements</b>
1	Mobilization	LS	1.000	
2	Grade Staking	Mile	0.451	
3	Miscellaneous Staking	Mile	0.451	
4	Engineer Directed Surveying/Staking	Hour	15.000	
5	Clear and Grub Tree	Each	3.000	
6	Remove Concrete Curb and/or Gutter	Ft	439.000	
7	Remove Drop Inlet	Each	1.000	
8	Remove Storm Sewer Pipe	Ft	14.000	
9	Remove Asphalt Concrete Pavement	SqYd	31.600	
10	Remove Concrete Pavement	SqYd	97.100	
11	Remove Concrete Driveway Pavement	SqYd	120.000	
12	Remove Concrete Sidewalk	SqYd	1,244.700	
13	Remove Silt Fence	Ft	395.000	
14	Remove Sign for Reset	Each	5.000	
15	Unclassified Excavation	CuYd	932.000	
16	Water for Granular Material	MGal	9.500	

17	Water for Vegetation	MGal	213.500
18	Placing Topsoil	CuYd	571.000
19	Base Course	Ton	129.300
20	Gravel Cushion	Ton	657.200
21	Temporary Gravel Surfacing	Ton	40.000
22	Asphalt Concrete Composite	Ton	63.000
23	6" PCC Driveway Pavement	SqYd	102.100
24	6" PCC Fillet Section	SqYd	92.700
25	Insert Steel Bar in PCC Pavement	Each	121.000
26	18" RCP Class 2, Furnish	Ft	42.000
27	18" RCP, Install	Ft	42.000
28	Adjust Water Valve Box	Each	1.000
29	Class M6 Concrete	CuYd	11.600
30	Reinforcing Steel	Lb	1,842.000
31	2.0"x2.0" Perforated Tube Post	Ft	23.000
32	Reset Sign	Each	5.000
33	Cold Applied Plastic Pavement Marking, 4"	Ft	80.000
34	Cold Applied Plastic Pavement Marking, 24"	Ft	80.000
35	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	80.000
36	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	80.000
37	Traffic Control Signs	SqFt	102.500
38	Traffic Control, Miscellaneous	LS	1.000
39	Type 3 Barricade	Each	10.000
40	Tubular Marker	Each	41.000
41	Remove Pavement Marking, 4" or Equivalent	Ft	80.000
42	Detour and Restriction Signing	SqFt	117.100
43	2' Diameter Footing	Ft	16.000
44	Type 2 Electrical Junction Box	Each	2.000
45	Electrical Service Cabinet	Each	1.000
46	Electrical Service Cabinet with Secondary Disconnect	Each	1.000
47	Pedestrian Push Button Pole	Each	2.000
48	Rectangular Rapid Flashing Beacon System	Each	1.000
49	5" Rigid Galvanized Steel Conduit	Ft	15.000
50	2" Rigid Conduit, Schedule 40	Ft	200.000
51	3" Rigid Conduit, Schedule 40	Ft	20.000
52	3" Rigid Conduit, Schedule 80	Ft	60.000
53	1/C #6 AWG Copper Wire	Ft	1,035.000
54	1/C #12 AWG Copper Wire	Ft	45.000
55	2/C #14 AWG Copper Tray Cable, K2	Ft	55.000
56	Modified Type B66 Concrete Curb and Gutter	Ft	444.000
57	6" Concrete Valley Gutter	SqYd	20.100
58	4" Concrete Sidewalk	SqFt	407.000
59	6" Concrete Sidewalk	SqFt	18,354.000
60	6" Reinforced Concrete Sidewalk	SqFt	40.000
61	Type 1 Detectable Warnings	SqFt	148.000
62	Modify Drop Inlet	Each	2.000
63	Type S Manhole Frame and Lid	Each	3.000
64	Connect Into Existing Manhole	Each	1.000
65	Type D Permanent Seed Mixture	Lb	224.000
66	Fertilizing	Lb	735.000
67	Fiber Mulching	Ton	1.100
68	Low Flow Silt Fence	Ft	395.000
69	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	104.000
70	Sweeping	Hour	15.000
71	Concrete Washout Facility	Each	1.000
72	Construction Entrance	Each	1.000

3.	NH 0018(231)339	Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206	Phone: 605/995-8120
	Work Type 2 or Work Type 9	DBE Goal: Not Specified	Contract Id: 9701 See Special Provisions for Completion Requirements
1	Mobilization	LS	1.000
2	Grade Staking	Mile	0.592
3	Miscellaneous Staking	Mile	0.592
4	Slope Staking	Mile	0.592
5	Structure Staking	Each	1.000
6	Engineer Directed Surveying/Staking	Hour	40.000
7	Clearing	LS	1.000
8	Remove High Tension 4 Cable Guardrail	Ft	3,787.000
9	Remove Asphalt Concrete Pavement	SqYd	868.000
10	Remove Concrete Sidewalk	SqYd	266.700
11	Remove Sediment	CuYd	1.000
12	Remove Erosion Control Wattle	Ft	80.000
13	Remove Silt Fence	Ft	570.000
14	Unclassified Excavation	CuYd	1,392.000
15	Contractor Furnished Borrow Excavation	CuYd	9,256.000
16	Water for Granular Material	MGal	5.100
17	Placing Topsoil	CuYd	2,592.000
18	Contractor Furnished Topsoil	CuYd	1,595.000
19	Incidental Work, Grading	LS	1.000
20	Incidental Work, Structure	LS	1.000
21	Base Course	Ton	424.000
22	Gravel Cushion	Ton	194.000
23	Granular Material	Ton	158.000
24	Asphalt Concrete Composite	Ton	428.000
25	Structure Excavation, Bridge	CuYd	13.000
26	Pipe Culvert Undercut	CuYd	83.000
27	Bridge End Embankment	CuYd	28.000
28	Granular Bridge End Backfill	CuYd	2.700
29	18" RCP Class 2, Furnish	Ft	162.000
30	18" RCP, Install	Ft	162.000
31	24" RCP Class 2, Furnish	Ft	158.000
32	24" RCP, Install	Ft	158.000
33	24" RCP Sloped End, Furnish	Each	2.000
34	24" RCP Sloped End, Install	Each	2.000
35	18" RCP Safety End, Furnish	Each	4.000
36	18" RCP Safety End, Install	Each	4.000
37	Class A45 Concrete, Bridge	CuYd	19.800
38	Reinforcing Steel	Lb	1,108.000
39	16"x0.25" Steel Pipe Test Pile, Furnish and Drive	Ft	100.000
40	16"x0.25" Steel Pipe Bearing Pile, Furnish and Drive	Ft	100.000
41	Type II Field Laboratory	Each	1.000
42	Flagging	Hour	150.000
43	Pilot Car	Hour	50.000
44	Traffic Control Signs	SqFt	273.000
45	Traffic Control, Miscellaneous	LS	1.000
46	Type 3 Barricade	Each	8.000
47	Longitudinal Pedestrian Barricade	Ft	20.000
48	Temporary Pedestrian Access Route	LS	1.000
49	Breakaway Base Luminaire Pole with Arm, 40' Mounting Height	Each	2.000
50	Roadway Luminaire, LED with Photoelectric Cell	Each	2.000
51	2' Diameter Footing	Ft	16.000
52	Type 1 Electrical Junction Box	Each	1.000
53	Electrical Service Cabinet	Each	1.000

54	2" Rigid Conduit, Schedule 40	Ft	180.000
55	2" Rigid Conduit, Schedule 80	Ft	75.000
56	1/C #8 AWG Copper Wire	Ft	855.000
57	2/C #10 AWG Copper Pole and Bracket Cable	Ft	120.000
58	6" Concrete Sidewalk	SqFt	11,092.000
59	Type 1 Detectable Warnings	SqFt	60.000
60	Adjust Manhole	Each	2.000
61	4" Underdrain Pipe	Ft	80.000
62	Porous Backfill	Ton	4.100
63	Class A Riprap	Ton	2.500
64	Class B Riprap	Ton	934.400
65	Cover Crop Seeding	Bu	4.000
66	Type G Permanent Seed Mixture	Lb	120.000
67	Fertilizing	Ton	2.310
68	Mulching	Ton	11.200
69	Type 3 Erosion Control Blanket	SqYd	285.000
70	12" Diameter Erosion Control Wattle	Ft	320.000
71	Remove and Reset Erosion Control Wattle	Ft	80.000
72	Low Flow Silt Fence	Ft	2,150.000
73	High Flow Silt Fence	Ft	129.000
74	Mucking Silt Fence	CuYd	158.000
75	Repair Silt Fence	Ft	570.000
76	Type B Drainage Fabric	SqYd	675.000
77	Orange Plastic Safety Fence	Ft	1,000.000
78	Construction Entrance	Each	1.000
79	Pedestrian Bridge	Each	1.000

**4. PH 8051(14) Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107 Phone: 605/367-5680**  
**Work Type 11 DBE Goal: Not Specified Contract Id: 9571 See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	As-Built Survey	LS	1.000
3	Remove Traffic Sign	Each	5,333.000
4	Salvage Traffic Sign	Each	33.000
5	Remove Sign for Reset	Each	67.000
6	2.0"x2.0" Perforated Tube Post	Each	5,187.000
7	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	5,417.000
8	4" Tubular White Delineator Reflector	Each	1,228.000
9	Guardrail Delineator	Each	112.000
10	Type 2 Object Marker Back to Back	Each	2,668.000
11	Type 2 Object Marker	Each	28.000
12	Type 3 Flexible Object Marker	Each	16.000
13	Type 4 Object Marker	Each	195.000
14	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	14,633.000
15	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	14,890.100
16	Reset Sign	Each	67.000
17	Type 3 Double Sided Barricade	Ft	252.000
18	Type 3 Single Sided Barricade	Ft	576.000
19	Traffic Control, Miscellaneous	LS	1.000

**5. PH 0010(166) Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201 Phone: 605/882-5166**  
**Work Type 11 Or Work Type 13 DBE Goal: Not Specified Contract Id: 9718 See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Sign for Reset	Each	3.000
3	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	25.200
4	Grind Sinusoidal Transverse Rumble Strip in Asphalt Concrete	SqFt	1,176.000
5	2.0"x2.0" Perforated Tube Post	Ft	36.000
6	Reset Sign	Each	3.000

7	High Build Waterborne Pavement Marking Paint, White	Gal	567.000
8	High Build Waterborne Pavement Marking Paint, Yellow	Gal	29.000
9	Flagging	Hour	30.000
10	Traffic Control Signs	SqFt	169.000
11	Traffic Control, Miscellaneous	LS	1.000

**6. NH-P 0041(183) Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970 Phone: 605/394-2244**  
**Work Type 6 DBE Goal: Not Specified Contract Id: 9716 See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Asphalt Concrete Crack Sealing	Lb	15,577.000
4	Flagging	Hour	400.000
5	Pilot Car	Hour	200.000
6	Traffic Control Signs	SqFt	799.600
7	Traffic Control, Miscellaneous	LS	1.000
8	Type 3 Barricade	Each	4.000
9	Type C Advance Warning Arrow Board	Each	4.000

**7. NH-P 0013(169) Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940 Phone: 605/353-7140**  
**Work Type 6 DBE Goal: Not Specified Contract Id: 9729 See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Asphalt Concrete Crack Sealing	Lb	53,000.000
4	High Build Waterborne Pavement Marking Paint, White	Gal	1,693.000
5	High Build Waterborne Pavement Marking Paint, Yellow	Gal	316.000
6	Flagging	Hour	200.000
7	Pilot Car	Hour	100.000
8	Traffic Control Signs	SqFt	210.000
9	Traffic Control, Miscellaneous	LS	1.000

**8. NH 0043(38) Area Engineer: Bruce Schroeder, PO Box 431, Custer, SD, 57730-0431 Phone: 605/673-4948**  
**Work Type 6 DBE Goal: Not Specified Contract Id: 9725 See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	47.400
4	Sand for Fog Seal	Ton	16.000
5	HFMS-2 Asphalt for Surface Treatment	Ton	284.300
6	Type 2A Cover Aggregate	Ton	691.000
7	Type 2A Cover Aggregate	Ton	1,686.900
8	Type 2A Cover Aggregate	Ton	186.600
9	Flagging	Hour	400.000
10	Pilot Car	Hour	175.000
11	Traffic Control Signs	SqFt	1,306.000
12	Traffic Control, Miscellaneous	LS	1.000
13	Type 3 Barricade	Each	2.000
14	Type C Advance Warning Arrow Board	Each	1.000

**9. P 0013(170) Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940 Phone: 605/353-7140**  
**Work Type 6 DBE Goal: Not Specified Contract Id: 9734 See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	122.000
3	Sand for Fog Seal	Ton	20.000
4	CRS-2P Asphalt for Surface Treatment	Ton	1,019.100
5	Type 1A Cover Aggregate	Ton	2,651.000
6	Type 1A Cover Aggregate	Ton	3,074.200
7	Cold Applied Plastic Pavement Marking, 24"	Ft	36.000
8	High Build Waterborne Pavement Marking Paint, White	Gal	2,797.000
9	High Build Waterborne Pavement Marking Paint, Yellow	Gal	387.000





Instructions

**PROPOSALS, PLANS AND SPECIFICATIONS:** Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

**MINIMUM WAGE RATES:** Minimum wage rates for 1 through 11 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

**BID PREPARATION:** Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

**NONDISCRIMINATION ASSURANCE:** The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

**EXECUTION OF CONTRACT:** In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

**GENERALLY:** A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt  
SECRETARY OF TRANSPORTATION