

**Advertisement of Highway Bid Letting**

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on March 26, 2025, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
* 1.	NH-CR 0046(69)288 (PCN 05JN)	Charles Mix SWPPP = 25.00 AC	2.180	Grading, PCC Surfacing, Storm Sewer, Curb & Gutter, Sidewalk, Lighting, Signals	SD46 in Wagner
* 2.	16395 ( ) (PCN X06P)	Charles Mix	0.890	Sanitary Sewer Replacement and Water Distribution System Installation	SD46 from Washington Ave to Harr Ave in Wagner

Bidders on item #2 will be required to comply with the federal bid requirements and inclusions for projects involving D.A.N.R. clean water and drinking water State Revolving Fund (SRF) loans, disadvantaged business enterprise (DBE) program, and the president's executive order nos. 11246 as amended, 11518 and 11625 as amended. The requirements for bidders and contractors under this regulation which concerns utilization of disadvantaged / minority business enterprises (DBE/MBE) and women's business enterprises (WBE) are explained in the state revolving fund (SRF) general conditions contained in the proposal. The DBE/MBE and WBE goals for participation in this contract in terms of percentage of contract value are: MBE/DBE = 1.5%; WBE = 2.4%. Contractors must also submit the MBE/WBE subcontractor solicitation information form (page MBE/WBE-6) and the certification regarding debarment, suspension and other responsibility matters (page debar-2) with his bid. Davis Bacon and related acts wages apply to this project. All provisions relative to those acts must be met. Inquiries regarding completion of these forms should be directed to: Bailey Mc Tigue, Natural Resources Engineer, Water and Waste Funding Program, Dept. of Agriculture & Natural Resources, Foss building, Pierre, SD (605)773-5418. The low responsive bidder will be required to certify to compliance with the Buy American Iron and Steel provision of the Consolidated Appropriations Act of 2014. This certification form may be found on page BA-2 of the State Revolving Fund (SRF) General Conditions and must be included in the bid proposal.

Or

Inquiries regarding completion of the forms for Community Development Block Grant (CDBG) Program should be directed to: Stephanie Deyo, Community Development Block Grant Program, Economic Development, 711 East Wells, Pierre SD 57501 (605)773-4633.

\* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	NH-CR 0046(69)288	Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206	Phone: 605/995-8120
	Work Type 2 or Work Type 3	DBE Goal: Not Specified	Contract Id: 9661 See Special Provisions for Completion Requirements
1	Remove Traffic Diversion(s)	LS	1.000
2	Mobilization	LS	1.000
3	Incentive/Disincentive Pay	Day	0.000
4	Reestablish Right-of-Way and Property Corner	Each	179.000
5	Reestablish Public Land Survey System Corner	Each	4.000
6	Grade Staking	Mile	8.232
7	Miscellaneous Staking	Mile	2.154
8	Slope Staking	Mile	2.154
9	Structure Staking	Each	1.000
10	Engineer Directed Surveying/Staking	Hour	40.000
11	Checker	LS	1.000
12	Construction Schedule, Category III	LS	1.000
13	Project Management, Category III	LS	1.000
14	Training Program	Hour	1,000.000
15	Clear and Grub Tree	Each	30.000
16	Clearing	LS	1.000
17	Remove Concrete Footing(s)	LS	1.000
18	Remove Traffic Sign	Each	84.000
19	Remove Delineator	Each	17.000
20	Remove Concrete Curb and/or Gutter	Ft	6,590.000
21	Remove Drop Inlet	Each	64.000
22	Remove Manhole	Each	1.000
23	Remove Fence	Ft	848.000
24	Remove Asphalt Concrete Pavement	SqYd	42,037.800
25	Remove Concrete Pavement	SqYd	28,691.400
26	Remove Concrete Driveway Pavement	SqYd	5,371.500
27	Remove Concrete Sidewalk	SqYd	4,187.700
28	Remove Luminaire Pole	Each	38.000
29	Remove Signal Equipment	LS	1.000
30	Remove Signal Pole Footing	Each	4.000
31	Remove Luminaire Pole Footing	Each	38.000
32	Remove Sediment	CuYd	37.700
33	Remove Erosion Control Wattle	Ft	98.000
34	Remove Sediment Filter Bag	Ft	5,516.000
35	Remove Silt Fence	Ft	1,600.000
36	Salvage Signal Equipment	LS	1.000
37	Remove Sign for Reset	Each	5.000
38	Remove Chain Link Fence for Reset	Ft	55.000
39	Unclassified Excavation	CuYd	83,962.000
40	Contractor Furnished Borrow Excavation	CuYd	25,365.000
41	Contaminated Material Excavation	CuYd	100.000
42	Muck Excavation	CuYd	343.000
43	Undercutting	CuYd	56,132.000
44	Water for Embankment	MGal	898.000
45	Water for Granular Material	MGal	363.900
46	Water for Vegetation	MGal	397.000
47	Placing Topsoil	CuYd	3,749.000
48	Incidental Work, Grading	LS	1.000
49	Base Course	Ton	2,778.000
50	Base Course, Salvaged	Ton	2,321.000
51	Gravel Cushion	Ton	2,114.800
52	Gravel Cushion, Salvaged	Ton	21,803.000
53	Temporary Gravel Surfacing	Ton	1,371.000

54	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	5,612.500
55	Salvage and Stockpile Granular Material	Ton	21,803.000
56	Asphalt Concrete Composite	Ton	3,189.200
57	Asphalt Concrete Composite	Ton	612.000
58	8" Nonreinforced PCC Pavement	SqYd	60,488.600
59	PCC Shoulder Pavement	SqYd	751.800
60	6" PCC Driveway Pavement	SqYd	292.800
61	8" PCC Driveway Pavement	SqYd	4,137.500
62	6" PCC Approach Pavement	SqYd	711.900
63	8" PCC Approach Pavement	SqYd	2,332.900
64	8" PCC Fillet Section	SqYd	1,100.000
65	Dowel Bar	Each	41,521.000
66	Insert Steel Bar in PCC Pavement	Each	260.000
67	Pipe Culvert Undercut	CuYd	31.000
68	18" RCP Class 2, Furnish	Ft	3,984.000
69	18" RCP, Install	Ft	3,984.000
70	24" RCP Class 2, Furnish	Ft	576.000
71	24" RCP, Install	Ft	576.000
72	30" RCP Class 2, Furnish	Ft	1,382.000
73	30" RCP, Install	Ft	1,382.000
74	36" RCP Class 2, Furnish	Ft	1,394.000
75	36" RCP, Install	Ft	1,394.000
76	42" RCP Class 2, Furnish	Ft	704.000
77	42" RCP, Install	Ft	704.000
78	48" RCP Class 3, Furnish	Ft	2,730.000
79	48" RCP, Install	Ft	2,730.000
80	18" RCP Bend, Furnish	Each	1.000
81	18" RCP Bend, Install	Each	1.000
82	RCP Tee, Furnish	Each	9.000
83	RCP Tee, Install	Each	9.000
84	36" RCP Flared End, Furnish	Each	2.000
85	36" RCP Flared End, Install	Each	2.000
86	48" RCP Flared End, Furnish	Each	1.000
87	48" RCP Flared End, Install	Each	1.000
88	18" RCP Safety End, Furnish	Each	19.000
89	18" RCP Safety End, Install	Each	19.000
90	24" RCP Safety End, Furnish	Each	6.000
91	24" RCP Safety End, Install	Each	6.000
92	18" RCP Arch Class 2, Furnish	Ft	556.000
93	18" RCP Arch, Install	Ft	556.000
94	24" RCP Arch Class 2, Furnish	Ft	280.000
95	24" RCP Arch, Install	Ft	280.000
96	24" RCP Arch Sloped End, Furnish	Each	6.000
97	24" RCP Arch Sloped End, Install	Each	6.000
98	18" RCP Arch Safety End, Furnish	Each	15.000
99	18" RCP Arch Safety End, Install	Each	15.000
100	Class M6 Concrete	CuYd	309.200
101	Pipe Handrail	Ft	54.700
102	Reinforcing Steel	Lb	54,539.000
103	Epoxy Coated Reinforcing Steel	Lb	418.000
104	Type C Concrete Retaining Wall	SqFt	195.000
105	Type III Field Laboratory	Each	1.000
106	Type 4s Right-of-Way Fence	Ft	209.000
107	2 Post Panel	Each	7.000
108	Reset Chain Link Fence	Ft	55.000
109	2.0"x2.0" Perforated Tube Post	Ft	614.900

110	2.5"x2.5" Perforated Tube Post	Ft	144.500
111	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	6.000
112	Type 2 Object Marker Back to Back	Each	17.000
113	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	508.000
114	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	318.100
115	Reset Sign	Each	5.000
116	Durable Pavement Marking, 4" White	Ft	25,055.000
117	Durable Pavement Marking, 4" Yellow	Ft	26,150.000
118	Durable Pavement Marking, 24" White	Ft	1,160.000
119	Durable Pavement Marking, 24" Yellow	Ft	90.000
120	Durable Pavement Marking, Area	SqFt	55.000
121	Durable Pavement Marking, Arrow	Each	67.000
122	Durable Pavement Marking, Lane Reduction Arrow	Each	7.000
123	Grooving for Durable Pavement Marking, 4"	Ft	51,205.000
124	Grooving for Durable Pavement Marking, 24"	Ft	1,250.000
125	Grooving for Durable Pavement Marking, Area	SqFt	55.000
126	Grooving for Durable Pavement Marking, Arrow	Each	67.000
127	Grooving for Durable Pavement Marking, Lane Reduction Arrow	Each	7.000
128	Flagging	Hour	500.000
129	Traffic Control Signs	SqFt	1,983.900
130	Traffic Control, Miscellaneous	LS	1.000
131	Traffic Control Supervisor	LS	1.000
132	Type 3 Barricade	Each	68.000
133	Temporary Raised Pavement Markers	Ft	32,900.000
134	Tubular Marker	Each	30.000
135	Type C Advance Warning Arrow Board	Each	2.000
136	Remove Pavement Marking, 4" or Equivalent	Ft	12,350.000
137	Temporary Pavement Marking	Ft	25,220.000
138	Temporary Pavement Marking	Gal	262.000
139	Detour and Restriction Signing	SqFt	741.000
140	Temporary Business Signing	SqFt	204.000
141	Contractor Furnished Portable Changeable Message Sign	Each	2.000
142	Longitudinal Pedestrian Barricade	Ft	7,500.000
143	Temporary Curb Ramp	Each	12.000
144	Longitudinal Pedestrian Barrier	Ft	7,500.000
145	Temporary Flexible Sidewalk	SqFt	2,500.000
146	Traffic Control Barrier	Ft	5,334.000
147	Traffic Control Barrier	Ft	4,368.000
148	Traffic Control Barrier	Ft	5,232.000
149	Reset Traffic Control Barrier	Ft	14,934.000
150	Breakaway Base Luminaire Pole with Arm, 40' Mounting Height	Each	74.000
151	Pedestal Signal Pole	Each	4.000
152	Signal Pole with 30' Mast Arm and Luminaire Arm	Each	1.000
153	Signal Pole with 45' Mast Arm and Luminaire Arm	Each	3.000
154	Roadway Luminaire, LED with Photoelectric Cell	Each	78.000
155	1 Section Vehicle Signal Head	Each	4.000
156	3 Section Vehicle Signal Head	Each	10.000
157	4 Section Directional Vehicle Signal Head	Each	4.000
158	2' Diameter Footing	Ft	690.000
159	3' Diameter Footing	Ft	47.000
160	Type 1 Electrical Junction Box	Each	36.000
161	Type 2 Electrical Junction Box	Each	3.000
162	Type 3 Electrical Junction Box	Each	2.000
163	Electrical Service Cabinet	Each	8.000
164	Electrical Service Cabinet with Secondary Disconnect	Each	1.000
165	Traffic Signal Controller	Each	1.000

166	Battery Backup System for Traffic Signal	Each	1.000
167	Video Detection System	Each	1.000
168	Siren Emergency Vehicle Preemption System	Each	1.000
169	Accessible Pedestrian Signal	Each	8.000
170	Pedestrian Push Button Pole	Each	12.000
171	Pedestrian Signal Head with Countdown Timer	Each	8.000
172	Pedestrian Crossing Sign	Each	8.000
173	Rectangular Rapid Flashing Beacon System	Each	2.000
174	1" Rigid Conduit, Schedule 40	Ft	100.000
175	2" Rigid Conduit, Schedule 40	Ft	11,880.000
176	3" Rigid Conduit, Schedule 40	Ft	20.000
177	4" Rigid Conduit, Schedule 40	Ft	35.000
178	2" Rigid Conduit, Schedule 80	Ft	3,300.000
179	3" Rigid Conduit, Schedule 80	Ft	50.000
180	4" Rigid Conduit, Schedule 80	Ft	55.000
181	1/C #2 AWG Copper Wire	Ft	7,380.000
182	1/C #3 AWG Copper Wire	Ft	1,255.000
183	1/C #4 AWG Copper Wire	Ft	15,820.000
184	1/C #6 AWG Copper Wire	Ft	14,850.000
185	1/C #8 AWG Copper Wire	Ft	10,595.000
186	1/C #10 AWG Copper Wire	Ft	1,895.000
187	3/C #14 AWG Copper Wire	Ft	140.000
188	2/C #14 AWG Copper Tray Cable, K2	Ft	1,680.000
189	4/C #14 AWG Copper Tray Cable, K2	Ft	380.000
190	5/C #14 AWG Copper Tray Cable, K2	Ft	700.000
191	6/C #14 AWG Copper Tray Cable, K2	Ft	340.000
192	25/C #14 AWG Copper Tray Cable, K2	Ft	750.000
193	2/C #10 AWG Copper Pole and Bracket Cable	Ft	4,290.000
194	Modified Type B68 Concrete Curb and Gutter	Ft	12,614.000
195	Type B68 Concrete Curb and Gutter	Ft	2,321.000
196	Modified Type F68 Concrete Curb and Gutter	Ft	4,230.000
197	Type F68 Concrete Curb and Gutter	Ft	175.000
198	Type B6 Concrete Curb	Ft	47.000
199	Modified Type D48 Concrete Curb and Gutter	Ft	87.000
200	Type D48 Concrete Curb and Gutter	Ft	9.000
201	Modified Type P8 Concrete Gutter	Ft	2,312.000
202	Type P8 Concrete Gutter	Ft	123.000
203	4" Concrete Sidewalk	SqFt	80,197.000
204	4" Reinforced Concrete Sidewalk	SqFt	2,449.000
205	4" Colored Concrete Sidewalk	SqFt	18,808.000
206	4" Reinforced Colored Concrete Sidewalk	SqFt	636.000
207	Sidewalk Drain	Ft	21.400
208	Type 1 Detectable Warnings	SqFt	1,103.000
209	5.5' x 3' Type B Drop Inlet	Each	6.000
210	Type B Frame and Grate	Each	57.000
211	Type C Frame and Grate	Each	14.000
212	7' x 11' Concrete Type S Drop Inlet Base	Each	4.000
213	4' x 11' Precast Concrete Type S Drop Inlet Lid	Each	36.000
214	4' x 6' Precast Concrete Type S Drop Inlet Lid	Each	31.000
215	Precast Drop Inlet Collar	Each	57.000
216	96" Manhole	Each	1.000
217	2" Adjusting Ring for Manhole	Each	2.000
218	Type A9 Manhole Frame and Lid	Each	1.000
219	PVC Coated Bank and Channel Protection Gabion	CuYd	12.000
220	Cover Crop Seeding	Bu	2.400
221	Type D Permanent Seed Mixture	Lb	1,390.000

222	Type G Permanent Seed Mixture	Lb	63.000
223	Fertilizing	Ton	3.600
224	Mulching	Ton	4.800
225	Fiber Mulching	Ton	8.300
226	Soil Stabilizer	Acre	3.500
227	Type 3 Erosion Control Blanket	SqYd	2,025.000
228	12" Diameter Erosion Control Wattle	Ft	390.000
229	Remove and Reset Erosion Control Wattle	Ft	98.000
230	Sediment Filter Bag	Ft	5,516.000
231	Remove and Reset Sediment Filter Bag	Ft	1,379.000
232	Shaping for Erosion Control Blanket	Ft	812.000
233	Low Flow Silt Fence	Ft	1,445.000
234	High Flow Silt Fence	Ft	4,954.000
235	Mucking Silt Fence	CuYd	444.000
236	Repair Silt Fence	Ft	1,600.000
237	Sediment Control at Inlet with Frame and Grate	Each	77.000
238	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	760.000
239	Dewatering	LS	1.000
240	Sweeping	Hour	20.000
241	Type B Drainage Fabric	SqYd	34.000
242	Reinforcement Fabric (MSE)	SqYd	6,390.000
243	Refurbish Single Mailbox	Each	1.000
244	Refurbish Double Mailbox	Each	2.000
245	Orange Plastic Safety Fence	Ft	12,300.000
246	Construction Entrance	Each	2.000

**2. 16395 ( )**

**Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206**

**Phone: 605/995-8120**

**Work Type 2 or Work Type 3**

**DBE Goal: 3.900%**

**Contract Id: 9684**

**See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Concrete Curb and/or Gutter	Ft	146.000
3	Remove Manhole	Each	6.000
4	Remove Asphalt Concrete Pavement	SqYd	70.000
5	Remove Concrete Driveway Pavement	SqYd	165.000
6	Remove Fire Hydrant	Each	4.000
7	Remove Valve Box	Each	3.000
8	Remove Gate Valve	Each	3.000
9	Remove Sign for Reset	Each	1.000
10	Base Course	Ton	79.900
11	Gravel Surfacing	Ton	51.800
12	Asphalt Concrete Composite	Ton	16.800
13	6" PCC Driveway Pavement	SqYd	145.100
14	12" PVC Encasement Pipe	Ft	1,069.000
15	14" PVC Encasement Pipe	Ft	85.000
16	4" PVC Water Main	Ft	11.000
17	6" PVC Water Main	Ft	3,185.000
18	8" PVC Water Main	Ft	23.000
19	6" PVC Restrained Joint Water Main	Ft	1,628.000
20	8" PVC Restrained Joint Water Main	Ft	143.000
21	1" Copper Pipe	Ft	745.000
22	2" Copper Pipe	Ft	24.000
23	8" PVC Restrained Joint Sewer Main	Ft	300.000
24	10" PVC Restrained Joint Sewer Main	Ft	59.000
25	12" PVC Restrained Joint Sewer Main	Ft	10.000
26	15" PVC Restrained Joint Sewer Main	Ft	122.000
27	8" PVC Sewer Pipe	Ft	196.000
28	4" Sewer Service	Ft	109.000

29	Sanitary Sewer Video Inspection	Ft	687.000
30	8"x4" Pipe Wye	Each	1.000
31	6"x6" Pipe Tee	Each	10.000
32	8"x6" Pipe Tee	Each	2.000
33	6"x6" Pipe Cross	Each	5.000
34	8"x6" Pipe Cross	Each	1.000
35	6"x4" Pipe Reducer	Each	3.000
36	Tapping Wye	Each	3.000
37	1" Corporation Stop with Tapping Saddle	Each	21.000
38	2" Corporation Stop with Tapping Saddle	Each	2.000
39	1" Curb Stop with Box	Each	21.000
40	2" Curb Stop with Box	Each	2.000
41	6" Pipe Bend	Each	9.000
42	6" Pipe Cap	Each	2.000
43	8" Pipe Cap	Each	1.000
44	4" Gate Valve with Box	Each	1.000
45	6" Gate Valve with Box	Each	26.000
46	8" Gate Valve with Box	Each	1.000
47	Tracer Wire Access Box, Type 1	Each	13.000
48	Install Fire Hydrant	Each	7.000
49	Adjust Water Valve Box	Each	38.000
50	Remove and Reset Valve and Box	Each	3.000
51	Reconnect Water Service	Each	23.000
52	Connect To Existing Water Main	Each	15.000
53	Remove and Reset Fire Hydrant	Each	2.000
54	Reconnect Sewer Service	Each	2.000
55	Connect to Existing Sewer Main	Each	11.000
56	Sewer Bypass Pumping	LS	1.000
57	Reset Sign	Each	1.000
58	Special Concrete Curb and Gutter	Ft	146.000
59	48" Manhole 0' to 6' Deep	Each	7.000
60	Extra Depth for 48" Manhole	Ft	38.900
61	Adjust Manhole	Each	7.000

### Instructions

**PROPOSALS, PLANS AND SPECIFICATIONS:** Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

**MINIMUM WAGE RATES:** Minimum wage rates for 1 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

**BID PREPARATION:** Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

**NONDISCRIMINATION ASSURANCE:** The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

**EXECUTION OF CONTRACT:** In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

**GENERALLY:** A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt  
SECRETARY OF TRANSPORTATION