

Advertisement of Highway Bid Letting

The U.S. Department of Labor published an updated Davis-Bacon Highway-Heavy Construction Wage Decision for South Dakota. The wage rates are effective for SDDOT's highway construction contracts beginning February 18, 2026. Please refer to new wage rates within the advertised bid proposal package.

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on April 01, 2026, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	P 0016(110)59, 016AW-468 (PCN 0A46, I6YH)	Pennington	0.091	Asphalt Concrete Bridge Resurfacing, Joint Repair & Bridge Repair	US16A E & W - At the Keystone Interchange
2.	IM 0907(77)309 (PCN 034U)	Aurora, Davison SWPPP = 4.00 AC	---	Box Culvert Extensions (2-8x3 CIP, 9x9 CIP, 2-10x5 CIP, 8x8 CIP, 10x8 CIP)	I90 E & W - 0.9 W, 0.6 E of Exit 310 (US281), 1.7 W, 0.8 W of the Aurora/Davison Co Line, 0.3 E of Exit 325 (Betts Rd)
3.	BRO-B 8042(54) (PCN 09M3)	Lincoln SWPPP = 0.05 AC	---	Structure Removal (31' Reinforced Concrete Bridge)	Structure 6 miles W & 2.5 miles N of Beresford on 465 Ave over Blind Ck, SN 42-010-265
4.	NH-P 0031(57) (PCN 095A)	Haakon, Jackson, Stanley SWPPP = 1.50 AC	26.937	Pipe Work	Various Locations Throughout the Pierre Area
5.	NH-P 0032(48) (PCN 09WQ)	Dewey, Edmunds, Walworth, Ziebach	72.314	Asphalt Surface Treatment	Various Locations in the Mobridge Area
6.	P 0041(187) (PCN 09WT)	Pennington	25.729	Asphalt Surface Treatment	Various Locations in the Rapid City Area
7.	IM-NH-P 0023(72) (PCN 09WK)	Bon Homme, Hutchinson, Union	32.556	Rout & Seal	Various Locations in the Yankton Area
8.	PH 0030(19) (PCN 04H0)	Jackson, Jones, Lyman	120.300	Corridor Signing	Pierre Region
9.	PH 0022(443) (PCN 08Q8)	Lincoln, Minnehaha SWPPP = 2.30 AC	17.000	Median Cable Barrier	I29- Fm I90 to 1 mile S of Exit 68
10.	PH 0010(176), PH 0010(179) (PCN 06TG, 07XC)	Brookings	20.213	Durable Pavement Markings	Various locations on the State System in the Aberdeen Region

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1. P 0016(110)59, 016AW-468		Area Engineer: Bruce Schroeder, PO Box 431, Custer, SD, 57730-0431		Phone: 605/673-4948	
Work Type 5		DBE Goal: NONE	Contract Id: 9906	See Special Provisions for Completion Requirements	
1	Mobilization			LS	1.000
2	Bridge Elevation Survey			LS	1.000
3	Construction Schedule, Category II			LS	1.000
4	Remove Interim Crossover Closure for Reset			Ft	128.000
5	Remove Sign for Reset			Each	5.000
6	Incidental Work, Grading			LS	1.000
7	Asphalt Concrete Bridge Deck Overlay			SqYd	1,386.700
8	Asphalt Bridge Joint			Ft	104.000
9	Cold Milling Asphalt Concrete			SqYd	1,387.000
10	High Strength Fiber Tension Reinforcement Retrofit			Ft	13.000
11	Reset Interim Crossover Closure			Ft	128.000
12	Reset Sign			Each	5.000
13	High Build Waterborne Pavement Marking Paint, 4" White			Ft	1,830.000
14	High Build Waterborne Pavement Marking Paint, 4" Yellow			Ft	1,830.000
15	Flagging			Hour	500.000
16	Traffic Control Signs			SqFt	604.400
17	Traffic Control, Miscellaneous			LS	1.000
18	Type 3 Barricade			Each	12.000
19	Temporary Flexible Vertical Markers (Tabs)			Ft	1,750.000
20	Type C Advance Warning Arrow Board			Each	3.000
21	Remove Pavement Marking, 4" or Equivalent			Ft	2,700.000
22	4" Temporary Pavement Marking Tape Type I			Ft	270.000
23	Detour and Restriction Signing			SqFt	158.100
24	Contractor Furnished Portable Changeable Message Sign			Each	3.000
25	Contractor Furnished Speed Monitoring Radar Trailer			Each	1.000
2. IM 0907(77)309		Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206		Phone: 605/995-8120	
Work Type 9		DBE Goal: NONE	Contract Id: 4350	See Special Provisions for Completion Requirements	
1	Mobilization			LS	1.000
2	Incentive/Disincentive Pay			Day	0.000
3	Miscellaneous Staking			Mile	0.783
4	Slope Staking			Mile	0.783
5	Structure Staking			Each	5.000
6	Engineer Directed Surveying/Staking			Hour	50.000
7	Construction Schedule, Category I			LS	1.000
8	Clear and Grub Tree			Each	3.000
9	Remove Fence			Ft	520.000
10	Remove 3 Cable Guardrail			Ft	3,704.000
11	Remove 3 Cable Guardrail Anchor Assembly			Each	20.000
12	Remove Concrete Sidewalk			SqYd	69.000
13	Remove Bank and Channel Protection Gabion			Each	39.000
14	Remove Silt Fence			Ft	125.000
15	Salvage Riprap			Ton	20.000
16	Remove Pipe End Section for Reset			Each	1.000
17	Contractor Furnished Borrow Excavation			CuYd	4,120.000
18	Remove and Replace Topsoil			LS	1.000
19	Structure Excavation, Box Culvert			CuYd	167.000

20	Box Culvert Undercut	CuYd	575.000
21	18" RCP Class 2, Furnish	Ft	4.000
22	18" RCP, Install	Ft	4.000
23	Reset Pipe End Section	Each	1.000
24	Class A45 Concrete, Box Culvert	CuYd	290.600
25	Breakout Structural Concrete	CuYd	174.700
26	Install Dowel in Concrete	Each	266.000
27	Controlled Density Fill	CuYd	1.800
28	Reinforcing Steel	Lb	40,036.000
29	Modified Type 6 Right-of-Way Fence	Ft	475.000
30	Type 1 Temporary Fence	Ft	265.000
31	2 Post Panel	Each	22.000
32	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	8.000
33	4"x8" White Delineator with 1.12 Lb/Ft Post	Each	7.000
34	Type 2 Object Marker Back to Back	Each	22.000
35	Flagging	Hour	100.000
36	Traffic Control Signs	SqFt	436.000
37	Traffic Control, Miscellaneous	LS	1.000
38	Type 3 Barricade	Each	2.000
39	Type C Advance Warning Arrow Board	Each	2.000
40	Temporary Pavement Marking	Ft	1,920.000
41	Contractor Furnished Vehicle Speed Feedback Sign	Each	2.000
42	6" Concrete Sidewalk	SqFt	224.000
43	Class B Riprap	Ton	194.300
44	Place Riprap	Ton	20.000
45	Type G Permanent Seed Mixture	Lb	104.000
46	Mulching	Ton	8.000
47	Type 2 Erosion Control Blanket	SqYd	826.000
48	12" Diameter Erosion Control Wattle	Ft	4,240.000
49	Low Flow Silt Fence	Ft	500.000
50	Mucking Silt Fence	CuYd	35.000
51	Repair Silt Fence	Ft	125.000
52	Type B Drainage Fabric	SqYd	344.000

3. **BRO-B 8042(54)** **Area Engineer: Greg Rothschadl, 1306 W 31st St, Yankton, SD, 57078-9662** **Phone: 605/668-2929**
Work Type 7 or Work Type 8 or **DBE Goal: NONE** **Contract Id: 9764** **See Special Provisions for Completion Requirements**
Work Type 9 or Work Type 13

1	Mobilization	LS	1.000
2	Construction Schedule, Category I	LS	1.000
3	Remove Fence	Ft	52.000
4	Remove Concrete Barrier	Ft	40.000
5	Remove Erosion Control Wattle	Ft	300.000
6	Unclassified Excavation	CuYd	73.000
7	Placing Topsoil	CuYd	28.000
8	Incidental Work, Structure	LS	1.000
9	Type 2 Right-of-Way Fence	Ft	97.000
10	Type 1 Temporary Fence	Ft	97.000
11	2 Post Panel	Each	3.000
12	2.0"x2.0" Perforated Tube Post	Ft	48.000
13	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	63.000
14	Type 3 Double Sided Barricade	Ft	12.000
15	Type 3 Single Sided Barricade	Ft	48.000
16	Traffic Control Signs	SqFt	109.000
17	Traffic Control, Miscellaneous	LS	1.000
18	Type 3 Barricade	Each	8.000
19	Erosion Control	LS	1.000
20	12" Diameter Erosion Control Wattle	Ft	300.000

21	Remove and Reset Erosion Control Wattle	Ft	80.000
22	Temporary Diversion Channel for Fish Passage	Each	1.000

4.	NH-P 0031(57)	Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405		Phone: 605/773-5294
	Work Type 2 or Work Type 12	DBE Goal: NONE	Contract Id: 9983	See Special Provisions for Completion Requirements
1	Mobilization	LS	1.000	
2	Construction Schedule, Category II	LS	1.000	
3	Remove Pipe Culvert	Ft	113.000	
4	Remove Pipe End Section	Each	82.000	
5	Remove Fence	Ft	3,944.000	
6	Remove Delineator for Reset	Each	145.000	
7	Remove Pipe for Reset	Ft	224.000	
8	Remove Pipe End Section for Reset	Each	54.000	
9	Contractor Furnished Borrow Excavation	CuYd	51.000	
10	Contaminated Material Excavation	CuYd	100.000	
11	Reprofiling Ditch	Sta	4.300	
12	18" RCP Class 3, Furnish	Ft	8.000	
13	18" RCP, Install	Ft	8.000	
14	24" RCP Class 3, Furnish	Ft	56.000	
15	24" RCP, Install	Ft	56.000	
16	36" RCP Class 3, Furnish	Ft	8.000	
17	36" RCP, Install	Ft	8.000	
18	72" RCP Class 3, Furnish	Ft	40.000	
19	72" RCP, Install	Ft	40.000	
20	18" RCP Flared End, Furnish	Each	4.000	
21	18" RCP Flared End, Install	Each	4.000	
22	24" RCP Flared End, Furnish	Each	8.000	
23	24" RCP Flared End, Install	Each	8.000	
24	30" RCP Flared End, Furnish	Each	1.000	
25	30" RCP Flared End, Install	Each	1.000	
26	54" RCP Flared End, Furnish	Each	4.000	
27	54" RCP Flared End, Install	Each	4.000	
28	60" RCP Flared End, Furnish	Each	1.000	
29	60" RCP Flared End, Install	Each	1.000	
30	72" RCP Flared End, Furnish	Each	7.000	
31	72" RCP Flared End, Install	Each	7.000	
32	24" RCP Sloped End, Furnish	Each	2.000	
33	24" RCP Sloped End, Install	Each	2.000	
34	36" CMP 14 Gauge, Furnish	Ft	12.000	
35	36" CMP, Install	Ft	12.000	
36	24" CMP Flared End, Furnish	Each	16.000	
37	24" CMP Flared End, Install	Each	16.000	
38	30" CMP Flared End, Furnish	Each	6.000	
39	30" CMP Flared End, Install	Each	6.000	
40	36" CMP Flared End, Furnish	Each	7.000	
41	36" CMP Flared End, Install	Each	7.000	
42	42" CMP Flared End, Furnish	Each	2.000	
43	42" CMP Flared End, Install	Each	2.000	
44	60" CMP Flared End, Furnish	Each	3.000	
45	60" CMP Flared End, Install	Each	3.000	
46	84" CMP Flared End, Furnish	Each	4.000	
47	84" CMP Flared End, Install	Each	4.000	
48	18" CMP Sloped End, Furnish	Each	2.000	
49	18" CMP Sloped End, Install	Each	2.000	
50	24" CMP Sloped End, Furnish	Each	13.000	
51	24" CMP Sloped End, Install	Each	13.000	

15	High Build Waterborne Pavement Marking Paint, White	Gal	3,580.000
16	High Build Waterborne Pavement Marking Paint, Yellow	Gal	1,081.000
17	Grooving for Cold Applied Plastic Pavement Marking, 8"	Ft	136.000
18	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	12.000
19	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	3.000
20	Pavement Marking Masking, 5"	Ft	194,200.000
21	Pavement Marking Masking, 9"	Ft	25,142.000
22	Pavement Marking Masking, 25"	Ft	4,678.000
23	Pavement Marking Masking, Arrow	Each	38.000
24	Flagging	Hour	1,143.000
25	Pilot Car	Hour	259.000
26	Traffic Control Signs	SqFt	2,942.100
27	Traffic Control, Miscellaneous	LS	1.000
28	Temporary Pavement Marking	Mile	216.900

6. P 0041(187) Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970 Phone: 605/394-2244
Work Type 6 DBE Goal: NONE Contract Id: 10009 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Construction Schedule, Category I	LS	1.000
4	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	115.000
5	Sand for Fog Seal	Ton	20.000
6	HFMS-2 Asphalt for Surface Treatment	Ton	690.100
7	Type 2A Cover Aggregate	Ton	4,522.400
8	Type 2A Cover Aggregate	Ton	1,701.800
9	High Build Waterborne Pavement Marking Paint, White	Gal	1,432.000
10	High Build Waterborne Pavement Marking Paint, Yellow	Gal	353.000
11	Flagging	Hour	600.000
12	Pilot Car	Hour	150.000
13	Traffic Control Signs	SqFt	889.200
14	Traffic Control, Miscellaneous	LS	1.000
15	Temporary Pavement Marking	Mile	77.200

7. IM-NH-P 0023(72) Area Engineer: Greg Rothschadl, 1306 W 31st St, Yankton, SD, 57078-9662 Phone: 605/668-2929
Work Type 6 DBE Goal: NONE Contract Id: 10027 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Asphalt Concrete Crack Sealing	Lb	60,412.000
3	High Build Waterborne Pavement Marking Paint, White	Gal	1,156.000
4	High Build Waterborne Pavement Marking Paint, Yellow	Gal	384.000
5	Flagging	Hour	239.000
6	Pilot Car	Hour	119.000
7	Traffic Control Signs	SqFt	903.000
8	Traffic Control, Miscellaneous	LS	1.000
9	Type 3 Barricade	Each	20.000
10	Type C Advance Warning Arrow Board	Each	3.000

8. PH 0030(19) Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771 Phone: 605/842-0810
Work Type 11 DBE Goal: NONE Contract Id: 9996 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Construction Schedule, Category I	LS	1.000
3	Remove Concrete Footing(s)	LS	1.000
4	Remove Extruded Panel Sign	Each	105.000
5	1.75' Diameter Breakaway Support Concrete Footing	Ft	40.000
6	2' Diameter Breakaway Support Concrete Footing	Ft	16.000
7	2.25' Diameter Fixed Support Concrete Footing	Ft	688.000
8	2.5' Diameter Fixed Support Concrete Footing	Ft	394.000
9	2.75' Diameter Fixed Support Concrete Footing	Ft	422.000

10	W6x20 Steel Post	Ft	248.000
11	W8x28 Steel Post	Ft	1,867.000
12	W8x31 Steel Post	Ft	1,050.000
13	W10x39 Steel Post	Ft	407.000
14	W10x45 Steel Post	Ft	1,469.000
15	Aluminum Overlay Sign, Nonremovable Copy High Intensity	SqFt	1,600.300
16	Aluminum Overlay Sign, Nonremovable Copy Super/Very High Intensity	SqFt	6,001.100
17	Extruded Aluminum Sign, Nonremovable Copy High Intensity	SqFt	5,623.800
18	Extruded Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	11,145.400
19	Extruded Aluminum Sign Panel	SqFt	399.000
20	Modify Sign Panel	Each	45.000
21	Traffic Control Signs	SqFt	96.000
22	Traffic Control, Miscellaneous	LS	1.000
23	Type 3 Barricade	Each	1.000

9. **PH 0022(443)** **Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107** **Phone: 605/367-5680**
Work Type 13 **DBE Goal: NONE** **Contract Id: 9931** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Construction Staking	LS	1.000
3	Engineer Directed Surveying/Staking	Hour	40.000
4	Construction Schedule, Category II	LS	1.000
5	Remove Delineator	Each	116.000
6	Remove Pipe Culvert	Ft	80.000
7	Remove Pipe End Section	Each	4.000
8	Remove 3 Cable Guardrail	Ft	15,169.000
9	Remove High Tension 4 Cable Guardrail	Ft	2,412.000
10	Remove 3 Cable Guardrail Anchor Assembly	Each	81.000
11	Remove 3 Cable Guardrail Slip Base Anchor Assembly	Each	11.000
12	Remove High Tension 4 Cable Guardrail Anchor Assembly	Each	10.000
13	Remove Asphalt Concrete Pavement	CuYd	101.000
14	Remove Sign for Reset	Each	3.000
15	Unclassified Excavation	CuYd	1,132.000
16	Unclassified Excavation, Digouts	CuYd	100.000
17	Contractor Furnished Borrow Excavation	CuYd	703.000
18	Remove and Replace Topsoil	LS	1.000
19	Base Course	Ton	2,069.700
20	Asphalt Concrete Composite	Ton	932.000
21	Saw and Seal Shoulder Joint	Ft	1,215.000
22	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	0.300
23	18" RCP Class 2, Furnish	Ft	118.000
24	18" RCP, Install	Ft	118.000
25	18" RCP Safety End, Furnish	Each	8.000
26	18" RCP Safety End, Install	Each	8.000
27	High Tension 4 Cable Guardrail	Ft	82,907.000
28	High Tension Cable Guardrail Anchor Assembly	Each	150.000
29	Straight Class A Thrie Beam Guardrail with Wood Posts	Ft	62.500
30	Type 1 MGS	Ft	1,000.300
31	Type 2 MGS	Ft	37.500
32	Type 3 MGS	Ft	37.500
33	Asymmetrical W Beam to Thrie Beam Guardrail Transition	Each	2.000
34	MGS MASH Tangent End Terminal	Each	7.000
35	MGS Trailing End Terminal	Each	7.000
36	2.5"x2.5" Perforated Tube Post	Ft	45.000
37	4" Tubular Amber Delineator with 1.12 Lb/Ft Post	Each	20.000
38	Guardrail Delineator	Each	41.000
39	Type 2 Object Marker	Each	165.000

40	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	20.000
41	Reset Sign	Each	3.000
42	Traffic Control Signs	SqFt	873.600
43	Traffic Control, Miscellaneous	LS	1.000
44	Type 3 Barricade	Each	20.000
45	Temporary Raised Pavement Markers	Ft	21,090.000
46	Type C Advance Warning Arrow Board	Each	2.000
47	Contractor Furnished Portable Changeable Message Sign	Each	2.000
48	Contractor Furnished Vehicle Speed Feedback Sign	Each	2.000
49	Truck/Trailer Mounted Attenuator	Each	2.000
50	Type G Permanent Seed Mixture	Lb	59.000
51	Mulching	Ton	4.900
52	High Flow Silt Fence	Ft	2,000.000
53	Mucking Silt Fence	CuYd	139.000
54	Repair Silt Fence	Ft	500.000
55	Sweeping	Hour	40.000

10. PH 0010(176), PH 0010(179) Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201 Phone: 605/882-5166
Work Type 11 DBE Goal: NONE Contract Id: 10019 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Construction Schedule, Category I	LS	1.000
3	Durable Pavement Marking, 4" White	Ft	214,700.000
4	Durable Pavement Marking, 4" Yellow	Ft	42,160.000
5	Durable Pavement Marking, 24" White	Ft	25.000
6	Durable Pavement Marking, 24" Yellow	Ft	250.000
7	Durable Pavement Marking, Arrow	Each	25.000
8	Durable Pavement Marking, Railroad Crossing	Each	2.000
9	Surface Preparation for Pavement Marking	Ft	193,200.000
10	Surface Preparation for Pavement Marking	Each	17.000
11	Grooving for Durable Pavement Marking, 4"	Ft	63,660.000
12	Grooving for Durable Pavement Marking, 24"	Ft	275.000
13	Grooving for Durable Pavement Marking, Arrow	Each	8.000
14	Grooving for Durable Pavement Marking, Railroad Crossing	Each	2.000
15	Traffic Control, Miscellaneous	LS	1.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 10 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.14 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION