

Advertisement of Highway Bid Letting

**PLEASE NOTE THE THURSDAY, APRIL 4<sup>th</sup> 2024 BID OPENING DATE**

All interested parties are invited to attend an in-person meeting prior to developing the SDDOT's overall DBE goal for the FFY 2025-2027. The meeting will be held in the DOT Commission room at 700 E. Broadway Avenue, Pierre, SD from 10:00 am CDT until 12:00 pm CDT on Thursday May 16, 2024. If you are unable to attend in-person there is also a virtual option. The link to the virtual option can be found on the SDDOT DBE Supportive Services website, which is [www.sddb.com](http://www.sddb.com).

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on April 04, 2024, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	PT 0011(153)57 (PCN 0823)	Lincoln SWPPP = 0.13 AC	---	Scour Protection, Berm Repair	SD11 - Str 2.5 N of US18 Jct; Str 6 S of Minnehaha Co Line
2.	PH 8028(19) (PCN 05WM)	Haakon	---	Signing & Delineation	Various County, City, & Township Roads in Haakon County
3.	P 0038(46)332 (PCN 05UR)	McCook, Minnehaha SWPPP = 7.20 AC	16.541	Cold Milling, Asphalt Concrete Resurfacing, Structure (8x8 CIP RCBC), Pipe Work	SD38 - Fm US81 to SD19
4.	P 0042(77)301 (PCN 04F6)	Davison, Hanson, McCook SWPPP = 8.60 AC	25.900	Cold Milling, Asphalt Concrete Resurfacing, Pipe Work	SD42 - Fm SD37 to Bridgewater
5.	IM 0901(200)1 (PCN 07D3)	Lawrence	---	Polymer Chip Seal, Joints, Approach Slab Repair	I90 E & W - Strs 1.7, 2 E of the WY State Line, Interch over Schenk Lane, 3, 1.3 W of the US85 Interch, EBL Off Ramp 0.3 W of the US85 Interch & 1.0 SE of the SD34 N Interch
6.	IM 0020(205) (PCN 07CV)	Minnehaha	---	Approach Slab Repair, Polymer Chip Seal, Crash Wall	Various Locations Throughout the Mitchell Region
7.	NH-P 0043(37) (PCN 096X)	Custer, Fall River	44.400	Asphalt Surface Treatment	Various Locations in the Custer Area
8.	NH-P 0013(168), 0009-191, 0009-192 (PCN 0970, I7DR, I7DT)	Beadle, Buffalo, Clark, Lyman, Sanborn, Spink	82.677	Asphalt Surface Treatment	Various Locations in the Huron Area
9.	NH-P 0031(58) (PCN 096K)	Hughes, Potter, Stanley	44.000	Rout & Seal	Various Locations in the Pierre Area
10.	P 0022(95) (PCN 096L)	Brookings, Moody	31.654	Rout & Seal	Various Routes in the Sioux Falls Area

11. P-PH-B-PT 0010(124)296  
(PCN 05F4)

Brown, Marshall  
SWPPP = 135.00 AC

23.554 Shoulder Widening, Replace Str  
RCBC (2-10x4 CIP Box or 2-11x4  
Precast Box; 4-12x12 CIP Box;  
2-11x4 CIP Box; 10-5 CIP or 11x5  
Precast), Approach Grading,  
Modify Intersection, Pipe Work

SD10 - Fm E of the James River to  
Britton; SD10 - Str 4.6 W of SD27 S  
over a Drainage Ditch

---

\* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

---

ITEMS INVOLVED ARE AS FOLLOWS

---

1.	<b>PT 0011(153)57</b>	<b>Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107</b>	<b>Phone: 605/367-5680</b>
	<b>Work Type 2 or Work Type 13</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 9389</b>
		<b>See Special Provisions for Completion Requirements</b>	
	1 Mobilization	LS	1.000
	2 Contractor Furnished Borrow Excavation	CuYd	26.000
	3 Bridge Berm Repair	Each	4.000
	4 Select Granular Backfill	Ton	20.600
	5 Flagging	Hour	80.000
	6 Traffic Control Signs	SqFt	338.000
	7 Traffic Control, Miscellaneous	LS	1.000
	8 Class B Riprap	Ton	419.000
9 Type B Drainage Fabric	SqYd	704.000	
10 Perforated Geocell	SqFt	352.000	
2.	<b>PH 8028(19)</b>	<b>Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405</b>	<b>Phone: 605/773-5294</b>
	<b>Work Type 11</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 9309</b>
		<b>See Special Provisions for Completion Requirements</b>	
	1 Mobilization	LS	1.000
	2 As-Built Survey	LS	1.000
	3 Remove Traffic Sign	Each	33.000
	4 Salvage Traffic Sign	Each	4,285.000
	5 Remove Sign for Reset	Each	12.000
	6 2.0"x2.0" Perforated Tube Post	Each	3,426.000
	7 4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	1,296.000
	8 4" Tubular White Delineator Reflector	Each	893.000
	9 Guardrail Delineator	Each	41.000
	10 Type 2 Object Marker Back to Back	Each	1,524.000
	11 Type 3 Flexible Object Marker	Each	44.000
	12 Type 4 Object Marker	Each	6.000
	13 Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	6,237.100
	14 Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	19,049.900
	15 Reset Sign	Each	12.000
16 Type 3 Single Sided Barricade	Ft	36.000	
17 Traffic Control, Miscellaneous	LS	1.000	
3.	<b>P 0038(46)332</b>	<b>Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206</b>	<b>Phone: 605/995-8120</b>
	<b>Work Type 5</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 9409</b>
		<b>See Special Provisions for Completion Requirements</b>	
	1 Maintenance of Traffic Diversion(s)	LS	1.000
	2 Remove Traffic Diversion(s)	LS	1.000
	3 Mobilization	LS	1.000
	4 Construction Staking	Mile	16.571
	5 Miscellaneous Staking	Mile	16.571
	6 Slope Staking	Mile	0.322
	7 Structure Staking	Each	1.000
	8 Engineer Directed Surveying/Staking	Hour	40.000
	9 Remove Delineator	Each	85.000
	10 Remove Pipe Culvert	Ft	486.000
	11 Remove Pipe End Section	Each	33.000
	12 Remove Fence	Ft	1,006.000
	13 Remove Beam Guardrail	Ft	250.000
	14 Remove W Beam Guardrail End Terminal	Each	4.000
	15 Remove Asphalt Concrete Pavement	SqYd	2,715.000
	16 Remove Pipe for Reset	Ft	282.000
	17 Remove Pipe End Section for Reset	Each	17.000
	18 Unclassified Excavation	CuYd	10,566.000
	19 Unclassified Excavation, Digouts	CuYd	828.000
20 Contractor Furnished Borrow Excavation	CuYd	18,075.000	
21 Water for Embankment	MGal	256.000	

22	Water for Granular Material	MGal	71.000
23	Base Course	Ton	5,982.000
24	PG 58-34 Asphalt Binder	Ton	2,033.300
25	Asphalt Concrete Composite	Ton	1,290.000
26	Class Q2R Hot Mixed Asphalt Concrete	Ton	39,730.000
27	Asphalt Concrete Blade Laid	Ton	2,485.000
28	Hydrated Lime	Ton	417.900
29	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	33.300
30	SS-1h or CSS-1h Asphalt for Tack	Ton	189.500
31	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	77.300
32	Sand for Flush Seal	Ton	978.000
33	Cold Milling Asphalt Concrete	SqYd	325,047.000
34	Structure Excavation, Box Culvert	CuYd	68.000
35	Pipe Culvert Undercut	CuYd	212.000
36	Box Culvert Undercut	CuYd	252.000
37	24" RCP Class 2, Furnish	Ft	72.000
38	24" RCP, Install	Ft	72.000
39	30" RCP Class 2, Furnish	Ft	158.000
40	30" RCP, Install	Ft	158.000
41	36" RCP Class 2, Furnish	Ft	20.000
42	36" RCP, Install	Ft	20.000
43	18" RCP Flared End, Furnish	Each	1.000
44	18" RCP Flared End, Install	Each	1.000
45	30" RCP Flared End, Furnish	Each	1.000
46	30" RCP Flared End, Install	Each	1.000
47	24" RCP Sloped End, Furnish	Each	12.000
48	24" RCP Sloped End, Install	Each	12.000
49	30" RCP Sloped End, Furnish	Each	6.000
50	30" RCP Sloped End, Install	Each	6.000
51	36" RCP Sloped End, Furnish	Each	4.000
52	36" RCP Sloped End, Install	Each	4.000
53	24" RCP Arch Class 2, Furnish	Ft	310.000
54	24" RCP Arch, Install	Ft	310.000
55	30" RCP Arch Class 2, Furnish	Ft	186.000
56	30" RCP Arch, Install	Ft	186.000
57	24" RCP Arch Sloped End, Furnish	Each	10.000
58	24" RCP Arch Sloped End, Install	Each	10.000
59	30" RCP Arch Sloped End, Furnish	Each	6.000
60	30" RCP Arch Sloped End, Install	Each	6.000
61	Culvert Joint Cleaning	Ft	48.000
62	Repair Culvert Joint	Ft	48.000
63	Chemical Grout Void Fill	Gal	1.300
64	Cleanout Pipe Culvert	Each	5.000
65	Reset Pipe	Ft	282.000
66	Reset Pipe End Section	Each	17.000
67	Class A45 Concrete, Box Culvert	CuYd	174.300
68	Controlled Density Fill	CuYd	21.100
69	Reinforcing Steel	Lb	30,339.000
70	Type III Field Laboratory	Each	1.000
71	Type 2 Right-of-Way Fence	Ft	1,205.000
72	Type 1A Temporary Fence	Ft	66.000
73	Type 2 Temporary Fence	Ft	1,252.000
74	2 Post Panel	Each	22.000
75	3 Post Panel	Each	3.000
76	Type 1 MGS	Ft	225.000
77	Type 2A Guardrail Transition	Each	4.000

78	MGS MASH Flared End Terminal	Each	4.000
79	Guardrail Delineator	Each	16.000
80	Type 2 Object Marker Back to Back	Each	150.000
81	High Build Waterborne Pavement Marking Paint, White	Gal	749.000
82	High Build Waterborne Pavement Marking Paint, Yellow	Gal	193.000
83	Flagging	Hour	440.000
84	Pilot Car	Hour	200.000
85	Traffic Control Signs	SqFt	1,142.000
86	Traffic Control, Miscellaneous	LS	1.000
87	Type 3 Barricade	Each	2.000
88	Temporary Pavement Marking	Mile	66.300
89	Class B Riprap	Ton	232.000
90	Bank and Channel Protection Gabion	CuYd	16.000
91	Type B Permanent Seed Mixture	Lb	130.000
92	Mulching	Ton	14.400
93	Type 2 Erosion Control Blanket	SqYd	760.000
94	Type 3 Erosion Control Blanket	SqYd	390.000
95	Shaping for Erosion Control Blanket	Ft	297.000
96	Type A Drainage Fabric	SqYd	9.000
97	Type B Drainage Fabric	SqYd	2,366.000
98	Non-woven Separator Fabric	SqYd	250.000
99	Refurbish Single Mailbox	Each	21.000
100	Storage Unit	Each	1.000

4. **P 0042(77)301** **Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206** **Phone: 605/995-8120**  
**Work Type 5** **DBE Goal: Not Specified** **Contract Id: 9435** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Construction Staking	Mile	25.905
4	Miscellaneous Staking	Mile	25.905
5	Slope Staking	Mile	0.742
6	Engineer Directed Surveying/Staking	Hour	40.000
7	Training Program	Hour	500.000
8	Remove Pipe Culvert	Ft	491.000
9	Remove Pipe End Section	Each	35.000
10	Remove Fence	Ft	1,252.000
11	Remove Beam Guardrail	Ft	1,750.000
12	Remove W Beam Guardrail End Terminal	Each	20.000
13	Remove Asphalt Concrete Pavement	SqYd	2,547.000
14	Salvage Delineator	Each	122.000
15	Remove Rubrail for Reset	Ft	270.700
16	Remove Pipe for Reset	Ft	280.000
17	Remove Pipe End Section for Reset	Each	48.000
18	Remove Cattle Pass End Section for Reset	Each	3.000
19	Unclassified Excavation	CuYd	4,385.000
20	Unclassified Excavation, Digouts	CuYd	1,285.000
21	Contractor Furnished Borrow Excavation	CuYd	5,057.000
22	Water for Embankment	MGal	108.000
23	Water for Granular Material	MGal	107.000
24	Heavy Roadway Shaping	Mile	0.400
25	Base Course	Ton	7,022.000
26	Base Course, Salvaged	Ton	2,370.000
27	Salvage and Stockpile Granular Material	Ton	3,376.000
28	PG 58-34 Asphalt Binder	Ton	2,924.600
29	Asphalt Concrete Composite	Ton	2,263.000
30	Class Q2R Hot Mixed Asphalt Concrete	Ton	56,896.000

31	Asphalt Concrete Blade Laid	Ton	3,747.000
32	Hydrated Lime	Ton	618.900
33	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	51.700
34	Grind 6" Transverse Rumble Strip in Asphalt Concrete	Ft	408.000
35	MC-70 Asphalt for Prime	Ton	8.800
36	SS-1h or CSS-1h Asphalt for Tack	Ton	284.000
37	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	105.000
38	Sand for Flush Seal	Ton	1,487.100
39	Cold Milling Asphalt Concrete	SqYd	399,433.000
40	Pipe Culvert Undercut	CuYd	75.000
41	24" RCP Class 2, Furnish	Ft	62.000
42	24" RCP, Install	Ft	62.000
43	30" RCP Class 2, Furnish	Ft	60.000
44	30" RCP, Install	Ft	60.000
45	36" RCP Class 2, Furnish	Ft	58.000
46	36" RCP, Install	Ft	58.000
47	48" RCP Class 2, Furnish	Ft	6.000
48	48" RCP, Install	Ft	6.000
49	18" RCP Flared End, Furnish	Each	5.000
50	18" RCP Flared End, Install	Each	5.000
51	30" RCP Flared End, Furnish	Each	2.000
52	30" RCP Flared End, Install	Each	2.000
53	36" RCP Flared End, Furnish	Each	8.000
54	36" RCP Flared End, Install	Each	8.000
55	72" RCP Flared End, Furnish	Each	2.000
56	72" RCP Flared End, Install	Each	2.000
57	24" RCP Sloped End, Furnish	Each	4.000
58	24" RCP Sloped End, Install	Each	4.000
59	30" RCP Sloped End, Furnish	Each	4.000
60	30" RCP Sloped End, Install	Each	4.000
61	30" RCP Arch Class 2, Furnish	Ft	52.000
62	30" RCP Arch, Install	Ft	52.000
63	48" RCP Arch Class 2, Furnish	Ft	96.000
64	48" RCP Arch, Install	Ft	96.000
65	48" RCP Arch Flared End, Furnish	Each	4.000
66	48" RCP Arch Flared End, Install	Each	4.000
67	24" RCP Arch Sloped End, Furnish	Each	2.000
68	24" RCP Arch Sloped End, Install	Each	2.000
69	18" CMP 14 Gauge, Furnish	Ft	170.000
70	18" CMP, Install	Ft	170.000
71	30" CMP 14 Gauge, Furnish	Ft	44.000
72	30" CMP, Install	Ft	44.000
73	36" CMP 14 Gauge, Furnish	Ft	12.000
74	36" CMP, Install	Ft	12.000
75	72" CMP 10 Gauge, Furnish	Ft	44.000
76	72" CMP, Install	Ft	44.000
77	18" CMP Elbow, Furnish	Each	5.000
78	18" CMP Elbow, Install	Each	5.000
79	30" CMP Elbow, Furnish	Each	2.000
80	30" CMP Elbow, Install	Each	2.000
81	72" CMP Elbow, Furnish	Each	1.000
82	72" CMP Elbow, Install	Each	1.000
83	18" CMP Flared End, Furnish	Each	2.000
84	18" CMP Flared End, Install	Each	2.000
85	18" CMP to RCP Transition, Furnish	Each	1.000
86	18" RCP to CMP Transition, Furnish	Each	1.000

87	18" Pipe Transition, Install	Each	2.000
88	24" CMP to RCP Transition, Furnish	Each	1.000
89	24" RCP to CMP Transition, Furnish	Each	1.000
90	24" Pipe Transition, Install	Each	2.000
91	30" RCP to CMP Transition, Furnish	Each	1.000
92	30" Pipe Transition, Install	Each	1.000
93	36" CMP to RCP Transition, Furnish	Each	1.000
94	36" RCP to CMP Transition, Furnish	Each	1.000
95	36" Pipe Transition, Install	Each	2.000
96	72" CMP to RCP Transition, Furnish	Each	1.000
97	72" RCP to CMP Transition, Furnish	Each	1.000
98	72" Pipe Transition, Install	Each	2.000
99	Culvert Joint Cleaning	Ft	516.000
100	Repair Culvert Joint	Ft	516.000
101	Chemical Grout Void Fill	Gal	80.000
102	Cleanout Pipe Culvert	Each	1.000
103	Cleanout for Culvert Treatment	Each	11.000
104	Reset Pipe	Ft	280.000
105	Reset Pipe End Section	Each	48.000
106	24" Cured in Place Pipe	Ft	102.000
107	30" Cured in Place Pipe	Ft	266.000
108	36" Cured in Place Pipe	Ft	318.000
109	60" Cured in Place Pipe	Ft	308.000
110	72" Cured in Place Pipe	Ft	246.000
111	60" Cured in Place Arch Pipe	Ft	44.000
112	Cellular Grout	CuYd	0.300
113	Controlled Density Fill	CuYd	17.200
114	Reset Reinforced Concrete Cattle Pass End Section	Each	3.000
115	Type III Field Laboratory	Each	1.000
116	Type 2 Right-of-Way Fence	Ft	647.000
117	Type 3 Right-of-Way Fence	Ft	338.000
118	Type 1 Temporary Fence	Ft	1,115.000
119	Type 1A Temporary Fence	Ft	2,560.000
120	2 Post Panel	Each	19.000
121	3 Post Panel	Each	3.000
122	Straight Class A W Beam Guardrail with Wood Posts	Ft	250.000
123	Straight Class B W Beam Guardrail with Wood Posts	Ft	250.000
124	Straight Double Class B W Beam Guardrail with Wood Posts	Ft	250.000
125	Straight Class B W Beam Rail	Ft	250.000
126	W Beam Guardrail Flared End Terminal	Each	20.000
127	Beam Guardrail Post and Block	Each	32.000
128	Reset Rubrail	Ft	270.700
129	Guardrail Delineator	Each	80.000
130	Type 2 Object Marker Back to Back	Each	172.000
131	Cold Applied Plastic Pavement Marking, 24"	Ft	18.000
132	Cold Applied Plastic Pavement Marking, Railroad Crossing	Each	3.000
133	High Build Waterborne Pavement Marking Paint, White	Gal	1,188.000
134	High Build Waterborne Pavement Marking Paint, Yellow	Gal	358.000
135	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	18.000
136	Grooving for Cold Applied Plastic Pavement Marking, Railroad Crossing	Each	3.000
137	Flagging	Hour	1,680.000
138	Pilot Car	Hour	640.000
139	Traffic Control Signs	SqFt	812.000
140	Traffic Control, Miscellaneous	LS	1.000
141	Type 3 Barricade	Each	1.000
142	Temporary Pavement Marking	Mile	102.700

143	Type L Median Drain	Each	1.000
144	Type L Frame and Grate Assembly	Each	1.000
145	Class B Riprap	Ton	257.000
146	Type G Permanent Seed Mixture	Lb	224.000
147	Mulching	Ton	17.200
148	Type 2 Erosion Control Blanket	SqYd	437.000
149	Type 3 Erosion Control Blanket	SqYd	309.000
150	Shaping for Erosion Control Blanket	Ft	50.000
151	Type B Drainage Fabric	SqYd	479.000
152	Refurbish Single Mailbox	Each	29.000
153	Storage Unit	Each	1.000
154	Railroad Protective Insurance	LS	1.000

**5. IM 0901(200)1**

**Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970**

**Phone: 605/394-2248**

**Work Type 8 or Work Type 16**

**DBE Goal: Not Specified**

**Contract Id: 9413**

**See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Incentive/Disincentive Pay	Day	0.000
4	Remove Beam Guardrail	Ft	150.000
5	Remove Asphalt Concrete Pavement	SqYd	3,869.000
6	Remove Type 1 MGS for Reset	Ft	1,150.000
7	Remove MGS Tangent End Terminal for Reset	Each	4.000
8	Unclassified Excavation	CuYd	860.000
9	Base Course	Ton	1,065.000
10	Gravel Cushion	Ton	280.000
11	Asphalt Concrete Composite	Ton	428.000
12	9" Nonreinforced PCC Pavement	SqYd	2,666.600
13	Insert Steel Bar in PCC Pavement	Each	1,200.000
14	Compression Seal Joint	Ft	114.200
15	Strip Seal Expansion Joint	Ft	112.200
16	Strip Seal Gland	Ft	42.100
17	Membrane Sealant Expansion Joint	Ft	502.800
18	Membrane Sealant	Ft	36.300
19	Class A45 Concrete, Bridge Repair	CuYd	87.300
20	Breakout Structural Concrete	CuYd	87.300
21	Install Dowel in Concrete	Each	424.000
22	Controlled Density Fill	CuYd	17.500
23	Epoxy Coated Reinforcing Steel	Lb	5,308.000
24	No. 5 Rebar Splice	Each	80.000
25	Galvanic Anode	Each	1,003.000
26	Two Coat Bridge Deck Polymer Chip Seal	SqYd	4,736.400
27	Two Coat Bridge Deck Polymer High Friction Chip Seal	SqYd	592.100
28	Abrasive Blasting of Bridge Deck	SqYd	5,328.500
29	Bridge Deck Grinding	SqYd	5,328.500
30	Concrete Removal, Class A	SqYd	225.000
31	Concrete Removal, Class B	SqYd	225.000
32	Concrete Patching Material, Bridge Deck	CuFt	2,283.300
33	Type 1 Guardrail Transition	Each	4.000
34	Reset Type 1 MGS	Ft	1,150.000
35	Reset MGS Tangent End Terminal	Each	4.000
36	High Build Waterborne Pavement Marking Paint, 4" White	Ft	420.000
37	High Build Waterborne Pavement Marking Paint, 4" Yellow	Ft	420.000
38	High Build Waterborne Pavement Marking Paint, 6" White	Ft	2,002.000
39	High Build Waterborne Pavement Marking Paint, 6" Yellow	Ft	1,078.000
40	Flagging	Hour	200.000
41	Traffic Control Signs	SqFt	1,819.100



42	Traffic Control, Miscellaneous	LS	1.000
43	Type 3 Barricade	Each	20.000
44	Temporary Flexible Vertical Markers (Tabs)	Ft	4,032.000
45	Type C Advance Warning Arrow Board	Each	4.000
46	Truck/Trailer Mounted Attenuator	Each	4.000
47	High Friction Surface Treatment	SqYd	933.000

6. **IM 0020(205)** **Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107** **Phone: 605/367-5680**  
**Work Type 8** **DBE Goal: Not Specified** **Contract Id: 9448** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Bridge Elevation Survey	LS	1.000
3	Construction Schedule, Category II	LS	1.000
4	Remove Concrete Bridge Approach Slab	SqYd	582.400
5	Remove Partial Bridge Joint	Each	8.000
6	Remove 3 Cable Guardrail	Ft	1,464.000
7	Remove Beam Guardrail	Ft	175.000
8	Remove W Beam Guardrail End Terminal	Each	4.000
9	Remove Asphalt Concrete Pavement	SqYd	305.000
10	Remove Concrete Pavement	SqYd	512.000
11	Remove Type 1 MGS for Reset	Ft	75.000
12	Remove Type 1 Guardrail Transition for Reset	Each	2.000
13	Remove Drop Inlet Frame and Grate Assembly for Reset	Each	4.000
14	Contractor Furnished Borrow	CuYd	965.000
15	Bridge Berm Repair	Each	4.000
16	Base Course	Ton	314.000
17	Gravel Cushion	Ton	190.000
18	Asphalt Concrete Composite	Ton	83.700
19	10" Nonreinforced PCC Pavement	SqYd	512.000
20	Dowel Bar	Each	180.000
21	Insert Steel Bar in PCC Pavement	Each	144.000
22	Membrane Sealant Expansion Joint	Ft	655.200
23	Structure Excavation, Bridge	CuYd	164.000
24	Granular Bridge End Backfill	CuYd	25.000
25	Class A45 Concrete, Bridge	CuYd	91.000
26	Concrete Approach Slab for Bridge	SqYd	447.400
27	Concrete Approach Sleeper Slab for Bridge	SqYd	135.000
28	Concrete Patching Material, Miscellaneous	CuFt	13.300
29	Breakout Structural Concrete	CuYd	0.500
30	Install Dowel in Concrete	Each	609.000
31	Cellular Grout	CuYd	8.400
32	Reinforcing Steel	Lb	18,562.000
33	No. 4 Rebar Splice	Each	66.000
34	No. 5 Rebar Splice	Each	96.000
35	No. 6 Rebar Splice	Each	104.000
36	Two Coat Bridge Deck Polymer Chip Seal	SqYd	1,397.000
37	Two Coat Bridge Deck Polymer High Friction Chip Seal	SqYd	1,724.800
38	Abrasive Blasting of Bridge Deck	SqYd	2,656.800
39	Bridge Deck Grinding	SqYd	2,656.800
40	Concrete Removal, Class A	SqYd	12.000
41	Concrete Removal, Class B	SqYd	12.000
42	Concrete Patching Material, Bridge Deck	CuFt	79.200
43	Type 1 MGS	Ft	1,162.500
44	Type 1 Retrofit Guardrail Transition	Each	4.000
45	MGS MASH Tangent End Terminal	Each	4.000
46	Reset Type 1 MGS	Ft	75.000
47	Reset Type 1 Retrofit Guardrail Transition	Each	2.000

48	Guardrail Delineator	Each	30.000
49	Durable Pavement Marking, 4" White	Ft	1,589.000
50	Durable Pavement Marking, 4" Yellow	Ft	1,550.000
51	Grooving for Durable Pavement Marking, 4"	Ft	3,139.000
52	Pavement Marking Masking, 5"	Ft	4,108.000
53	Traffic Control Signs	SqFt	1,093.700
54	Traffic Control, Miscellaneous	LS	1.000
55	Type C Advance Warning Arrow Board	Each	2.000
56	Linear Delineation System Panel, Barrier Mounted	Each	221.000
57	4" Temporary Pavement Marking Tape Type I	Ft	4,108.000
58	Traffic Control Movable Concrete Barrier	Each	221.000
59	Remove and Reset Traffic Control Movable Concrete Barrier	Each	221.000
60	Temporary Concrete Barrier End Protection	Each	4.000
61	Remove and Reset Temporary Concrete Barrier End Protection	Each	6.000
62	Contractor Furnished Portable Changeable Message Sign	Each	2.000
63	Contractor Furnished Speed Monitoring Radar Trailer	Each	2.000
64	Reset Drop Inlet Frame and Grate Assembly	Each	4.000
65	Erosion Control	LS	1.000
66	Abrasive Blasting of PCC Pavement	SqYd	465.000
67	Concrete Washout Facility	Each	1.000
68	Railroad Protective Insurance	LS	1.000

**7. NH-P 0043(37) Area Engineer: Rich Zacher, PO Box 431, Custer, SD, 57730-0431 Phone: 605/673-4948**  
**Work Type 6 DBE Goal: Not Specified Contract Id: 9427 See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	171.800
4	Sand for Fog Seal	Ton	100.000
5	HFMS-2 Asphalt for Surface Treatment	Ton	1,028.600
6	Type 2A Cover Aggregate	Ton	1,833.200
7	Type 2A Cover Aggregate	Ton	1,708.500
8	Type 2A Cover Aggregate	Ton	2,661.100
9	Type 2A Cover Aggregate	Ton	2,046.600
10	Type 2A Cover Aggregate	Ton	130.300
11	Type 2A Cover Aggregate	Ton	899.600
12	Cold Applied Plastic Pavement Marking, Area	SqFt	208.000
13	Cold Applied Plastic Pavement Marking, Arrow	Each	2.000
14	Cold Applied Plastic Pavement Marking, Railroad Crossing	Each	2.000
15	High Build Waterborne Pavement Marking Paint, White	Gal	4,788.000
16	High Build Waterborne Pavement Marking Paint, Yellow	Gal	4,091.000
17	Pavement Marking Masking, Area	SqFt	208.000
18	Pavement Marking Masking, Arrow	Each	2.000
19	Pavement Marking Masking, Railroad Crossing	Each	2.000
20	Flagging	Hour	1,100.000
21	Pilot Car	Hour	275.000
22	Traffic Control Signs	SqFt	2,094.000
23	Traffic Control, Miscellaneous	LS	1.000
24	Temporary Flexible Vertical Markers (Tabs)	Mile	29.000
25	Type C Advance Warning Arrow Board	Each	4.000
26	Temporary Pavement Marking	Mile	149.700
27	Railroad Protective Insurance	LS	1.000

**8. NH-P 0013(168), 0009-191, Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940 Phone: 605/353-7140**  
**0009-192 DBE Goal: Not Specified Contract Id: 9441 See Special Provisions for Completion Requirements**  
**Work Type 6**

1	Mobilization	LS	1.001
2	Incentive/Disincentive Pay	Day	0.000
3	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	276.900

4	Sand for Fog Seal	Ton	120.000
5	CRS-2P Asphalt for Surface Treatment	Ton	2,350.000
6	Type 1A Cover Aggregate	Ton	2,073.800
7	Type 1A Cover Aggregate	Ton	321.600
8	Type 1A Cover Aggregate	Ton	32.700
9	Type 1A Cover Aggregate	Ton	805.300
10	Type 1A Cover Aggregate	Ton	804.000
11	Type 1A Cover Aggregate	Ton	1,369.200
12	Type 1A Cover Aggregate	Ton	3,375.100
13	Type 1A Cover Aggregate	Ton	1,570.000
14	Type 1A Cover Aggregate	Ton	1,300.200
15	Type 1A Cover Aggregate	Ton	1,021.000
16	Type 2B Cover Aggregate	Ton	127.000
17	Type 2B Cover Aggregate	Ton	97.000
18	Cold Applied Plastic Pavement Marking, 24"	Ft	524.000
19	Cold Applied Plastic Pavement Marking, Arrow	Each	16.000
20	High Build Waterborne Pavement Marking Paint, White	Gal	4,042.000
21	High Build Waterborne Pavement Marking Paint, Yellow	Gal	1,250.000
22	Surface Preparation for Pavement Marking	Ft	524.000
23	Surface Preparation for Pavement Marking	Each	16.000
24	Pavement Marking Masking, 25"	Ft	1,048.000
25	Pavement Marking Masking, Arrow	Each	32.000
26	Flagging	Hour	925.000
27	Pilot Car	Hour	262.500
28	Traffic Control Signs	SqFt	3,343.500
29	Traffic Control, Miscellaneous	LS	1.000
30	Type C Advance Warning Arrow Board	Each	2.000
31	Temporary Pavement Marking	Mile	123.800

**9. NH-P 0031(58) Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405 Phone: 605/773-5294**  
**Work Type 6 DBE Goal: Not Specified Contract Id: 9416 See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Asphalt Concrete Crack Sealing	Lb	90,634.000
3	Flagging	Hour	240.000
4	Pilot Car	Hour	100.000
5	Traffic Control Signs	SqFt	1,332.000
6	Traffic Control, Miscellaneous	LS	1.000

**10. P 0022(95) Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107 Phone: 605/367-5680**  
**Work Type 6 DBE Goal: Not Specified Contract Id: 9443 See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Asphalt Concrete Crack Sealing	Lb	74,000.000
3	High Build Waterborne Pavement Marking Paint, White	Gal	850.000
4	High Build Waterborne Pavement Marking Paint, Yellow	Gal	326.000
5	Flagging	Hour	712.000
6	Pilot Car	Hour	356.000
7	Traffic Control Signs	SqFt	210.000
8	Traffic Control, Miscellaneous	LS	1.000

**11. P-PH-B-PT 0010(124)296 Area Engineer: Bruce Schroeder, West Highway 12, Aberdeen, SD, 57402-1767 Phone: 605/626-7885**  
**Work Type 1 DBE Goal: Not Specified Contract Id: 9391 See Special Provisions for Completion Requirements**

1	Maintenance of Traffic Diversion(s)	LS	1.000
2	Remove Traffic Diversion(s)	LS	1.000
3	Mobilization	LS	1.000
4	Reestablish Right-of-Way and Property Corner	Each	152.000
5	Reestablish Public Land Survey System Corner	Each	38.000
6	Grade Staking	Mile	16.423

7	Final Cross Section Survey	Mile	16.423
8	Miscellaneous Staking	Mile	16.423
9	Slope Staking	Mile	16.423
10	Structure Staking	Each	4.000
11	Engineer Directed Surveying/Staking	Hour	40.000
12	Checker	LS	1.000
13	Training Program	Hour	1,000.000
14	Clearing	LS	1.000
15	Remove Traffic Sign	Each	237.000
16	Remove Fence	Ft	47,665.000
17	Remove 3 Cable Guardrail	Ft	344.000
18	Remove Beam Guardrail	Ft	583.000
19	Remove 3 Cable Guardrail Anchor Assembly	Each	1.000
20	Remove 3 Cable Guardrail Slip Base Anchor Assembly	Each	1.000
21	Remove Asphalt Concrete Pavement	SqYd	4,164.800
22	Remove Sediment	CuYd	7.100
23	Remove Silt Fence	Ft	11,808.000
24	Salvage Riprap	Ton	3,992.000
25	Remove Pipe for Reset	Ft	58.000
26	Remove Pipe End Section for Reset	Each	38.000
27	Unclassified Excavation	CuYd	512,648.000
28	Option Borrow Excavation	CuYd	284,420.000
29	Muck Excavation	CuYd	65,177.000
30	Undercutting	CuYd	160,298.000
31	Water for Embankment	MGal	5,685.000
32	Water for Granular Material	MGal	1,796.600
33	Dust Control Chloride	Lb	683,280.000
34	Placing Topsoil	CuYd	193,849.000
35	Incidental Work, Grading	LS	1.000
36	Incidental Work, Structure	LS	1.000
37	Base Course	Ton	98,955.800
38	Base Course, Salvaged	Ton	50,754.800
39	Gravel Surfacing, Salvaged Asphalt Mix	Ton	70.000
40	Granular Material	Ton	2,495.100
41	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	50,755.000
42	PG 58-34 Asphalt Binder	Ton	1,191.900
43	Class E Asphalt Concrete	Ton	20,536.900
44	Asphalt Concrete Composite	Ton	1,571.900
45	Compaction Sample	Each	12.000
46	Saw Joint in Asphalt Concrete	Ft	165,038.000
47	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	32.800
48	MC-70 Asphalt for Prime	Ton	230.200
49	SS-1h or CSS-1h Asphalt for Tack	Ton	52.300
50	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	37.700
51	Blotting Sand for Prime	Ton	83.300
52	Sand for Flush Seal	Ton	89.600
53	Structure Excavation, Box Culvert	CuYd	426.000
54	Pipe Culvert Undercut	CuYd	1,320.000
55	Box Culvert Undercut	CuYd	1,233.000
56	24" RCP Class 2, Furnish	Ft	1,098.000
57	24" RCP, Install	Ft	1,098.000
58	30" RCP Class 2, Furnish	Ft	920.000
59	30" RCP, Install	Ft	920.000
60	42" RCP Class 2, Furnish	Ft	172.000
61	42" RCP, Install	Ft	172.000
62	48" RCP Class 2, Furnish	Ft	240.000

63	48" RCP, Install	Ft	240.000
64	60" RCP Class 2, Furnish	Ft	96.000
65	60" RCP, Install	Ft	96.000
66	18" RCP Flared End, Furnish	Each	3.000
67	18" RCP Flared End, Install	Each	3.000
68	24" RCP Flared End, Furnish	Each	4.000
69	24" RCP Flared End, Install	Each	4.000
70	42" RCP Flared End, Furnish	Each	4.000
71	42" RCP Flared End, Install	Each	4.000
72	48" RCP Flared End, Furnish	Each	6.000
73	48" RCP Flared End, Install	Each	6.000
74	60" RCP Flared End, Furnish	Each	2.000
75	60" RCP Flared End, Install	Each	2.000
76	24" RCP Sloped End, Furnish	Each	24.000
77	24" RCP Sloped End, Install	Each	24.000
78	30" RCP Sloped End, Furnish	Each	18.000
79	30" RCP Sloped End, Install	Each	18.000
80	24" RCP Arch Class 2, Furnish	Ft	64.000
81	24" RCP Arch, Install	Ft	64.000
82	30" RCP Arch Class 2, Furnish	Ft	196.000
83	30" RCP Arch, Install	Ft	196.000
84	36" RCP Arch Class 2, Furnish	Ft	246.000
85	36" RCP Arch, Install	Ft	246.000
86	42" RCP Arch Class 2, Furnish	Ft	188.000
87	42" RCP Arch, Install	Ft	188.000
88	36" RCP Arch Flared End, Furnish	Each	7.000
89	36" RCP Arch Flared End, Install	Each	7.000
90	42" RCP Arch Flared End, Furnish	Each	6.000
91	42" RCP Arch Flared End, Install	Each	6.000
92	24" RCP Arch Sloped End, Furnish	Each	2.000
93	24" RCP Arch Sloped End, Install	Each	2.000
94	30" RCP Arch Sloped End, Furnish	Each	6.000
95	30" RCP Arch Sloped End, Install	Each	6.000
96	18" CMP 16 Gauge, Furnish	Ft	2,290.000
97	18" CMP, Install	Ft	2,290.000
98	24" CMP 16 Gauge, Furnish	Ft	422.000
99	24" CMP, Install	Ft	422.000
100	30" CMP 16 Gauge, Furnish	Ft	602.000
101	30" CMP, Install	Ft	602.000
102	36" CMP 16 Gauge, Furnish	Ft	64.000
103	36" CMP, Install	Ft	64.000
104	36" CMP Sloped End, Furnish	Each	1.000
105	36" CMP Sloped End, Install	Each	1.000
106	18" CMP Safety End, Furnish	Each	68.000
107	18" CMP Safety End, Install	Each	68.000
108	24" CMP Safety End, Furnish	Each	14.000
109	24" CMP Safety End, Install	Each	14.000
110	30" CMP Safety End, Furnish	Each	20.000
111	30" CMP Safety End, Install	Each	20.000
112	30" CMP Arch 16 Gauge, Furnish	Ft	122.000
113	30" CMP Arch, Install	Ft	122.000
114	84" CMP Arch 14 Gauge, Furnish	Ft	162.000
115	84" CMP Arch, Install	Ft	162.000
116	30" CMP Arch Sloped End, Furnish	Each	4.000
117	30" CMP Arch Sloped End, Install	Each	4.000
118	30" CMP Arch Safety End, Furnish	Each	2.000

119	30" CMP Arch Safety End, Install	Each	2.000
120	Culvert Joint Cleaning	Ft	47.000
121	Repair Culvert Joint	Ft	47.000
122	Chemical Grout Void Fill	Gal	57.100
123	Cleanout Pipe Culvert	Each	24.000
124	Reset Pipe	Ft	58.000
125	Reset Pipe End Section	Each	38.000
126	12" PVC Encasement Pipe	Ft	24.000
127	Class A45 Concrete, Box Culvert	CuYd	801.800
128	Class M6 Concrete	CuYd	17.400
129	Controlled Density Fill	CuYd	262.900
130	Reinforcing Steel	Lb	116,853.000
131	2-11'x4' Precast Concrete Box Culvert, Furnish	Ft	80.000
132	2-11'x4' Precast Concrete Box Culvert, Install	Ft	80.000
133	2-11'x4' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
134	2-11'x4' Precast Concrete Box Culvert End Section, Install	Each	2.000
135	Type III Field Laboratory	Each	1.000
136	Type 2 Right-of-Way Fence	Ft	13,190.000
137	Type 3 Right-of-Way Fence	Ft	8,819.000
138	Type 6 Right-of-Way Fence	Ft	4,446.000
139	Type 1A Temporary Fence	Ft	13,820.000
140	Type 2 Temporary Fence	Ft	1,080.000
141	2 Post Panel	Each	39.000
142	3 Post Panel	Each	64.000
143	16' Tubular Gate	Each	2.000
144	2.0"x2.0" Perforated Tube Post	Ft	1,497.500
145	Type 2 Object Marker Back to Back	Each	194.000
146	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	514.700
147	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	340.100
148	Cold Applied Plastic Pavement Marking, 24"	Ft	360.000
149	Cold Applied Plastic Pavement Marking, Arrow	Each	6.000
150	Cold Applied Plastic Pavement Marking, Railroad Crossing	Each	2.000
151	High Build Waterborne Pavement Marking Paint, White	Gal	2,895.000
152	High Build Waterborne Pavement Marking Paint, Yellow	Gal	257.000
153	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	360.000
154	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	6.000
155	Grooving for Cold Applied Plastic Pavement Marking, Railroad Crossing	Each	2.000
156	Pavement Marking Masking, 25"	Ft	360.000
157	Pavement Marking Masking, Arrow	Each	6.000
158	Pavement Marking Masking, Railroad Crossing	Each	2.000
159	Flagging	Hour	4,100.000
160	Pilot Car	Hour	2,000.000
161	Traffic Control Signs	SqFt	2,558.400
162	Traffic Control, Miscellaneous	LS	1.000
163	Traffic Control Supervisor	LS	1.000
164	Type 3 Barricade	Each	24.000
165	Temporary Raised Pavement Markers	Ft	4,246.000
166	4" Temporary Pavement Marking Tape Type I	Ft	70,320.000
167	Detour and Restriction Signing	SqFt	1,892.000
168	Class B Riprap	Ton	329.600
169	Place Riprap	Ton	3,992.000
170	Cover Crop Seeding	Bu	100.000
171	Type G Permanent Seed Mixture	Lb	4,808.000
172	Special Permanent Seed Mixture 1	Lb	405.000
173	Fertilizing	Ton	101.700
174	Mulching	Ton	436.600

175	Soil Stabilizer	Acre	30.000
176	Type 3 Erosion Control Blanket	SqYd	8,475.000
177	12" Diameter Erosion Control Wattle	Ft	3,100.000
178	Remove and Reset Erosion Control Wattle	Ft	775.000
179	Surface Roughening	Acre	40.000
180	Shaping for Erosion Control Blanket	Ft	2,550.000
181	Low Flow Silt Fence	Ft	41,210.000
182	High Flow Silt Fence	Ft	6,022.000
183	Mucking Silt Fence	CuYd	3,278.000
184	Repair Silt Fence	Ft	11,808.000
185	Floating Silt Curtain	Ft	3,720.000
186	Remove and Reset Floating Silt Curtain	Ft	930.000
187	Type B Drainage Fabric	SqYd	13,486.000
188	Reinforcement Fabric (MSE)	SqYd	8,750.000
189	Refurbish Single Mailbox	Each	15.000
190	Right of Way Marker	Each	161.000
191	Concrete Washout Facility	Each	1.000
192	Construction Entrance	Each	2.000
193	Railroad Protective Insurance	LS	1.000
194	Structure Excavation, Box Culvert	CuYd	46.000
195	Box Culvert Undercut	CuYd	170.000
196	Class A45 Concrete, Box Culvert	CuYd	105.200
197	Reinforcing Steel	Lb	17,193.000
198	Class B Riprap	Ton	27.400
199	Type B Drainage Fabric	SqYd	40.000
200	Structure Excavation, Box Culvert	CuYd	37.000
201	Box Culvert Undercut	CuYd	137.000
202	11'x5' Precast Concrete Box Culvert, Furnish	Ft	80.000
203	11'x5' Precast Concrete Box Culvert, Install	Ft	80.000
204	11'x5' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
205	11'x5' Precast Concrete Box Culvert End Section, Install	Each	2.000
206	Class B Riprap	Ton	29.100
207	Type B Drainage Fabric	SqYd	41.000

Instructions

**PROPOSALS, PLANS AND SPECIFICATIONS:** Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

**MINIMUM WAGE RATES:** Minimum wage rates for 1 through 11 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

**BID PREPARATION:** Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

**NONDISCRIMINATION ASSURANCE:** The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

**EXECUTION OF CONTRACT:** In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

**GENERALLY:** A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt  
SECRETARY OF TRANSPORTATION