

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on May 06, 2026, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	PH 0014(257)10 (PCN 08LL)	Lawrence SWPPP = 1.80 AC	0.300	Modify Intersection & Lighting	US14 EL & WL - Jct of Old US14 in Spearfish
2.	PH 0020(245) (PCN 09UT)	Aurora, Bon Homme, Brookings, Brule, Buffalo, Charles Mix, Clay, Douglas, Gregory, Hutchinson, Jerauld, Lincoln, McCook, Minnehaha, Moody, Sanborn, Turner, Union	256.694	Centerline Rumble Stripes	Mitchell Region
3.	NH-PT 0018(222)311, NH 0281(122)0, P 0043(26)0 (PCN 067V, 06D1, 06D8)	Gregory SWPPP = 80.00 AC	11.724	Cold Milling, Asphalt Concrete Resurfacing, Pipe Work and Intersection Improvements	US18 - Fm W of SD43 to US281; US281 - Fm the NE State Line to the Jct with US18; SD43 - Fm the NE State Line to the Jct with US18
4.	NH 0281(129)79 (PCN 08K8)	Aurora SWPPP = 0.80 AC	0.200	LSDC Overlay, Approach Rail, Approach Surfacing, Bridge Rail, Curb Repair, End Blocks	US281 - 8.5 N of I90 over W Br Firesteel Ck
5.	IM-P 0022(103) (PCN 09X5)	Lincoln, Minnehaha	17.172	Pavement Restoration, CRC & NRC Concrete Repairs, Spall Repair, Sealing, Stitching, Tie Bar Retrofit	Various Locations in the Sioux Falls Area
6.	NH-P 0013(173) (PCN 09WN)	Beadle, Buffalo, Clark, Hand, Hyde, Spink	102.513	Asphalt Surface Treatment	Various Locations in the Huron Area
7.	NH-P 0023(73) (PCN 09WX)	Clay, Hutchinson, Yankton	42.948	Asphalt Surface Treatment	Various Locations in the Yankton Area
8.	NH 0033(49) (PCN 09WW)	Tripp	9.093	Asphalt Surface Treatment	US 18 from Winner to 1 mile east of Colome
9.	NH-P 0012(328) (PCN 09WH)	Brookings, Clark, Codington, Hamlin, Kingsbury	61.868	Rout & Seal	Various Locations in the Watertown Area
10.	P 0033(48) (PCN 09WJ)	Mellette	14.139	Rout & Seal	Various Locations in the Winner Area

11. NH-P 0012(329) (PCN 09X1) Brookings

8.705 Crack Leveling

Various Locations in the Watertown
Area

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1. PH 0014(257)10
Work Type 14

Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970

Phone: 605/394-2244

DBE Goal: NONE

Contract Id: 10021

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Grade Staking	Mile	0.660
3	Final Cross Section Survey	Mile	0.330
4	Miscellaneous Staking	Mile	0.330
5	Slope Staking	Mile	0.330
6	Engineer Directed Surveying/Staking	Hour	40.000
7	Checker	LS	1.000
8	Construction Schedule, Category II	LS	1.000
9	Remove Traffic Sign	Each	20.000
10	Remove Delineator	Each	31.000
11	Remove Concrete Curb and/or Gutter	Ft	242.000
12	Remove Drop Inlet	Each	1.000
13	Remove Asphalt Concrete Pavement	SqYd	3,184.000
14	Remove Concrete Pavement	SqYd	206.400
15	Remove Concrete Median Pavement	SqYd	137.100
16	Remove Luminaire Pole Footing	Each	5.000
17	Remove Erosion Control Wattle	Ft	500.000
18	Remove Silt Fence	Ft	15.000
19	Remove Sign for Reset	Each	1.000
20	Remove Pipe for Reset	Ft	8.000
21	Remove Pipe End Section for Reset	Each	1.000
22	Unclassified Excavation	CuYd	7,539.000
23	Undercutting	CuYd	5,090.000
24	Water for Embankment	MGal	75.000
25	Placing Topsoil	CuYd	500.000
26	Incidental Work, Grading	LS	1.000
27	Gravel Cushion	Ton	1,147.300
28	9" Nonreinforced PCC Pavement	SqYd	4,254.900
29	4" Barrier Type Median PCC Pavement	SqYd	988.400
30	Dowel Bar	Each	1,770.000
31	Insert Steel Bar in PCC Pavement	Each	863.000
32	Pipe Culvert Undercut	CuYd	38.000
33	18" RCP Class 2, Furnish	Ft	16.000
34	18" RCP, Install	Ft	16.000
35	24" RCP Arch Class 2, Furnish	Ft	158.000
36	24" RCP Arch, Install	Ft	158.000
37	24" RCP Arch Flared End, Furnish	Each	1.000
38	24" RCP Arch Flared End, Install	Each	1.000
39	Reset Pipe	Ft	8.000
40	Reset Pipe End Section	Each	1.000
41	Class M6 Concrete	CuYd	4.000
42	Type II Field Laboratory	Each	1.000
43	2.5"x2.5" Perforated Tube Post	Ft	433.600
44	4" Tubular Amber Delineator with 1.12 Lb/Ft Post	Each	8.000
45	4"x4" White Delineator with 1.12 Lb/Ft Post	Each	3.000
46	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	20.000
47	Type 2 Object Marker Back to Back	Each	3.000
48	Type 2 Object Marker	Each	5.000
49	Type 3 Object Marker	Each	1.000
50	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	396.200
51	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	116.900
52	Reset Sign	Each	1.000
53	Preformed Thermoplastic Pavement Marking, 4"	Ft	5,320.000

54	Preformed Thermoplastic Pavement Marking, 8"	Ft	1,580.000
55	Preformed Thermoplastic Pavement Marking, 24"	Ft	260.000
56	Preformed Thermoplastic Pavement Marking, Area	SqFt	40.000
57	Preformed Thermoplastic Pavement Marking, Arrow	Each	9.000
58	Preformed Thermoplastic Pavement Marking, Combination Arrow	Each	1.000
59	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	2,500.000
60	Grooving for Cold Applied Plastic Pavement Marking, 8"	Ft	1,580.000
61	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	260.000
62	Grooving for Cold Applied Plastic Pavement Marking, Area	SqFt	40.000
63	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	8.000
64	Grooving for Cold Applied Plastic Pavement Marking, Combination Arrow	Each	1.000
65	Surface Preparation for Pavement Marking	Ft	2,820.000
66	Surface Preparation for Pavement Marking	Each	1.000
67	Flagging	Hour	200.000
68	Traffic Control Signs	SqFt	307.200
69	Traffic Control, Miscellaneous	LS	1.000
70	Type 3 Barricade	Each	6.000
71	Temporary Flexible Vertical Markers (Tabs)	Ft	3,180.000
72	Type C Advance Warning Arrow Board	Each	2.000
73	Remove Pavement Marking, 4" or Equivalent	Ft	50.000
74	Remove Pavement Marking, Area	SqFt	30.000
75	Contractor Furnished Portable Changeable Message Sign	Each	2.000
76	Breakaway Base Luminaire Pole with Twin Arms, 50' Mounting Height	Each	1.000
77	Pedestal Signal Pole	Each	2.000
78	Signal Pole with 40' Mast Arm and Luminaire Arm	Each	1.000
79	Signal Pole with 45' Mast Arm and Luminaire Arm	Each	1.000
80	Signal Pole with 55' Mast Arm and Luminaire Arm	Each	1.000
81	Roadway Luminaire, LED with Photoelectric Cell	Each	16.000
82	1 Section Vehicle Signal Head	Each	4.000
83	3 Section Vehicle Signal Head	Each	10.000
84	4 Section Vehicle Signal Head	Each	2.000
85	3 Section Directional Vehicle Signal Head	Each	2.000
86	2' Diameter Footing	Ft	60.000
87	3' Diameter Footing	Ft	40.000
88	Type 1 Electrical Junction Box	Each	6.000
89	Type 2 Electrical Junction Box	Each	4.000
90	Type 3A Electrical Junction box	Each	1.000
91	Electrical Service Cabinet with Secondary Disconnect	Each	1.000
92	Traffic Signal Controller	Each	1.000
93	Battery Backup System for Traffic Signal	Each	1.000
94	Video Detection System	Each	1.000
95	Emergency Vehicle Preemption Unit	Each	1.000
96	Optical Detector	Each	3.000
97	Remove and Reset Luminaire Pole	Each	5.000
98	2" Rigid Conduit, Schedule 40	Ft	1,730.000
99	3" Rigid Conduit, Schedule 40	Ft	185.000
100	2" Rigid Conduit, Schedule 80	Ft	260.000
101	3" Rigid Conduit, Schedule 80	Ft	505.000
102	1/C #1 AWG Copper Wire	Ft	2,125.000
103	1/C #6 AWG Copper Wire	Ft	2,305.000
104	1/C #8 AWG Copper Wire	Ft	3,115.000
105	1/C #10 AWG Copper Wire	Ft	165.000
106	4/C #14 AWG Copper Tray Cable, K2	Ft	1,610.000
107	5/C #14 AWG Copper Tray Cable, K2	Ft	445.000
108	15/C #14 AWG Copper Tray Cable, K2	Ft	615.000
109	19/C #14 AWG Copper Tray Cable, K2	Ft	40.000

110	#16 AWG Copper Twisted Shielded Pair	Ft	3,350.000
111	2/C #10 AWG Copper Pole and Bracket Cable	Ft	1,120.000
112	Type F69 Concrete Curb and Gutter	Ft	1,343.000
113	2' x 3' Type B Drop Inlet	Each	1.000
114	Type E Frame and Grate	Each	1.000
115	Class C Riprap	Ton	10.000
116	Type F Permanent Seed Mixture	Lb	20.000
117	Fertilizing	Lb	1,157.000
118	Fiber Mulching	Lb	1,543.000
119	12" Diameter Erosion Control Wattle	Ft	500.000
120	High Flow Silt Fence	Ft	82.000
121	Mucking Silt Fence	CuYd	17.000
122	Repair Silt Fence	Ft	15.000
123	Sediment Control at Inlet with Frame and Grate	Each	1.000
124	Sweeping	Hour	40.000
125	Type B Drainage Fabric	SqYd	7.000
126	Orange Plastic Safety Fence	Ft	1,085.000
127	Concrete Washout Facility	Each	1.000

2. PH 0020(245) Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206 Phone: 605/995-8120
Work Type 11 or Work Type 13 DBE Goal: NONE Contract Id: 10005 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Construction Schedule, Category I	LS	1.000
3	Grind 16" Rumble Strip in Asphalt Concrete	Mile	18.400
4	Grind Sinusoidal Centerline Rumble Stripe in Asphalt Concrete	Mile	238.700
5	Grind 6" Transverse Rumble Strip in Asphalt Concrete	Ft	408.000
6	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	113.700
7	High Build Waterborne Pavement Marking Paint, White	Gal	4,775.000
8	High Build Waterborne Pavement Marking Paint, Yellow	Gal	3,370.000
9	High Build Waterborne Pavement Marking Paint with Reflective Elements, Yellow	Gal	1,096.000
10	Flagging	Hour	3,850.000
11	Pilot Car	Hour	2,000.000
12	Traffic Control Signs	SqFt	433.800
13	Traffic Control, Miscellaneous	LS	1.000
14	Temporary Pavement Marking	Mile	257.100

3. NH-PT 0018(222)311, NH Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206 Phone: 605/995-8120
0281(122)0, P 0043(26)0 DBE Goal: NONE Contract Id: 9927 See Special Provisions for Completion Requirements
Work Type 1 or Work Type 5

1	Mobilization	LS	1.000
2	Reestablish Right-of-Way and Property Corner	Each	82.000
3	Reestablish Public Land Survey System Corner	Each	8.000
4	Grade Staking	Mile	3.178
5	Final Cross Section Survey	Mile	3.178
6	Miscellaneous Staking	Mile	3.178
7	Slope Staking	Mile	3.178
8	Structure Staking	Each	1.000
9	Engineer Directed Surveying/Staking	Hour	40.000
10	Construction Schedule, Category II	LS	1.000
11	Training Program	Hour	500.000
12	Clearing	LS	1.000
13	Remove Traffic Sign	Each	88.000
14	Remove Fence	Ft	34,766.000
15	Remove Asphalt Concrete Pavement	SqYd	1,361.000
16	Remove Asphalt Concrete Approach Pavement	SqYd	1,379.400
17	Remove Luminaire Pole	Each	2.000
18	Remove Luminaire Pole Footing	Each	2.000
19	Remove Sediment	CuYd	2.200

20	Remove Silt Fence	Ft	180.000
21	Remove Gate for Reset	Each	2.000
22	Remove Sign for Reset	Each	2.000
23	Remove Delineator for Reset	Each	31.000
24	Remove Pipe for Reset	Ft	110.000
25	Remove Pipe End Section for Reset	Each	12.000
26	Unclassified Excavation	CuYd	217,605.000
27	Unclassified Excavation, Digouts	CuYd	585.000
28	Option Borrow Excavation	CuYd	116,239.000
29	Muck Excavation	CuYd	10,255.000
30	Undercutting	CuYd	30,347.000
31	Reprofiling Ditch	Sta	4.600
32	Water for Embankment	MGal	2,711.000
33	Water for Granular Material	MGal	649.000
34	Surface Preparation	Mile	0.800
35	Placing Topsoil	CuYd	48,730.000
36	Contractor Furnished Topsoil	CuYd	150.000
37	Obliterate Old Road	Sta	75.000
38	Incidental Work, Grading	LS	1.000
39	Base Course	Ton	2,606.000
40	Base Course, Salvaged	Ton	62,514.000
41	Gravel Cushion	Ton	2,034.000
42	Temporary Gravel Surfacing	Ton	300.000
43	Granular Material, Furnish	Ton	4,789.000
44	Granular Material	Ton	100.000
45	Salvage Asphalt Mix and Granular Base Material	Ton	73,026.000
46	Blend, Haul, and Stockpile Granular Material	Ton	20,090.000
47	Blend and Stockpile Granular Material	Ton	62,514.000
48	PG 58H-34 Asphalt Binder	Ton	2,062.300
49	Asphalt Concrete Composite	Ton	430.000
50	CLASS Q3R HOT MIXED ASPHALT CONCRETE	Ton	42,045.000
51	Asphalt Concrete Blade Laid	Ton	1,278.000
52	Hydrated Lime	Ton	428.700
53	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	16.400
54	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	7.000
55	Grind Sinusoidal Transverse Rumble Strip in Asphalt Concrete	SqFt	392.000
56	Grind 6" Transverse Rumble Strip in Asphalt Concrete	Ft	374.000
57	MC-70 Asphalt for Prime	Ton	127.500
58	SS-1h or CSS-1h Asphalt for Tack	Ton	138.600
59	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	8.000
60	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	17.500
61	Blotting Sand for Prime	Ton	337.800
62	Sand for Flush Seal	Ton	37.700
63	Sand for Fog Seal	Ton	5.000
64	Cold Milling Asphalt Concrete	SqYd	171,069.000
65	AE150S Asphalt for Surface Treatment	Ton	124.300
66	Type 3 Cover Aggregate	Ton	1,672.200
67	Structure Excavation, Box Culvert	CuYd	74.000
68	Pipe Culvert Undercut	CuYd	81.000
69	Box Culvert Undercut	CuYd	228.000
70	18" RCP Class 3, Furnish	Ft	20.000
71	18" RCP, Install	Ft	20.000
72	24" RCP Class 3, Furnish	Ft	390.000
73	24" RCP, Install	Ft	390.000
74	30" RCP Class 3, Furnish	Ft	504.000
75	30" RCP, Install	Ft	504.000

76	42" RCP Class 3, Furnish	Ft	112.000
77	42" RCP, Install	Ft	112.000
78	48" RCP Class 3, Furnish	Ft	108.000
79	48" RCP, Install	Ft	108.000
80	18" RCP Flared End, Furnish	Each	6.000
81	18" RCP Flared End, Install	Each	6.000
82	24" RCP Flared End, Furnish	Each	1.000
83	24" RCP Flared End, Install	Each	1.000
84	42" RCP Flared End, Furnish	Each	2.000
85	42" RCP Flared End, Install	Each	2.000
86	48" RCP Flared End, Furnish	Each	2.000
87	48" RCP Flared End, Install	Each	2.000
88	60" RCP Flared End, Furnish	Each	2.000
89	60" RCP Flared End, Install	Each	2.000
90	84" RCP Flared End, Furnish	Each	2.000
91	84" RCP Flared End, Install	Each	2.000
92	24" RCP Sloped End, Furnish	Each	10.000
93	24" RCP Sloped End, Install	Each	10.000
94	30" RCP Sloped End, Furnish	Each	14.000
95	30" RCP Sloped End, Install	Each	14.000
96	30" RCP Arch Class 3, Furnish	Ft	104.000
97	30" RCP Arch, Install	Ft	104.000
98	30" RCP Arch Sloped End, Furnish	Each	2.000
99	30" RCP Arch Sloped End, Install	Each	2.000
100	Tie Bolts for RCP	Each	102.000
101	18" CMP 16 Gauge, Furnish	Ft	394.000
102	18" CMP, Install	Ft	394.000
103	24" CMP 16 Gauge, Furnish	Ft	612.000
104	24" CMP, Install	Ft	612.000
105	60" CMP Flared End, Furnish	Each	2.000
106	60" CMP Flared End, Install	Each	2.000
107	18" CMP Sloped End, Furnish	Each	4.000
108	18" CMP Sloped End, Install	Each	4.000
109	18" CMP Safety End, Furnish	Each	8.000
110	18" CMP Safety End, Install	Each	8.000
111	24" CMP Safety End, Furnish	Each	16.000
112	24" CMP Safety End, Install	Each	16.000
113	60" Steel Pipe, Furnish	Ft	188.000
114	Culvert Joint Cleaning	Ft	983.500
115	Repair Culvert Joint	Ft	983.500
116	Cleanout Pipe Culvert	Each	1.000
117	Cleanout for Culvert Treatment	Each	1.000
118	Reset Pipe	Ft	110.000
119	Reset Pipe End Section	Each	11.000
120	Slipline 60" Pipe	Ft	122.000
121	Slipline 72" Pipe	Ft	102.000
122	Slipline 84" Pipe	Ft	186.000
123	Bore and Jack 60" Pipe	Ft	188.000
124	Repair Drain Tile	Ft	10.000
125	Cellular Grout	CuYd	139.600
126	2-12'x4' Precast Concrete Box Culvert, Furnish	Ft	82.000
127	2-12'x4' Precast Concrete Box Culvert, Install	Ft	82.000
128	2-12'x4' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
129	2-12'x4' Precast Concrete Box Culvert End Section, Install	Each	2.000
130	Type III Field Laboratory	Each	1.000
131	Type 2 Right-of-Way Fence	Ft	36,278.000

132	Type 1 Temporary Fence	Ft	22,549.000
133	Type 2 Temporary Fence	Ft	3,500.000
134	2 Post Panel	Each	107.000
135	3 Post Panel	Each	54.000
136	Reset Gate	Each	2.000
137	2.0"x2.0" Perforated Tube Post	Ft	502.000
138	2.5"x2.5" Perforated Tube Post	Ft	597.000
139	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	65.000
140	Reset Delineator	Each	31.000
141	Type 2 Object Marker Back to Back	Each	32.000
142	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	739.300
143	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	50.800
144	Reset Sign	Each	2.000
145	Cold Applied Plastic Pavement Marking, Arrow	Each	12.000
146	High Build Waterborne Pavement Marking Paint, White	Gal	134.000
147	High Build Waterborne Pavement Marking Paint, Yellow	Gal	103.000
148	High Build Waterborne Pavement Marking Paint, 24" White	Ft	100.000
149	High Build Waterborne Pavement Marking Paint, 24" Yellow	Ft	309.000
150	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	12.000
151	Flagging	Hour	8,500.000
152	Pilot Car	Hour	3,500.000
153	Traffic Control Signs	SqFt	1,318.600
154	Traffic Control, Miscellaneous	LS	1.000
155	Traffic Control Supervisor	LS	1.000
156	Type 3 Barricade	Each	18.000
157	Temporary Raised Pavement Markers	Mile	2.500
158	Tubular Marker	Each	700.000
159	Type C Advance Warning Arrow Board	Each	3.000
160	Temporary Pavement Marking	Mile	24.700
161	Breakaway Base Luminaire Pole with Arm, 45' Mounting Height	Each	6.000
162	Roadway Luminaire, LED with Photoelectric Cell	Each	6.000
163	1 Section Vehicle Signal Head	Each	2.000
164	2' Diameter Footing	Ft	48.000
165	Type 1 Electrical Junction Box	Each	4.000
166	Electrical Service Cabinet	Each	2.000
167	2" Rigid Conduit, Schedule 40	Ft	680.000
168	1.5" Rigid Conduit, Schedule 80	Ft	135.000
169	2" Rigid Conduit, Schedule 80	Ft	235.000
170	1/C #8 AWG Copper Wire	Ft	2,850.000
171	1/C #10 AWG Copper Wire	Ft	1,510.000
172	2/C #10 AWG Copper Pole and Bracket Cable	Ft	360.000
173	Class B Riprap	Ton	280.200
174	Class C Riprap	Ton	241.000
175	Class D Riprap	Ton	318.500
176	Cover Crop Seeding	Bu	259.800
177	Type F Permanent Seed Mixture	Lb	1,204.000
178	Fertilizing	Ton	9.600
179	Mulching	Ton	16.800
180	Soil Stabilizer	Acre	10.000
181	Type 3 Erosion Control Blanket	SqYd	4,720.000
182	12" Diameter Erosion Control Wattle	Ft	950.000
183	Remove and Reset Erosion Control Wattle	Ft	225.000
184	Surface Roughening	Acre	5.000
185	Low Flow Silt Fence	Ft	2,000.000
186	High Flow Silt Fence	Ft	1,148.000
187	Mucking Silt Fence	CuYd	50.000

5	Continuously Reinforced PCC Pavement Repair	SqYd	3,487.900
6	Dowel Bar	Each	372.000
7	Insert Steel Bar in PCC Pavement	Each	1,700.000
8	Tie Bar Retrofit, Stitching	Each	1,300.000
9	Reseal PCC Pavement Joint - Hot Pour	Ft	90,968.000
10	Seal Random Cracks in PCC Pavement	Ft	400.000
11	Repair Type A Spall	SqFt	300.000
12	Flagging	Hour	250.000
13	Pilot Car	Hour	125.000
14	Traffic Control Signs	SqFt	1,180.400
15	Traffic Control, Miscellaneous	LS	1.000
16	Type 3 Barricade	Each	20.000
17	Temporary Raised Pavement Markers	Ft	16,000.000
18	Type C Advance Warning Arrow Board	Each	2.000
19	4" Temporary Pavement Marking Tape Type I	Ft	288.000
20	Temporary Pavement Marking	Ft	18,400.000
21	Portable Temporary Traffic Control Signal	Unit	2.000
22	Contractor Furnished Portable Changeable Message Sign	Each	2.000
23	Contractor Furnished Vehicle Speed Feedback Sign	Each	2.000

6. NH-P 0013(173) Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940 Phone: 605/353-7140
Work Type 6 DBE Goal: NONE Contract Id: 10035 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Construction Schedule, Category I	LS	1.000
4	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	480.700
5	Sand for Flush Seal	Ton	392.000
6	Sand for Fog Seal	Ton	50.000
7	CRS-2P Asphalt for Surface Treatment	Ton	2,501.100
8	Type 1A Cover Aggregate	Ton	3,566.400
9	Type 1A Cover Aggregate	Ton	224.800
10	Type 1A Cover Aggregate	Ton	232.000
11	Type 1A Cover Aggregate	Ton	3,370.500
12	Type 1A Cover Aggregate	Ton	1,881.300
13	Type 1A Cover Aggregate	Ton	186.400
14	Type 1A Cover Aggregate	Ton	2,575.200
15	Type 1A Cover Aggregate	Ton	4,524.300
16	Cold Applied Plastic Pavement Marking, 24"	Ft	107.000
17	Cold Applied Plastic Pavement Marking, Arrow	Each	27.000
18	Cold Applied Plastic Pavement Marking, Railroad Crossing	Each	2.000
19	High Build Waterborne Pavement Marking Paint, White	Gal	4,943.000
20	High Build Waterborne Pavement Marking Paint, Yellow	Gal	1,509.000
21	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	15.000
22	Pavement Marking Masking, 25"	Ft	214.000
23	Pavement Marking Masking, Arrow	Each	54.000
24	Pavement Marking Masking, Railroad Crossing	Each	4.000
25	Flagging	Hour	1,376.000
26	Pilot Car	Hour	334.000
27	Traffic Control Signs	SqFt	2,349.300
28	Traffic Control, Miscellaneous	LS	1.000
29	Type C Advance Warning Arrow Board	Each	1.000
30	Temporary Pavement Marking	Mile	266.100
31	Railroad Protective Insurance	LS	1.000

7. NH-P 0023(73) Area Engineer: Greg Rothschadl, 1306 W 31st St, Yankton, SD, 57078-9662 Phone: 605/668-2929
Work Type 6 DBE Goal: NONE Contract Id: 10050 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
---	--------------	----	-------

2	Construction Schedule, Category I	LS	1.000
3	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	203.000
4	Sand for Fog Seal	Ton	55.200
5	CRS-2P Asphalt for Surface Treatment	Ton	869.400
6	Type 2B Cover Aggregate	Ton	119.000
7	Type 2B Cover Aggregate	Ton	466.000
8	Type 2B Cover Aggregate	Ton	98.100
9	Type 2B Cover Aggregate	Ton	19.400
10	Type 2B Cover Aggregate	Ton	5,058.700
11	Type 2B Cover Aggregate	Ton	129.500
12	High Build Waterborne Pavement Marking Paint, White	Gal	1,124.000
13	High Build Waterborne Pavement Marking Paint, Yellow	Gal	450.000
14	Durable Pavement Marking, 4" White	Ft	174,182.000
15	Durable Pavement Marking, 4" Yellow	Ft	141,201.000
16	Durable Pavement Marking, 8" White	Ft	1,931.000
17	Durable Pavement Marking, 24" White	Ft	1,195.000
18	Durable Pavement Marking, 24" Yellow	Ft	938.000
19	Durable Pavement Marking, Arrow	Each	91.000
20	Durable Pavement Marking, Message	Word	10.000
21	Surface Preparation for Pavement Marking	Ft	51,202.000
22	Surface Preparation for Pavement Marking	Each	5.000
23	Grooving for Durable Pavement Marking, 4"	Ft	258,916.000
24	Grooving for Durable Pavement Marking, 8"	Ft	1,931.000
25	Grooving for Durable Pavement Marking, 24"	Ft	1,898.000
26	Grooving for Durable Pavement Marking, Arrow	Each	86.000
27	Pavement Marking Masking, 25"	Ft	96.000
28	Pavement Marking Masking, Message	Word	5.000
29	Mobile Retroreflectorometer Measurements	Mile	60.000
30	Flagging	Hour	760.000
31	Pilot Car	Hour	125.000
32	Traffic Control Signs	SqFt	2,085.200
33	Traffic Control, Miscellaneous	LS	1.000
34	Type 3 Barricade	Each	6.000
35	Type C Advance Warning Arrow Board	Each	6.000
36	Temporary Pavement Marking	Mile	59.300
37	Contractor Furnished Vehicle Speed Feedback Sign	Each	6.000

8. NH 0033(49) Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771 Phone: 605/842-0810
Work Type 6 DBE Goal: NONE Contract Id: 10034 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Construction Schedule, Category I	LS	1.000
3	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	25.400
4	Sand for Fog Seal	Ton	15.000
5	CRS-2P Asphalt for Surface Treatment	Ton	103.400
6	Modified Cover Aggregate	Ton	672.100
7	Flagging	Hour	100.000
8	Pilot Car	Hour	40.000
9	Traffic Control Signs	SqFt	441.400
10	Traffic Control, Miscellaneous	LS	1.000

9. NH-P 0012(328) Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201 Phone: 605/882-5166
Work Type 6 DBE Goal: NONE Contract Id: 10032 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Construction Schedule, Category I	LS	1.000
3	Asphalt Concrete Crack Sealing	Lb	72,943.000
4	Flagging	Hour	546.000
5	Pilot Car	Hour	114.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: NA

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.14 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION