

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on May 15, 2024, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
* 1.	BRO-B 8055(35) (PCN 08N5)	Roberts SWPPP = 0.83 AC	0.200	Structure (3-12'x8' CIP RCBC) & Approach Grading	Structure 4.5 E & 1 N of Rosholt on 104th St over a Ck SN 55-283-040
* 2.	BRO-B 8055(34) (PCN 08N4)	Roberts SWPPP = 0.51 AC	0.200	Structure (2-10'x6' CIP RCBC) & Approach Grading	Structure 6 N of Sisseton on 457th Ave over a Ck SN 55-080-127
3.	P TAPU(37) (PCN 08W6)	Minnehaha SWPPP = 1.41 AC	0.310	PCC Shared Use Path	Crooks - Along the W Side of S West Ave fm 7th St to Dianne St
4.	IM 2292(105)3 (PCN 07CY)	Minnehaha SWPPP = 12.00 AC	1.400	Temporary Grading, Asphalt Concrete Surfacing, Temporary Structure Installation & Large Block Concrete Retaining Walls, Crossovers	I229 - for Cliff Ave
5.	P 0045(66)30 (PCN 09J7)	Charles Mix	---	Approach Slabs	SD45 - 3.2 N of Platte over Platte Ck
6.	P 0052(09)340 (PCN 09AU)	Yankton	---	Traffic Signals & Lighting	SD52 - Deer Blvd W of Yankton
7.	IM-NH-P 0033(44) (PCN 0976)	Bennett, Jackson, Jones, Lyman	81.400	Asphalt Surface Treatment	Various Locations in the Winner Area
8.	IM-NH-P 0012(315) (PCN 097A)	Brookings, Clark, Codington, Deuel, Grant, Hamlin, Roberts	170.500	Asphalt Surface Treatment	Various Locations in the Watertown Area

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	BRO-B 8055(35)	Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201	Phone: 605/882-5166
	Work Type 9	DBE Goal: Not Specified	Contract Id: 9145 See Special Provisions for Completion Requirements
	1 Mobilization	LS	1.000
	2 Construction Staking	LS	1.000
	3 Engineer Directed Surveying/Staking	Hour	20.000
	4 Remove Sediment	CuYd	1.000
	5 Remove Erosion Control Wattle	Ft	80.000
	6 Remove Silt Fence	Ft	450.000
	7 Unclassified Excavation	CuYd	2,249.000
	8 Contractor Furnished Borrow Excavation	CuYd	1,177.000
	9 Placing Topsoil	CuYd	360.000
	10 Incidental Work, Structure	LS	1.000
	11 Structure Excavation, Box Culvert	CuYd	130.000
	12 Box Culvert Undercut	CuYd	360.000
	13 Class A45 Concrete, Box Culvert	CuYd	259.000
	14 Reinforcing Steel	Lb	38,649.000
	15 Type 2 Object Marker	Each	4.000
	16 Traffic Control Signs	SqFt	109.000
	17 Traffic Control, Miscellaneous	LS	1.000
	18 Type 3 Barricade	Each	8.000
	19 Class B Riprap	Ton	73.900
	20 Erosion Control	LS	1.000
	21 12" Diameter Erosion Control Wattle	Ft	180.000
	22 Remove and Reset Erosion Control Wattle	Ft	45.000
	23 High Flow Silt Fence	Ft	450.000
	24 Mucking Silt Fence	CuYd	31.000
	25 Repair Silt Fence	Ft	113.000
	26 Type B Drainage Fabric	SqYd	99.000
	27 Reinforcement Fabric (MSE)	SqYd	522.000

2.	BRO-B 8055(34)	Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201	Phone: 605/882-5166
	Work Type 9	DBE Goal: Not Specified	Contract Id: 9146 See Special Provisions for Completion Requirements
	1 Mobilization	LS	1.000
	2 Construction Staking	LS	1.000
	3 Engineer Directed Surveying/Staking	Hour	20.000
	4 Remove Sediment	CuYd	1.000
	5 Remove Erosion Control Wattle	Ft	100.000
	6 Remove Silt Fence	Ft	550.000
	7 Unclassified Excavation	CuYd	1,078.000
	8 Contractor Furnished Borrow Excavation	CuYd	153.000
	9 Placing Topsoil	CuYd	227.000
	10 Incidental Work, Structure	LS	1.000
	11 Structure Excavation, Box Culvert	CuYd	51.000
	12 Box Culvert Undercut	CuYd	161.000
	13 Class A45 Concrete, Box Culvert	CuYd	101.600
	14 Reinforcing Steel	Lb	18,527.000
	15 Type 2 Object Marker	Each	4.000
	16 Traffic Control Signs	SqFt	109.000
	17 Traffic Control, Miscellaneous	LS	1.000
	18 Type 3 Barricade	Each	8.000
	19 Class B Riprap	Ton	144.200
	20 Erosion Control	LS	1.000
	21 12" Diameter Erosion Control Wattle	Ft	200.000
	22 Remove and Reset Erosion Control Wattle	Ft	60.000
	23 High Flow Silt Fence	Ft	550.000
	24 Mucking Silt Fence	CuYd	38.000

25	Repair Silt Fence	Ft	138.000
26	Type B Drainage Fabric	SqYd	151.000

3. P TAPU(37) Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107 Phone: 605/367-5680
Work Type 14 DBE Goal: Not Specified Contract Id: 9408 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Remove Concrete Curb and/or Gutter	Ft	41.000
3	Remove Asphalt Concrete Pavement	SqYd	749.000
4	Remove Concrete Driveway Pavement	SqYd	147.000
5	Remove Concrete Sidewalk	SqYd	6.000
6	Remove Sign for Reset	Each	21.000
7	Unclassified Excavation	CuYd	1,105.000
8	Contractor Furnished Borrow Excavation	CuYd	680.000
9	Contaminated Material Excavation	CuYd	10.000
10	Placing Topsoil	CuYd	915.000
11	Incidental Work, Grading	LS	1.000
12	Base Course	Ton	1,200.000
13	Asphalt Concrete Composite	Ton	167.000
14	6" PCC Driveway Pavement	SqYd	156.000
15	6" PCC Fillet Section	SqYd	117.000
16	2.0"x2.0" Perforated Tube Post	Ft	47.000
17	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	13.600
18	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	31.700
19	Reset Sign	Each	21.000
20	Epoxy Pavement Marking Paint, 24" White	Ft	88.000
21	Surface Preparation for Pavement Marking	Ft	88.000
22	Traffic Control Signs	SqFt	121.500
23	Traffic Control, Miscellaneous	LS	1.000
24	Type 3 Barricade	Each	7.000
25	Pedestrian Push Button	Each	2.000
26	Solar Powered Flashing Beacon	Each	2.000
27	Special Concrete Curb and Gutter	Ft	50.000
28	4" Concrete Sidewalk	SqFt	1,575.000
29	5" Concrete Sidewalk	SqFt	10,640.000
30	6" Concrete Sidewalk	SqFt	1,982.000
31	Type 1 Detectable Warnings	SqFt	128.000
32	Class B Riprap	Ton	14.000
33	Type D Permanent Seed Mixture	Lb	257.000
34	Fertilizing	Lb	253.000
35	Fiber Mulching	Ton	1.300
36	6" Diameter Erosion Control Wattle	Ft	45.000
37	Low Flow Silt Fence	Ft	711.000
38	Sediment Control at Inlet with Frame and Grate	Each	1.000
39	Sweeping	Hour	10.000
40	Type B Drainage Fabric	SqYd	21.000

4. IM 2292(105)3 Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107 Phone: 605/367-5680
Work Type 2 or Work Type 5 DBE Goal: Not Specified Contract Id: 9375 See Special Provisions for Completion Requirements

1	Temporary Detour Structure	Each	1.000
2	Mobilization	LS	1.000
3	Grade Staking	Mile	1.824
4	Final Cross Section Survey	Mile	1.824
5	Miscellaneous Staking	Mile	1.824
6	Slope Staking	Mile	1.824
7	Structure Staking	Each	4.000
8	Engineer Directed Surveying/Staking	Hour	40.000
9	Construction Schedule, Category II	LS	1.000

10	Clearing	LS	1.000
11	Remove Concrete Footing(s)	LS	1.000
12	Remove Traffic Sign	Each	5.000
13	Remove Crossover Closure	Ft	311.000
14	Remove 3 Cable Guardrail	Ft	1,311.000
15	Remove Beam Guardrail	Ft	79.500
16	Remove 3 Cable Guardrail Anchor Assembly	Each	7.000
17	Remove Concrete Pavement	SqYd	4,016.500
18	Remove Sediment	CuYd	1.100
19	Remove Silt Fence	Ft	2,142.000
20	Salvage Sign Bridge	Each	2.000
21	Remove Sign for Reset	Each	5.000
22	Remove Pipe End Section for Reset	Each	1.000
23	Unclassified Excavation	CuYd	25,145.000
24	Option Borrow Excavation	CuYd	56,838.000
25	Muck Excavation	CuYd	761.000
26	Undercutting	CuYd	15,903.000
27	Water for Embankment	MGal	560.000
28	Water for Granular Material	MGal	132.700
29	Pit Run	Ton	377.900
30	Placing Topsoil	CuYd	6,425.000
31	Incidental Work, Grading	LS	1.000
32	Base Course	Ton	11,055.100
33	Asphalt Concrete Composite	Ton	7,059.600
34	Cold Milling Asphalt Concrete	SqYd	1,813.000
35	Saw Joint in PCC Pavement	Ft	959.100
36	Structure Excavation, Bridge	CuYd	57.000
37	Structure Excavation, Retaining Wall	CuYd	35.000
38	Footing Undercut	CuYd	102.000
39	12" RCP Class 5, Furnish	Ft	182.000
40	12" RCP, Install	Ft	182.000
41	24" RCP Class 3, Furnish	Ft	20.000
42	24" RCP, Install	Ft	20.000
43	12" CMP 14 Gauge, Furnish	Ft	106.000
44	12" CMP, Install	Ft	106.000
45	18" CMP 14 Gauge, Furnish	Ft	94.000
46	18" CMP, Install	Ft	94.000
47	12" CMP Elbow, Furnish	Each	6.000
48	12" CMP Elbow, Install	Each	6.000
49	12" CMP Flared End, Furnish	Each	3.000
50	12" CMP Flared End, Install	Each	3.000
51	18" CMP Safety End, Furnish	Each	1.000
52	18" CMP Safety End, Install	Each	1.000
53	12" RCP to CMP Transition, Furnish	Each	3.000
54	12" Pipe Transition, Install	Each	3.000
55	Reset Pipe End Section	Each	1.000
56	Class A45 Concrete, Bridge	CuYd	64.600
57	Class M6 Concrete	CuYd	6.200
58	Reinforcing Steel	Lb	5,537.000
59	HP 10 Pile Tip Reinforcement	Each	16.000
60	HP 10x42 Steel Bearing Pile, Furnish and Drive	Ft	920.000
61	Gravity Large Concrete Block Wall	SqFt	2,592.000
62	Granular Backfill for Gravity Large Concrete Block Wall	CuYd	386.800
63	Remove and Reset Crash Cushion	Each	5.000
64	Concrete Barrier End Protection	Each	4.000
65	Crossover Closure	Ft	530.000

66	Interim Crossover Closure	Ft	530.000
67	Type 1 MGS	Ft	1,512.500
68	Type 3 MGS	Ft	150.000
69	18'-9" Longspan MGS	Each	1.000
70	MGS MASH Flared End Terminal	Each	5.000
71	MGS MASH Tangent End Terminal	Each	1.000
72	MGS Trailing End Terminal	Each	2.000
73	1.5' Diameter Breakaway Support Concrete Footing	Ft	8.000
74	1.75' Diameter Breakaway Support Concrete Footing	Ft	24.000
75	S4x7.7 Steel Post	Ft	22.000
76	W6x20 Steel Post	Ft	58.000
77	2.5"x2.5" Perforated Tube Post	Ft	64.800
78	Extruded Aluminum Sign, Removable Copy Super/Very High Intensity	SqFt	229.500
79	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	42.500
80	Reset Sign	Each	6.000
81	Cold Applied Plastic Pavement Marking, 4"	Ft	7,900.000
82	Cold Applied Plastic Pavement Marking, 24"	Ft	160.000
83	Cold Applied Plastic Pavement Marking, Arrow	Each	13.000
84	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	7,900.000
85	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	100.000
86	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	7.000
87	Traffic Control Signs	SqFt	2,240.700
88	Traffic Control, Miscellaneous	LS	1.000
89	Type 3 Barricade	Each	18.000
90	Tubular Marker	Each	194.000
91	Replace Tubular Marker	Each	19.000
92	Type C Advance Warning Arrow Board	Each	3.000
93	Linear Delineation System Panel, Barrier Mounted	Each	479.000
94	Remove Pavement Marking, 4" or Equivalent	Ft	2,200.000
95	Remove Pavement Marking, Arrow	Each	8.000
96	Remove Pavement Marking, Area	SqFt	200.000
97	Temporary Pavement Marking	Ft	22,343.000
98	Contractor Supplied Traffic Control Movable Concrete Barrier	Each	479.000
99	Remove and Reset Traffic Control Movable Concrete Barrier	Each	3.000
100	Temporary Concrete Barrier End Protection	Each	5.000
101	Remove and Reset Temporary Concrete Barrier End Protection	Each	5.000
102	Temporary Concrete Barrier End Protection Module Set or Repair Kit	Each	1.000
103	Contractor Furnished Portable Changeable Message Sign	Each	2.000
104	Queue Detection System	Mth	9.000
105	Maintenance of Queue Detection System	Hour	104.000
106	Longitudinal Pedestrian Barricade	Ft	8.000
107	Temporary Curb Ramp	Each	2.000
108	Longitudinal Pedestrian Barrier	Ft	300.000
109	Type E Frame and Grate	Each	3.000
110	Precast Drop Inlet Collar	Each	3.000
111	4" Underdrain Pipe	Ft	659.000
112	Porous Backfill	Ton	29.600
113	Type B Permanent Seed Mixture	Lb	216.000
114	Fertilizing	Ton	5.970
115	Fiber Mulching	Ton	23.300
116	Type 2 Erosion Control Blanket	SqYd	7,767.000
117	Type 3 Turf Reinforcement Mat	SqYd	652.000
118	12" Diameter Erosion Control Wattle	Ft	380.000
119	20" Diameter Erosion Control Wattle	Ft	265.000
120	Remove and Reset Erosion Control Wattle	Ft	114.000
121	Shaping for Erosion Control Blanket	Ft	4,312.000

122	Low Flow Silt Fence	Ft	8,505.000
123	Mucking Silt Fence	CuYd	595.000
124	Repair Silt Fence	Ft	2,142.000
125	Sediment Control at Inlet with Frame and Grate	Each	3.000
126	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	16.000
127	Sweeping	Hour	32.000
128	Non-woven Separator Fabric	SqYd	445.000
129	Concrete Washout Facility	Each	2.000
130	Construction Entrance	Each	6.000

5. P 0045(66)30 **Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206** **Phone: 605/995-8120**
Work Type 8 **DBE Goal: Not Specified** **Contract Id: 9451** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Bridge Elevation Survey	LS	1.000
3	Remove Concrete Curb and/or Gutter	Ft	80.000
4	Remove Drop Inlet Frame and Grate Assembly	Each	2.000
5	Remove Asphalt Concrete Pavement	SqYd	192.000
6	Remove Granular Material	CuYd	32.500
7	Remove Type 1 MGS for Reset	Ft	150.000
8	Base Course	Ton	20.000
9	Asphalt Concrete Composite	Ton	6.800
10	Membrane Sealant Expansion Joint	Ft	74.400
11	Granular Bridge End Backfill	CuYd	13.100
12	Concrete Approach Slab for Bridge	SqYd	169.800
13	Concrete Approach Sleeper Slab for Bridge	SqYd	37.400
14	Install Dowel in Concrete	Each	48.000
15	No. 4 Rebar Splice	Each	28.000
16	No. 5 Rebar Splice	Each	32.000
17	No. 6 Rebar Splice	Each	46.000
18	Beam Guardrail Post and Block	Each	5.000
19	Reset Type 1 MGS	Ft	150.000
20	Flagging	Hour	20.000
21	Traffic Control Signs	SqFt	195.400
22	Traffic Control, Miscellaneous	LS	1.000
23	Temporary Raised Pavement Markers	Ft	2,200.000
24	4" Temporary Pavement Marking Tape Type I	Ft	144.000
25	Temporary Pavement Marking	Ft	2,200.000
26	Type A Frame and Grate	Each	2.000
27	Precast Drop Inlet Collar	Each	2.000

6. P 0052(09)340 **Area Engineer: Greg Rothschadl, 1306 W 31st St, Yankton, SD, 57078-9662** **Phone: 605/668-2929**
Work Type 10 **DBE Goal: Not Specified** **Contract Id: 9471** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Traffic Sign	Each	4.000
3	Remove Luminaire Pole	Each	2.000
4	Remove Luminaire Pole Footing	Each	2.000
5	Remove Sign for Reset	Each	1.000
6	Incidental Work	LS	1.000
7	2.0"x2.0" Perforated Tube Post	Ft	6.000
8	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	74.500
9	Reset Sign	Each	1.000
10	Preformed Thermoplastic Pavement Marking, 4"	Ft	30.000
11	Preformed Thermoplastic Pavement Marking, 24"	Ft	200.000
12	Preformed Thermoplastic Pavement Marking, Arrow	Each	2.000
13	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	30.000
14	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	200.000
15	Grooving for Cold Applied Plastic Pavement Marking, Symbol	Each	2.000

38	Type 1A Cover Aggregate	Ton	1,991.200
39	Type 1A Cover Aggregate	Ton	417.100
40	Type 1A Cover Aggregate	Ton	1,883.300
41	Type 1A Cover Aggregate	Ton	1,067.600
42	Cold Applied Plastic Pavement Marking, 24"	Ft	346.000
43	Cold Applied Plastic Pavement Marking, Arrow	Each	8.000
44	Cold Applied Plastic Pavement Marking, Combination Arrow	Each	2.000
45	High Build Waterborne Pavement Marking Paint, White	Gal	6,648.000
46	High Build Waterborne Pavement Marking Paint, Yellow	Gal	2,914.000
47	Pavement Marking Masking, 5"	Ft	10,370.000
48	Pavement Marking Masking, 13"	Ft	423.000
49	Pavement Marking Masking, 25"	Ft	3,149.000
50	Pavement Marking Masking, Area	SqFt	370.000
51	Pavement Marking Masking, Arrow	Each	154.000
52	Pavement Marking Masking, Combination Arrow	Each	4.000
53	Pavement Marking Masking, Railroad Crossing	Each	12.000
54	Flagging	Hour	610.000
55	Pilot Car	Hour	172.500
56	Traffic Control Signs	SqFt	7,761.400
57	Traffic Control, Miscellaneous	LS	1.000
58	Type C Advance Warning Arrow Board	Each	8.000
59	Temporary Pavement Marking	Mile	374.100
60	Railroad Protective Insurance	LS	1.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 8 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION