

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on May 19, 2021, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	P TAPR(34) (PCN 074D)	Turner	0.460	Shared Use Path	Viborg along E Park Ave from Sorenson St to Commercial St and from Nora St to Industrial St
2.	NH 0042(85) (PCN 07KY)	Butte, Custer, Fall River, Lawrence	14.896	Pavement Restoration, NGCS Grinding, Asphalt Concrete Surfacing, Median Ditch Repair & Weigh In Motion Upgrades	Various Routes in the Belle Fourche & Custer Areas
3.	NH 0014(208)230 (PCN 04XQ)	Hughes SWPPP = 2.00 AC	18.403	Asphalt Concrete Resurfacing, Pipe Work	US14 - Fm W of SD1804 to W of the US83 N Jct (Blunt Jct)
4.	P 0044(225)290 (PCN 087V)	Gregory SWPPP = 7.30 AC	---	Slide Repair	SD44 - 0.3 W of Platte/Winner Bridge - Gregory County
5.	P 000S(00)228 (PCN 04M6)	Regionwide	---	County Pavement Marking	Various Locations in the Pierre Region
6.	P 000S(00)230 (PCN 04M4)	Regionwide	---	County Pavement Marking	Various Locations in the Aberdeen Region

* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	P TAPR(34)	Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662			Phone: 605/668-2929
	Work Type 14	DBE Goal: Not Specified	Contract Id: 8486	See Special Provisions for Completion Requirements	
	1 Mobilization			LS	1.000
	2 Construction Staking			LS	1.000
	3 Clear and Grub Tree			Each	4.000
	4 Clearing			LS	1.000
	5 Remove Fence			Ft	2.000
	6 Remove Concrete Sidewalk			SqYd	103.200
	7 Remove Erosion Control Wattle			Ft	416.000
	8 Remove Fence for Reset			Ft	62.000
	9 Unclassified Excavation			CuYd	374.000
	10 Placing Embankment			CuYd	205.000
	11 Placing Topsoil			CuYd	157.000
	12 Incidental Work			LS	1.000
	13 Base Course			Ton	32.200
	14 Gravel Cushion			Ton	354.200
	15 Asphalt Concrete Composite			Ton	26.600
	16 Structure Excavation, Miscellaneous			CuYd	8.000
	17 6" Gate Valve with Box			Each	1.000
	18 Adjust Water Valve Box			Each	3.000
	19 Move Fire Hydrant			Each	1.000
	20 Class M6 Concrete			CuYd	3.500
	21 Pipe Handrail			Ft	26.000
	22 Epoxy Coated Reinforcing Steel			Lb	257.000
	23 Type C Concrete Retaining Wall			SqFt	400.000
	24 Reset Fence			Ft	62.000
	25 Traffic Control Signs			SqFt	104.000
	26 Traffic Control, Miscellaneous			LS	1.000
	27 Longitudinal Pedestrian Barricade			Ft	758.000
	28 Longitudinal Pedestrian Barrier			Ft	778.000
	29 6" Concrete Valley Gutter			SqYd	4.000
	30 4" Concrete Sidewalk			SqFt	14,365.000
	31 6" Concrete Sidewalk			SqFt	84.000
	32 Special Sidewalk			SqFt	357.000
	33 Type 1 Detectable Warnings			SqFt	177.000
	34 Type C Permanent Seed Mixture			Lb	2.000
	35 Type D Permanent Seed Mixture			Lb	28.000
	36 Fertilizing			Lb	291.000
	37 Mulching			Ton	1.500
	38 6" Diameter Erosion Control Wattle			Ft	416.000
	39 High Flow Silt Fence			Ft	16.000
	40 Mucking Silt Fence			CuYd	2.000
	41 Repair Silt Fence			Ft	10.000
	42 Sediment Control at Inlet with Frame and Grate			Each	1.000
	43 Concrete Washout Facility			Each	1.000
2.	NH 0042(85)	Area Engineer: John Matthesen, W Hwy 34, Belle Fourche, SD, 57717-0786			Phone: 605/892-2872
	Work Type 4	DBE Goal: Not Specified	Contract Id: 8553	See Special Provisions for Completion Requirements	
	1 Mobilization			LS	1.000
	2 Incentive/Disincentive Pay			Day	0.000
	3 Incentive/Disincentive Pay			Day	0.000
	4 Remove Concrete Curb and/or Gutter			Ft	118.000
	5 Remove Asphalt Concrete Pavement			SqYd	19,548.900
	6 Remove Concrete Pavement			SqYd	1,827.700
	7 Remove Concrete Median Pavement			SqYd	41.400
	8 Remove Silt Fence			Ft	300.000

9	Remove Sign for Reset	Each	19.000
10	Remove Delineator for Reset	Each	45.000
11	Remove Pipe End Section for Reset	Each	2.000
12	Unclassified Excavation	CuYd	6,819.000
13	Water for Granular Material	MGal	32.900
14	Incidental Work	LS	1.000
15	Base Course	Ton	6,212.200
16	Gravel Cushion	Ton	111.900
17	Shot Rock	Ton	4,333.300
18	Asphalt Concrete Composite	Ton	4,740.100
19	Cold Milling Asphalt Concrete	SqYd	2,455.000
20	Asphalt Concrete Crack Sealing	Lb	71,662.000
21	8.5" Nonreinforced PCC Pavement	SqYd	1,839.600
22	4" Barrier Type Median PCC Pavement	SqYd	41.400
23	6" PCC Approach Pavement	SqYd	10.000
24	Nonreinforced PCC Pavement Repair	SqYd	205.800
25	Dowel Bar	Each	526.000
26	Insert Steel Bar in PCC Pavement	Each	1,042.000
27	Reseal PCC Pavement Joint - Hot Pour	Ft	205,790.000
28	Seal Random Cracks in PCC Pavement	Ft	3,419.000
29	NGCS Grinding PCC Pavement	SqYd	235,206.400
30	Grinding PCC Pavement	SqYd	39,201.000
31	Repair Type A Spall	SqFt	133.700
32	Reset Pipe End Section	Each	2.000
33	6" PVC Pipe	Ft	45.000
34	Reset Delineator	Each	45.000
35	Reset Sign	Each	19.000
36	Cold Applied Plastic Pavement Marking, 4"	Ft	28,027.000
37	High Build Waterborne Pavement Marking Paint, White	Gal	503.000
38	High Build Waterborne Pavement Marking Paint, Yellow	Gal	253.000
39	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	28,027.000
40	Grooving for Durable Pavement Marking, 4"	Ft	177,396.000
41	Flagging	Hour	800.000
42	Pilot Car	Hour	400.000
43	Traffic Control Signs	SqFt	911.000
44	Traffic Control, Miscellaneous	LS	1.000
45	Type 3 Barricade	Each	4.000
46	Type C Advance Warning Arrow Board	Each	2.000
47	Temporary Pavement Marking	Mile	33.400
48	Type F68.5 Concrete Curb and Gutter	Ft	115.000
49	Type C9 Concrete Gutter	Ft	27.000
50	Type P8.5 Concrete Gutter	Ft	12.000
51	Low Flow Silt Fence	Ft	300.000
52	Mucking Silt Fence	CuYd	5.000
53	Repair Silt Fence	Ft	45.000
54	Reinforcement Fabric (MSE)	SqYd	14,087.000

3.	NH 0014(208)230	Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405		Phone: 605/773-5294
	Work Type 5	DBE Goal: Not Specified	Contract Id: 8549	See Special Provisions for Completion Requirements
1	Mobilization	LS	1.000	
2	Construction Staking	LS	1.000	
3	Engineer Directed Surveying/Staking	Hour	40.000	
4	Checker	LS	1.000	
5	Construction Schedule, Category II	LS	1.000	
6	Remove Pipe Culvert	Ft	6.000	
7	Remove Pipe End Section	Each	15.000	

8	Remove Fence	Ft	340.000
9	Remove Asphalt Concrete Pavement	SqYd	604.000
10	Remove Silt Fence	Ft	462.000
11	Remove Pipe for Reset	Ft	6.000
12	Remove Pipe End Section for Reset	Each	1.000
13	Unclassified Excavation	CuYd	1,395.000
14	Unclassified Excavation, Digouts	CuYd	346.000
15	Contractor Furnished Borrow Excavation	CuYd	423.000
16	Reprofiling Ditch	Sta	9.300
17	Placing Topsoil	CuYd	722.000
18	Contractor Furnished Topsoil	CuYd	527.000
19	Incidental Work	LS	1.000
20	Base Course	Ton	2,889.500
21	Asphalt Concrete Composite	Ton	2,096.200
22	Compaction Sample	Each	3.000
23	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	17.000
24	Grind Sinusoidal Centerline Rumble Stripe in Asphalt Concrete	Mile	8.500
25	SS-1h or CSS-1h Asphalt for Tack	Ton	145.800
26	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	8.600
27	Cold Milling Asphalt Concrete	SqYd	5,177.000
28	Structure Excavation, Box Culvert	CuYd	9.000
29	24" RCP Flared End, Furnish	Each	1.000
30	24" RCP Flared End, Install	Each	1.000
31	18" CMP 12 Gauge, Furnish	Ft	6.000
32	18" CMP, Install	Ft	6.000
33	18" CMP Sloped End, Furnish	Each	13.000
34	18" CMP Sloped End, Install	Each	13.000
35	24" CMP Sloped End, Furnish	Each	1.000
36	24" CMP Sloped End, Install	Each	1.000
37	Cleanout Pipe Culvert	Each	1.000
38	Cleanout for Culvert Treatment	Each	1.000
39	Reset Pipe	Ft	6.000
40	Reset Pipe End Section	Each	1.000
41	18" Cured in Place Pipe	Ft	80.000
42	Class A45 Concrete, Box Culvert	CuYd	8.500
43	Breakout Structural Concrete	CuYd	8.500
44	Reinforcing Steel	Lb	677.000
45	Type III Field Laboratory	Each	1.000
46	Type 1 Right-of-Way Fence	Ft	211.000
47	Type 2 Right-of-Way Fence	Ft	340.000
48	Type 1 Temporary Fence	Ft	500.000
49	2 Post Panel	Each	1.000
50	3 Post Panel	Each	2.000
51	Cold Applied Plastic Pavement Marking, 4"	Ft	30,923.000
52	Cold Applied Plastic Pavement Marking, 8"	Ft	9,200.000
53	Cold Applied Plastic Pavement Marking, 24"	Ft	2,121.000
54	Cold Applied Plastic Pavement Marking, Arrow	Each	40.000
55	Cold Applied Plastic Pavement Marking, Message	Word	4.000
56	High Build Waterborne Pavement Marking Paint, White	Gal	807.000
57	High Build Waterborne Pavement Marking Paint, Yellow	Gal	243.000
58	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	30,923.000
59	Grooving for Cold Applied Plastic Pavement Marking, 8"	Ft	9,200.000
60	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	2,121.000
61	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	40.000
62	Grooving for Cold Applied Plastic Pavement Marking, Message	Word	4.000
63	Grooving for Durable Pavement Marking, 4"	Ft	175,920.000

64	Flagging	Hour	375.000
65	Pilot Car	Hour	150.000
66	Traffic Control Signs	SqFt	1,222.000
67	Traffic Control, Miscellaneous	LS	1.000
68	Type C Advance Warning Arrow Board	Each	2.000
69	Temporary Pavement Marking	Mile	26.500
70	Type B6 Concrete Curb	Ft	394.000
71	8" Concrete Valley Gutter	Ft	33.000
72	Precast Drop Inlet Collar	Each	1.000
73	Class A Riprap	Ton	89.600
74	PVC Coated Bank and Channel Protection Gabion	CuYd	27.500
75	Hydroseeding	SqYd	8,246.000
76	Fiber Mulching	Lb	3,417.000
77	Type 3 Erosion Control Blanket	SqYd	3,154.000
78	Type 3 Turf Reinforcement Mat	SqYd	319.800
79	12" Diameter Erosion Control Wattle	Ft	652.000
80	Shaping for Erosion Control Blanket	Ft	700.000
81	Low Flow Silt Fence	Ft	975.000
82	High Flow Silt Fence	Ft	873.000
83	Mucking Silt Fence	CuYd	128.000
84	Repair Silt Fence	Ft	462.000
85	Type B Drainage Fabric	SqYd	228.000
86	Refurbish Single Mailbox	Each	33.000
87	Refurbish Double Mailbox	Each	36.000
88	Storage Unit	Each	1.000
89	Miscellaneous Work	Site	10.000
90	PG 64-34 Asphalt Binder	Ton	1,575.200
91	Modified Class S Asphalt Concrete	Ton	21,479.300
92	Asphalt Concrete Leveling Lift	Ton	2,996.000
93	Stabilizing Additive for Asphalt Concrete	Ton	68.000
94	Hydrated Lime	Ton	31.400
95	PG 64-34 Asphalt Binder	Ton	1,436.700
96	Class S Asphalt Concrete	Ton	22,054.400
97	Asphalt Concrete Leveling Lift	Ton	3,078.200
98	Stabilizing Additive for Asphalt Concrete	Ton	68.100
99	Hydrated Lime	Ton	31.400

4. **P 0044(225)290** **Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206** **Phone: 605/995-8120**
Work Type 2 **DBE Goal: Not Specified** **Contract Id: 8565** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Reestablish Right-of-Way and Property Corner	Each	20.000
3	Reestablish Public Land Survey System Corner	Each	1.000
4	Grade Staking	Mile	0.052
5	Final Cross Section Survey	Mile	0.289
6	Miscellaneous Staking	Mile	0.289
7	Slope Staking	Mile	0.118
8	Engineer Directed Surveying/Staking	Hour	20.000
9	Clearing	LS	1.000
10	Remove Fence	Ft	1,682.000
11	Remove Asphalt Concrete Pavement	SqYd	821.000
12	Remove Sediment	CuYd	1.000
13	Remove Erosion Control Wattle	Ft	63.000
14	Remove Silt Fence	Ft	915.000
15	Unclassified Excavation	CuYd	118,853.000
16	Reprofiling Ditch	Sta	4.000
17	Water for Embankment	MGal	1,782.800

18	Placing Topsoil	CuYd	5,485.000
19	Incidental Work, Grading	LS	1.000
20	Base Course	Ton	690.400
21	Asphalt Concrete Composite	Ton	246.800
22	24" RCP Class 2, Furnish	Ft	128.000
23	24" RCP, Install	Ft	128.000
24	24" RCP Sloped End, Furnish	Each	2.000
25	24" RCP Sloped End, Install	Each	2.000
26	18" CMP 14 Gauge, Furnish	Ft	114.000
27	18" CMP, Install	Ft	114.000
28	18" CMP Elbow, Furnish	Each	2.000
29	18" CMP Elbow, Install	Each	2.000
30	18" CMP Flared End, Furnish	Each	1.000
31	18" CMP Flared End, Install	Each	1.000
32	30" CMP Sloped End, Furnish	Each	2.000
33	30" CMP Sloped End, Install	Each	2.000
34	18" CMP Safety End, Furnish	Each	1.000
35	18" CMP Safety End, Install	Each	1.000
36	30" Steel Pipe, Furnish	Ft	184.000
37	30" Steel Pipe, Install	Ft	14.000
38	Bore and Jack 30" Pipe	Ft	170.000
39	Cellular Grout	CuYd	96.300
40	Type II Field Laboratory	Each	1.000
41	Type 2 Right-of-Way Fence	Ft	925.000
42	Type 3 Right-of-Way Fence	Ft	1,140.000
43	Type 2 Temporary Fence	Ft	1,440.000
44	2 Post Panel	Each	23.000
45	3 Post Panel	Each	1.000
46	High Build Waterborne Pavement Marking Paint, 4" White	Ft	600.000
47	High Build Waterborne Pavement Marking Paint, 4" Yellow	Ft	300.000
48	Flagging	Hour	1,000.000
49	Pilot Car	Hour	500.000
50	Traffic Control Signs	SqFt	201.000
51	Traffic Control, Miscellaneous	LS	1.000
52	4" Underdrain Pipe	Ft	60.000
53	4" Slotted Corrugated Polyethylene Drainage Tubing	Ft	712.000
54	Concrete Headwall for Underdrain	Each	2.000
55	Porous Backfill	Ton	299.000
56	PVC Coated Bank and Channel Protection Gabion	CuYd	15.000
57	Cover Crop Seeding	Bu	2.000
58	Type F Permanent Seed Mixture	Lb	216.000
59	Fertilizing	Ton	6.230
60	Mulching	Ton	18.600
61	Bonded Fiber Matrix	Ton	17.000
62	Type 3 Erosion Control Blanket	SqYd	3,240.000
63	Type 4 Erosion Control Blanket	SqYd	390.000
64	12" Diameter Erosion Control Wattle	Ft	250.000
65	Remove and Reset Erosion Control Wattle	Ft	63.000
66	Surface Roughening	Acre	8.300
67	Shaping for Erosion Control Blanket	Ft	620.000
68	Low Flow Silt Fence	Ft	3,500.000
69	High Flow Silt Fence	Ft	154.000
70	Mucking Silt Fence	CuYd	253.000
71	Repair Silt Fence	Ft	915.000
72	Type B Drainage Fabric	SqYd	49.000
73	Construction Entrance	Each	1.000

5.	P 000S(00)228	Area Engineer: John Villbrandt, PO Box 488, Mobridge, SD, 57601-0488			Phone: 605/845-3844
	Work Type 11	DBE Goal: NONE	Contract Id: 8632	See Special Provisions for Completion Requirements	
	1 Mobilization		LS		1.000
	2 High Build Waterborne Pavement Marking Paint, White		Gal		3,805.000
	3 High Build Waterborne Pavement Marking Paint, Yellow		Gal		521.000
	4 High Build Waterborne Pavement Marking Paint, Railroad Crossing		Each		2.000
	5 Traffic Control, Miscellaneous		LS		1.000
6.	P 000S(00)230	Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201			Phone: 605/882-5166
	Work Type 11	DBE Goal: NONE	Contract Id: 8634	See Special Provisions for Completion Requirements	
	1 Mobilization		LS		1.000
	2 High Build Waterborne Pavement Marking Paint, White		Gal		18,040.000
	3 High Build Waterborne Pavement Marking Paint, Yellow		Gal		4,211.000
	4 High Build Waterborne Pavement Marking Paint, Arrow		Each		2.000
	5 High Build Waterborne Pavement Marking Paint, Railroad Crossing		Each		13.000
	6 Traffic Control, Miscellaneous		LS		1.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 4, have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations. Minimum wage rates for 5 and 6 have been predetermined by the Department of Transportation, and are set forth in the advertised specification.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION