

## Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on May 21, 2025, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
* 1.	P TAPU(35) (PCN 08W4)	Union SWPPP = 2.71 AC	0.810	PCC Shared Use Path	North Sioux City - Fm the Jct of Sodrac Dr & River Dr to the Jct of Sioux Point Rd & Shay Rd
* 2.	P TAPU(36) (PCN 08W5)	Union SWPPP = 2.29 AC	0.810	PCC Shared Use Path	Dakota Dunes - Along Sioux Point Rd fm Shay Rd to Dakota Dunes Blvd
3.	P TAPR(48) (PCN 08WA)	Clay SWPPP = 1.00 AC	0.264	Grading, Sidewalk and Pedestrian Ramps	Wakonda - Along 2nd St fm Nebraska St to Ohio St, along Ohio St fm 2nd St to approx 100' S
4.	PH 0030(46) (PCN 09FP)	Bennett, Potter, Sully, Todd, Tripp	100.300	Centerline Rumble Stripes	Various Locations in the Pierre Region
5.	NH-P 0021(187), P 0023(70) (PCN 09KM, 09KU)	Aurora, Brule, Buffalo, Douglas, Gregory, Hanson, McCook, Yankton	81.100	Rout & Seal	Various Locations in the Mitchell Area
6.	IM 0033(45) (PCN 09KT)	Lyman	24.700	Rout & Seal	Various Locations in the Winner Area
7.	NH-P 0031(61) (PCN 09L3)	Haakon, Jackson, Potter, Stanley	35.500	Asphalt Surface Treatment	Various Locations in the Pierre Area

\* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	<b>P TAPU(35)</b>	<b>Area Engineer: Greg Rothschadl, 1306 W 31st St, Yankton, SD, 57078-9662</b>			<b>Phone: 605/668-2929</b>
	<b>Work Type 14</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 9422</b>	<b>See Special Provisions for Completion Requirements</b>	
	1 Mobilization		LS		1.000
	2 Grade Staking		Mile		0.810
	3 Miscellaneous Staking		Mile		0.810
	4 Engineer Directed Surveying/Staking		Hour		20.000
	5 Remove Manhole Frame and Lid		Each		1.000
	6 Remove Pipe End Section		Each		2.000
	7 Remove Asphalt Concrete Pavement		SqYd		5.000
	8 Remove Concrete Pavement		SqYd		18.000
	9 Remove Concrete Sidewalk		SqYd		265.600
	10 Remove Silt Fence		Ft		1,440.000
	11 Salvage Traffic Sign		Each		2.000
	12 Remove Sign for Reset		Each		3.000
	13 Unclassified Excavation		CuYd		2,368.000
	14 Contractor Furnished Borrow Excavation		CuYd		3,291.000
	15 Water for Granular Material		MGal		22.700
	16 Water for Vegetation		MGal		615.400
	17 Placing Topsoil		CuYd		1,612.000
	18 Incidental Work, Grading		LS		1.000
	19 Gravel Cushion		Ton		1,898.500
	20 Asphalt Concrete Composite		Ton		1.000
	21 6" PCC Approach Pavement		SqYd		10.000
	22 8" PCC Fillet Section		SqYd		18.000
	23 Insert Steel Bar in PCC Pavement		Each		29.000
	24 18" RCP Class 2, Furnish		Ft		62.000
	25 18" RCP, Install		Ft		62.000
	26 18" RCP Flared End, Furnish		Each		2.000
	27 18" RCP Flared End, Install		Each		2.000
	28 18" CMP 16 Gauge, Furnish		Ft		30.000
	29 18" CMP, Install		Ft		30.000
	30 18" CMP Elbow, Furnish		Each		1.000
	31 18" CMP Elbow, Install		Each		1.000
	32 18" CMP Flared End, Furnish		Each		3.000
	33 18" CMP Flared End, Install		Each		3.000
	34 Class M6 Concrete		CuYd		1.300
	35 Reinforcing Steel		Lb		32.000
	36 2.0"x2.0" Perforated Tube Post		Ft		27.300
	37 Reset Sign		Each		3.000
	38 Flagging		Hour		20.000
	39 Traffic Control Signs		SqFt		194.000
	40 Traffic Control, Miscellaneous		LS		1.000
	41 Adjust Electrical Junction Box		Each		4.000
	42 6" Concrete Sidewalk		SqFt		37,823.000
	43 6" Colored Concrete Sidewalk		SqFt		462.000
	44 Type 1 Detectable Warnings		SqFt		206.000
	45 Special Frame and Grate		Each		3.000
	46 Adjust Junction Box		Each		3.000
	47 Adjust Manhole		Each		3.000
	48 Connect Into Existing Manhole		Each		4.000
	49 Reconstruct Manhole		Each		6.000
	50 Type D Permanent Seed Mixture		Lb		11.000
	51 Special Permanent Seed Mixture 1		Lb		407.000
	52 Fertilizing		Lb		2,118.000
	53 Fiber Mulching		Ton		2.700

54	Low Flow Silt Fence	Ft	1,380.000
55	High Flow Silt Fence	Ft	60.000
56	Mucking Silt Fence	CuYd	100.000
57	Repair Silt Fence	Ft	360.000
58	Sediment Control at Inlet with Frame and Grate	Each	8.000
59	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	24.000
60	Concrete Washout Facility	Each	2.000
61	Construction Entrance	Each	2.000

2. **P TAPU(36)** **Area Engineer: Greg Rothschadl, 1306 W 31st St, Yankton, SD, 57078-9662** **Phone: 605/668-2929**  
**Work Type 14** **DBE Goal: Not Specified** **Contract Id: 9421** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Grade Staking	Mile	0.815
3	Miscellaneous Staking	Mile	0.815
4	Engineer Directed Surveying/Staking	Hour	20.000
5	Clearing	LS	1.000
6	Remove Concrete Footing(s)	LS	1.000
7	Remove Delineator	Each	3.000
8	Remove Concrete Curb and/or Gutter	Ft	124.000
9	Remove Concrete Pavement	SqYd	159.600
10	Remove Concrete Sidewalk	SqYd	4.400
11	Remove Luminaire Pole Footing	Each	8.000
12	Remove Silt Fence	Ft	485.000
13	Salvage Luminaire Pole	Each	8.000
14	Remove Sign for Reset	Each	8.000
15	Remove Pipe End Section for Reset	Each	2.000
16	Unclassified Excavation	CuYd	2,834.000
17	Water for Granular Material	MGal	22.900
18	Water for Vegetation	MGal	507.800
19	Placing Topsoil	CuYd	1,214.000
20	Incidental Work, Grading	LS	1.000
21	Gravel Cushion	Ton	1,901.900
22	6" PCC Fillet Section	SqYd	159.500
23	Insert Steel Bar in PCC Pavement	Each	360.000
24	18" RCP Class 2, Furnish	Ft	8.000
25	18" RCP, Install	Ft	8.000
26	18" RCP Bend, Furnish	Each	2.000
27	18" RCP Bend, Install	Each	2.000
28	18" CMP 16 Gauge, Furnish	Ft	4.000
29	18" CMP, Install	Ft	4.000
30	18" CMP Elbow, Furnish	Each	1.000
31	18" CMP Elbow, Install	Each	1.000
32	12" CMP Flared End, Furnish	Each	1.000
33	12" CMP Flared End, Install	Each	1.000
34	18" CMP Flared End, Furnish	Each	1.000
35	18" CMP Flared End, Install	Each	1.000
36	Reset Pipe End Section	Each	2.000
37	6" PVC Pipe	Ft	6.000
38	6" PVC Water Main	Ft	18.000
39	6" Retainer Gland	Each	6.000
40	6" Pipe Sleeve	Each	2.000
41	Water Main Bedding Material	Ft	18.000
42	Adjust Water Valve Box	Each	3.000
43	Cut and Tie to Existing Water Main	Each	2.000
44	Remove and Reset Fire Hydrant	Each	2.000
45	Type C Concrete Retaining Wall	SqFt	623.000

46	2.0"x2.0" Perforated Tube Post	Ft	30.800
47	2.25"x2.25" Perforated Tube Post	Ft	10.500
48	2.5"x2.5" Perforated Tube Post	Ft	4.500
49	Reset Sign	Each	8.000
50	Cold Applied Plastic Pavement Marking, 24"	Ft	40.000
51	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	40.000
52	Flagging	Hour	20.000
53	Traffic Control Signs	SqFt	250.000
54	Traffic Control, Miscellaneous	LS	1.000
55	Type 3 Barricade	Each	2.000
56	Type C Advance Warning Arrow Board	Each	1.000
57	Breakaway Base Luminaire Pole with Arm, 25' Mounting Height	Each	11.000
58	Breakaway Base Luminaire Pole with Twin Arms, 25' Mounting Height	Each	15.000
59	Roadway Luminaire, LED with Photoelectric Cell	Each	41.000
60	2' Diameter Footing	Ft	182.000
61	Type 2 Electrical Junction Box	Each	5.000
62	Electrical Service Cabinet	Each	2.000
63	Miscellaneous, Electrical	LS	1.000
64	2" Rigid Conduit, Schedule 40	Ft	4,095.000
65	2" Rigid Conduit, Schedule 80	Ft	1,180.000
66	1/C #4 AWG Copper Wire	Ft	12,965.000
67	1/C #6 AWG Copper Wire	Ft	9,460.000
68	2/C #10 AWG Copper Pole and Bracket Cable	Ft	1,435.000
69	Modified Type B66 Concrete Curb and Gutter	Ft	124.000
70	6" Concrete Sidewalk	SqFt	38,844.000
71	Type 1 Detectable Warnings	SqFt	602.000
72	Adjust Junction Box	Each	5.000
73	12" Corrugated Polyethylene Drainage Tubing	Ft	4.000
74	Type D Permanent Seed Mixture	Lb	338.000
75	Special Permanent Seed Mixture 1	Lb	125.000
76	Fertilizing	Lb	1,747.000
77	Fiber Mulching	Ton	2.400
78	Low Flow Silt Fence	Ft	445.000
79	High Flow Silt Fence	Ft	40.000
80	Mucking Silt Fence	CuYd	33.000
81	Repair Silt Fence	Ft	122.000
82	Sediment Control at Inlet with Frame and Grate	Each	3.000
83	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	192.000
84	Tree Trimming	Each	1.000
85	Refurbish Single Mailbox	Each	1.000
86	Concrete Washout Facility	Each	2.000
87	Construction Entrance	Each	2.000

3.	<b>P TAPR(48)</b>	<b>Area Engineer: Greg Rothschadl, 1306 W 31st St, Yankton, SD, 57078-9662</b>		<b>Phone: 605/668-2929</b>	
	<b>Work Type 14</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 9747</b>	<b>See Special Provisions for Completion Requirements</b>	
1	Mobilization	LS	1.000		
2	Grade Staking	Mile	0.272		
3	Miscellaneous Staking	Mile	0.272		
4	Engineer Directed Surveying/Staking	Hour	8.000		
5	Clearing	LS	1.000		
6	Remove Asphalt Concrete Pavement	SqYd	69.900		
7	Remove Concrete Driveway Pavement	SqYd	1.400		
8	Remove Concrete Sidewalk	SqYd	576.000		
9	Unclassified Excavation	CuYd	193.000		
10	Remove and Replace Topsoil	LS	1.000		
11	6" Reinforced PCC Approach Pavement	SqYd	0.700		

12	Adjust Curb Stop Box	Each	1.000
13	Traffic Control Signs	SqFt	238.000
14	Traffic Control, Miscellaneous	LS	1.000
15	Type 3 Barricade	Each	8.000
16	5" Reinforced Concrete Sidewalk	SqFt	6,307.000
17	6" Reinforced Concrete Sidewalk	SqFt	1,523.000
18	Type 1 Detectable Warnings	SqFt	90.000
19	Type D Permanent Seed Mixture	Lb	188.000
20	Fertilizing	Lb	81.000
21	Fiber Mulching	Lb	1,235.000
22	Sediment Control at Inlet with Frame and Grate	Each	3.000
23	Gravel Surfacing	Ton	2.800
24	Remove Existing Plant and Landscape Materials	LS	1.000

**4. PH 0030(46) Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405 Phone: 605/773-5294**  
**Work Type 13 DBE Goal: Not Specified Contract Id: 9784 See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Reseal PCC Pavement Joint - Hot Pour	Ft	475,432.000
3	Saw Joint in PCC Pavement	Ft	475,432.000
4	Grind Sinusoidal Centerline Rumble Stripe in PCC Pavement	Mile	90.000
5	Cold Applied Plastic Pavement Marking, 4"	Ft	12,357.000
6	Cold Applied Plastic Pavement Marking, 24"	Ft	287.000
7	Cold Applied Plastic Pavement Marking, Arrow	Each	4.000
8	High Build Waterborne Pavement Marking Paint with Reflective Elements, White	Gal	5,012.000
9	High Build Waterborne Pavement Marking Paint with Reflective Elements, Yellow	Gal	1,311.000
10	High Build Waterborne Pavement Marking Paint, 24" Yellow	Ft	523.000
11	High Build Waterborne Pavement Marking Paint, Arrow	Each	4.000
12	High Build Waterborne Pavement Marking Paint, Message	Each	1.000
13	Flagging	Hour	1,800.000
14	Pilot Car	Hour	800.000
15	Traffic Control Signs	SqFt	274.000
16	Traffic Control, Miscellaneous	LS	1.000
17	Temporary Flexible Vertical Markers (Tabs)	Mile	90.000

**5. NH-P 0021(187), P 0023(70) Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206 Phone: 605/995-8120**  
**Work Type 6 DBE Goal: Not Specified Contract Id: 9790 See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Asphalt Concrete Crack Sealing	Lb	361,958.000
3	High Build Waterborne Pavement Marking Paint, White	Gal	4,780.000
4	High Build Waterborne Pavement Marking Paint, Yellow	Gal	1,938.000
5	Flagging	Hour	2,350.000
6	Pilot Car	Hour	1,130.000
7	Traffic Control Signs	SqFt	1,386.200
8	Traffic Control, Miscellaneous	LS	1.000
9	Type 3 Barricade	Each	8.000
10	Type C Advance Warning Arrow Board	Each	4.000

**6. IM 0033(45) Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771 Phone: 605/842-0810**  
**Work Type 6 DBE Goal: Not Specified Contract Id: 9802 See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Asphalt Concrete Crack Sealing	Lb	61,444.000
3	Flagging	Hour	336.000
4	Traffic Control Signs	SqFt	1,050.200
5	Traffic Control, Miscellaneous	LS	1.000
6	Type 3 Barricade	Each	40.000
7	Temporary Raised Pavement Markers	Ft	13,440.000
8	Type C Advance Warning Arrow Board	Each	2.000

7.	NH-P 0031(61)	Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405			Phone: 605/773-5294
	Work Type 6	DBE Goal: Not Specified	Contract Id: 9805	See Special Provisions for Completion Requirements	
1	Mobilization		LS		1.000
2	SS-1h or CSS-1h Asphalt for Fog Seal		Ton		157.200
3	Sand for Fog Seal		Ton		35.000
4	CRS-2P Asphalt for Surface Treatment		Ton		942.400
5	Modified Cover Aggregate		Ton		2,160.900
6	Modified Cover Aggregate		Ton		1,461.200
7	Modified Cover Aggregate		Ton		1,970.400
8	High Build Waterborne Pavement Marking Paint, White		Gal		1,949.000
9	High Build Waterborne Pavement Marking Paint, Yellow		Gal		1,002.000
10	Pavement Marking Masking, 5"		Ft		13,689.000
11	Pavement Marking Masking, 25"		Ft		74.000
12	Pavement Marking Masking, Area		SqFt		12.000
13	Pavement Marking Masking, Arrow		Each		4.000
14	Flagging		Hour		1,200.000
15	Pilot Car		Hour		200.000
16	Traffic Control Signs		SqFt		1,429.000
17	Traffic Control, Miscellaneous		LS		1.000
18	Temporary Pavement Marking		Mile		106.600

### Instructions

**PROPOSALS, PLANS AND SPECIFICATIONS:** Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

**MINIMUM WAGE RATES:** Minimum wage rates for 1 through 7 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

**BID PREPARATION:** Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

**NONDISCRIMINATION ASSURANCE:** The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

**EXECUTION OF CONTRACT:** In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

**GENERALLY:** A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt  
SECRETARY OF TRANSPORTATION