

Advertisement of Highway Bid Letting

The U.S. Department of Labor published an updated Davis-Bacon Highway-Heavy Construction Wage Decision for South Dakota. The wage rates are effective for SDDOT's highway construction contracts beginning February 18, 2026. Please refer to new wage rates within the advertised bid proposal package.

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on July 15, 2026, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	BRO-B 8030(30) (PCN 09MP)	Hand SWPPP = 1.18 AC	0.200	Structure (3-9'x7' CIP RCBC) & Approach Grading	Structure 5 W & 13.2 S of Ree Heights on 344 Ave over Elm Creek, SN 30-000-392
2.	IM 0296(35)164 (PCN 09TA)	Hamlin	---	Abutment Repair, Reset Bearing, Membrane, Joints, Approach Slab, Surfacing, Berm Repair	I29 S - Exit 164 (over SD22)
3.	PH 000S(436) (PCN 06U4)	Minnehaha, Union	0.600	High Friction Surface Treatment	Various Locations on the state and local systems in the Aberdeen, Pierre, and Mitchell Regions

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	BRO-B 8030(30)	Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940	Phone: 605/353-7140
	Work Type 9	DBE Goal: NONE	Contract Id: 9966 See Special Provisions for Completion Requirements
	1 Maintenance of Traffic Diversion(s)	LS	1.000
	2 Remove Traffic Diversion(s)	LS	1.000
	3 Mobilization	LS	1.000
	4 Grade Staking	Mile	0.200
	5 Miscellaneous Staking	Mile	0.200
	6 Slope Staking	Mile	0.200
	7 Structure Staking	Each	1.000
	8 Engineer Directed Surveying/Staking	Hour	40.000
	9 Construction Schedule, Category II	LS	1.000
	10 Clearing	LS	1.000
	11 Remove Pipe Culvert	Ft	34.000
	12 Salvage Delineator	Each	18.000
	13 Salvage Riprap	Ton	219.600
	14 Unclassified Excavation	CuYd	2,870.000
	15 Contractor Furnished Borrow Excavation	CuYd	425.000
	16 Placing Topsoil	CuYd	485.000
	17 Incidental Work, Structure	LS	1.000
	18 Structure Excavation, Box Culvert	CuYd	82.000
	19 Box Culvert Undercut	CuYd	281.000
	20 48" CMP 14 Gauge, Furnish	Ft	42.000
	21 48" CMP, Install	Ft	42.000
	22 48" CMP Safety End with Bars, Furnish	Each	2.000
	23 48" CMP Safety End, Install	Each	2.000
	24 Class A45 Concrete, Box Culvert	CuYd	173.800
	25 Reinforcing Steel	Lb	23,931.000
	26 Traffic Control Signs	SqFt	281.600
	27 Traffic Control, Miscellaneous	LS	1.000
	28 Type 3 Barricade	Each	8.000
	29 Class B Riprap	Ton	277.000
	30 Erosion Control	LS	1.000
	31 Type 2 Erosion Control Blanket	SqYd	3,760.000
	32 12" Diameter Erosion Control Wattle	Ft	620.000
	33 Surface Roughening	Acre	0.500
	34 Shaping for Erosion Control Blanket	Ft	170.000
	35 High Flow Silt Fence	Ft	1,012.000
	36 Mucking Silt Fence	CuYd	71.000
	37 Repair Silt Fence	Ft	253.000
	38 Type B Drainage Fabric	SqYd	664.000
	39 Reinforcement Fabric (MSE)	SqYd	407.000

2.	IM 0296(35)164	Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201	Phone: 605/882-5166
	Work Type 8	DBE Goal: NONE	Contract Id: 10072 See Special Provisions for Completion Requirements
	1 Mobilization	LS	1.000
	2 Incentive/Disincentive Pay	Day	0.000
	3 Bridge Elevation Survey	LS	1.000
	4 Construction Schedule, Category II	LS	1.000
	5 Remove Concrete Bridge Approach Slab	SqYd	346.500
	6 Remove 3 Cable Guardrail	Ft	280.000
	7 Remove Beam Guardrail	Ft	145.100
	8 Remove 3 Cable Guardrail Anchor Assembly	Each	2.000
	9 Remove Asphalt Concrete Pavement	SqYd	1,263.400
	10 Remove Concrete Pavement	SqYd	121.400
	11 Remove Erosion Control Wattle	Ft	25.000
	12 Remove Silt Fence	Ft	138.000

13	Remove Type 1 MGS for Reset	Ft	262.000
14	Remove Type 1 Retrofit Guardrail Transition for Reset	Each	1.000
15	Remove Drop Inlet Frame and Grate Assembly for Reset	Each	2.000
16	Unclassified Excavation	CuYd	22.000
17	Contractor Furnished Borrow Excavation	CuYd	102.000
18	Bridge Berm Repair	Each	1.000
19	Shoulder Preparation	Mile	0.095
20	Remove and Replace Topsoil	LS	1.000
21	Base Course	Ton	49.500
22	Asphalt Concrete Composite	Ton	207.400
23	Saw and Seal Shoulder Joint	Ft	432.000
24	6" Nonreinforced PCC Pavement	SqYd	16.000
25	11" Nonreinforced PCC Pavement	SqYd	121.400
26	PCC Shoulder Pavement	SqYd	466.500
27	Insert Steel Bar in PCC Pavement	Each	294.000
28	Structural Steel, Miscellaneous	LS	1.000
29	Modify Girder End	Each	5.000
30	Jack Superstructure, Steel Girder Bridge	LS	1.000
31	Bearing, Furnish	Each	1.000
32	Bearing, Install	Each	1.000
33	Replace Expansion Device	Each	1.000
34	Membrane Sealant Expansion Joint	Ft	219.400
35	Bridge Repainting, Class II	LS	1.000
36	Rust Penetrating Sealer	LS	1.000
37	Paint Residue Containment	LS	1.000
38	Bridge End Embankment	CuYd	4.000
39	Granular Bridge End Backfill	CuYd	26.600
40	Approach Slab Underdrain Excavation	CuYd	4.000
41	Precast Concrete Headwall for Drain	Each	4.000
42	Class A45 Concrete, Bridge Barrier	CuYd	9.400
43	Concrete Approach Slab for Bridge	SqYd	313.300
44	Concrete Approach Sleeper Slab for Bridge	SqYd	54.300
45	Breakout Structural Concrete	CuYd	8.200
46	Breakout and Replace Grout Pad	Each	1.000
47	Install Dowel in Concrete	Each	32.000
48	Epoxy Coated Reinforcing Steel	Lb	733.000
49	No. 4 Rebar Splice	Each	47.000
50	No. 5 Rebar Splice	Each	46.000
51	No. 6 Rebar Splice	Each	74.000
52	Galvanic Anode	Each	83.000
53	Type 1 MGS	Ft	250.000
54	MGS MASH Tangent End Terminal	Each	2.000
55	Beam Guardrail Post and Block	Each	51.000
56	Reset Type 1 MGS	Ft	262.000
57	Reset Type 1 Guardrail Transition	Each	1.000
58	Guardrail Delineator	Each	16.000
59	Durable Pavement Marking, 4" White	Ft	450.000
60	Durable Pavement Marking, 4" Yellow	Ft	100.000
61	Surface Preparation for Pavement Marking	Ft	550.000
62	Traffic Control Signs	SqFt	298.500
63	Traffic Control, Miscellaneous	LS	1.000
64	Type 3 Barricade	Each	1.000
65	Type C Advance Warning Arrow Board	Each	1.000
66	Linear Delineation System Panel, Barrier Mounted	Each	37.000
67	Temporary Pavement Marking	Ft	3,800.000
68	Traffic Control Movable Concrete Barrier	Each	39.000

69	Temporary Concrete Barrier End Protection	Each	1.000
70	Remove and Reset Temporary Concrete Barrier End Protection	Each	1.000
71	Temporary Concrete Barrier End Protection Module Set or Repair Kit	Each	1.000
72	Detour and Restriction Signing	SqFt	622.600
73	Contractor Furnished Vehicle Speed Feedback Sign	Each	1.000
74	Reset Drop Inlet Frame and Grate Assembly	Each	2.000
75	4" Underdrain Pipe	Ft	136.000
76	Porous Backfill	Ton	7.700
77	Erosion Control	LS	1.000
78	12" Diameter Erosion Control Wattle	Ft	100.000
79	Low Flow Silt Fence	Ft	550.000
80	Mucking Silt Fence	CuYd	38.000

3. **PH 000S(436)** **Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107** **Phone: 605/367-5680**
Work Type 16 **DBE Goal: NONE** **Contract Id: 10119** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Construction Schedule, Category I	LS	1.000
3	Nonreinforced PCC Pavement Repair	SqYd	50.000
4	Dowel Bar	Each	90.000
5	Insert Steel Bar in PCC Pavement	Each	145.000
6	Epoxy Pavement Marking Paint, White	Gal	1.000
7	Epoxy Pavement Marking Paint, 4" White	Ft	4,322.000
8	Epoxy Pavement Marking Paint, 4" Yellow	Ft	3,630.000
9	Epoxy Pavement Marking Paint, 8" White	Ft	156.000
10	Epoxy Pavement Marking Paint, 12" White	Ft	144.000
11	Epoxy Pavement Marking Paint, 24" White	Ft	52.000
12	Epoxy Pavement Marking Paint, Arrow	Each	3.000
13	Flagging	Hour	800.000
14	Traffic Control Signs	SqFt	577.100
15	Traffic Control, Miscellaneous	LS	1.000
16	Type 3 Barricade	Each	4.000
17	Type C Advance Warning Arrow Board	Each	2.000
18	Temporary Pavement Marking	Ft	17,083.000
19	Detour and Restriction Signing	SqFt	426.600
20	Contractor Furnished Portable Changeable Message Sign	Each	2.000
21	Contractor Furnished Vehicle Speed Feedback Sign	Each	2.000
22	Longitudinal Pedestrian Barricade	Ft	18.000
23	High Friction Surface Treatment	SqYd	10,172.000
24	Abrasive Blasting of PCC Pavement	SqYd	8,686.000
25	Abrasive Blasting of AC Pavement	SqYd	1,486.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 3 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.14 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION