The SDDOT Proposed Aeronautics DBE Goal Methodology for FFY 2026-2028 will be posted under the Links section of the DOT Aviation website at <a href="https://dot.sd.gov/transportation/aviation/links/#dbe">https://dot.sd.gov/transportation/aviation/links/#dbe</a> on June 18, 2025. The proposed goal and its rationale will be available for inspection during the business hours of 8:30 a.m. until 4:30 p.m. at the front desk of the Becker Hansen Building, 700 E Broadway Avenue, Pierre, SD until July 21, 2025. The DOT will accept comments on the goal which can mailed to SDDOT DBE Program, Department of Transportation, 700 E Broadway Avenue, Pierre, SD 57501, or emailed to Kyle Watkins at <a href="https://watkins@state.sd.us">kyle.watkins@state.sd.us</a> until July 25, 2025.

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on July 16, 2025, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM	PROJECT		LENGTH			
NO.	NUMBER	COUNTY	MILES	TYPE OF WORK	DESCRIPTION OF LOCATION	
1.	BRO-B 8010(30) (PCN 09A4)	Butte SWPPP = 0.54 AC	0.200	Structure (2-12x12 Precast RCBC) & Approach Grading	Structure 8.5 N & 21.8 E of Newell on Old Hwy 212 over a Creek SN 10-537-255	
2.	BRO-B 8007(212) (PCN 084J)	Brown SWPPP = 1.50 AC	0.200	Structure (122' Continuous Concrete) & Approach Grading	Structure 8.5 W & 5 N of Frederick on 102nd St over Elm Lake SN 07-019-020	
3.	P TAPR(51) (PCN 08WE)	McCook SWPPP = 0.85 AC	0.710	PCC Shared Use Path	Salem - Along Minnesota St fm Essex Ave to Washington Ave, along Washington Ave fm Minnesota St to Existing Sidewalk at the Baseball Sports Complex, along Peck St fm Washington Ave to Jefferson Ave	
4.	PT 0905(117)261 (PCN 080A)	Lyman SWPPP = 7.34 AC		Pipe Work, Channel Cleanout	I90 E, W & L - 1 E of Oacoma	
5.	PH 8060(10) (PCN 04JJ)	Hughes, Sully		Signing & Delineation	Various County, City, & Township Roads in Sully County	
6.	PH 0040(357) (PCN 09FM)	Custer, Fall River	22.700	Centerline Rumble Stripes	Rapid City Region	
* Indicates combination bids						

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	BRO	P-B 8010(30)	Area Engineer: John Matthese	n W Hwy 34 Belle Four	che SD 57717-0786	Phone: 605/892-2872
1.		k Type 2 or Work Type 12	DBE Goal: Not Specified	Contract Id: 9456	See Special Provisions for Co	
	1	Mobilization			LS	1.000
		Remove Traffic Sign			Each	2.000
	3	ũ			Each	16.000
	4	Remove Sediment			CuYd	1.100
	5	Salvage Traffic Sign			Each	2.000
	6	Remove Sign for Reset			Each	3.000
	7	Unclassified Excavation			CuYd	1,844.000
	8	Contractor Furnished Borrow Exca	vation		CuYd	838.000
	9	Placing Topsoil			CuYd	236.000
	10	Incidental Work, Structure			LS	1.000
	11	Structure Excavation, Box Culvert			CuYd	192.000
	12	Box Culvert Undercut			CuYd	227.000
	13				CuYd	17.100
	14	· · · · · · · · · · · · · · · · · · ·	ulvert. Furnish		Ft	46.000
		2-12'x12' Precast Concrete Box Cu			Ft	46.000
		2-12'x12' Precast Concrete Box Cu			Each	2.000
	17	2-12'x12' Precast Concrete Box Cu			Each	2.000
	18	Type I Field Laboratory	,		Each	1.000
	19		k		Each	4.000
	20	Reset Sign			Each	3.000
	21	Traffic Control Signs			SqFt	109.000
	22	Traffic Control, Miscellaneous			LS	1.000
	23	Type 3 Barricade			Each	8.000
	24				Ton	68.000
	25	Type F Permanent Seed Mixture			Lb	15.000
	26	Mulching			Ton	4.000
	27	12" Diameter Erosion Control Watt	le		Ft	670.000
	28	Low Flow Silt Fence			Ft	280.000
	29	Mucking Silt Fence			CuYd	3.000
		Repair Silt Fence			Ft	50.000
		Type B Drainage Fabric			SqYd	85.000
_						
2.		)-В 8007(212) k Type 7	Area Engineer: Lane Goldsmit DBE Goal: Not Specified	Contract Id: 9252	See Special Provisions for Co	Phone: 605/626-7885
	1	Mobilization			LS	1.000
		Grade Staking			Mile	0.157
	3	Miscellaneous Staking			Mile	0.157
	4	Slope Staking			Mile	0.157
	5	Structure Staking			Each	1.000
	6	Engineer Directed Surveying/Staki	na		Hour	10.000
	7	Bridge Elevation Survey			LS	1.000
	8	Concrete Penetrating Sealer			SqYd	352.400
	9	Clearing			LS	1.000
	10	Remove Silt Fence			Ft	200.000
	11	Unclassified Excavation			CuYd	298.000
	12		vation		CuYd	2,630.000
	13				Ton	16.400
	14				CuYd	140.000
	15				LS	1.000
	16	Membrane Sealant Expansion Joir	nt		Ft	51.800
	10	Structure Excavation, Bridge			CuYd	337.000
	18	Bridge End Embankment			CuYd	95.000
	19	-			CuYd	42.300
		Approach Slab Underdrain Excava	tion		CuYd	1.900
	20				0010	1.000

21	Class A45 Concrete, Bridge Deck			CuYd	197.900
22	Class A45 Concrete, Bridge			CuYd	182.400
23	Concrete Approach Slab for Bridge	9		SqYd	117.700
24	Concrete Approach Sleeper Slab f	or Bridge		SqYd	25.900
25	Type T101 Bridge Railing			Ft	234.000
26	Reinforcing Steel			Lb	22,070.000
27	Epoxy Coated Reinforcing Steel			Lb	51,572.000
28	Preboring Pile			Ft	80.000
29	HP 10x42 Steel Test Pile, Furnish	and Drive		Ft	195.000
30	HP 10x42 Steel Bearing Pile, Furn	ish and Drive		Ft	1,365.000
31	Straight Class A W Beam Guardra	il with Wood Posts		Ft	612.500
32	Straight Class B W Beam Guardra	il with Wood Posts		Ft	50.000
33	Straight Double Class B W Beam	Guardrail with Wood Posts		Ft	50.000
34	W Beam Guardrail Tangent End T	erminal		Each	4.000
35	Guardrail Delineator			Each	23.000
36	Traffic Control Signs			SqFt	77.000
37	Traffic Control, Miscellaneous			LS	1.000
38	Type 3 Barricade			Each	8.000
39	Detour and Restriction Signing			SqFt	275.000
40	4" Underdrain Pipe			Ft	118.000
41	Porous Backfill			Ton	3.500
42	Class B Riprap			Ton	2,809.300
43	Overburden Excavation for Riprap			CuYd	883.000
44	Erosion Control			LS	1.000
45	12" Diameter Erosion Control Wat	٩		Ft	200.000
46	Remove and Reset Erosion Control			Ft	50.000
47				Acre	0.100
48	Low Flow Silt Fence			Ft	1,000.000
49	Mucking Silt Fence			CuYd	56.000
50	Repair Silt Fence			Ft	200.000
51	Floating Silt Curtain			Ft	1,030.000
	Type B Drainage Fabric			SqYd	3,364.000
	Perforated Geocell			SqFt	468.000
	APR(51) k Type 14	Area Engineer: Jay Peppel, PC			Phone: 605/995-8120
		DBE Goal: Not Specified	Contract Id: 9715	See Special Provisions for Comp	·
	Mobilization			LS	1.000
2				Day	0.000
3	Clear and Grub Stump			Each	1.000
4	Clear and Grub Tree			Each	5.000
5	Clearing			LS	1.000
6	Remove Concrete Curb and/or Gu			Ft	748.000
7	Remove Drop Inlet Frame and Gra			Each	1.000
8	Remove Asphalt Concrete Pavem	ent		SqYd	440.000
9	Remove Concrete Pavement			SqYd	107.000
10	Remove Concrete Driveway Paver	nent		SqYd	354.000
11	Remove Concrete Sidewalk			SqYd	828.000
12	Remove Sign for Reset			Each	10.000
13	Remove Drop Inlet Frame and Gra	te Assembly for Reset		Each	1.000
14	Unclassified Excavation			CuYd	1,070.000
15	Water for Vegetation			MGal	70.000
16	Placing Topsoil			CuYd	220.000
17	Incidental Work, Grading			LS	1.000
18	Base Course			Ton	480.000
19	Gravel Cushion			Ton	480.000
20	Gravel Surfacing			Ton	7.000

3.

	21	Asphalt Concrete Composite	Ton	130.000
	22	6" PCC Driveway Pavement	SqYd	348.000
	23	6" PCC Fillet Section	SqYd	114.000
	24	12" PVC Pipe	Ft	12.000
	25	Adjust Curb Stop Box	Each	3.000
	26	Adjust Water Valve Box	Each	1.000
	27	Class M6 Concrete	CuYd	0.600
	28	Reinforcing Steel	Lb	16.000
	29	2.0"x2.0" Perforated Tube Post	Ft	119.000
	30	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	20.000
	31	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	47.800
	32	Reset Sign	Each	10.000
	33	Epoxy Pavement Marking Paint, 24" White	Ft	336.000
	34	Grooving for Durable Pavement Marking, 24"	Ft	336.000
	35	Traffic Control Signs	SqFt	213.000
	36	Traffic Control, Miscellaneous	LS	1.000
	37	Type 3 Barricade	Each	6.000
	38	Special Concrete Curb and Gutter	Ft	597.000
	39	6" Concrete Valley Gutter	SqYd	76.000
	40	4" Concrete Sidewalk	SqFt	573.000
	41	5" Concrete Sidewalk	SqFt	16,257.000
	42	6" Concrete Sidewalk	SqFt	1,097.000
	43	Type 1 Detectable Warnings	SqFt	330.000
	44	Type B Frame and Grate	Each	1.000
	45	Special Frame and Grate	Each	1.000
	46	Reset Drop Inlet Frame and Grate Assembly	Each	1.000
	47	Type D Permanent Seed Mixture	Lb	70.000
	48	Fertilizing	Lb	69.000
	49	Fiber Mulching	Ton	0.400
	50	Interim Sediment Control at Inlet	Each	5.000
	51	Sweeping	Hour	20.000
	52	Refurbish Single Mailbox	Each	1.000
	53	Refurbish Double Mailbox	Each	1.000
4.	PT 0	905(117)261 Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-72	06	Phone: 605/995-8120
				ompletion Requirements
	1	Mobilization	LS	1.000
	2	Incentive/Disincentive Pay	Day	0.000
	3	LiDAR Preconstruction Survey	LS	1.000
	4	Clearing	LS	1.000
	5	Remove Fence	Ft	682.000
	6	Remove Asphalt Concrete Pavement	SqYd	944.000
	7	Remove Silt Fence	Ft	2,000.000
	8	Unclassified Excavation	CuYd	12,048.000
	9	Muck Excavation	CuYd	84.000
	10	Water for Vegetation	MGal	1,052.200
	11	Remove and Replace Topsoil	LS	1.000
		Incidental Work, Grading	LS	1.000
		Base Course	Ton	674.500
	14	Temporary Gravel Surfacing	Ton	1,500.000
	15	Granular Material	Ton	467.000
	16	Asphalt Concrete Composite	Ton	263.800
	17		CuYd	44.900
	18	Pipe Culvert Undercut	CuYd	454.000
	19	108" Steel Pipe, Furnish	Ft	170.000
	20	108" Steel Pipe, Install	Ft	170.000

	04	400 Real Direc Francisch	<b>F</b> 4	100.000
	21	132" Steel Pipe, Furnish	Ft	160.000
	22	132" Steel Pipe, Furnish	Ft	526.000
	23	132" Steel Pipe, Install	Ft	160.000
	24	Storm Sewer Video Inspection	Ft	1,370.000
	25	Cleanout for Culvert Treatment	Each	1.000
	26	Slipline 108" Pipe	Ft	516.000
	27	132" Trenchless Pipe Installation	Ft	526.000
	28	Exploratory Excavation	Hour	12.000
	29	Class M6 Concrete	CuYd	14.400
	30	Cellular Grout	CuYd	690.000
	31	Controlled Density Fill	CuYd	799.000
	32	Reinforcing Steel	Lb	2,348.000
	33	Type I Field Laboratory	Each	1.000
	34	Type 2 Right-of-Way Fence	Ft	546.000
	35	Type 1 Temporary Fence	Ft	942.000
	36	2 Post Panel	Each	3.000
	37	6' Chain Link Fence with Tension Wired Top	Ft	136.000
	38	Chain Link Fence Post	Each	2.000
	39	Type 2 Object Marker Back to Back	Each	2.000
	40	Flagging	Hour	20.000
	41	Traffic Control Signs	SqFt	567.000
	42	Traffic Control, Miscellaneous	LS	1.000
	43	Type 3 Barricade	Each	12.000
	44	Temporary Raised Pavement Markers	Ft	4,500.000
	45	Type C Advance Warning Arrow Board	Each	4.000
	46	Linear Delineation System Panel, Barrier Mounted	Each	60.000
	47	Traffic Control Movable Concrete Barrier	Each	60.000
	48	Temporary Concrete Barrier End Protection	Each	1.000
	49	Temporary Concrete Barrier End Protection Module Set or Repair Kit	Each	1.000
	50	Detour and Restriction Signing	SqFt	944.900
	51	Temporary Business Signing	SqFt	138.300
	52	Class E Riprap	Ton	851.400
	53	Erosion Control	LS	1.000
	54	Type 3 Erosion Control Blanket	SqYd	1,800.000
	55	12" Diameter Erosion Control Wattle	Ft	335.000
	56	Shaping for Erosion Control Blanket	Ft	200.000
	57	High Flow Silt Fence	Ft	2,000.000
	58	Mucking Silt Fence	CuYd	170.000
	59	Repair Silt Fence	Ft	530.000
	60	Sweeping	Hour	8.000
	61	Type B Drainage Fabric	SqYd	202.000
	62	Concrete Washout Facility	Each	2.000
	63	Construction Entrance	Each	2.000
_	<b></b>		~-	DL
5.		060(10) Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-54   < Type 11 DBE Goal: Not Specified Contract Id: 9733 See Special P	05 Provisions for Completion	Phone: 605/773-5294
			-	-
		Mobilization	LS	1.000
		As-Built Survey	LS	1.000
	3	Salvage Traffic Sign	Each	2,405.000
	4	2.0"x2.0" Perforated Tube Post	Each	2,024.000
	5	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	522.000
	6	4" Tubular White Delineator Reflector	Each	355.000
	7	Type 2 Object Marker Back to Back	Each	594.000
	8	Type 3 Flexible Object Marker	Each	40.000
		Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	6,131.500
	10	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	8,710.300

	11	Traffic Control, Miscellaneous			LS	1.000
6.	PH 0	0040(357)	Area Engineer: Bruce Schroed	der, PO Box 431, Custer,	SD, 57730-0431	Phone: 605/673-4948
	Wor	k Type 13	DBE Goal: Not Specified	Contract Id: 9855	See Special Provisions for Com	pletion Requirements
	1	Mobilization			LS	1.000
	2	Incentive/Disincentive Pay			Day	0.000
	3	Grind Sinusoidal Centerline Rum	ble Stripe in PCC Pavement		Mile	22.800
	4	Grind Sinusoidal Transverse Rum	ble Strip in PCC Pavement		SqFt	1,792.000
	5	Saw and Seal Joint			Ft	120,120.000
	6	2.0"x2.0" Perforated Tube Post			Ft	24.000
	7	Flat Aluminum Sign, Nonremovat	le Copy High Intensity		SqFt	16.000
	8	High Build Waterborne Pavement	Marking Paint, Yellow		Gal	632.000
	9	Flagging			Hour	150.000
	10	Pilot Car			Hour	30.000
	11	Traffic Control Signs			SqFt	233.000
	12	Traffic Control, Miscellaneous			LS	1.000
	13	Type C Advance Warning Arrow I	Board		Each	2.000
	14	Temporary Pavement Marking			Mile	22.800

## Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 6 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

**BID PREPARATION:** Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 US.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

**<u>GENERALLY</u>**: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

## STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt SECRETARY OF TRANSPORTATION