

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on July 17, 2024, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	IM-NH-P 0022(71) (PCN 06EQ)	Lincoln, Minnehaha, Moody	---	Pipe Work, Culvert & Ditch Cleanout	Various Locations Throughout the Sioux Falls Area
2.	NH 0081(112)95 (PCN 06P9)	Lake SWPPP = 36.60 AC	12.310	Cold Milling, Full Depth Reclamation, Asphalt Concrete Surfacing, Pipe Work, Modify Intersection	US81 - Fm N of NW 9th St in Madison to the Lake/Kingsbury/Brookings Co Line
3.	PH 0020(184), PH 0020(218) (PCN 05VM, 07X6)	Clay, Minnehaha, Regionwide	---	Durable Pavement Marking	Various locations in the Mitchell Region

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	IM-NH-P 0022(71)	Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107	Phone: 605/367-5680
	Work Type 2 or Work Type 12	DBE Goal: Not Specified	Contract Id: 9254 See Special Provisions for Completion Requirements
	1 Mobilization	LS	1.000
	2 Remove Delineator	Each	3.000
	3 Remove Pipe Culvert	Ft	20.000
	4 Remove Pipe End Section	Each	3.000
	5 Remove Pipe for Reset	Ft	267.000
	6 Remove Pipe End Section for Reset	Each	11.000
	7 Remove Pipe Bend for Reset	Each	3.000
	8 Unclassified Excavation	CuYd	36.000
	9 Contractor Furnished Borrow Excavation	CuYd	844.000
	10 18" RCP Class 3, Furnish	Ft	4.000
	11 18" RCP, Install	Ft	4.000
	12 30" RCP Bend, Furnish	Each	1.000
	13 30" RCP Bend, Install	Each	1.000
	14 18" RCP Flared End, Furnish	Each	1.000
	15 18" RCP Flared End, Install	Each	1.000
	16 12" CMP 16 Gauge, Furnish	Ft	20.000
	17 12" CMP, Install	Ft	20.000
	18 12" CMP Flared End, Furnish	Each	1.000
	19 12" CMP Flared End, Install	Each	1.000
	20 18" CMP Flared End, Furnish	Each	1.000
	21 18" CMP Flared End, Install	Each	1.000
	22 Cleanout Pipe Culvert	Each	3.000
	23 Reset Pipe	Ft	267.000
	24 Reset Pipe End Section	Each	11.000
	25 Reset Pipe Bend	Each	3.000
	26 Type 2 Object Marker Back to Back	Each	2.000
	27 Type 2 Object Marker	Each	6.000
	28 Flagging	Hour	40.000
	29 Traffic Control Signs	SqFt	518.000
	30 Traffic Control, Miscellaneous	LS	1.000
	31 Contractor Furnished Portable Changeable Message Sign	Each	2.000
	32 Bank and Channel Protection Gabion	CuYd	13.500
	33 Erosion Control	LS	1.000
	34 Type 2 Erosion Control Blanket	SqYd	512.000
	35 12" Diameter Erosion Control Wattle	Ft	40.000
	36 Shaping for Erosion Control Blanket	Ft	368.000
	37 Type B Drainage Fabric	SqYd	45.000
2.	NH 0081(112)95	Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107	Phone: 605/367-5680
	Work Type 5	DBE Goal: Not Specified	Contract Id: 9551 See Special Provisions for Completion Requirements
	1 Mobilization	LS	1.000
	2 Incentive/Disincentive Pay	Day	0.000
	3 Grade Staking	Mile	12.958
	4 Graded Centerline Staking	Mile	12.310
	5 Miscellaneous Staking	Mile	12.310
	6 Slope Staking	Mile	1.430
	7 Structure Staking	Each	1.000
	8 Training Program	Hour	1,000.000
	9 Remove Traffic Sign	Each	47.000
	10 Remove Pipe Culvert	Ft	320.000
	11 Remove Pipe End Section	Each	8.000
	12 Remove 3 Cable Guardrail	Ft	780.000
	13 Remove Asphalt Concrete Pavement	SqYd	923.000
	14 Remove Silt Fence	Ft	626.000

15	Salvage Delineator	Each	82.000
16	Remove Sign for Reset	Each	15.000
17	Remove Pipe for Reset	Ft	36.000
18	Remove Pipe End Section for Reset	Each	20.000
19	Unclassified Excavation	CuYd	39,727.000
20	Unclassified Excavation, Digouts	CuYd	616.000
21	Contractor Furnished Borrow	CuYd	30,130.000
22	Muck Excavation	CuYd	265.000
23	Undercutting	CuYd	15,733.000
24	Water for Embankment	MGal	301.000
25	Water for Granular Material	MGal	1,674.000
26	Heavy Roadway Shaping	Mile	0.200
27	Placing Topsoil	CuYd	15,384.000
28	Base Course	Ton	2,299.000
29	Base Course, Salvaged	Ton	22,958.000
30	Base Course, Salvaged Asphalt Mix	Ton	11,453.000
31	Granular Material, Furnish	Ton	41,806.000
32	Blend, Haul, and Stockpile Granular Material	Ton	60,390.000
33	Blend and Stockpile Granular Material	Ton	22,958.000
34	Full Depth Reclamation	SqYd	317,907.000
35	PG 58-34 Asphalt Binder	Ton	3,465.400
36	Asphalt Concrete Composite	Ton	238.000
37	Class Q3R Hot Mixed Asphalt Concrete	Ton	74,469.000
38	Hydrated Lime	Ton	737.300
39	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	24.600
40	MC-70 Asphalt for Prime	Ton	183.300
41	SS-1h or CSS-1h Asphalt for Tack	Ton	202.900
42	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	12.300
43	Blotting Sand for Prime	Ton	902.400
44	Sand for Flush Seal	Ton	46.500
45	Cold Milling Asphalt Concrete	SqYd	277,352.000
46	Structure Excavation, Box Culvert	CuYd	77.000
47	Pipe Culvert Undercut	CuYd	102.000
48	Box Culvert Undercut	CuYd	219.000
49	18" RCP Class 2, Furnish	Ft	10.000
50	18" RCP, Install	Ft	10.000
51	24" RCP Class 2, Furnish	Ft	172.000
52	24" RCP, Install	Ft	172.000
53	30" RCP Class 2, Furnish	Ft	110.000
54	30" RCP, Install	Ft	110.000
55	36" RCP Class 2, Furnish	Ft	72.000
56	36" RCP, Install	Ft	72.000
57	42" RCP Class 2, Furnish	Ft	70.000
58	42" RCP, Install	Ft	70.000
59	60" RCP Class 2, Furnish	Ft	64.000
60	60" RCP, Install	Ft	64.000
61	24" RCP Flared End, Furnish	Each	2.000
62	24" RCP Flared End, Install	Each	2.000
63	30" RCP Flared End, Furnish	Each	2.000
64	30" RCP Flared End, Install	Each	2.000
65	36" RCP Flared End, Furnish	Each	2.000
66	36" RCP Flared End, Install	Each	2.000
67	42" RCP Flared End, Furnish	Each	2.000
68	42" RCP Flared End, Install	Each	2.000
69	Tie Bolts for RCP	Each	6.000
70	Culvert Joint Cleaning	Ft	108.000

71	Repair Culvert Joint	Ft	108.000
72	Chemical Grout Void Fill	Gal	27.000
73	Reset Pipe	Ft	36.000
74	Reset Pipe End Section	Each	20.000
75	Class A45 Concrete, Box Culvert	CuYd	142.600
76	Breakout Structural Concrete	CuYd	32.000
77	Install Dowel in Concrete	Each	126.000
78	Reinforcing Steel	Lb	17,020.000
79	Type III Field Laboratory	Each	1.000
80	2.0"x2.0" Perforated Tube Post	Ft	609.000
81	2.5"x2.5" Perforated Tube Post	Ft	24.000
82	Type 2 Object Marker Back to Back	Each	122.000
83	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	194.000
84	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	177.200
85	Reset Sign	Each	15.000
86	High Build Waterborne Pavement Marking Paint, White	Gal	573.000
87	High Build Waterborne Pavement Marking Paint, Yellow	Gal	278.000
88	Flagging	Hour	1,680.000
89	Pilot Car	Hour	720.000
90	Traffic Control Signs	SqFt	746.500
91	Traffic Control, Miscellaneous	LS	1.000
92	Temporary Pavement Marking	Mile	61.600
93	Class B Riprap	Ton	65.600
94	Type G Permanent Seed Mixture	Lb	952.000
95	Mulching	Ton	73.200
96	Low Flow Silt Fence	Ft	2,160.000
97	High Flow Silt Fence	Ft	342.000
98	Mucking Silt Fence	CuYd	174.000
99	Repair Silt Fence	Ft	626.000
100	Type B Drainage Fabric	SqYd	82.000
101	Refurbish Single Mailbox	Each	16.000
102	Storage Unit	Each	1.000

3.	PH 0020(184), PH 0020(218)	Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107		Phone: 605/367-5680
	Work Type 11	DBE Goal: Not Specified	Contract Id: 9576	See Special Provisions for Completion Requirements
1	Mobilization	LS	1.000	
2	Cold Applied Plastic Pavement Marking, Arrow	Each	54.000	
3	Cold Applied Plastic Pavement Marking, Railroad Crossing	Each	1.000	
4	High Build Waterborne Pavement Marking Paint with Reflective Elements, White	Gal	3,823.000	
5	High Build Waterborne Pavement Marking Paint with Reflective Elements, Yellow	Gal	1,430.000	
6	High Build Waterborne Pavement Marking Paint, Railroad Crossing	Each	6.000	
7	Durable Pavement Marking, 4" White	Ft	73,127.000	
8	Durable Pavement Marking, 4" Yellow	Ft	58,502.000	
9	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	54.000	
10	Grooving for Cold Applied Plastic Pavement Marking, Railroad Crossing	Each	1.000	
11	Surface Preparation for Pavement Marking	Ft	136,399.000	
12	Grooving for Durable Pavement Marking, 4"	Ft	775,806.000	
13	Grooving for Durable Pavement Marking, 24"	Ft	980.000	
14	Grooving for Durable Pavement Marking, Area	SqFt	1,000.000	
15	Grooving for Durable Pavement Marking, Railroad Crossing	Each	6.000	
16	Mobile Retroreflectometer Measurements	Mile	237.677	
17	Flagging	Hour	120.000	
18	Traffic Control Signs	SqFt	735.000	
19	Traffic Control, Miscellaneous	LS	1.000	

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: NA

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION