

Advertisement of Highway Bid Letting

07/29/2026 Letting moved to 08/05/2026 Letting by Addendum #3

The U.S. Department of Labor published an updated Davis-Bacon Highway-Heavy Construction Wage Decision for South Dakota. The wage rates are effective for SDDOT's highway construction contracts beginning February 18, 2026. Please refer to new wage rates within the advertised bid proposal package.

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on July 29, 2026, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
* 1.	EM-P 0044(207)290 (PCN 05X0)	Charles Mix, Gregory SWPPP = 62.00 AC	2.224	Structure (5770'-6" Steel Girder) & Approach Grading	SD44 - Over Missouri River (Platte/Winner)
* 2.	EM-P 0044(207)290 (PCN 0AL0)	Douglas SWPPP = 1.07 AC	0.200	Structure (4-12x8 CIP RCBC) & Approach Grading	Structure 0.5 N & 3.7 W of Armour on 280 St over Andes Ck, SN 22-143-120

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	EM-P 0044(207)290	Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206			Phone: 605/995-8120
	Work Type 7	DBE Goal: NONE	Contract Id: 9369	See Special Provisions for Completion Requirements	
	1 Mobilization		LS		1.000
	2 Incentive/Disincentive Pay		Day		0.000
	3 Reestablish Right-of-Way and Property Corner		Each		52.000
	4 Reestablish Public Land Survey System Corner		Each		1.000
	5 Grade Staking		Mile		3.079
	6 Miscellaneous Staking		Mile		3.079
	7 Slope Staking		Mile		3.079
	8 Structure Staking		Each		1.000
	9 Engineer Directed Surveying/Staking		Hour		40.000
	10 Bridge Elevation Survey		LS		1.000
	11 Construction Schedule, Category III		LS		1.000
	12 Concrete Penetrating Sealer		SqYd		23,555.300
	13 Training Program		Hour		6,000.000
	14 Clearing		LS		1.000
	15 Remove Traffic Sign		Each		25.000
	16 Remove Delineator		Each		47.000
	17 Remove Building(s)		LS		1.000
	18 Remove Concrete Curb and/or Gutter		Ft		180.000
	19 Remove Drop Inlet		Each		4.000
	20 Remove Cattle Guard		Each		1.000
	21 Remove Fence		Ft		7,445.000
	22 Remove Beam Guardrail		Ft		368.000
	23 Remove Asphalt Concrete Pavement		SqYd		38,238.200
	24 Remove Sediment		CuYd		12.300
	25 Remove Silt Fence		Ft		1,488.000
	26 Remove Water Main		Ft		3,648.000
	27 Unclassified Excavation		CuYd		605,992.000
	28 Contractor Furnished Borrow Excavation		CuYd		56,331.000
	29 Muck Excavation		CuYd		2,978.000
	30 Undercutting		CuYd		36,050.000
	31 Water for Embankment		MGal		4,406.500
	32 Water for Granular Material		MGal		343.900
	33 Placing Topsoil		CuYd		34,000.000
	34 Obliterate Old Road		Sta		21.000
	35 Incidental Work, Grading		LS		1.000
	36 Incidental Work, Structure		LS		1.000
	37 Base Course, Salvaged, State Furnished		Ton		28,658.800
	38 Asphalt Concrete Composite		Ton		1,797.200
	39 MC-70 Asphalt for Prime		Ton		34.400
	40 SS-1h or CSS-1h Asphalt for Fog Seal		Ton		4.700
	41 Blotting Sand for Prime		Ton		86.700
	42 Sand for Fog Seal		Ton		10.000
	43 AE150S Asphalt for Surface Treatment		Ton		29.500
	44 Type 3 Cover Aggregate		Ton		395.800
	45 Structural Steel		LS		1.000
	46 Structural Steel, Miscellaneous		LS		1.000
	47 Disc Bearing Assembly		Each		96.000
	48 Modular Expansion Joint Assembly		Ft		195.000
	49 Bridge Painting		LS		1.000
	50 Structure Excavation, Bridge		CuYd		427.000
	51 Bridge End Embankment		CuYd		1,666.000
	52 Granular Bridge End Backfill		CuYd		173.100
	53 Approach Slab Underdrain Excavation		CuYd		2.700

54	Precast Concrete Headwall for Drain	Each	4.000
55	18" RCP Class 2, Furnish	Ft	190.000
56	18" RCP, Install	Ft	190.000
57	24" RCP Class 2, Furnish	Ft	190.000
58	24" RCP, Install	Ft	190.000
59	30" RCP Class 4, Furnish	Ft	144.000
60	30" RCP, Install	Ft	144.000
61	18" RCP Flared End, Furnish	Each	8.000
62	18" RCP Flared End, Install	Each	8.000
63	30" RCP Flared End, Furnish	Each	2.000
64	30" RCP Flared End, Install	Each	2.000
65	24" RCP Sloped End, Furnish	Each	2.000
66	24" RCP Sloped End, Install	Each	2.000
67	24" RCP Safety End, Furnish	Each	2.000
68	24" RCP Safety End, Install	Each	2.000
69	24" CMP 14 Gauge, Furnish	Ft	158.000
70	24" CMP, Install	Ft	158.000
71	30" CMP 14 Gauge, Furnish	Ft	88.000
72	30" CMP, Install	Ft	88.000
73	24" CMP Elbow, Furnish	Each	2.000
74	24" CMP Elbow, Install	Each	2.000
75	24" CMP Sloped End, Furnish	Each	1.000
76	24" CMP Sloped End, Install	Each	1.000
77	30" CMP Sloped End, Furnish	Each	1.000
78	30" CMP Sloped End, Install	Each	1.000
79	30" CMP Safety End, Furnish	Each	2.000
80	30" CMP Safety End, Install	Each	2.000
81	24" RCP to CMP Transition, Furnish	Each	1.000
82	24" Pipe Transition, Install	Each	1.000
83	3" Pipe Cap	Each	2.000
84	Verify Utilities	Each	2.000
85	Class A45 Concrete, Bridge Deck	CuYd	7,268.800
86	Class A45 Concrete, Bridge	CuYd	10,426.200
87	Concrete Approach Slab for Bridge	SqYd	163.400
88	Concrete Approach Sleeper Slab for Bridge	SqYd	39.900
89	Deck Drain, Girder Bridge	Each	104.000
90	Controlled Density Fill	CuYd	62.000
91	Class A45 Concrete, Drilled Shaft	CuYd	25,274.300
92	Drilled Shaft Excavation	CuYd	16,887.200
93	Crosshole Sonic Log (CSL) Test	Each	38.000
94	Thermal Integrity Profiling (TIP) Test	Each	38.000
95	144" Permanent Casing	Ft	5,299.000
96	Reinforcing Steel	Lb	3,611,562.000
97	Epoxy Coated Reinforcing Steel	Lb	3,600.000
98	Stainless Reinforcing Steel	Lb	1,979,024.000
99	No. 11 Rebar Splice	Each	1,824.000
100	No. 14 Rebar Splice	Each	6,768.000
101	HP 14x73 Steel Test Pile, Furnish and Drive	Ft	110.000
102	HP 14x73 Steel Bearing Pile, Furnish and Drive	Ft	1,700.000
103	Type II Field Laboratory	Each	1.000
104	12' Cattle Guard	Each	1.000
105	Type 2 Right-of-Way Fence	Ft	7,385.000
106	Type 1 Temporary Fence	Ft	900.000
107	2 Post Panel	Each	46.000
108	3 Post Panel	Each	11.000
109	16' Tubular Gate	Each	1.000

110	Type 1 MGS	Ft	225.000
111	Type 1 Guardrail Transition	Each	4.000
112	MGS Tangent End Terminal	Each	4.000
113	2.0"x2.0" Perforated Tube Post	Ft	223.300
114	2.25"x2.25" Perforated Tube Post	Ft	64.200
115	2.5"x2.5" Perforated Tube Post	Ft	59.000
116	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	23.000
117	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	24.000
118	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	153.000
119	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	108.600
120	High Build Waterborne Pavement Marking Paint, White	Gal	208.000
121	High Build Waterborne Pavement Marking Paint, Yellow	Gal	94.000
122	Flagging	Hour	300.000
123	Pilot Car	Hour	125.000
124	Traffic Control Signs	SqFt	618.400
125	Traffic Control, Miscellaneous	LS	1.000
126	Type 3 Barricade	Each	6.000
127	Detour and Restriction Signing	SqFt	384.000
128	Contractor Furnished Portable Changeable Message Sign	Each	2.000
129	2" Rigid Galvanized Steel Conduit	Ft	5,740.000
130	Adjust Manhole	Each	1.000
131	4" Underdrain Pipe	Ft	363.000
132	4" PVC Outlet Pipe	Ft	165.000
133	4" Slotted Corrugated Polyethylene Drainage Tubing	Ft	770.000
134	Concrete Headwall for Underdrain	Each	4.000
135	Porous Backfill	Ton	356.300
136	Class A Riprap	Ton	308.000
137	Class B Riprap	Ton	6,097.200
138	Type F Permanent Seed Mixture	Lb	1,586.000
139	Fertilizing	Ton	45.730
140	Mulching	Ton	130.600
141	Bonded Fiber Matrix	Ton	18.000
142	Type 3 Erosion Control Blanket	SqYd	28,100.000
143	Type 2 Turf Reinforcement Mat	SqYd	365.000
144	12" Diameter Erosion Control Wattle	Ft	5,700.000
145	Remove and Reset Erosion Control Wattle	Ft	1,425.000
146	Surface Roughening	Acre	8.800
147	Shaping for Erosion Control Blanket	Ft	4,973.000
148	Low Flow Silt Fence	Ft	5,700.000
149	High Flow Silt Fence	Ft	250.000
150	Mucking Silt Fence	CuYd	413.000
151	Repair Silt Fence	Ft	1,488.000
152	Floating Silt Curtain	Ft	1,170.000
153	Bridge Berm Slope Protection, Quarried Aggregate	SqYd	2,764.400
154	Type A Drainage Fabric	SqYd	2,832.000
155	Type B Drainage Fabric	SqYd	5,866.000
156	Refurbish Single Mailbox	Each	1.000
157	Refurbish Double Mailbox	Each	1.000
158	Orange Plastic Safety Fence	Ft	225.000
159	Concrete Washout Facility	Each	1.000
160	Construction Entrance	Each	4.000
161	Channel Cross Section Survey	LS	1.000

2.	EM-P 0044(207)290	Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206	Phone: 605/995-8120
	Work Type 7	DBE Goal: NONE	Contract Id: 10148 See Special Provisions for Completion Requirements
	1 Mobilization	LS	1.000

2	Grade Staking	Mile	0.151
3	Miscellaneous Staking	Mile	0.151
4	Slope Staking	Mile	0.151
5	Structure Staking	Each	1.000
6	Engineer Directed Surveying/Staking	Hour	40.000
7	Construction Schedule, Category II	LS	1.000
8	Clearing	LS	1.000
9	Remove Traffic Sign	Each	4.000
10	Remove Fence	Ft	492.000
11	Remove Sediment	CuYd	2.000
12	Salvage Delineator	Each	16.000
13	Salvage Traffic Sign	Each	4.000
14	Unclassified Excavation	CuYd	2,770.000
15	Placing Topsoil	CuYd	430.000
16	Incidental Work, Structure	LS	1.000
17	Gravel Surfacing, Salvaged	Ton	473.000
18	Salvage and Stockpile Granular Material	Ton	473.000
19	Structure Excavation, Box Culvert	CuYd	143.000
20	Box Culvert Undercut	CuYd	368.000
21	Class A45 Concrete, Box Culvert	CuYd	285.200
22	Reinforcing Steel	Lb	34,608.000
23	Type II Field Laboratory	Each	1.000
24	Type 2 Right-of-Way Fence	Ft	460.000
25	2 Post Panel	Each	6.000
26	Type 2 Object Marker Back to Back	Each	4.000
27	Traffic Control Signs	SqFt	121.500
28	Traffic Control, Miscellaneous	LS	1.000
29	Type 3 Barricade	Each	9.000
30	Class B Riprap	Ton	95.800
31	Type G Permanent Seed Mixture	Lb	59.000
32	Fertilizing	Ton	1.700
33	Mulching	Ton	6.000
34	12" Diameter Erosion Control Wattle	Ft	905.000
35	Low Flow Silt Fence	Ft	350.000
36	Mucking Silt Fence	CuYd	25.000
37	Repair Silt Fence	Ft	88.000
38	Type B Drainage Fabric	SqYd	120.000
39	Reinforcement Fabric (MSE)	SqYd	535.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 and 2 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.14 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION