

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on August 20, 2025, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	BRO-B 8030(17) (PCN 08MQ)	Hand SWPPP = 1.05 AC	0.200	Structure (3-12'x11' CIP RCBC) & Approach Grading	Structure 7.5 N & 1 E of Miller on 361st Ave over Wolf Ck SN 30-170-185
2.	BRO-B 8048(05) (PCN 09A6)	Mellette SWPPP = 3.47 AC	0.200	Structure (12' x 12' Precast RCBC) & Approach Grading	Structure 5 W & 0.8 S of White River on Pine Creek Rd Over Pine Creek SN 48-200-218
3.	P 6542(04) (PCN 09V7)	Perkins SWPPP = 1.86 AC	0.224	Grading, Asphalt Concrete Surfacing, Curb & Gutter, Storm Sewer	1st Street East (Railway St) from Main Ave to 1st Ave East, and 1st Ave East from 1st Street East to 2nd Street East

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	BRO-B 8030(17)	Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940			Phone: 605/353-7140
	Work Type 9	DBE Goal: Not Specified	Contract Id: 9072	See Special Provisions for Completion Requirements	
	1 Mobilization		LS		1.000
	2 Grade Staking		Mile		0.100
	3 Miscellaneous Staking		Mile		0.100
	4 Slope Staking		Mile		0.100
	5 Structure Staking		Each		1.000
	6 Clearing		LS		1.000
	7 Salvage Delineator		Each		3.000
	8 Salvage Traffic Sign		Each		2.000
	9 Unclassified Excavation		CuYd		3,643.000
	10 Contractor Furnished Borrow Excavation		CuYd		975.000
	11 Placing Topsoil		CuYd		550.000
	12 Incidental Work, Structure		LS		1.000
	13 Structure Excavation, Box Culvert		CuYd		145.000
	14 Box Culvert Undercut		CuYd		331.000
	15 Class A45 Concrete, Box Culvert		CuYd		302.700
	16 Reinforcing Steel		Lb		39,174.000
	17 Traffic Control Signs		SqFt		143.000
	18 Traffic Control, Miscellaneous		LS		1.000
	19 Type 3 Barricade		Each		8.000
	20 Class B Riprap		Ton		74.000
	21 Erosion Control		LS		1.000
	22 Type 2 Erosion Control Blanket		SqYd		2,750.000
	23 12" Diameter Erosion Control Wattle		Ft		340.000
	24 Surface Roughening		Acre		0.400
	25 Shaping for Erosion Control Blanket		Ft		250.000
	26 High Flow Silt Fence		Ft		919.000
	27 Mucking Silt Fence		CuYd		64.000
	28 Repair Silt Fence		Ft		230.000
	29 Type B Drainage Fabric		SqYd		92.000

2.	BRO-B 8048(05)	Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771			Phone: 605/842-0810
	Work Type 2 or Work Type 12	DBE Goal: Not Specified	Contract Id: 9286	See Special Provisions for Completion Requirements	
	1 Maintenance of Traffic Diversion(s)		LS		1.000
	2 Remove Traffic Diversion(s)		LS		1.000
	3 Mobilization		LS		1.000
	4 Grade Staking		Mile		0.284
	5 Miscellaneous Staking		Mile		0.284
	6 Slope Staking		Mile		0.284
	7 Structure Staking		Each		1.000
	8 Engineer Directed Surveying/Staking		Hour		20.000
	9 Clearing		LS		1.000
	10 Unclassified Excavation		CuYd		8,043.000
	11 Placing Topsoil		CuYd		1,267.000
	12 Incidental Work, Grading		LS		1.000
	13 Incidental Work, Structure		LS		1.000
	14 Structure Excavation, Box Culvert		CuYd		104.000
	15 Box Culvert Undercut		CuYd		339.000
	16 18" CMP 14 Gauge, Furnish		Ft		96.000
	17 18" CMP, Install		Ft		96.000
	18 18" CMP Sloped End, Furnish		Each		4.000
	19 18" CMP Sloped End, Install		Each		4.000
	20 Controlled Density Fill		CuYd		30.900
	21 12'x12' Precast Concrete Box Culvert, Furnish		Ft		48.000
	22 12'x12' Precast Concrete Box Culvert, Install		Ft		48.000

23	12'x12' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
24	12'x12' Precast Concrete Box Culvert End Section, Install	Each	2.000
25	2-12'x12' Precast Concrete Box Culvert, Furnish	Ft	48.000
26	2-12'x12' Precast Concrete Box Culvert, Install	Ft	48.000
27	2-12'x12' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
28	2-12'x12' Precast Concrete Box Culvert End Section, Install	Each	2.000
29	Flagging	Hour	40.000
30	Traffic Control Signs	SqFt	217.000
31	Traffic Control, Miscellaneous	LS	1.000
32	Type 3 Barricade	Each	6.000
33	Class B Riprap	Ton	79.000
34	Type F Permanent Seed Mixture	Lb	174.000
35	Fertilizing	Ton	5.000
36	Mulching	Ton	16.000
37	Type 2 Erosion Control Blanket	SqYd	977.000
38	12" Diameter Erosion Control Wattle	Ft	880.000
39	Low Flow Silt Fence	Ft	505.000
40	Mucking Silt Fence	CuYd	5.000
41	Repair Silt Fence	Ft	100.000
42	Type B Drainage Fabric	SqYd	693.000
43	Reinforcement Fabric (MSE)	SqYd	492.000

3. **P 6542(04)** **Area Engineer: John Matthesen, W Hwy 34, Belle Fourche, SD, 57717-0786** **Phone: 605/892-2872**

**Work Type 2 or Work Type 3 or
Work Type 12**

DBE Goal: Not Specified

Contract Id: 9583

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Grade Staking	Mile	0.334
3	Miscellaneous Staking	Mile	0.300
4	Engineer Directed Surveying/Staking	Hour	174.000
5	Checker	LS	1.000
6	Remove Concrete Curb and/or Gutter	Ft	919.000
7	Remove Drop Inlet	Each	7.000
8	Remove Manhole	Each	2.000
9	Remove Manhole Frame and Lid	Each	2.000
10	Remove Sewer Pipe	Ft	298.000
11	Remove Storm Sewer Pipe	Ft	750.000
12	Remove Asphalt Concrete Pavement	SqYd	4,185.000
13	Remove Concrete Pavement	SqYd	36.400
14	Remove Concrete Driveway Pavement	SqYd	162.000
15	Remove Concrete Sidewalk	SqYd	219.000
16	Remove Sediment	CuYd	5.000
17	Remove Erosion Control Wattle	Ft	300.000
18	Remove Sediment Filter Bag	Ft	840.000
19	Remove Silt Fence	Ft	630.000
20	Salvage Fence	Ft	202.000
21	Remove Sign for Reset	Each	4.000
22	Unclassified Excavation	CuYd	2,542.000
23	Undercutting	CuYd	1,104.000
24	Water for Dust Control	MGal	55.000
25	Water for Embankment	MGal	15.000
26	Water for Vegetation	MGal	152.000
27	Placing Topsoil	CuYd	222.000
28	Contractor Furnished Topsoil	CuYd	41.000
29	Incidental Work, Grading	LS	1.000
30	Gravel Cushion	Ton	15.000
31	Gravel Surfacing	Ton	670.200
32	Temporary Gravel Surfacing	Ton	175.000

33	6" PCC Driveway Pavement	SqYd	47.100
34	6" PCC Fillet Section	SqYd	155.900
35	66" Steel Pipe, Furnish	Ft	180.000
36	4" PVC Sewer Pipe	Ft	146.000
37	Bore and Jack 66" Pipe	Ft	180.000
38	Adjust Water Valve Box	Each	7.000
39	Water Main Lowering	Each	5.000
40	Connect To Existing Water Main	Each	10.000
41	Adjust Sewer Service	Each	1.000
42	Reconnect Sewer Service	Each	3.000
43	Connect to Existing Sewer Main	Each	1.000
44	Locate Utilities	Each	2.000
45	Cellular Grout	CuYd	130.600
46	Type II Field Laboratory	Each	1.000
47	Install Fence	Ft	71.000
48	2.0"x2.0" Perforated Tube Post	Ft	53.400
49	Reset Sign	Each	5.000
50	Flagging	Hour	175.000
51	Traffic Control Signs	SqFt	282.400
52	Traffic Control, Miscellaneous	LS	1.000
53	Type 3 Barricade	Each	20.000
54	Detour and Restriction Signing	SqFt	244.000
55	Type B66 Concrete Curb and Gutter	Ft	1,126.000
56	Type P6 Concrete Gutter	Ft	192.000
57	6" Concrete Valley Gutter	SqYd	13.000
58	2' x 3' Type B Drop Inlet	Each	12.000
59	5.5' x 3' Type B Drop Inlet	Each	2.000
60	Type B Frame and Grate	Each	16.000
61	Special Manhole	Each	2.000
62	72" Manhole	Each	4.000
63	96" Manhole	Each	5.000
64	120" Manhole	Each	1.000
65	Type A7 Manhole Frame and Lid	Each	11.000
66	Reset Manhole Frame and Lid	Each	2.000
67	Adjust Manhole	Each	2.000
68	Class B Riprap	Ton	41.000
69	Cover Crop Seeding	Bu	2.000
70	Type A Permanent Seed Mixture	Lb	50.000
71	Type D Permanent Seed Mixture	Lb	100.000
72	Fertilizing	Lb	532.000
73	Mulching	Ton	3.000
74	Fiber Mulching	Lb	527.000
75	12" Diameter Erosion Control Wattle	Ft	1,214.000
76	Remove and Reset Erosion Control Wattle	Ft	304.000
77	Sediment Filter Bag	Ft	840.000
78	High Flow Silt Fence	Ft	630.000
79	Mucking Silt Fence	CuYd	20.000
80	Repair Silt Fence	Ft	158.000
81	Sediment Control at Inlet with Frame and Grate	Each	29.000
82	Sweeping	Hour	20.000
83	Type A Drainage Fabric	SqYd	36.000
84	Concrete Washout Facility	Each	1.000
85	Construction Entrance	Each	2.000
86	Railroad Protective Insurance	LS	1.000
87	15" RCP Class 2, Furnish	Ft	226.000
88	15" RCP, Install	Ft	226.000

89	18" RCP Class 2, Furnish	Ft	26.000
90	18" RCP, Install	Ft	26.000
91	36" RCP Class 2, Furnish	Ft	46.000
92	36" RCP, Install	Ft	46.000
93	48" RCP Class 2, Furnish	Ft	448.000
94	48" RCP, Install	Ft	448.000
95	60" RCP Class 2, Furnish	Ft	682.000
96	60" RCP, Install	Ft	682.000
97	60" RCP Flared End, Furnish	Each	1.000
98	60" RCP Flared End, Install	Each	1.000
99	60" CMP Flared End, Furnish	Each	1.000
100	60" CMP Flared End, Install	Each	1.000
101	15" High Density Polyethylene Pipe, Furnish	Ft	226.000
102	15" High Density Polyethylene Pipe, Install	Ft	226.000
103	18" High Density Polyethylene Pipe, Furnish	Ft	26.000
104	18" High Density Polyethylene Pipe, Install	Ft	26.000
105	36" High Density Polyethylene Pipe, Furnish	Ft	46.000
106	36" High Density Polyethylene Pipe, Install	Ft	46.000
107	48" High Density Polyethylene Pipe, Furnish	Ft	158.000
108	48" High Density Polyethylene Pipe, Install	Ft	158.000
109	60" High Density Polyethylene Pipe, Furnish	Ft	974.000
110	60" High Density Polyethylene Pipe, Install	Ft	974.000
111	Water for Granular Material	MGal	33.200
112	Base Course	Ton	2,085.500
113	Asphalt Concrete Composite	Ton	1,045.000
114	6" Miscellaneous PCC Pavement	SqYd	54.600
115	Water for Granular Material	MGal	33.200
116	Gravel Cushion	Ton	2,096.900
117	6" Nonreinforced PCC Pavement	SqYd	3,131.800
118	Dowel Bar	Each	4,682.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 3 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION