

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on September 02, 2026, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	P 6542(04) (PCN 09V7)	Perkins SWPPP = 1.86 AC	0.319	Grading, PCC Surfacing, Curb & Gutter, Storm Sewer	1st St E (Railway St) - Fm Main St E 0.1 to 1st Ave E; 1st Ave E - Fm 1st St E S 0.1 to 2nd St E; 2nd St E - Fm Main St E 0.2 to 2nd Ave E in Lemmon
2.	BRO-B 8055(36) (PCN 09MJ)	Roberts SWPPP = 0.87 AC	0.200	Structure (4-11x11 CIP Box) & Approach Grading	Structure 2.5 E & 0.5 N of Sisseton on 118 St over Little Minnesota Rv, SN 55-115-180

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	P 6542(04)	Area Engineer: John Matthesen, W Hwy 34, Belle Fourche, SD, 57717-0786			Phone: 605/892-2872
	Work Type 2 or Work Type 3 or	DBE Goal: NONE	Contract Id: 9583	See Special Provisions for Completion Requirements	
	Work Type 12				
	1 Mobilization		LS		1.000
	2 Grade Staking		Mile		0.638
	3 Miscellaneous Staking		Mile		0.454
	4 Engineer Directed Surveying/Staking		Hour		40.000
	5 Checker		LS		1.000
	6 Construction Schedule, Category III		LS		1.000
	7 Remove Concrete Curb and/or Gutter		Ft		1,203.000
	8 Remove Drop Inlet		Each		7.000
	9 Remove Manhole		Each		2.000
	10 Remove Manhole Frame and Lid		Each		2.000
	11 Remove Sewer Pipe		Ft		298.000
	12 Remove Storm Sewer Pipe		Ft		1,033.000
	13 Remove Asphalt Concrete Pavement		SqYd		6,556.000
	14 Remove Concrete Pavement		SqYd		36.400
	15 Remove Concrete Driveway Pavement		SqYd		277.700
	16 Remove Concrete Sidewalk		SqYd		596.400
	17 Remove Sediment		CuYd		12.000
	18 Remove Erosion Control Wattle		Ft		395.000
	19 Remove Sediment Filter Bag		Ft		984.000
	20 Remove Silt Fence		Ft		630.000
	21 Salvage Fence		Ft		202.000
	22 Remove Sign for Reset		Each		5.000
	23 Unclassified Excavation		CuYd		5,167.000
	24 Undercutting		CuYd		2,065.000
	25 Water for Dust Control		MGal		56.000
	26 Water for Embankment		MGal		24.700
	27 Water for Granular Material		MGal		39.200
	28 Water for Vegetation		MGal		168.000
	29 Placing Topsoil		CuYd		244.000
	30 Contractor Furnished Topsoil		CuYd		134.000
	31 Incidental Work, Grading		LS		1.000
	32 Gravel Cushion		Ton		2,378.900
	33 Gravel Surfacing		Ton		885.100
	34 Temporary Gravel Surfacing		Ton		175.000
	35 8" Nonreinforced PCC Pavement		SqYd		4,857.200
	36 6" PCC Driveway Pavement		SqYd		179.800
	37 8" PCC Fillet Section		SqYd		155.900
	38 Dowel Bar		Each		8,163.000
	39 15" RCP Class 2, Furnish		Ft		306.000
	40 15" RCP, Install		Ft		306.000
	41 18" RCP Class 2, Furnish		Ft		46.000
	42 18" RCP, Install		Ft		46.000
	43 30" RCP Class 2, Furnish		Ft		12.000
	44 30" RCP, Install		Ft		12.000
	45 36" RCP Class 2, Furnish		Ft		294.000
	46 36" RCP, Install		Ft		294.000
	47 48" RCP Class 2, Furnish		Ft		440.000
	48 48" RCP, Install		Ft		440.000
	49 60" RCP Class 2, Furnish		Ft		682.000
	50 60" RCP, Install		Ft		682.000
	51 60" RCP Flared End, Furnish		Each		1.000
	52 60" RCP Flared End, Install		Each		1.000
	53 66" Steel Pipe, Furnish		Ft		180.000

54	4" PVC Sewer Pipe	Ft	146.000
55	Bore and Jack 66" Pipe	Ft	180.000
56	Adjust Water Valve Box	Each	8.000
57	Water Main Lowering	Each	7.000
58	Connect To Existing Water Main	Each	14.000
59	Adjust Sewer Service	Each	1.000
60	Reconnect Sewer Service	Each	3.000
61	Connect to Existing Sewer Main	Each	1.000
62	Locate Utilities	Each	2.000
63	Cellular Grout	CuYd	130.600
64	Type II Field Laboratory	Each	1.000
65	Install Fence	Ft	71.000
66	2.0"x2.0" Perforated Tube Post	Ft	65.100
67	Reset Sign	Each	6.000
68	Flagging	Hour	175.000
69	Traffic Control Signs	SqFt	298.400
70	Traffic Control, Miscellaneous	LS	1.000
71	Type 3 Barricade	Each	20.000
72	Detour and Restriction Signing	SqFt	364.000
73	Type B68 Concrete Curb and Gutter	Ft	2,022.000
74	Type P8 Concrete Gutter	Ft	394.000
75	8" Concrete Valley Gutter	SqYd	13.000
76	4" Concrete Sidewalk	SqFt	2,768.000
77	2' x 3' Type B Drop Inlet	Each	17.000
78	5.5' x 3' Type B Drop Inlet	Each	3.000
79	Type B Frame and Grate	Each	21.000
80	Special Frame and Grate	Each	1.000
81	Special Manhole	Each	2.000
82	72" Manhole	Each	5.000
83	96" Manhole	Each	5.000
84	120" Manhole	Each	1.000
85	Type A8 Manhole Frame and Lid	Each	12.000
86	Reset Manhole Frame and Lid	Each	2.000
87	Adjust Manhole	Each	2.000
88	Class B Riprap	Ton	41.000
89	Cover Crop Seeding	Bu	2.000
90	Type A Permanent Seed Mixture	Lb	50.000
91	Type D Permanent Seed Mixture	Lb	150.000
92	Fertilizing	Lb	539.000
93	Mulching	Ton	3.000
94	Fiber Mulching	Lb	661.000
95	12" Diameter Erosion Control Wattle	Ft	1,309.000
96	Remove and Reset Erosion Control Wattle	Ft	330.000
97	Sediment Filter Bag	Ft	984.000
98	High Flow Silt Fence	Ft	738.000
99	Mucking Silt Fence	CuYd	20.000
100	Repair Silt Fence	Ft	175.000
101	Sediment Control at Inlet with Frame and Grate	Each	45.000
102	Sweeping	Hour	40.000
103	Type A Drainage Fabric	SqYd	36.000
104	Concrete Washout Facility	Each	1.000
105	Construction Entrance	Each	3.000
106	Railroad Protective Insurance	LS	1.000

1	Mobilization	LS	1.000
2	Construction Staking	LS	1.000
3	Engineer Directed Surveying/Staking	Hour	20.000
4	Construction Schedule, Category II	LS	1.000
5	Remove Sediment	CuYd	1.000
6	Remove Erosion Control Wattle	Ft	100.000
7	Remove Silt Fence	Ft	350.000
8	Salvage Delineator	Each	19.000
9	Salvage Traffic Sign	Each	2.000
10	Unclassified Excavation	CuYd	3,803.000
11	Contractor Furnished Borrow Excavation	CuYd	350.000
12	Placing Topsoil	CuYd	265.000
13	Incidental Work, Structure	LS	1.000
14	Structure Excavation, Box Culvert	CuYd	193.000
15	Box Culvert Undercut	CuYd	571.000
16	Class A45 Concrete, Box Culvert	CuYd	455.800
17	Reinforcing Steel	Lb	72,107.000
18	Type 2 Object Marker Back to Back	Each	4.000
19	Traffic Control Signs	SqFt	109.000
20	Traffic Control, Miscellaneous	LS	1.000
21	Type 3 Barricade	Each	8.000
22	Class B Riprap	Ton	89.600
23	Erosion Control	LS	1.000
24	12" Diameter Erosion Control Wattle	Ft	200.000
25	Remove and Reset Erosion Control Wattle	Ft	40.000
26	High Flow Silt Fence	Ft	350.000
27	Mucking Silt Fence	CuYd	24.000
28	Repair Silt Fence	Ft	87.000
29	Type B Drainage Fabric	SqYd	117.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 and 2 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.14 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION