

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on September 03, 2025, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	EM 0295(45)130 (PCN 0A3L)	Brookings SWPPP = 0.37 AC	0.076	Grading, Curb & Gutter, Storm Sewer, PCC Pavement, Asphalt Concrete Pavement, Sidewalk, Signals, Lighting & Signing	20th St S & 22nd Ave S Intersection - in Brookings
2.	BRO-B 8041(184) (PCN 0854)	Lawrence SWPPP = 1.17 AC	0.200	Structure (29.2' Rigid Frame Bridge) & Approach Grading	Structure 0.12 W of US14A on Elmore Rd over Spearfish Creek SN 41-079-199
3.	BRO-B 8049(25) (PCN 09AN)	Miner SWPPP = 0.62 AC	0.200	Structure (2-13x5 CIP RCBC) & Approach Grading	Structure in the Carthage City Park over Redstone Creek (City Owned) SN 49-063-018

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.

EM 0295(45)130

Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201

Phone: 605/882-5166

Work Type 2 or Work Type 14

DBE Goal: Not Specified

Contract Id: 9776

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Construction Schedule, Category II	LS	1.000
4	Project Management, Category II	LS	1.000
5	Clear and Grub Tree	Each	6.000
6	Remove Concrete Footing(s)	LS	1.000
7	Remove Concrete Curb and/or Gutter	Ft	333.000
8	Remove Drop Inlet	Each	1.000
9	Remove Drop Inlet Frame and Grate Assembly	Each	1.000
10	Remove Asphalt Concrete Pavement	SqYd	186.600
11	Remove Concrete Pavement	SqYd	42.100
12	Remove Concrete Sidewalk	SqYd	276.700
13	Remove Concrete Retaining Wall	Ft	65.000
14	Remove Signal Equipment	LS	1.000
15	Remove Signal Pole Footing	Each	2.000
16	Remove Sediment	CuYd	0.300
17	Remove Sediment Filter Bag	Ft	130.000
18	Remove Silt Fence	Ft	18.000
19	Remove Sign for Reset	Each	4.000
20	Unclassified Excavation	CuYd	590.000
21	Contractor Furnished Borrow Excavation	CuYd	614.000
22	Undercutting	CuYd	227.000
23	Water for Embankment	MGal	6.000
24	Water for Granular Material	MGal	3.700
25	Water for Vegetation	MGal	51.700
26	Placing Topsoil	CuYd	190.000
27	Base Course	Ton	77.600
28	Gravel Cushion	Ton	212.700
29	Asphalt Concrete Composite	Ton	37.200
30	7" Nonreinforced PCC Pavement	SqYd	112.600
31	8" Miscellaneous PCC Pavement	SqYd	369.200
32	18" RCP Class 2, Furnish	Ft	104.000
33	18" RCP, Install	Ft	104.000
34	8" PVC Water Main	Ft	30.000
35	8" Pipe Bend	Each	1.000
36	8" Pipe Cap	Each	1.000
37	Connect To Existing Water Main	Each	1.000
38	Class M6 Concrete	CuYd	5.500
39	Reinforcing Steel	Lb	919.000
40	Reset Sign	Each	4.000
41	Preformed Thermoplastic Pavement Marking, 24"	Ft	432.000
42	Preformed Thermoplastic Pavement Marking, Arrow	Each	4.000
43	Durable Pavement Marking, 4" Yellow	Ft	20.000
44	Flagging	Hour	40.000
45	Traffic Control Signs	SqFt	403.000
46	Traffic Control, Miscellaneous	LS	1.000
47	Type 3 Barricade	Each	5.000
48	Remove Pavement Marking, 4" or Equivalent	Ft	988.000
49	Remove Pavement Marking, Arrow	Each	2.000
50	Temporary Pavement Marking	Ft	500.000
51	Detour and Restriction Signing	SqFt	150.000
52	Longitudinal Pedestrian Barricade	Ft	30.000
53	Temporary Pedestrian Access Route	LS	1.000

54	Temporary Curb Ramp	Each	2.000
55	Longitudinal Pedestrian Barrier	Ft	200.000
56	Pedestal Signal Pole	Each	2.000
57	3' Diameter Footing	Ft	26.000
58	Controller Cabinet Footing	Each	1.000
59	Type 2 Electrical Junction Box	Each	1.000
60	Type 4 Electrical Junction Box	Each	1.000
61	Miscellaneous Signal Parts	LS	1.000
62	Miscellaneous, Electrical	LS	1.000
63	Remove and Reset Signal Pole	Each	2.000
64	Relocate Signal Equipment	LS	1.000
65	5" Rigid Galvanized Steel Conduit	Ft	10.000
66	1" Rigid Conduit, Schedule 40	Ft	85.000
67	3" Rigid Conduit, Schedule 40	Ft	35.000
68	4" Rigid Conduit, Schedule 40	Ft	50.000
69	2" Rigid Conduit, Schedule 80	Ft	165.000
70	3" Rigid Conduit, Schedule 80	Ft	105.000
71	4" Rigid Conduit, Schedule 80	Ft	100.000
72	4/4/4 Aluminum Wire	Ft	100.000
73	1/C #6 AWG Copper Wire	Ft	1,110.000
74	2/C #14 AWG Copper Tray Cable, K2	Ft	1,855.000
75	4/C #14 AWG Copper Tray Cable, K2	Ft	360.000
76	5/C #14 AWG Copper Tray Cable, K2	Ft	215.000
77	7/C #14 AWG Copper Tray Cable, K2	Ft	30.000
78	12/C #14 AWG Copper Tray Cable, K2	Ft	285.000
79	24/C #14 AWG Copper Tray Cable, K2	Ft	1,585.000
80	Type B68 Concrete Curb and Gutter	Ft	344.000
81	6" Concrete Sidewalk	SqFt	616.000
82	Special Sidewalk	SqFt	1,955.000
83	Type 1 Detectable Warnings	SqFt	40.000
84	Type B Frame and Grate	Each	3.000
85	Type C Frame and Grate	Each	1.000
86	Precast Drop Inlet Collar	Each	5.000
87	Type A7 Manhole Frame and Lid	Each	1.000
88	Type D Permanent Seed Mixture	Lb	45.000
89	Fertilizing	Lb	263.000
90	Bonded Fiber Matrix	Lb	623.000
91	Sediment Filter Bag	Ft	130.000
92	Low Flow Silt Fence	Ft	410.000
93	Mucking Silt Fence	CuYd	8.000
94	Sediment Control at Inlet with Frame and Grate	Each	5.000

2. **BRO-B 8041(184)** **Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970** **Phone: 605/394-2244**
Work Type 9 **DBE Goal: Not Specified** **Contract Id: 9295** **See Special Provisions for Completion Requirements**

1	Maintenance of Traffic Diversion(s)	LS	1.000
2	Remove Traffic Diversion(s)	LS	1.000
3	Mobilization	LS	1.000
4	Grade Staking	Mile	0.204
5	Miscellaneous Staking	Mile	0.204
6	Slope Staking	Mile	0.204
7	Structure Staking	Each	1.000
8	Bridge Elevation Survey	LS	1.000
9	Clear and Grub Tree	Each	10.000
10	Clearing	LS	1.000
11	Remove Sediment	CuYd	2.000
12	Remove Erosion Control Wattle	Ft	580.000

13	Unclassified Excavation	CuYd	730.000
14	Contractor Furnished Borrow Excavation	CuYd	579.000
15	Placing Topsoil	CuYd	199.000
16	Incidental Work, Structure	LS	1.000
17	Temporary Gravel Surfacing	Ton	198.700
18	Structure Excavation, Bridge	CuYd	334.000
19	Bridge End Embankment	CuYd	311.000
20	Granular Bridge End Backfill	CuYd	44.100
21	Class A45 Concrete, Bridge Deck	CuYd	29.400
22	Class A45 Concrete, Bridge	CuYd	115.300
23	Type T101 Bridge Railing	Ft	91.000
24	Reinforcing Steel	Lb	12,297.000
25	Epoxy Coated Reinforcing Steel	Lb	10,544.000
26	HP 12 Pile Tip Reinforcement	Each	28.000
27	HP 12x53 Steel Test Pile, Furnish and Drive	Ft	100.000
28	HP 12x53 Steel Bearing Pile, Furnish and Drive	Ft	1,170.000
29	Type 2 Object Marker	Each	4.000
30	Traffic Control Signs	SqFt	199.200
31	Traffic Control, Miscellaneous	LS	1.000
32	Type 3 Barricade	Each	5.000
33	Class C Riprap	Ton	137.400
34	Erosion Control	LS	1.000
35	12" Diameter Erosion Control Wattle	Ft	880.000
36	Remove and Reset Erosion Control Wattle	Ft	220.000
37	Floating Silt Curtain	Ft	250.000
38	Remove and Reset Floating Silt Curtain	Ft	63.000
39	Type B Drainage Fabric	SqYd	352.000

3. **BRO-B 8049(25)** **Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206** **Phone: 605/995-8120**
Work Type 9 **DBE Goal: Not Specified** **Contract Id: 9585** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Grade Staking	Mile	0.350
3	Miscellaneous Staking	Mile	0.350
4	Slope Staking	Mile	0.350
5	Structure Staking	Each	1.000
6	Engineer Directed Surveying/Staking	Hour	20.000
7	Clear and Grub Tree	Each	15.000
8	Clearing	LS	1.000
9	Salvage Delineator	Each	1.000
10	Salvage Traffic Sign	Each	6.000
11	Unclassified Excavation	CuYd	1,636.000
12	Contractor Furnished Borrow	CuYd	492.000
13	Placing Topsoil	CuYd	359.000
14	Obliterate Old Road	Sta	2.000
15	Incidental Work, Structure	LS	1.000
16	Structure Excavation, Box Culvert	CuYd	80.000
17	Box Culvert Undercut	CuYd	200.000
18	Class A45 Concrete, Box Culvert	CuYd	160.200
19	Reinforcing Steel	Lb	22,660.000
20	Traffic Control Signs	SqFt	93.000
21	Traffic Control, Miscellaneous	LS	1.000
22	Type 3 Barricade	Each	8.000
23	Class B Riprap	Ton	56.000
24	Type C Permanent Seed Mixture	Lb	12.000
25	Fertilizing	Lb	930.000
26	Mulching	Ton	1.000

27	Type 2 Erosion Control Blanket	SqYd	1,670.000
28	12" Diameter Erosion Control Wattle	Ft	451.000
29	High Flow Silt Fence	Ft	738.000
30	Mucking Silt Fence	CuYd	43.000
31	Repair Silt Fence	Ft	155.000
32	Temporary Diversion Channel for Fish Passage	Each	1.000
33	Type B Drainage Fabric	SqYd	72.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 3 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION