

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on September 04, 2024, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	BRO-B 8058(27), BRO-B 8058(28) (PCN 086G, 086J)	Spink SWPPP = 2.79 AC	0.400	Structure (155' Prestressed Girder & 166' Prestressed Girder) & Approach Grading	Structure 1 S & 2.8 W of Redfield on 175th St over Turtle Creek SN 58-062-270; Structure 1.0 E & 1.5 N of Redfield on 172nd St over Turtle Creek SN 58-109-240
2.	BRO-B 8051(16) (PCN 085Q)	Moody SWPPP = 0.15 AC	0.200	Structure (162' Continuous Concrete) & Approach Grading	Structure 7.5 E & 2 S of Trent on 242nd St over Pipestone Creek SN 51-195-220
3.	IM 0902(18)101 (PCN 035F)	Pennington SWPPP = 9.00 AC	0.300	Replace Structure ((2) 394.5' Prestressed Girder Bridges), Approach Grading, Asphalt Surfacing	190 E & W - Strs 3.3 E of the Wasta Interchange Over Bull Ck
4.	IM 0293(113)78 (PCN 065E)	Minnehaha SWPPP = 1.40 AC	---	LSDC Overlay, Approach Slabs, Approach Pavement, Approach Guardrail, Steel Piling Repair	129 N & S - Strs 0.3 N of 26th St over Skunk Ck, Over 12th St (Exit 79), 0.3 N of 12th St over Ellis & Eastern RR
5.	IM-P 0033(32) (PCN 06FD)	Jones, Lyman	---	Pipe Work	Various Locations Throughout the Winner Area

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	BRO-B 8058(27), BRO-B 8058(28)	Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940	Phone: 605/353-7140
	Work Type 7	DBE Goal: Not Specified	Contract Id: 9298
		See Special Provisions for Completion Requirements	
	1 Mobilization	LS	1.000
	2 Incentive/Disincentive Pay	Day	0.000
	3 Grade Staking	Mile	0.316
	4 Miscellaneous Staking	Mile	0.316
	5 Slope Staking	Mile	0.316
	6 Structure Staking	Each	2.000
	7 Engineer Directed Surveying/Staking	Hour	20.000
	8 Bridge Elevation Survey	LS	1.000
	9 Clearing	LS	1.000
	10 Remove Silt Fence	Ft	638.000
	11 Unclassified Excavation	CuYd	6,922.000
	12 Contractor Furnished Borrow Excavation	CuYd	1,668.000
	13 Undercutting	CuYd	1,022.000
	14 Select Granular Backfill	Ton	37.200
	15 Placing Topsoil	CuYd	430.000
	16 Incidental Work, Grading	LS	1.000
	17 Incidental Work, Structure	LS	1.000
	18 Structural Steel, Miscellaneous	LS	1.000
	19 Structure Excavation, Bridge	CuYd	548.000
	20 Bridge End Embankment	CuYd	780.000
	21 Granular Bridge End Backfill	CuYd	62.200
	22 18" CMP 16 Gauge, Furnish	Ft	188.000
	23 18" CMP, Install	Ft	188.000
	24 18" CMP Flared End, Furnish	Each	10.000
	25 18" CMP Flared End, Install	Each	10.000
	26 Class A45 Concrete, Bridge Deck	CuYd	266.400
	27 Class A45 Concrete, Bridge	CuYd	321.500
	28 Type T101 Bridge Railing	Ft	705.000
	29 Reinforcing Steel	Lb	44,152.000
	30 Epoxy Coated Reinforcing Steel	Lb	56,297.000
	31 Preboring Pile	Ft	200.000
	32 HP 10x42 Steel Test Pile, Furnish and Drive	Ft	365.000
	33 HP 10x42 Steel Bearing Pile, Furnish and Drive	Ft	2,450.000
	34 36" Minnesota Shape Prestressed Concrete Beam	Ft	1,109.000
	35 Traffic Control Signs	SqFt	186.000
	36 Traffic Control, Miscellaneous	LS	1.000
	37 Type 3 Barricade	Each	16.000
	38 Class C Riprap	Ton	5,175.800
	39 Overburden Excavation for Riprap	CuYd	3,535.000
	40 Erosion Control	LS	1.000
	41 Type 3 Erosion Control Blanket	SqYd	654.000
	42 12" Diameter Erosion Control Wattle	Ft	400.000
	43 Remove and Reset Erosion Control Wattle	Ft	100.000
	44 Surface Roughening	Acre	1.000
	45 Low Flow Silt Fence	Ft	2,550.000
	46 Mucking Silt Fence	CuYd	178.000
	47 Repair Silt Fence	Ft	638.000
	48 Floating Silt Curtain	Ft	830.000
	49 Type B Drainage Fabric	SqYd	4,846.000
	50 Perforated Geocell	SqFt	1,062.000
2.	BRO-B 8051(16)	Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107	Phone: 605/367-5680
	Work Type 7	DBE Goal: Not Specified	Contract Id: 9274
		See Special Provisions for Completion Requirements	
	1 Mobilization	LS	1.000

2	Construction Staking	LS	1.000
3	Engineer Directed Surveying/Staking	Hour	20.000
4	Bridge Elevation Survey	LS	1.000
5	Remove Traffic Sign	Each	2.000
6	Remove Delineator	Each	20.000
7	Remove Sediment	CuYd	2.000
8	Remove Silt Fence	Ft	61.000
9	Unclassified Excavation	CuYd	1,726.000
10	Contractor Furnished Borrow Excavation	CuYd	2,872.000
11	Water for Granular Material	MGal	12.000
12	Select Granular Backfill	Ton	11.500
13	Placing Topsoil	CuYd	671.000
14	Incidental Work, Structure	LS	1.000
15	Base Course	Ton	751.600
16	Structure Excavation, Bridge	CuYd	16.000
17	Bridge End Embankment	CuYd	175.000
18	Granular Bridge End Backfill	CuYd	22.400
19	Class A45 Concrete, Bridge Deck	CuYd	281.200
20	Class A45 Concrete, Bridge	CuYd	85.800
21	Deck Drain, Slab Bridge	Each	12.000
22	Reinforcing Steel	Lb	2,156.000
23	Epoxy Coated Reinforcing Steel	Lb	85,143.000
24	Preboring Pile	Ft	80.000
25	HP 10x42 Steel Test Pile, Furnish and Drive	Ft	150.000
26	HP 10x42 Steel Bearing Pile, Furnish and Drive	Ft	420.000
27	16"x0.375" Steel Pipe Test Pile, Furnish and Drive	Ft	210.000
28	16"x0.375" Steel Pipe Bearing Pile, Furnish and Drive	Ft	1,170.000
29	Type 1 MGS	Ft	100.000
30	Type 1 Guardrail Transition	Each	4.000
31	MGS MASH Flared End Terminal	Each	4.000
32	Guardrail Delineator	Each	16.000
33	Traffic Control Signs	SqFt	141.000
34	Traffic Control, Miscellaneous	LS	1.000
35	Type 3 Barricade	Each	8.000
36	Class B Riprap	Ton	549.000
37	Overburden Excavation for Riprap	CuYd	306.000
38	Erosion Control	LS	1.000
39	Type 3 Erosion Control Blanket	SqYd	1,380.000
40	12" Diameter Erosion Control Wattle	Ft	847.000
41	Remove and Reset Erosion Control Wattle	Ft	212.000
42	Shaping for Erosion Control Blanket	Ft	778.000
43	Low Flow Silt Fence	Ft	243.000
44	Mucking Silt Fence	CuYd	17.000
45	Repair Silt Fence	Ft	61.000
46	Type B Drainage Fabric	SqYd	551.000
47	Perforated Geocell	SqFt	328.000

3. **IM 0902(18)101** **Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970** **Phone: 605/394-2244**
Work Type 7 **DBE Goal: Not Specified** **Contract Id: 9482** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Reestablish Right-of-Way and Property Corner	Each	8.000
3	Reestablish Public Land Survey System Corner	Each	2.000
4	Grade Staking	Mile	1.026
5	Final Cross Section Survey	Mile	0.513
6	Miscellaneous Staking	Mile	0.513
7	Slope Staking	Mile	0.513

8	Structure Staking	Each	2.000
9	Engineer Directed Surveying/Staking	Hour	40.000
10	Bridge Elevation Survey	LS	1.000
11	Checker	LS	1.000
12	Construction Schedule, Category II	LS	1.000
13	Concrete Penetrating Sealer	SqYd	3,508.000
14	Training Program	Hour	1,000.000
15	Clearing	LS	1.000
16	Remove Traffic Sign	Each	1.000
17	Remove Drop Inlet	Each	2.000
18	Remove Fence	Ft	2,094.000
19	Remove 3 Cable Guardrail Anchor Assembly	Each	8.000
20	Remove Asphalt Concrete Pavement	SqYd	4,735.300
21	Remove Sediment	CuYd	4.100
22	Remove Sediment Filter Bag	Ft	128.000
23	Remove Silt Fence	Ft	477.000
24	Salvage 3 Cable Guardrail	Ft	1,483.000
25	Salvage High Tension 4 Cable Guardrail	Ft	150.000
26	Salvage High Tension 4 Cable Guardrail Anchor Assembly	Each	2.000
27	Salvage Beam Guardrail	Ft	748.000
28	Salvage Type 1 MGS	Ft	306.000
29	Salvage W Beam to Thrie Beam Guardrail Transition	Each	2.000
30	Salvage Type 1 Guardrail Transition	Each	2.000
31	Salvage Type 3 Guardrail Transition	Each	2.000
32	Salvage MGS MASH Tangent End Terminal	Each	4.000
33	Remove High Tension 4 Cable Guardrail for Reset	Ft	212.000
34	Remove High Tension 4 Cable Guardrail Anchor Assembly for Reset	Each	3.000
35	Remove Type 1 MGS for Reset	Ft	200.000
36	Remove MGS MASH Tangent End Terminal for Reset	Each	2.000
37	Remove Sign for Reset	Each	3.000
38	Remove Delineator for Reset	Each	6.000
39	Unclassified Excavation	CuYd	63,742.000
40	Undercutting	CuYd	8,327.000
41	Water for Embankment	MGal	470.100
42	Water for Granular Material	MGal	124.400
43	Select Granular Backfill	Ton	39.200
44	Placing Topsoil	CuYd	2,143.000
45	Incidental Work, Grading	LS	1.000
46	Incidental Work, Structure	LS	1.000
47	Base Course	Ton	10,382.800
48	Compaction Sample	Each	8.000
49	Saw Joint in Asphalt Concrete	Ft	2,493.000
50	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	0.700
51	MC-70 Asphalt for Prime	Ton	10.500
52	SS-1h or CSS-1h Asphalt for Tack	Ton	5.200
53	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	1.600
54	Blotting Sand for Prime	Ton	5.000
55	Sand for Flush Seal	Ton	6.500
56	Structural Steel, Miscellaneous	LS	1.000
57	Membrane Sealant Expansion Joint	Ft	167.600
58	Structure Excavation, Bridge	CuYd	58.000
59	Bridge End Embankment	CuYd	1,073.000
60	Granular Bridge End Backfill	CuYd	238.800
61	Approach Slab Underdrain Excavation	CuYd	19.000
62	Precast Concrete Headwall for Drain	Each	4.000
63	18" RCP Class 2, Furnish	Ft	68.000

64	18" RCP, Install	Ft	68.000
65	24" RCP Class 2, Furnish	Ft	106.000
66	24" RCP, Install	Ft	106.000
67	24" RCP Flared End, Furnish	Each	1.000
68	24" RCP Flared End, Install	Each	1.000
69	18" CMP 14 Gauge, Furnish	Ft	358.000
70	18" CMP, Install	Ft	358.000
71	18" CMP Elbow, Furnish	Each	6.000
72	18" CMP Elbow, Install	Each	6.000
73	18" CMP Flared End, Furnish	Each	1.000
74	18" CMP Flared End, Install	Each	1.000
75	18" CMP Sloped End, Furnish	Each	2.000
76	18" CMP Sloped End, Install	Each	2.000
77	18" CMP Safety End, Furnish	Each	1.000
78	18" CMP Safety End, Install	Each	1.000
79	Class A45 Concrete, Bridge Deck	CuYd	1,210.400
80	Class A45 Concrete, Bridge	CuYd	509.700
81	Concrete Approach Slab for Bridge	SqYd	381.200
82	Concrete Approach Sleeper Slab for Bridge	SqYd	83.800
83	Deck Drain, Girder Bridge	Each	6.000
84	Class M6 Concrete	CuYd	5.900
85	Class A45 Concrete, Drilled Shaft	CuYd	527.300
86	Drilled Shaft Excavation	CuYd	518.500
87	56" Permanent Casing	Ft	302.200
88	Reinforcing Steel	Lb	165,816.000
89	Epoxy Coated Reinforcing Steel	Lb	5,766.000
90	Stainless Reinforcing Steel	Lb	250,074.000
91	Extract Pile	Each	10.000
92	Preboring Pile	Ft	360.000
93	HP 12x74 Steel Test Pile, Furnish and Drive	Ft	280.000
94	HP 12x74 Steel Bearing Pile, Furnish and Drive	Ft	2,080.000
95	81" Minnesota Shape Prestressed Concrete Beam	Ft	4,690.000
96	Type II Field Laboratory	Each	1.000
97	Type 2 Right-of-Way Fence	Ft	1,507.000
98	Type 1A Temporary Fence	Ft	1,412.000
99	2 Post Panel	Each	18.000
100	3 Post Panel	Each	5.000
101	High Tension 4 Cable Guardrail	Ft	150.000
102	Reset High Tension 4 Cable Guardrail	Ft	212.000
103	High Tension Cable Guardrail Anchor Assembly	Each	2.000
104	Reset High Tension Cable Guardrail Anchor Assembly	Each	3.000
105	Furnish High Tension Cable Guardrail Post and Sleeve	Each	50.000
106	Straight Double Class A Thrie Beam Guardrail with Wood Posts	Ft	144.000
107	Type 1 MGS	Ft	1,681.500
108	Type 1 Guardrail Transition	Each	4.000
109	Type 3 Guardrail Transition	Each	4.000
110	Asymmetrical W Beam to Thrie Beam Guardrail Transition	Each	4.000
111	MGS MASH Tangent End Terminal	Each	10.000
112	Thrie Beam Guardrail Trailing End Terminal	Each	2.000
113	Reset Type 1 MGS	Ft	200.000
114	Reset MGS MASH Tangent End Terminal	Each	2.000
115	2.5"x2.5" Perforated Tube Post	Ft	26.000
116	Reset Delineator	Each	6.000
117	Guardrail Delineator	Each	50.000
118	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	20.000
119	Reset Sign	Each	3.000

120	Cold Applied Plastic Pavement Marking, 6"	Ft	670.000
121	High Build Waterborne Pavement Marking Paint with Reflective Elements, White	Gal	2,710.000
122	High Build Waterborne Pavement Marking Paint with Reflective Elements, Yellow	Gal	2,710.000
123	Grooving for Cold Applied Plastic Pavement Marking, 6"	Ft	670.000
124	Grooving for Durable Pavement Marking, 6"	Ft	5,420.000
125	Flagging	Hour	40.000
126	Traffic Control Signs	SqFt	1,035.300
127	Traffic Control, Miscellaneous	LS	1.000
128	Traffic Control Supervisor	LS	1.000
129	Type 3 Barricade	Each	17.000
130	Temporary Raised Pavement Markers	Mile	12.000
131	Tubular Marker	Each	194.000
132	Type C Advance Warning Arrow Board	Each	2.000
133	Remove Pavement Marking, 4" or Equivalent	Ft	2,640.000
134	Temporary Pavement Marking	Mile	0.500
135	Detour and Restriction Signing	SqFt	266.000
136	Contractor Furnished Portable Changeable Message Sign	Each	2.000
137	Queue Detection System	Each	2.000
138	Maintenance of Queue Detection System	Hour	40.000
139	Type A Frame and Grate	Each	4.000
140	Type M Frame and Grate Assembly	Each	1.000
141	Precast Drop Inlet Collar	Each	4.000
142	4" Underdrain Pipe	Ft	347.000
143	4" Slotted Corrugated Polyethylene Drainage Tubing	Ft	177.000
144	Concrete Headwall for Underdrain	Each	1.000
145	Porous Backfill	Ton	111.000
146	Class A Riprap	Ton	674.100
147	Class B Riprap	Ton	3,310.000
148	Overburden Excavation for Riprap	CuYd	1,978.000
149	PVC Coated Bank and Channel Protection Gabion	CuYd	13.500
150	Cover Crop Seeding	Bu	3.000
151	Type F Permanent Seed Mixture	Lb	104.000
152	Fertilizing	Ton	3.000
153	Mulching	Ton	12.000
154	Soil Stabilizer	Acre	2.300
155	Type 3 Erosion Control Blanket	SqYd	11,922.000
156	12" Diameter Erosion Control Wattle	Ft	1,225.000
157	Remove and Reset Erosion Control Wattle	Ft	307.000
158	Sediment Filter Bag	Ft	128.000
159	Low Flow Silt Fence	Ft	1,600.000
160	High Flow Silt Fence	Ft	306.000
161	Mucking Silt Fence	CuYd	132.000
162	Repair Silt Fence	Ft	477.000
163	Sediment Control at Inlet with Frame and Grate	Each	5.000
164	Type B Drainage Fabric	SqYd	4,322.000
165	Perforated Geocell	SqFt	1,120.000
166	Concrete Washout Facility	Each	2.000
167	Construction Entrance	Each	2.000
168	PG 64-34 Asphalt Binder	Ton	166.100
169	Class G Asphalt Concrete	Ton	2,891.600
170	Hydrated Lime	Ton	28.600
171	PG 64-34 Asphalt Binder	Ton	146.800
172	Class G Asphalt Concrete	Ton	2,969.500
173	Hydrated Lime	Ton	29.400

4. IM 0293(113)78

Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107

Phone: 605/367-5680

Work Type 8

DBE Goal: Not Specified

Contract Id: 9554

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Bridge Elevation Survey	LS	1.000
4	Construction Schedule, Category II	LS	1.000
5	Concrete Penetrating Sealer	SqYd	4,046.500
6	Remove Concrete Bridge Approach Slab	SqYd	3,121.400
7	Remove Drop Inlet	Each	16.000
8	Remove Drop Inlet Frame and Grate Assembly	Each	4.000
9	Remove Pipe Culvert	Ft	44.000
10	Remove 3 Cable Guardrail	Ft	3,397.000
11	Remove Beam Guardrail	Ft	812.500
12	Remove 3 Cable Guardrail Anchor Assembly	Each	19.000
13	Remove 3 Cable Guardrail Slip Base Anchor Assembly	Each	5.000
14	Remove W Beam Guardrail Breakaway Cable Terminal	Each	9.000
15	Remove Asphalt Concrete Pavement	SqYd	3,104.000
16	Remove Concrete Pavement	SqYd	8,598.000
17	Remove Concrete Barrier	Ft	80.000
18	Unclassified Excavation	CuYd	303.000
19	Contractor Furnished Borrow	CuYd	212.000
20	Bridge Berm Repair	Each	8.000
21	Base Course	Ton	359.000
22	Asphalt Concrete Composite	Ton	545.000
23	Cold Milling Asphalt Concrete	SqYd	520.000
24	8" Nonreinforced PCC Pavement	SqYd	1,716.000
25	10.5" Nonreinforced PCC Pavement	SqYd	716.000
26	12.5" Nonreinforced PCC Pavement	SqYd	6,245.000
27	Concrete Barrier and 10' Continuously Reinforced Concrete Shoulder	Ft	80.000
28	Dowel Bar	Each	2,776.000
29	Insert Steel Bar in PCC Pavement	Each	541.000
30	Reseal PCC Pavement Joint - Silicone	Ft	120.000
31	Reseal PCC Pavement Joint - Hot Pour	Ft	256.000
32	Grinding PCC Pavement	SqYd	285.000
33	Structural Steel, Miscellaneous	LS	1.000
34	Membrane Sealant Expansion Joint	Ft	1,899.200
35	Bridge End Embankment	CuYd	131.000
36	Granular Bridge End Backfill	CuYd	311.100
37	12" CMP 16 Gauge, Furnish	Ft	204.000
38	12" CMP, Install	Ft	204.000
39	12" CMP Elbow, Furnish	Each	4.000
40	12" CMP Elbow, Install	Each	4.000
41	CMP Tee, Furnish	Each	2.000
42	CMP Tee, Install	Each	2.000
43	Cleanout Pipe Culvert	Each	14.000
44	12" Pipe Cap	Each	8.000
45	Class A45 Concrete, Bridge Repair	CuYd	5.300
46	Concrete Approach Slab for Bridge	SqYd	2,433.400
47	Concrete Approach Sleeper Slab for Bridge	SqYd	688.200
48	Breakout Structural Concrete	CuYd	5.300
49	Install Dowel in Concrete	Each	52.000
50	Controlled Density Fill	CuYd	9.800
51	No. 4 Rebar Splice	Each	222.000
52	No. 5 Rebar Splice	Each	288.000
53	No. 6 Rebar Splice	Each	336.000

54	Galvanic Anode	Each	26.000
55	Two Coat Bridge Deck Polymer High Friction Chip Seal Repair	SqYd	65.100
56	Bridge Deck Grinding	SqYd	500.700
57	HP 10 Steel Pile Vertical Splice	Each	7.000
58	Granular Backfill for MSE Large Panel Wall	CuYd	2.100
59	Low Slump Dense Concrete Bridge Deck Overlay	CuYd	308.000
60	Concrete Removal Type 1A	SqYd	4,278.000
61	Concrete Removal Type 1B	SqYd	427.800
62	Concrete Removal Type 1C	SqYd	213.800
63	Concrete Removal Type 1D	SqYd	213.800
64	Concrete Removal Type B	Ft	40.000
65	Class A45 Concrete Fill	CuYd	46.000
66	Finishing and Curing	SqYd	4,278.000
67	Straight Class A Thrie Beam Guardrail with Wood Posts	Ft	25.000
68	Type 1 MGS	Ft	3,087.500
69	Type 1 Retrofit Guardrail Transition	Each	5.000
70	Type 3 Guardrail Transition	Each	5.000
71	Asymmetrical W Beam to Thrie Beam Guardrail Transition	Each	2.000
72	MGS MASH Flared End Terminal	Each	3.000
73	MGS MASH Tangent End Terminal	Each	7.000
74	MGS Trailing End Terminal	Each	2.000
75	Guardrail Delineator	Each	92.000
76	Flagging	Hour	40.000
77	Traffic Control Signs	SqFt	1,638.600
78	Traffic Control, Miscellaneous	LS	1.000
79	Type 3 Barricade	Each	22.000
80	Temporary Raised Pavement Markers	Ft	61,425.000
81	Tubular Marker	Each	655.000
82	Replace Tubular Marker	Each	66.000
83	Type C Advance Warning Arrow Board	Each	4.000
84	Linear Delineation System Panel, Barrier Mounted	Each	180.000
85	Remove Pavement Marking, 4" or Equivalent	Ft	9,930.000
86	Temporary Pavement Marking	Ft	61,425.000
87	Traffic Control Movable Concrete Barrier	Each	180.000
88	Remove and Reset Traffic Control Movable Concrete Barrier	Each	90.000
89	Temporary Concrete Barrier End Protection	Each	6.000
90	Remove and Reset Temporary Concrete Barrier End Protection	Each	6.000
91	Contractor Furnished Portable Changeable Message Sign	Each	8.000
92	Queue Detection System	Mth	8.000
93	Maintenance of Queue Detection System	Hour	100.000
94	2' x 3' Type B Drop Inlet	Each	16.000
95	Type C Frame and Grate	Each	4.000
96	Precast Drop Inlet Collar	Each	20.000
97	Adjust Drop Inlet	Each	4.000
98	4" Underdrain Pipe	Ft	83.000
99	Erosion Control	LS	1.000
100	Railroad Protective Insurance	LS	1.000

5.	IM-P 0033(32)	Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771	Phone: 605/842-0810
	Work Type 2 or Work Type 12	DBE Goal: Not Specified	Contract Id: 9484 See Special Provisions for Completion Requirements
	1 Mobilization	LS	1.000
	2 Remove Pipe Culvert	Ft	104.000
	3 Remove Pipe End Section	Each	10.000
	4 Remove Sediment	CuYd	1.000
	5 Contractor Furnished Borrow	CuYd	90.000
	6 30" RCP Class 2, Furnish	Ft	26.000

7	30" RCP, Install	Ft	26.000
8	42" RCP Class 2, Furnish	Ft	18.000
9	42" RCP, Install	Ft	18.000
10	30" RCP Flared End, Furnish	Each	2.000
11	30" RCP Flared End, Install	Each	2.000
12	42" RCP Flared End, Furnish	Each	1.000
13	42" RCP Flared End, Install	Each	1.000
14	42" CMP 14 Gauge, Furnish	Ft	52.000
15	42" CMP, Install	Ft	52.000
16	24" CMP Flared End, Furnish	Each	2.000
17	24" CMP Flared End, Install	Each	2.000
18	30" CMP Flared End, Furnish	Each	2.000
19	30" CMP Flared End, Install	Each	2.000
20	42" CMP Flared End, Furnish	Each	4.000
21	42" CMP Flared End, Install	Each	4.000
22	Cleanout for Culvert Treatment	Each	3.000
23	24" Cured in Place Pipe	Ft	138.000
24	30" Cured in Place Pipe	Ft	87.000
25	42" Cured in Place Pipe	Ft	109.000
26	Flagging	Hour	40.000
27	Traffic Control Signs	SqFt	498.000
28	Traffic Control, Miscellaneous	LS	1.000
29	Type 3 Barricade	Each	2.000
30	Type C Advance Warning Arrow Board	Each	2.000
31	PVC Coated Bank and Channel Protection Gabion	CuYd	10.000
32	Erosion Control	LS	1.000
33	Type 2 Turf Reinforcement Mat	SqYd	223.000
34	12" Diameter Erosion Control Wattle	Ft	320.000
35	Temporary Water Barrier	Ft	100.000
36	Type B Drainage Fabric	SqYd	29.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 5 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION