

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on September 18, 2024, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
* 1.	NH-CR-EM 0018(195)103 (PCN 04FC, 06N3)	Oglala Lakota SWPPP = 15.10 AC	0.900	Urban Grading, Curb & Gutter, Storm Sewer, Lighting, PCC Surfacing, ADA, Signal	US18 - In Pine Ridge Fm 2 Blocks N of SD407 to E of Indian Health Rd; SD407 - In Pine Ridge Fm Cherry Hill Ct to US18
* 2.	2211 01441() (PCN X06L)	Oglala Lakota	0.900	Replace Water Line	US18 - In Pine Ridge Fm 2 Blocks N of SD407 to E of Indian Health Rd
3.	IM 0902(189)98 (PCN 09Q9)	Pennington	0.200	Replace Sewer Lines	I90 E & W - Eastbound & Westbound Wasta Rest Area
4.	NH-P 0011(224) (PCN 06EG)	Brown, Edmunds, Marshall SWPPP = 0.50 AC	---	Culvert Cleaning, CIPP Lining & Pipe Repair	Various Locations Throughout the Aberdeen Area
5.	PH 0037(173)30 (PCN 09C9)	Bon Homme	---	Intersection Lighting	SD37 - SD46 Jct
6.	PH 0010(171) (PCN 07X5)	Regionwide	39.500	County Pavement Marking	Various Locations in the Aberdeen Region

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	NH-CR-EM 0018(195)103 Work Type 2 or Work Type 3	Area Engineer: Bruce Schroeder, PO Box 431, Custer, SD, 57730-0431 DBE Goal: Not Specified	Contract Id: 9547	See Special Provisions for Completion Requirements	Phone: 605/673-4948
1	Blading			Hour	100.000
2	Mobilization			LS	1.000
3	Incentive/Disincentive Pay			Day	0.000
4	Reestablish Right-of-Way and Property Corner			Each	139.000
5	Grade Staking			Mile	3.288
6	Graded Centerline Staking			Mile	1.460
7	Final Cross Section Survey			Mile	1.460
8	Miscellaneous Staking			Mile	1.460
9	Slope Staking			Mile	1.460
10	Structure Staking			Each	7.000
11	Engineer Directed Surveying/Staking			Hour	100.000
12	Construction Schedule, Category III			LS	1.000
13	Training Program			Hour	2,000.000
14	Clear and Grub Tree			Each	9.000
15	Clearing			LS	1.000
16	Remove Traffic Sign			Each	15.000
17	Remove Concrete Curb and/or Gutter			Ft	4,643.000
18	Remove Fence			Ft	1,976.000
19	Remove Asphalt Concrete Pavement			SqYd	25,621.200
20	Remove Concrete Pavement			SqYd	4,009.100
21	Remove Concrete Sidewalk			SqYd	5,985.600
22	Remove Signal Equipment			LS	1.000
23	Remove Signal Pole Footing			Each	8.000
24	Remove Luminaire Pole Footing			Each	19.000
25	Remove Sediment			CuYd	16.400
26	Remove Erosion Control Wattle			Ft	2,760.000
27	Remove Sediment Filter Bag			Ft	1,952.000
28	Remove Silt Fence			Ft	461.000
29	Salvage Luminaire Pole			Each	17.000
30	Salvage Luminaire			Each	17.000
31	Salvage Signal Equipment			LS	1.000
32	Remove Gate for Reset			Each	2.000
33	Remove Sign for Reset			Each	32.000
34	Remove Pipe End Section for Reset			Each	1.000
35	Unclassified Excavation			CuYd	38,982.000
36	Contractor Furnished Borrow			CuYd	7,910.000
37	Contaminated Material Excavation			CuYd	200.000
38	Muck Excavation			CuYd	898.000
39	Undercutting			CuYd	19,767.000
40	Water for Embankment			MGal	73.000
41	Water for Granular Material			MGal	143.600
42	Water for Vegetation			MGal	376.800
43	Placing Topsoil			CuYd	2,095.000
44	Incidental Work, Grading			LS	1.000
45	Base Course			Ton	1,047.000
46	Base Course, Salvaged			Ton	1,843.100
47	Gravel Cushion, Salvaged			Ton	11,642.000
48	Salvage and Stockpile Asphalt Mix Material			Ton	7,395.000
49	Salvage and Stockpile Granular Material			Ton	10,609.000
50	Blend, Haul, and Stockpile Granular Material			Ton	13,639.100
51	Asphalt Concrete Composite			Ton	2,539.400
52	8" Nonreinforced PCC Pavement			SqYd	15,664.300
53	6" Barrier Type Colored Median PCC Pavement			SqYd	22.000

54	6" Raised Concrete Island with Pedestrian Access	SqYd	38.500
55	6" PCC Driveway Pavement	SqYd	23.700
56	8" PCC Driveway Pavement	SqYd	543.100
57	6" PCC Approach Pavement	SqYd	799.400
58	8" PCC Fillet Section	SqYd	1,471.300
59	Dowel Bar	Each	9,708.000
60	Insert Steel Bar in PCC Pavement	Each	81.000
61	Structure Excavation, Retaining Wall	CuYd	1.000
62	Pipe Culvert Undercut	CuYd	86.000
63	Footing Undercut	CuYd	2.000
64	18" RCP Class 2, Furnish	Ft	1,210.000
65	18" RCP, Install	Ft	1,210.000
66	24" RCP Class 2, Furnish	Ft	272.000
67	24" RCP, Install	Ft	272.000
68	36" RCP Class 2, Furnish	Ft	3,180.000
69	36" RCP, Install	Ft	3,180.000
70	42" RCP Class 2, Furnish	Ft	130.000
71	42" RCP, Install	Ft	130.000
72	36" RCP Flared End, Furnish	Each	2.000
73	36" RCP Flared End, Install	Each	2.000
74	42" RCP Flared End, Furnish	Each	2.000
75	42" RCP Flared End, Install	Each	2.000
76	36" CMP 16 Gauge, Furnish	Ft	4.000
77	36" CMP, Install	Ft	4.000
78	36" CMP Safety End with Bars, Furnish	Each	1.000
79	36" CMP Safety End, Install	Each	1.000
80	36" CMP to RCP Transition, Furnish	Each	1.000
81	36" Pipe Transition, Install	Each	1.000
82	Cleanout Pipe Culvert	Each	42.000
83	Reset Pipe End Section	Each	1.000
84	Class M6 Concrete	CuYd	204.400
85	Pipe Handrail	Ft	187.200
86	Reinforcing Steel	Lb	35,388.000
87	Epoxy Coated Reinforcing Steel	Lb	1,483.000
88	Type C Concrete Retaining Wall	SqFt	60.000
89	Type III Field Laboratory	Each	1.000
90	Type 2 Right-of-Way Fence	Ft	172.000
91	2 Post Panel	Each	2.000
92	Reset Gate	Each	2.000
93	5' Chain Link Fence with Top Rail	Ft	1,436.000
94	Special 4' Fence	Ft	86.000
95	Single Vehicular Swing Gate	Each	2.000
96	2.0"x2.0" Perforated Tube Post	Ft	235.600
97	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	13.000
98	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	630.400
99	Reset Sign	Each	32.000
100	Radar Speed Sign, Solar Powered	Each	3.000
101	Cold Applied Plastic Pavement Marking, 4"	Ft	11,244.000
102	Cold Applied Plastic Pavement Marking, 8"	Ft	190.000
103	Preformed Thermoplastic Pavement Marking, 12"	Ft	164.000
104	Preformed Thermoplastic Pavement Marking, 24"	Ft	1,216.000
105	Preformed Thermoplastic Pavement Marking, Arrow	Each	49.000
106	High Build Waterborne Pavement Marking Paint, 4" White	Ft	370.000
107	High Build Waterborne Pavement Marking Paint, 4" Yellow	Ft	4,509.000
108	High Build Waterborne Pavement Marking Paint, 12" Yellow	Ft	31.000
109	High Build Waterborne Pavement Marking Paint, 24" Yellow	Ft	18.000

110	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	11,244.000
111	Grooving for Cold Applied Plastic Pavement Marking, 8"	Ft	190.000
112	Grooving for Cold Applied Plastic Pavement Marking, 12"	Ft	164.000
113	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	1,216.000
114	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	49.000
115	Flagging	Hour	1,100.000
116	Traffic Control Signs	SqFt	2,120.800
117	Traffic Control, Miscellaneous	LS	1.000
118	Type 3 Barricade	Each	81.000
119	Temporary Raised Pavement Markers	Ft	23,140.000
120	Tubular Marker	Each	995.000
121	Type C Advance Warning Arrow Board	Each	2.000
122	Linear Delineation System Panel, Barrier Mounted	Each	20.000
123	Remove Pavement Marking, 4" or Equivalent	Ft	11,345.000
124	Remove Pavement Marking, Arrow	Each	18.000
125	4" Temporary Pavement Marking Tape Type I	Ft	18,660.000
126	Temporary Pavement Marking	Ft	8,489.000
127	Traffic Control Movable Concrete Barrier	Each	20.000
128	Remove and Reset Traffic Control Movable Concrete Barrier	Each	60.000
129	Temporary Concrete Barrier End Protection	Each	4.000
130	Remove and Reset Temporary Concrete Barrier End Protection	Each	6.000
131	Temporary Concrete Barrier End Protection Module Set or Repair Kit	Each	1.000
132	Detour and Restriction Signing	SqFt	1,316.800
133	Temporary Business Signing	SqFt	210.000
134	Longitudinal Pedestrian Barricade	Ft	5,650.000
135	Temporary Pedestrian Access Route	LS	1.000
136	Temporary Curb Ramp	Each	11.000
137	Longitudinal Pedestrian Barrier	Ft	775.000
138	Temporary Sidewalk	SqFt	5,150.000
139	Temporary Flexible Sidewalk	SqFt	5,150.000
140	Reset Temporary Flexible Sidewalk	SqFt	5,150.000
141	Breakaway Base Luminaire Pole with Arm, 40' Mounting Height	Each	20.000
142	Pedestal Signal Pole	Each	2.000
143	Signal Pole with 25' Mast Arm	Each	1.000
144	Signal Pole with 30' Mast Arm	Each	1.000
145	Signal Pole with 35' Mast Arm	Each	2.000
146	Signal Pole with 25' Mast Arm and Luminaire Arm	Each	3.000
147	Signal Pole with 30' Mast Arm and Luminaire Arm	Each	1.000
148	Signal Pole with 35' Mast Arm and Luminaire Arm	Each	3.000
149	Signal Pole with 40' Mast Arm and Luminaire Arm	Each	1.000
150	Roadway Luminaire, LED with Photoelectric Cell	Each	8.000
151	3 Section Vehicle Signal Head	Each	36.000
152	2' Diameter Footing	Ft	164.000
153	3' Diameter Footing	Ft	137.000
154	Type 1 Electrical Junction Box	Each	16.000
155	Type 2 Electrical Junction Box	Each	13.000
156	Type 3 Electrical Junction Box	Each	3.000
157	Electrical Service Cabinet	Each	2.000
158	Electrical Service Cabinet with Secondary Disconnect	Each	2.000
159	Traffic Signal Controller	Each	3.000
160	Battery Backup System for Traffic Signal	Each	3.000
161	Preformed Detector Loop	Each	78.000
162	Siren Emergency Vehicle Preemption System	Each	3.000
163	Accessible Pedestrian Signal	Each	24.000
164	Pedestrian Push Button Pole	Each	25.000
165	Pedestrian Signal Head with Countdown Timer	Each	24.000

166	Pedestrian Crossing Sign	Each	24.000
167	Rectangular Rapid Flashing Beacon System	Each	1.000
168	Remove and Reset Luminaire Pole	Each	8.000
169	1" Rigid Conduit, Schedule 40	Ft	355.000
170	2" Rigid Conduit, Schedule 40	Ft	5,785.000
171	4" Rigid Conduit, Schedule 40	Ft	40.000
172	2" Rigid Conduit, Schedule 80	Ft	1,320.000
173	3" Rigid Conduit, Schedule 80	Ft	640.000
174	4" Rigid Conduit, Schedule 80	Ft	220.000
175	1/C #1 AWG Copper Wire	Ft	12,980.000
176	1/C #2 AWG Copper Wire	Ft	6,405.000
177	1/C #6 AWG Copper Wire	Ft	5,055.000
178	1/C #8 AWG Copper Wire	Ft	1,440.000
179	1/C #14 AWG Copper Wire	Ft	1,600.000
180	2/C #14 AWG Copper Tray Cable, K2	Ft	3,820.000
181	4/C #14 AWG Copper Tray Cable, K2	Ft	1,575.000
182	6/C #14 AWG Copper Tray Cable, K2	Ft	140.000
183	25/C #14 AWG Copper Tray Cable, K2	Ft	1,700.000
184	#16 AWG Copper Twisted Shielded Pair	Ft	5,695.000
185	2/C #10 AWG Copper Pole and Bracket Cable	Ft	1,580.000
186	Modified Type B68 Concrete Curb and Gutter	Ft	5,318.000
187	Type B68 Concrete Curb and Gutter	Ft	1,927.000
188	Modified Type P8 Concrete Gutter	Ft	582.000
189	Type P8 Concrete Gutter	Ft	431.000
190	8" Concrete Valley Gutter	Ft	129.000
191	4" Concrete Sidewalk	SqFt	53,608.000
192	6" Reinforced Concrete Sidewalk	SqFt	6,310.000
193	4" Colored Concrete Sidewalk	SqFt	26,250.000
194	Type 1 Detectable Warnings	SqFt	868.000
195	4' x 11' Precast Concrete Type S Drop Inlet Lid	Each	32.000
196	Special Precast Concrete Type S Drop Inlet Lid	Each	2.000
197	Special Manhole	Each	1.000
198	48" Manhole Cone Section	Ft	4.300
199	Type A8 Manhole Frame and Lid	Each	8.000
200	Manhole Frame & Lid, Install	Each	8.000
201	Adjust Manhole	Each	14.000
202	Class B Riprap	Ton	72.700
203	Class C Riprap	Ton	76.000
204	Cover Crop Seeding	Bu	2.000
205	Special Permanent Seed Mixture 1	Lb	1,103.000
206	Hydroseeding	SqYd	18,841.000
207	Fertilizing	Ton	2.900
208	Fiber Mulching	Ton	5.400
209	Hydraulic Straw Mulch	Lb	822.000
210	Soil Stabilizer	Acre	2.500
211	Type 3 Erosion Control Blanket	SqYd	11,788.000
212	12" Diameter Erosion Control Wattle	Ft	2,760.000
213	Remove and Reset Erosion Control Wattle	Ft	690.000
214	Sediment Filter Bag	Ft	1,952.000
215	Shaping for Erosion Control Blanket	Ft	76.000
216	High Flow Silt Fence	Ft	1,844.000
217	Mucking Silt Fence	CuYd	128.000
218	Repair Silt Fence	Ft	461.000
219	Sediment Control at Inlet with Frame and Grate	Each	34.000
220	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	442.000
221	Dewatering	LS	1.000

222	Sweeping	Hour	218.000
223	Type B Drainage Fabric	SqYd	136.000
224	Reinforcement Fabric (MSE)	SqYd	1,280.000
225	Construction Entrance	Each	3.000
226	Landscaping Rock	CuYd	15.000

2. **2211 01441()** **Area Engineer: Bruce Schroeder, PO Box 431, Custer, SD, 57730-0431** **Phone: 605/673-4948**
Work Type 2 or Work Type 3 **DBE Goal: NONE** **Contract Id: 9548** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Grade Staking	Mile	0.035
3	Graded Centerline Staking	Mile	0.031
4	Final Cross Section Survey	Mile	0.031
5	Miscellaneous Staking	Mile	0.031
6	Slope Staking	Mile	0.031
7	Clear and Grub Stump	Each	3.000
8	Clear and Grub Tree	Each	6.000
9	Remove Concrete Curb and/or Gutter	Ft	201.000
10	Remove Manhole	Each	1.000
11	Remove Fence	Ft	36.000
12	Remove Asphalt Concrete Pavement	SqYd	345.400
13	Remove Concrete Pavement	SqYd	474.500
14	Remove Concrete Sidewalk	SqYd	29.600
15	Water for Granular Material	MGal	1.800
16	Water for Vegetation	MGal	22.600
17	Placing Topsoil	CuYd	124.000
18	Gravel Cushion	Ton	145.000
19	Asphalt Concrete Composite	Ton	34.000
20	8" Nonreinforced PCC Pavement	SqYd	456.400
21	Dowel Bar	Each	246.000
22	Insert Steel Bar in PCC Pavement	Each	221.000
23	1" High Density Polyethylene Pipe	Ft	445.000
24	4" PVC Water Main	Ft	50.000
25	6" PVC Water Main	Ft	416.000
26	8" PVC Water Main	Ft	3,800.000
27	6" PVC Sewer Pipe	Ft	277.000
28	4" Water Service	Each	1.000
29	8"x4" Pipe Tee	Each	1.000
30	8"x6" Pipe Tee	Each	13.000
31	8"x8" Pipe Tee	Each	8.000
32	8"x4" Pipe Reducer	Each	1.000
33	8"x6" Pipe Reducer	Each	8.000
34	1" Corporation Stop with Tapping Saddle	Each	16.000
35	1" Curb Stop with Box	Each	16.000
36	4" Pipe Bend	Each	2.000
37	6" Pipe Bend	Each	14.000
38	8" Pipe Bend	Each	24.000
39	8" Pipe Coupling	Each	5.000
40	8" Gate Valve with Box	Each	25.000
41	Tracer Wire Access Box, Type 1	Each	23.000
42	Fire Hydrant with Auxiliary Valve & Box	Each	11.000
43	Meter Pit	Each	1.000
44	Temporary Water Service	Each	16.000
45	Reconnect Water Service	Each	16.000
46	Abandon Water Main	Ft	3,455.000
47	Connect To Existing Water Main	Each	14.000
48	5' Chain Link Fence with Top Rail	Ft	21.000

49	Type B68 Concrete Curb and Gutter	Ft	148.000
50	Type P8 Concrete Gutter	Ft	23.000
51	4" Concrete Sidewalk	SqFt	248.000
52	Special Permanent Seed Mixture 1	Lb	65.000
53	Hydroseeding	SqYd	1,116.000
54	Fertilizing	Ton	0.200
55	Fiber Mulching	Lb	692.000
56	Dewatering	LS	1.000
57	Landscaping Rock	CuYd	16.000
58	Locate Underground Utility	Hour	50.000

3. IM 0902(189)98 **Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970** **Phone: 605/394-2244**
Work Type 2 or Work Type 12 **DBE Goal: Not Specified** **Contract Id: 9586** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Clear and Grub Tree	Each	2.000
4	Clearing	LS	1.000
5	Remove Manhole	Each	9.000
6	Remove Concrete Pavement	SqYd	104.100
7	Remove Chain Link Fence for Reset	Ft	40.000
8	Remove and Replace Topsoil	LS	1.000
9	Incidental Work	LS	1.000
10	Gravel Cushion	Ton	53.900
11	Gravel Surfacing	Ton	35.800
12	9" Nonreinforced PCC Pavement	SqYd	104.100
13	Dowel Bar	Each	146.000
14	2" Extruded Polystyrene Insulation Board	SqYd	303.000
15	4" PVC Sewer Pipe	Ft	14.000
16	6" PVC Sewer Pipe	Ft	1,147.000
17	4" Sanitary Sewer Service Cleanout	Each	2.000
18	6" Sanitary Sewer Service Cleanout	Each	5.000
19	Sanitary Sewer Video Inspection	Ft	1,161.000
20	6"x4" Pipe Wye	Each	2.000
21	6" Plug Valve with Box	Each	4.000
22	Connect Sewer Service	Each	2.000
23	Connect to Existing Sewer Main	Each	5.000
24	Reset Chain Link Fence	Ft	40.000
25	Epoxy Pavement Marking Paint, 4" White	Ft	35.000
26	Epoxy Pavement Marking Paint, 4" Yellow	Ft	28.000
27	Epoxy Pavement Marking Paint, 24" White	Ft	27.000
28	Traffic Control Signs	SqFt	20.000
29	Traffic Control, Miscellaneous	LS	1.000
30	Type 3 Barricade	Each	6.000
31	48" Manhole 0' to 6' Deep	Each	3.000
32	48" Manhole 6' to 8' Deep	Each	3.000
33	48" Manhole Cover Slab	Each	2.000
34	Extra Depth for 48" Manhole	Ft	1.600
35	Erosion Control	LS	1.000
36	9" Diameter Erosion Control Wattle	Ft	448.000
37	Sweeping	Hour	20.000
38	Concrete Washout Facility	Each	1.000
39	Construction Entrance	Each	2.000
40	Modify Sprinkler System	LS	1.000

4. NH-P 0011(224) **Area Engineer: Mark Peterson, West Highway 12, Aberdeen, SD, 57402-1767** **Phone: 605/626-7885**
Work Type 12 **DBE Goal: Not Specified** **Contract Id: 9555** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
---	--------------	----	-------

2	Remove Pipe Culvert	Ft	60.000
3	Remove Pipe End Section	Each	10.000
4	Remove Sediment	CuYd	1.200
5	Remove Silt Fence	Ft	250.000
6	Remove Pipe for Reset	Ft	12.000
7	Remove Pipe End Section for Reset	Each	2.000
8	Contractor Furnished Topsoil	CuYd	100.000
9	18" RCP Flared End, Furnish	Each	2.000
10	18" RCP Flared End, Install	Each	2.000
11	24" RCP Flared End, Furnish	Each	13.000
12	24" RCP Flared End, Install	Each	13.000
13	30" RCP Flared End, Furnish	Each	2.000
14	30" RCP Flared End, Install	Each	2.000
15	Tie Bolts for RCP	Each	212.000
16	24" CMP 16 Gauge, Furnish	Ft	40.000
17	24" CMP, Install	Ft	40.000
18	24" CMP Flared End, Furnish	Each	5.000
19	24" CMP Flared End, Install	Each	5.000
20	Culvert Joint Cleaning	Ft	1,453.800
21	Repair Culvert Joint	Ft	1,453.800
22	Chemical Grout Void Fill	Gal	1,139.000
23	Cleanout Pipe Culvert	Each	8.000
24	Cleanout for Culvert Treatment	Each	16.000
25	Reset Pipe	Ft	12.000
26	Reset Pipe End Section	Each	2.000
27	18" Cured in Place Pipe	Ft	250.000
28	24" Cured in Place Pipe	Ft	1,121.000
29	30" Cured in Place Pipe	Ft	160.000
30	42" Cured in Place Arch Pipe	Ft	99.000
31	Flagging	Hour	75.000
32	Traffic Control Signs	SqFt	610.000
33	Traffic Control, Miscellaneous	LS	1.000
34	Type C Advance Warning Arrow Board	Each	2.000
35	Erosion Control	LS	1.000
36	12" Diameter Erosion Control Wattle	Ft	500.000
37	Low Flow Silt Fence	Ft	1,000.000
38	Mucking Silt Fence	CuYd	70.000
39	Repair Silt Fence	Ft	250.000

5.	PH 0037(173)30	Area Engineer: Greg Rothschadl, 1306 W 31st St, Yankton, SD, 57078-9662	Phone: 605/668-2929
	Work Type 10	DBE Goal: Not Specified	Contract Id: 9601
		See Special Provisions for Completion Requirements	
1	Mobilization	LS	1.000
2	Salvage Traffic Sign	Each	4.000
3	Incidental Work	LS	1.000
4	2.5"x2.5" Perforated Tube Post	Ft	102.000
5	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	117.200
6	Preformed Thermoplastic Pavement Marking, 24"	Ft	150.000
7	Preformed Thermoplastic Pavement Marking, Message	Word	12.000
8	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	150.000
9	Grooving for Cold Applied Plastic Pavement Marking, Message	Word	12.000
10	Flagging	Hour	100.000
11	Traffic Control Signs	SqFt	196.000
12	Traffic Control, Miscellaneous	LS	1.000
13	Breakaway Base Luminaire Pole with Arm, 45' Mounting Height	Each	8.000
14	Roadway Luminaire, LED with Photoelectric Cell	Each	8.000
15	1 Section Vehicle Signal Head	Each	8.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 6 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION