

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on November 06, 2024, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	IM 0295(46)139 (PCN 06P3)	Brookings, Deuel SWPPP = 49.00 AC	11.543	Cold Milling, Asphalt Concrete Surfacing/Resurfacing, Guardrail, Pipe Work, Ramp Detours, Acceleration and Deceleration Lane Modification	I29 S - Fm SD30 to SD28
2.	BRO-B 8010(29) (PCN 08ML)	Butte SWPPP = 1.73 AC	0.200	Structure (127' Continuous Concrete Bridge) & Approach Grading	Structure 1 S & 3 W of Newell on Viken Rd over Horse Ck SN 10-280-349
3.	BRF-B 6510(05) (PCN 08MM)	Codington SWPPP = 1.90 AC	0.200	Structure (125'-7" Continuous Concrete Bridge) & Approach Grading	Structure 4 S & 2.6 E of Watertown on 176th St over the Big Sioux Rv SN 15-216-220
* 4.	BRO-B 8058(31) (PCN 08N8)	Spink SWPPP = 1.26 AC	0.200	Structure (5-12'x12' CIP RCBC) & Approach Grading	Structure 1 N & 5 W of Tulare on 182nd St over Turtle Ck SN 58-050-340
* 5.	BRO-B 8058(32) (PCN 08N9)	Spink SWPPP = 1.70 AC	0.200	Structure (4-12'x9' CIP RCBC) & Approach Grading	Structure 1 S & 1.8 W of Northville on 155th St over Snake Ck SN 58-052-070
6.	IM-NH-P 0020(225) (PCN 08P8)	Lincoln, Miner, Minnehaha, Moody, Turner	---	Bridge Deck Treatment	Various Locations Throughout the Mitchell Region
7.	PT 0908(105)349 (PCN 07W6)	Hanson, McCook	1.310	Spot Grading, PCC Surfacing, Crossover, Structures (8x8 CIP or Precast RCBC, 2-9x4 Precast RCBC, 11x5 Precast RCBC)	I90 E & W - Fm Exit 350 (SD25) to 4 W of Exit 364 (Salem)
8.	P 0025(90)132 (PCN 06WY)	Clark SWPPP = 1.50 AC	6.319	Asphalt Concrete Surfacing	SD25 - Fm N of the N Jct of SD28 N 6.3

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1. IM 0295(46)139

Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201

Phone: 605/882-5166

Work Type 5

DBE Goal: Not Specified

Contract Id: 9579

See Special Provisions for Completion Requirements

1	Remove Traffic Diversion(s)	LS	1.000
2	Mobilization	LS	1.000
3	Grade Staking	Mile	0.985
4	Graded Centerline Staking	Mile	0.985
5	Miscellaneous Staking	Mile	13.084
6	Slope Staking	Mile	12.341
7	Engineer Directed Surveying/Staking	Hour	40.000
8	Checker	LS	1.000
9	Construction Schedule, Category II	LS	1.000
10	Training Program	Hour	500.000
11	Remove Pipe Culvert	Ft	37.000
12	Remove Pipe End Section	Each	16.000
13	Remove 3 Cable Guardrail	Ft	1,206.000
14	Remove High Tension 4 Cable Guardrail	Ft	303.000
15	Remove Beam Guardrail	Ft	456.300
16	Remove 3 Cable Guardrail Anchor Assembly	Each	10.000
17	Remove High Tension 4 Cable Guardrail Anchor Assembly	Each	2.000
18	Remove Asphalt Concrete Pavement	SqYd	5,122.800
19	Remove Sediment	CuYd	4.000
20	Remove Erosion Control Wattle	Ft	500.000
21	Remove Silt Fence	Ft	500.000
22	Remove Type 1 MGS for Reset	Ft	1,137.500
23	Remove MGS Tangent End Terminal for Reset	Each	5.000
24	Remove Crossover Closure for Reset	Ft	448.000
25	Remove Pipe for Reset	Ft	100.000
26	Remove Pipe End Section for Reset	Each	40.000
27	Unclassified Excavation	CuYd	3,420.000
28	Unclassified Excavation, Digouts	CuYd	626.000
29	Contractor Furnished Borrow	CuYd	7,877.000
30	Undercutting	CuYd	4,313.000
31	Reprofiling Ditch	Sta	33.000
32	Water for Embankment	MGal	101.900
33	Water for Granular Material	MGal	320.500
34	Pit Run	Ton	14,767.700
35	Contractor Furnished Topsoil	CuYd	1,016.000
36	Remove and Replace Topsoil	LS	1.000
37	Base Course	Ton	11,928.000
38	PG 64-34 Asphalt Binder	Ton	3,217.200
39	Class Q4 Hot Mixed Asphalt Concrete	Ton	35,739.700
40	Modified Class S Asphalt Concrete	Ton	14,984.000
41	Asphalt Concrete Composite	Ton	2,109.800
42	Asphalt Concrete Leveling Lift	Ton	5,241.900
43	Compaction Sample	Each	3.000
44	Stabilizing Additive for Asphalt Concrete	Ton	46.700
45	Hydrated Lime	Ton	407.000
46	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	22.600
47	MC-70 Asphalt for Prime	Ton	0.500
48	SS-1h or CSS-1h Asphalt for Tack	Ton	203.700
49	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	11.000
50	Sand for Flush Seal	Ton	154.400
51	Cold Milling Asphalt Concrete	SqYd	20,907.000
52	Planing PCC Pavement	SqYd	9,824.000
53	18" RCP Class 2, Furnish	Ft	6.000

54	18" RCP, Install	Ft	6.000
55	24" RCP Class 2, Furnish	Ft	34.000
56	24" RCP, Install	Ft	34.000
57	18" RCP Flared End, Furnish	Each	1.000
58	18" RCP Flared End, Install	Each	1.000
59	24" RCP Flared End, Furnish	Each	2.000
60	24" RCP Flared End, Install	Each	2.000
61	24" RCP Sloped End, Furnish	Each	3.000
62	24" RCP Sloped End, Install	Each	3.000
63	30" RCP Sloped End, Furnish	Each	1.000
64	30" RCP Sloped End, Install	Each	1.000
65	36" RCP Sloped End, Furnish	Each	1.000
66	36" RCP Sloped End, Install	Each	1.000
67	24" RCP Safety End, Furnish	Each	3.000
68	24" RCP Safety End, Install	Each	3.000
69	15" CMP 14 Gauge, Furnish	Ft	14.000
70	15" CMP, Install	Ft	14.000
71	12" CMP Flared End, Furnish	Each	1.000
72	12" CMP Flared End, Install	Each	1.000
73	15" CMP Safety End, Furnish	Each	3.000
74	15" CMP Safety End, Install	Each	3.000
75	Cleanout Pipe Culvert	Each	57.000
76	Reset Pipe	Ft	100.000
77	Reset Pipe End Section	Each	40.000
78	Type III Field Laboratory	Each	1.000
79	High Tension 4 Cable Guardrail	Ft	303.000
80	High Tension Cable Guardrail Anchor Assembly	Each	2.000
81	Reset Crossover Closure	Ft	448.000
82	Type 1 MGS	Ft	1,162.500
83	Type 1 Retrofit Guardrail Transition	Each	5.000
84	MGS Tangent End Terminal	Each	5.000
85	Beam Guardrail Post and Block	Each	192.000
86	Reset Type 1 MGS	Ft	1,137.500
87	Reset MGS Tangent End Terminal	Each	5.000
88	Guardrail Delineator	Each	67.000
89	Type 2 Object Marker Back to Back	Each	2.000
90	Type 3 Object Marker	Each	8.000
91	High Build Waterborne Pavement Marking Paint, 4" White	Ft	73,300.000
92	High Build Waterborne Pavement Marking Paint, 4" Yellow	Ft	68,205.000
93	High Build Waterborne Pavement Marking Paint, 12" White	Ft	1,540.000
94	High Build Waterborne Pavement Marking Paint, 24" White	Ft	130.000
95	Durable Pavement Marking, 4" White	Ft	78,712.000
96	Durable Pavement Marking, 4" Yellow	Ft	62,969.000
97	Grooving for Durable Pavement Marking, 4"	Ft	283,186.000
98	Grooving for Durable Pavement Marking, 12"	Ft	1,540.000
99	Grooving for Durable Pavement Marking, 24"	Ft	130.000
100	Traffic Control Signs	SqFt	2,673.200
101	Traffic Control, Miscellaneous	LS	1.000
102	Type 3 Barricade	Each	51.000
103	Tubular Marker	Each	898.000
104	Replace Tubular Marker	Each	100.000
105	Type C Advance Warning Arrow Board	Each	2.000
106	Remove Pavement Marking, 4" or Equivalent	Ft	4,210.000
107	4" Temporary Pavement Marking Tape Type I	Ft	26,820.000
108	Traffic Control Movable Concrete Barrier	Each	171.000
109	Temporary Concrete Barrier End Protection	Each	10.000

110	Temporary Concrete Barrier End Protection Module Set or Repair Kit	Each	2.000
111	Detour and Restriction Signing	SqFt	1,326.800
112	Contractor Furnished Portable Changeable Message Sign	Each	2.000
113	Type M Median Drain	Each	1.000
114	Type G Permanent Seed Mixture	Lb	1,393.000
115	Fertilizing	Ton	13.400
116	Mulching	Ton	107.100
117	Soil Stabilizer	Acre	15.000
118	12" Diameter Erosion Control Wattle	Ft	2,000.000
119	Remove and Reset Erosion Control Wattle	Ft	500.000
120	Low Flow Silt Fence	Ft	2,000.000
121	Mucking Silt Fence	CuYd	139.000
122	Repair Silt Fence	Ft	500.000
123	Non-woven Separator Fabric	SqYd	7,950.000
124	Construction Entrance	Each	2.000
125	Storage Unit	Each	1.000

2. BRO-B 8010(29)

Area Engineer: John Matthesen, W Hwy 34, Belle Fourche, SD, 57717-0786

Phone: 605/892-2872

Work Type 7

DBE Goal: Not Specified

Contract Id: 9374

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Concrete Penetrating Sealer	SqYd	431.000
3	Clearing	LS	1.000
4	Remove Delineator	Each	19.000
5	Remove Sediment	CuYd	1.100
6	Salvage Traffic Sign	Each	5.000
7	Remove Sign for Reset	Each	5.000
8	Unclassified Excavation	CuYd	2,579.000
9	Select Granular Backfill	Ton	11.200
10	Placing Topsoil	CuYd	539.000
11	Incidental Work, Structure	LS	1.000
12	Gravel Surfacing, Salvaged	Ton	685.100
13	Salvage and Stockpile Granular Material	Ton	685.100
14	Structure Excavation, Bridge	CuYd	105.000
15	Bridge End Embankment	CuYd	380.000
16	Granular Bridge End Backfill	CuYd	30.200
17	24" RCP Class 2, Furnish	Ft	38.000
18	24" RCP, Install	Ft	38.000
19	24" RCP Flared End, Furnish	Each	2.000
20	24" RCP Flared End, Install	Each	2.000
21	Class A45 Concrete, Bridge Deck	CuYd	218.300
22	Class A45 Concrete, Bridge	CuYd	98.600
23	Class A45 Concrete, Drilled Shaft	CuYd	33.600
24	Drilled Shaft Excavation	CuYd	47.200
25	38" Permanent Casing	Ft	43.600
26	Type T101 Bridge Railing	Ft	286.000
27	Reinforcing Steel	Lb	29,434.000
28	Epoxy Coated Reinforcing Steel	Lb	72,309.000
29	No. 5 Rebar Splice	Each	160.000
30	Preboring Pile	Ft	100.000
31	HP 10x42 Steel Test Pile, Furnish and Drive	Ft	100.000
32	HP 10x42 Steel Bearing Pile, Furnish and Drive	Ft	360.000
33	Reset Sign	Each	5.000
34	Traffic Control Signs	SqFt	218.000
35	Traffic Control, Miscellaneous	LS	1.000
36	Type 3 Barricade	Each	16.000
37	Class B Riprap	Ton	2,371.600

38	Overburden Excavation for Riprap	CuYd	554.000
39	Type F Permanent Seed Mixture	Lb	46.000
40	Mulching	Ton	4.600
41	12" Diameter Erosion Control Wattle	Ft	500.000
42	High Flow Silt Fence	Ft	600.000
43	Mucking Silt Fence	CuYd	42.000
44	Repair Silt Fence	Ft	150.000
45	Type B Drainage Fabric	SqYd	2,065.000
46	Perforated Geocell	SqFt	320.000

**3. BRF-B 6510(05)
Work Type 7**

Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201
DBE Goal: Not Specified

Phone: 605/882-5166

Contract Id: 9341 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Concrete Penetrating Sealer	SqYd	479.200
3	Remove Asphalt Concrete Pavement	SqYd	1,667.000
4	Remove Sediment	CuYd	10.000
5	Unclassified Excavation	CuYd	2,952.000
6	Contaminated Material Excavation	CuYd	100.000
7	Select Granular Backfill	Ton	16.800
8	Placing Topsoil	CuYd	672.000
9	Incidental Work, Structure	LS	1.000
10	Base Course	Ton	1,600.200
11	Asphalt Concrete Composite	Ton	558.700
12	Membrane Sealant Expansion Joint	Ft	64.000
13	Structure Excavation, Bridge	CuYd	575.000
14	Bridge End Embankment	CuYd	173.000
15	Granular Bridge End Backfill	CuYd	68.400
16	Approach Slab Underdrain Excavation	CuYd	14.400
17	Precast Concrete Headwall for Drain	Each	4.000
18	Class A45 Concrete, Bridge Deck	CuYd	240.200
19	Class A45 Concrete, Bridge	CuYd	189.200
20	Concrete Approach Slab for Bridge	SqYd	151.900
21	Concrete Approach Sleeper Slab for Bridge	SqYd	32.000
22	Type T101 Bridge Railing	Ft	252.000
23	Reinforcing Steel	Lb	23,712.000
24	Epoxy Coated Reinforcing Steel	Lb	68,402.000
25	Extract Pile	Each	2.000
26	Preboring Pile	Ft	180.000
27	HP 12x53 Steel Test Pile, Furnish and Drive	Ft	140.000
28	HP 12x53 Steel Bearing Pile, Furnish and Drive	Ft	1,120.000
29	16"x0.25" Steel Pipe Test Pile, Furnish and Drive	Ft	100.000
30	16"x0.25" Steel Pipe Bearing Pile, Furnish and Drive	Ft	1,700.000
31	Straight Class A W Beam Guardrail with Wood Posts	Ft	25.000
32	Straight Double Class A W Beam Guardrail with Wood Posts	Ft	43.800
33	W Beam Guardrail Flared End Terminal	Each	4.000
34	Guardrail Delineator	Each	16.000
35	High Build Waterborne Pavement Marking Paint, 4" White	Ft	1,200.000
36	High Build Waterborne Pavement Marking Paint, 4" Yellow	Ft	150.000
37	Traffic Control Signs	SqFt	207.500
38	Traffic Control, Miscellaneous	LS	1.000
39	Type 3 Barricade	Each	8.000
40	4" Underdrain Pipe	Ft	150.000
41	Porous Backfill	Ton	11.600
42	Class B Riprap	Ton	1,692.200
43	Overburden Excavation for Riprap	CuYd	628.000
44	Erosion Control	LS	1.000

45	Type 2 Erosion Control Blanket	SqYd	765.000
46	12" Diameter Erosion Control Wattle	Ft	780.000
47	Remove and Reset Erosion Control Wattle	Ft	95.000
48	Type B Drainage Fabric	SqYd	1,568.000
49	Perforated Geocell	SqFt	480.000

4. BRO-B 8058(31) Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940 Phone: 605/353-7140
Work Type 9 DBE Goal: Not Specified Contract Id: 9131 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Construction Staking	LS	1.000
4	Remove Sediment	CuYd	1.000
5	Remove Erosion Control Wattle	Ft	100.000
6	Remove Silt Fence	Ft	400.000
7	Unclassified Excavation	CuYd	2,518.000
8	Contractor Furnished Borrow Excavation	CuYd	1,552.000
9	Placing Topsoil	CuYd	345.000
10	Incidental Work, Structure	LS	1.000
11	Gravel Surfacing	Ton	679.700
12	Structure Excavation, Box Culvert	CuYd	214.000
13	Box Culvert Undercut	CuYd	630.000
14	Class A45 Concrete, Box Culvert	CuYd	442.600
15	Reinforcing Steel	Lb	67,580.000
16	Type 2 Object Marker	Each	4.000
17	Traffic Control Signs	SqFt	109.000
18	Traffic Control, Miscellaneous	LS	1.000
19	Type 3 Barricade	Each	8.000
20	Class B Riprap	Ton	165.200
21	Erosion Control	LS	1.000
22	Type 2 Erosion Control Blanket	SqYd	3,000.000
23	12" Diameter Erosion Control Wattle	Ft	200.000
24	Remove and Reset Erosion Control Wattle	Ft	50.000
25	Shaping for Erosion Control Blanket	Ft	1,000.000
26	High Flow Silt Fence	Ft	400.000
27	Mucking Silt Fence	CuYd	28.000
28	Repair Silt Fence	Ft	100.000
29	Type B Drainage Fabric	SqYd	196.000

5. BRO-B 8058(32) Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940 Phone: 605/353-7140
Work Type 9 DBE Goal: Not Specified Contract Id: 9160 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Construction Staking	LS	1.000
4	Engineer Directed Surveying/Staking	Hour	20.000
5	Remove Fence	Ft	809.000
6	Remove Sediment	CuYd	1.000
7	Remove Erosion Control Wattle	Ft	100.000
8	Remove Silt Fence	Ft	550.000
9	Unclassified Excavation	CuYd	3,793.000
10	Contractor Furnished Borrow Excavation	CuYd	321.000
11	Placing Topsoil	CuYd	764.000
12	Incidental Work, Structure	LS	1.000
13	Gravel Surfacing	Ton	802.400
14	Structure Excavation, Box Culvert	CuYd	152.000
15	Box Culvert Undercut	CuYd	418.000
16	Class A45 Concrete, Box Culvert	CuYd	308.300
17	Reinforcing Steel	Lb	42,590.000

18	Type 2 Right-of-Way Fence	Ft	851.000
19	Type 1 Temporary Fence	Ft	715.000
20	2 Post Panel	Each	12.000
21	Type 2 Object Marker	Each	4.000
22	Traffic Control Signs	SqFt	109.000
23	Traffic Control, Miscellaneous	LS	1.000
24	Type 3 Barricade	Each	8.000
25	Class B Riprap	Ton	210.000
26	Erosion Control	LS	1.000
27	Type 2 Erosion Control Blanket	SqYd	6,000.000
28	12" Diameter Erosion Control Wattle	Ft	200.000
29	Remove and Reset Erosion Control Wattle	Ft	60.000
30	Shaping for Erosion Control Blanket	Ft	1,200.000
31	High Flow Silt Fence	Ft	550.000
32	Mucking Silt Fence	CuYd	38.000
33	Repair Silt Fence	Ft	138.000
34	Type B Drainage Fabric	SqYd	236.000
35	Reinforcement Fabric (MSE)	SqYd	609.000

6. IM-NH-P 0020(225) Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107 Phone: 605/367-5680
Work Type 7 or Work Type 8 or DBE Goal: Not Specified Contract Id: 9648 See Special Provisions for Completion Requirements
Work Type 9 or Work Type 14

1	Mobilization	LS	1.000
2	Concrete Penetrating Sealer	SqYd	25,465.700
3	Flagging	Hour	100.000
4	Traffic Control Signs	SqFt	3,124.200
5	Traffic Control, Miscellaneous	LS	1.000
6	Type 3 Barricade	Each	12.000
7	Type C Advance Warning Arrow Board	Each	4.000
8	Contractor Furnished Portable Changeable Message Sign	Each	4.000

7. PT 0908(105)349 Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206 Phone: 605/995-8120
Work Type 2 or Work Type 3 DBE Goal: Not Specified Contract Id: 9645 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Reestablish Right-of-Way and Property Corner	Each	92.000
4	Grade Staking	Mile	4.958
5	Final Cross Section Survey	Mile	2.663
6	Miscellaneous Staking	Mile	2.663
7	Slope Staking	Mile	2.266
8	Structure Staking	Each	3.000
9	Engineer Directed Surveying/Staking	Hour	10.000
10	Checker	LS	1.000
11	Construction Schedule, Category II	LS	1.000
12	Clearing	LS	1.000
13	Remove Traffic Sign	Each	1.000
14	Remove Delineator	Each	83.000
15	Remove Fence	Ft	11,606.000
16	Remove High Tension 4 Cable Guardrail	Ft	840.000
17	Remove Beam Guardrail	Ft	466.000
18	Remove Asphalt Concrete Pavement	SqYd	16,261.800
19	Remove Concrete Pavement	SqYd	32,690.300
20	Remove Sediment	CuYd	7.600
21	Remove Sediment Filter Bag	Ft	160.000
22	Remove Silt Fence	Ft	1,659.000
23	Remove High Tension 4 Cable Guardrail Anchor Assembly for Reset	Each	4.000
24	Remove Beam Guardrail Trailing End Terminal for Reset	Each	2.000
25	Remove Interim Crossover Closure for Reset	Ft	224.000

26	Remove Sign for Reset	Each	2.000
27	Unclassified Excavation	CuYd	86,136.000
28	Contractor Furnished Borrow	CuYd	72,011.000
29	Muck Excavation	CuYd	12,074.000
30	Undercutting	CuYd	36,927.000
31	Water for Embankment	MGal	1,375.300
32	Water for Granular Material	MGal	316.300
33	Pit Run	Ton	4,685.700
34	Placing Topsoil	CuYd	13,239.000
35	Incidental Work, Grading	LS	1.000
36	Base Course	Ton	3,456.000
37	Gravel Cushion	Ton	18,254.200
38	Asphalt Concrete Composite	Ton	1,508.400
39	8" Nonreinforced PCC Pavement	SqYd	4,476.100
40	10.5" Nonreinforced PCC Pavement	SqYd	4,559.800
41	10.5" Continuously Reinforced PCC Pavement	SqYd	28,484.000
42	PCC Shoulder Pavement	SqYd	12,430.900
43	Dowel Bar	Each	4,683.000
44	Insert Steel Bar in PCC Pavement	Each	192.000
45	Structure Excavation, Box Culvert	CuYd	112.000
46	Pipe Culvert Undercut	CuYd	85.000
47	Box Culvert Undercut	CuYd	437.000
48	18" RCP Class 2, Furnish	Ft	520.000
49	18" RCP, Install	Ft	520.000
50	24" RCP Class 2, Furnish	Ft	298.000
51	24" RCP, Install	Ft	298.000
52	36" RCP Class 2, Furnish	Ft	184.000
53	36" RCP, Install	Ft	184.000
54	42" RCP Class 2, Furnish	Ft	76.000
55	42" RCP, Install	Ft	76.000
56	24" RCP Bend, Furnish	Each	4.000
57	24" RCP Bend, Install	Each	4.000
58	36" RCP Flared End, Furnish	Each	2.000
59	36" RCP Flared End, Install	Each	2.000
60	42" RCP Flared End, Furnish	Each	2.000
61	42" RCP Flared End, Install	Each	2.000
62	24" RCP Sloped End, Furnish	Each	4.000
63	24" RCP Sloped End, Install	Each	4.000
64	18" RCP Safety End, Furnish	Each	5.000
65	18" RCP Safety End, Install	Each	5.000
66	15" CMP 16 Gauge, Furnish	Ft	204.000
67	15" CMP, Install	Ft	204.000
68	15" CMP Elbow, Furnish	Each	2.000
69	15" CMP Elbow, Install	Each	2.000
70	66" CMP Flared End, Furnish	Each	2.000
71	66" CMP Flared End, Install	Each	2.000
72	30" CMP Sloped End, Furnish	Each	2.000
73	30" CMP Sloped End, Install	Each	2.000
74	15" CMP Safety End, Furnish	Each	1.000
75	15" CMP Safety End, Install	Each	1.000
76	15" Slotted CMP 16 Gauge, Furnish	Ft	260.000
77	15" Slotted CMP, Install	Ft	260.000
78	30" Steel Pipe, Furnish	Ft	72.000
79	66" Steel Pipe, Furnish	Ft	134.000
80	15" Pipe Cap	Each	1.000
81	Bore and Jack 30" Pipe	Ft	72.000

82	Bore and Jack 66" Pipe	Ft	134.000
83	Class M6 Concrete	CuYd	35.100
84	Controlled Density Fill	CuYd	9.600
85	Reinforcing Steel	Lb	888.000
86	11'x5' Precast Concrete Box Culvert, Furnish	Ft	44.000
87	11'x5' Precast Concrete Box Culvert, Install	Ft	44.000
88	11'x5' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
89	11'x5' Precast Concrete Box Culvert End Section, Install	Each	2.000
90	2-9'x4' Precast Concrete Box Culvert, Furnish	Ft	170.000
91	2-9'x4' Precast Concrete Box Culvert, Install	Ft	170.000
92	2-9'x4' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
93	2-9'x4' Precast Concrete Box Culvert End Section, Install	Each	2.000
94	Type II Field Laboratory	Each	1.000
95	Type 2 Right-of-Way Fence	Ft	11,606.000
96	Type 1 Temporary Fence	Ft	10,904.000
97	Type 1A Temporary Fence	Ft	702.000
98	2 Post Panel	Each	12.000
99	3 Post Panel	Each	28.000
100	High Tension 4 Cable Guardrail	Ft	840.000
101	High Tension Cable Guardrail Anchor Assembly	Each	4.000
102	Reset High Tension Cable Guardrail Anchor Assembly	Each	4.000
103	Interim Crossover Closure	Ft	368.000
104	Reset Interim Crossover Closure	Ft	224.000
105	Straight Double Class A Thrie Beam Guardrail with Wood Posts	Ft	175.000
106	Type 1 MGS	Ft	150.000
107	Type 1 Guardrail Transition	Each	2.000
108	Asymmetrical W Beam to Thrie Beam Guardrail Transition	Each	4.000
109	MGS MASH Flared End Terminal	Each	2.000
110	MGS MASH Tangent End Terminal	Each	4.000
111	Thrie Beam Guardrail Trailing End Terminal	Each	2.000
112	Reset Beam Guardrail Trailing End Terminal	Each	2.000
113	2.5"x2.5" Perforated Tube Post	Ft	36.800
114	4"x4" Amber Delineator with 1.12 Lb/Ft Post	Each	20.000
115	4"x8" Amber Delineator with 1.12 Lb/Ft Post	Each	5.000
116	4"x4" White Delineator with 1.12 Lb/Ft Post	Each	20.000
117	4"x8" White Delineator with 1.12 Lb/Ft Post	Each	28.000
118	Guardrail Delineator	Each	24.000
119	Type 2 Object Marker Back to Back	Each	14.000
120	Type 2 Object Marker	Each	8.000
121	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	23.500
122	Reset Sign	Each	2.000
123	Durable Pavement Marking, 4" White	Ft	14,571.000
124	Durable Pavement Marking, 4" Yellow	Ft	11,256.000
125	Durable Pavement Marking, 12" White	Ft	600.000
126	Grooving for Durable Pavement Marking, 4"	Ft	25,827.000
127	Grooving for Durable Pavement Marking, 12"	Ft	600.000
128	Flagging	Hour	60.000
129	Traffic Control Signs	SqFt	1,657.700
130	Traffic Control, Miscellaneous	LS	1.000
131	Type 3 Barricade	Each	25.000
132	Tubular Marker	Each	200.000
133	Replace Tubular Marker	Each	20.000
134	Type C Advance Warning Arrow Board	Each	4.000
135	Temporary Pavement Marking	Mile	14.500
136	Detour and Restriction Signing	SqFt	1,325.400
137	Contractor Furnished Portable Changeable Message Sign	Each	4.000

138	Truck/Trailer Mounted Attenuator	Each	2.000
139	Type M Frame and Grate Assembly	Each	5.000
140	Class B Riprap	Ton	95.800
141	PVC Coated Bank and Channel Protection Gabion	CuYd	23.000
142	Cover Crop Seeding	Bu	20.000
143	Type E Permanent Seed Mixture	Lb	120.000
144	Type G Permanent Seed Mixture	Lb	488.000
145	Fertilizing	Ton	12.410
146	Mulching	Ton	49.500
147	Type 2 Turf Reinforcement Mat	SqYd	356.000
148	12" Diameter Erosion Control Wattle	Ft	2,750.000
149	Remove and Reset Erosion Control Wattle	Ft	698.000
150	Sediment Filter Bag	Ft	160.000
151	Surface Roughening	Acre	7.600
152	Low Flow Silt Fence	Ft	5,705.000
153	High Flow Silt Fence	Ft	886.000
154	Mucking Silt Fence	CuYd	460.000
155	Repair Silt Fence	Ft	1,659.000
156	Sediment Control at Inlet with Frame and Grate	Each	5.000
157	Type B Drainage Fabric	SqYd	188.000
158	Non-woven Separator Fabric	SqYd	5,010.000
159	Reinforcement Fabric (MSE)	SqYd	496.000
160	Construction Entrance	Each	2.000
161	Structure Excavation, Box Culvert	CuYd	76.000
162	Box Culvert Undercut	CuYd	312.000
163	Class A45 Concrete, Box Culvert	CuYd	214.100
164	Install Dowel in Concrete	Each	22.000
165	Reinforcing Steel	Lb	35,234.000
166	Class B Riprap	Ton	24.000
167	Type B Drainage Fabric	SqYd	35.000
168	Reinforcement Fabric (MSE)	SqYd	437.000
169	Structure Excavation, Box Culvert	CuYd	64.000
170	Box Culvert Undercut	CuYd	291.000
171	9'x8' Precast Concrete Box Culvert, Furnish	Ft	216.000
172	9'x8' Precast Concrete Box Culvert, Install	Ft	216.000
173	9'x8' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
174	9'x8' Precast Concrete Box Culvert End Section, Install	Each	2.000
175	Class B Riprap	Ton	25.700
176	Type B Drainage Fabric	SqYd	37.000
177	Reinforcement Fabric (MSE)	SqYd	406.000

8.	P 0025(90)132	Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940	Phone: 605/353-7140
	Work Type 5	DBE Goal: Not Specified	Contract Id: 9464 See Special Provisions for Completion Requirements
1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Restoration of Stockpile Site	LS	1.000
4	Grade Staking	Mile	2.000
5	Miscellaneous Staking	Mile	6.319
6	Engineer Directed Surveying/Staking	Hour	20.000
7	Checker	LS	1.000
8	Unclassified Excavation	CuYd	214.000
9	Unclassified Excavation, Digouts	CuYd	316.000
10	Water for Granular Material	MGal	152.800
11	Surface Preparation	Mile	2.000
12	Base Course	Ton	1,157.400
13	Base Course, Salvaged	Ton	404.200

14	Salvage and Stockpile Granular Material	Ton	404.200
15	PG 58-34 Asphalt Binder	Ton	1,962.500
16	Class Q2R Hot Mixed Asphalt Concrete	Ton	42,206.400
17	Hydrated Lime	Ton	421.900
18	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	12.600
19	Grind Centerline Rumble Stripe in Asphalt Concrete	Mile	5.400
20	Grind Sinusoidal Centerline Rumble Stripe in Asphalt Concrete	Mile	0.900
21	MC-70 Asphalt for Prime	Ton	65.600
22	SS-1h or CSS-1h Asphalt for Tack	Ton	84.300
23	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	36.000
24	Blotting Sand for Prime	Ton	150.800
25	Sand for Flush Seal	Ton	338.900
26	Type III Field Laboratory	Each	1.000
27	Cold Applied Plastic Pavement Marking, Railroad Crossing	Each	2.000
28	High Build Waterborne Pavement Marking Paint, White	Gal	285.000
29	High Build Waterborne Pavement Marking Paint with Reflective Elements, Yellow	Gal	105.000
30	Grooving for Cold Applied Plastic Pavement Marking, Railroad Crossing	Each	2.000
31	Flagging	Hour	240.000
32	Pilot Car	Hour	100.000
33	Traffic Control Signs	SqFt	310.800
34	Traffic Control, Miscellaneous	LS	1.000
35	Temporary Pavement Marking	Mile	25.200
36	Remove and Reset Mailbox	Each	4.000
37	Storage Unit	Each	1.000
38	Railroad Protective Insurance	LS	1.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 8 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION:

Bidders submitting a bid on Item 4 must also submit a bid on Item 5. Award of these combinations (Items 4 & 5) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION