

Advertisement of Highway Bid Letting

The nationwide waiver for manufactured (composite) products has been rescinded. Beginning with the 11/19/25 letting and after, manufactured (composite) products will need to meet the Buy America requirements of the Standard Specifications for Roads and Bridges. See Section 6.9.

Beginning with the 10/1/2025 letting, the SDDOT will be using the new Electronic Standard Specifications for Roads and Bridges, 10-1-25 Version. The Standard Specifications for Roads and Bridges is available for download and viewing at <https://dot.sd.gov/doing-business/contractors/standard-specifications>. A printed version of the Standard Specifications for Roads and Bridges will not be provided.

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on November 19, 2025, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
* 1.	EM 0073(73)62, 248-391 (PCN 05U4, I7YF)	Jackson	8.493	Asphalt Concrete Surfacing & Pavement Markings, Contractor Furnished Asphalt Concrete	SD73 - Fm S of the White River to Kadoka
* 2.	NH 0073(80)78 (PCN 07Y4)	Jackson SWPPP = 0.42 AC	4.283	Cold Milling Asphalt Concrete, Asphalt Concrete Resurfacing, Pipe Work	SD73 - Fm Jct of I90 N 4
3.	BRF-B 6213(15) (PCN 09M6)	Yankton SWPPP = 4.17 AC	0.200	Structure (496'-5" Steel Girder Bridge) & Approach Grading	Structure 7.2 N & 1 E of Lesterville on 431 Ave over the James Rv, SN 68-030-018
4.	PT 014A(35)28 (PCN 0954)	Lawrence SWPPP = 1.00 AC	0.120	Slide Repair	US14A - 0.5 W of US85

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	EM 0073(73)62, 248-391	Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771			Phone: 605/842-0810
	Work Type 5	DBE Goal: NONE	Contract Id: 9560	See Special Provisions for Completion Requirements	
	1 Mobilization		LS		1.000
	2 Incentive/Disincentive Pay		Day		0.000
	3 Construction Staking		Mile		8.493
	4 Miscellaneous Staking		Mile		8.493
	5 Engineer Directed Surveying/Staking		Hour		40.000
	6 Checker		LS		1.000
	7 Construction Schedule, Category II		LS		1.000
	8 Training Program		Hour		500.000
	9 Remove Asphalt Concrete Pavement		SqYd		3,555.600
	10 Remove Type 1 MGS for Reset		Ft		262.500
	11 Remove Type 1 Retrofit Guardrail Transition for Reset		Each		3.000
	12 Remove Type 3 Guardrail Transition for Reset		Each		1.000
	13 Remove MGS MASH Tangent End Terminal for Reset		Each		4.000
	14 Unclassified Excavation, Digouts		CuYd		425.000
	15 Water for Granular Material		MGal		67.500
	16 Surface Preparation		Mile		2.000
	17 Base Course		Ton		2,653.300
	18 Base Course, Salvaged, State Furnished		Ton		1,215.000
	19 Gravel Surfacing		Ton		626.000
	20 Grind 12" Rumble Strip or Stripe in Asphalt Concrete		Mile		17.000
	21 Grind Centerline Rumble Stripe in Asphalt Concrete		Mile		7.000
	22 Grind Sinusoidal Centerline Rumble Stripe in Asphalt Concrete		Mile		0.900
	23 MC-70 Asphalt for Prime		Ton		68.700
	24 SS-1h or CSS-1h Asphalt for Tack		Ton		157.800
	25 SS-1h or CSS-1h Asphalt for Flush Seal		Ton		44.300
	26 Blotting Sand for Prime		Ton		145.000
	27 Sand for Flush Seal		Ton		441.800
	28 8" PCC Driveway Pavement		SqYd		290.000
	29 Type III Field Laboratory		Each		1.000
	30 Reset Type 1 MGS		Ft		262.500
	31 Reset MGS MASH Tangent End Terminal		Each		4.000
	32 Reset Type 1 Retrofit Guardrail Transition		Each		3.000
	33 Reset Type 3 Guardrail Transition		Each		1.000
	34 Furnish Beam Guardrail Post and Block		Each		25.000
	35 High Build Waterborne Pavement Marking Paint, White		Gal		386.000
	36 High Build Waterborne Pavement Marking Paint, Yellow		Gal		246.000
	37 Flagging		Hour		1,000.000
	38 Pilot Car		Hour		400.000
	39 Traffic Control Signs		SqFt		447.800
	40 Traffic Control, Miscellaneous		LS		1.000
	41 Temporary Pavement Marking		Mile		34.000
	42 Remove and Reset Mailbox		Each		5.000
	43 Storage Unit		Each		1.000
	44 PG 58-34 Asphalt Binder		Ton		2,407.700
	45 Class Q3R Hot Mixed Asphalt Concrete		Ton		52,830.500
	46 Hydrated Lime		Ton		532.000
	47 PG 58-34 Asphalt Binder		Ton		1,987.400
	48 Class Q3R Hot Mixed Asphalt Concrete		Ton		54,243.200
	49 Hydrated Lime		Ton		532.400
	50 PG 58-34 Asphalt Binder		Ton		91.100
	51 Contractor Furnished Asphalt Concrete		Ton		2,000.000
	52 Hydrated Lime		Ton		19.800
	53 PG 58-34 Asphalt Binder		Ton		73.300

54	Contractor Furnished Asphalt Concrete	Ton	2,000.000
55	Hydrated Lime	Ton	19.800

2.

NH 0073(80)78

Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771

Phone: 605/842-0810

Work Type 5

DBE Goal: NONE

Contract Id: 9929

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Construction Staking	Mile	4.283
3	Engineer Directed Surveying/Staking	Hour	40.000
4	Checker	LS	1.000
5	Construction Schedule, Category II	LS	1.000
6	Remove Pipe End Section	Each	14.000
7	Remove Cattle Pass End Section	Each	2.000
8	Remove Fence	Ft	260.000
9	Remove Asphalt Concrete Pavement	SqYd	321.200
10	Remove Pipe for Reset	Ft	84.000
11	Remove Pipe End Section for Reset	Each	5.000
12	Unclassified Excavation, Digouts	CuYd	215.000
13	Contractor Furnished Borrow Excavation	CuYd	4.000
14	Reprofiling Ditch	Sta	7.300
15	Water for Granular Material	MGal	3.100
16	Shoulder Clearing	Mile	8.600
17	Base Course	Ton	728.300
18	Asphalt Concrete Composite	Ton	107.100
19	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	7.800
20	Grind Centerline Rumble Stripe in Asphalt Concrete	Mile	4.100
21	SS-1h or CSS-1h Asphalt for Tack	Ton	54.800
22	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	20.500
23	Sand for Flush Seal	Ton	225.500
24	Cold Milling Asphalt Concrete	SqYd	4,476.000
25	24" RCP Flared End, Furnish	Each	6.000
26	24" RCP Flared End, Install	Each	6.000
27	30" RCP Flared End, Furnish	Each	4.000
28	30" RCP Flared End, Install	Each	4.000
29	36" RCP Flared End, Furnish	Each	3.000
30	36" RCP Flared End, Install	Each	3.000
31	54" RCP Flared End, Furnish	Each	1.000
32	54" RCP Flared End, Install	Each	1.000
33	Cleanout for Culvert Treatment	Each	2.000
34	Reset Pipe	Ft	84.000
35	Reset Pipe End Section	Each	5.000
36	36" Cured in Place Pipe	Ft	138.000
37	Cellular Grout	CuYd	87.400
38	Type III Field Laboratory	Each	1.000
39	Type 2 Right-of-Way Fence	Ft	260.000
40	Type 1A Temporary Fence	Ft	748.000
41	3 Post Panel	Each	10.000
42	High Build Waterborne Pavement Marking Paint, White	Gal	181.000
43	High Build Waterborne Pavement Marking Paint, Yellow	Gal	46.000
44	Flagging	Hour	280.000
45	Pilot Car	Hour	120.000
46	Traffic Control Signs	SqFt	425.700
47	Traffic Control, Miscellaneous	LS	1.000
48	Temporary Pavement Marking	Mile	17.100
49	PVC Coated Bank and Channel Protection Gabion	CuYd	40.000
50	Erosion Control	LS	1.000
51	Type 2 Erosion Control Blanket	SqYd	3,293.000

52	Type B Drainage Fabric	SqYd	120.000
53	Storage Unit	Each	1.000
54	PG 58-34 Asphalt Binder	Ton	594.500
55	CLASS Q3R HOT MIXED ASPHALT CONCRETE	Ton	13,056.000
56	Hydrated Lime	Ton	128.000
57	PG 58-34 Asphalt Binder	Ton	492.600
58	CLASS Q3R HOT MIXED ASPHALT CONCRETE	Ton	13,398.200
59	Hydrated Lime	Ton	132.200

3. **BRF-B 6213(15)** **Area Engineer: Greg Rothschadl, 1306 W 31st St, Yankton, SD, 57078-9662** **Phone: 605/668-2929**
Work Type 7 **DBE Goal: NONE** **Contract Id: 9659** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Grade Staking	Mile	0.294
3	Miscellaneous Staking	Mile	0.294
4	Slope Staking	Mile	0.294
5	Structure Staking	Each	1.000
6	Engineer Directed Surveying/Staking	Hour	40.000
7	Construction Schedule, Category II	LS	1.000
8	Concrete Penetrating Sealer	SqYd	1,544.500
9	Clearing	LS	1.000
10	Remove Pipe Culvert	Ft	33.000
11	Remove Asphalt Concrete Pavement	SqYd	3,217.600
12	Remove Sediment	CuYd	1.000
13	Remove Erosion Control Wattle	Ft	120.000
14	Remove Silt Fence	Ft	2,800.000
15	Remove Sign for Reset	Each	5.000
16	Unclassified Excavation	CuYd	5,335.000
17	Contractor Furnished Borrow	CuYd	12,383.000
18	Select Granular Backfill	Ton	14.000
19	Placing Topsoil	CuYd	1,778.000
20	Incidental Work, Structure	LS	1.000
21	Base Course	Ton	2,015.500
22	Asphalt Concrete Composite	Ton	864.500
23	Structural Steel	LS	1.000
24	Strip Seal Expansion Joint	Ft	69.000
25	Structure Excavation, Bridge	CuYd	1,035.000
26	Bridge End Embankment	CuYd	1,322.000
27	Granular Bridge End Backfill	CuYd	71.400
28	Approach Slab Underdrain Excavation	CuYd	2.800
29	Precast Concrete Headwall for Drain	Each	4.000
30	Class A45 Concrete, Bridge Deck	CuYd	489.200
31	Class A45 Concrete, Bridge	CuYd	372.000
32	Concrete Approach Slab for Bridge	SqYd	156.800
33	Concrete Approach Sleeper Slab for Bridge	SqYd	33.200
34	Deck Drain, Girder Bridge	Each	16.000
35	Reinforcing Steel	Lb	57,661.000
36	Epoxy Coated Reinforcing Steel	Lb	144,066.000
37	Extract Pile	Each	5.000
38	Preboring Pile	Ft	160.000
39	HP 12x74 Steel Test Pile, Furnish and Drive	Ft	615.000
40	HP 12x74 Steel Bearing Pile, Furnish and Drive	Ft	9,250.000
41	Straight Double Class A Thrie Beam Guardrail with Wood Posts	Ft	50.000
42	Straight Class A W Beam Guardrail with Wood Posts	Ft	100.000
43	W Beam to Thrie Beam Guardrail Transition	Each	4.000
44	W Beam Guardrail Flared End Terminal	Each	4.000
45	Guardrail Delineator	Each	16.000

46	Reset Sign	Each	5.000
47	High Build Waterborne Pavement Marking Paint, 4" White	Ft	3,095.000
48	High Build Waterborne Pavement Marking Paint, 4" Yellow	Ft	2,040.000
49	Traffic Control Signs	SqFt	96.500
50	Traffic Control, Miscellaneous	LS	1.000
51	Type 3 Barricade	Each	11.000
52	Temporary Flexible Vertical Markers (Tabs)	Ft	3,100.000
53	Detour and Restriction Signing	SqFt	726.600
54	4" Underdrain Pipe	Ft	285.000
55	Porous Backfill	Ton	20.800
56	Class B Riprap	Ton	1,177.400
57	Overburden Excavation for Riprap	CuYd	1,892.000
58	Erosion Control	LS	1.000
59	Type 1 Turf Reinforcement Mat	SqYd	13,496.000
60	12" Diameter Erosion Control Wattle	Ft	120.000
61	Remove and Reset Erosion Control Wattle	Ft	30.000
62	High Flow Silt Fence	Ft	2,800.000
63	Mucking Silt Fence	CuYd	194.000
64	Repair Silt Fence	Ft	700.000
65	Floating Silt Curtain	Ft	700.000
66	Remove and Reset Floating Silt Curtain	Ft	175.000
67	Type B Drainage Fabric	SqYd	2,061.000
68	Perforated Geocell	SqFt	399.000

4. **PT 014A(35)28** **Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970** **Phone: 605/394-2244**
Work Type 2 **DBE Goal: NONE** **Contract Id: 9777** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Construction Schedule, Category II	LS	1.000
4	Clearing	LS	1.000
5	Remove Asphalt Concrete Pavement	SqYd	528.000
6	Remove Silt Fence	Ft	5.000
7	Unclassified Excavation	CuYd	3,644.000
8	Contractor Furnished Topsoil	CuYd	370.000
9	Incidental Work, Grading	LS	1.000
10	Base Course	Ton	533.600
11	Asphalt Concrete Composite	Ton	252.100
12	24" RCP Class 2, Furnish	Ft	40.000
13	24" RCP, Install	Ft	40.000
14	24" RCP Flared End, Furnish	Each	1.000
15	24" RCP Flared End, Install	Each	1.000
16	Type 2 Object Marker Back to Back	Each	2.000
17	High Build Waterborne Pavement Marking Paint, 4" White	Ft	396.000
18	High Build Waterborne Pavement Marking Paint, 4" Yellow	Ft	94.000
19	Flagging	Hour	100.000
20	Traffic Control Signs	SqFt	188.000
21	Traffic Control, Miscellaneous	LS	1.000
22	Type 3 Barricade	Each	2.000
23	Temporary Flexible Vertical Markers (Tabs)	Ft	2,625.000
24	4" Temporary Pavement Marking Tape Type I	Ft	288.000
25	Portable Temporary Traffic Control Signal	Unit	2.000
26	3' x 4' Type C Drop Inlet	Each	1.000
27	4" Corrugated Polyethylene Drainage Tubing	Ft	27.000
28	Concrete Headwall for Underdrain	Each	1.000
29	Class D Riprap	Ton	8,625.100
30	Type F Permanent Seed Mixture	Lb	26.000

31	Fertilizing	Lb	1,500.000
32	Fiber Mulching	Lb	3,000.000
33	Type 3 Erosion Control Blanket	SqYd	512.000
34	Surface Roughening	Acre	0.700
35	High Flow Silt Fence	Ft	20.000
36	Mucking Silt Fence	CuYd	1.000
37	Repair Silt Fence	Ft	5.000
38	Type B Drainage Fabric	SqYd	2,888.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 4 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.14 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION