

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on November 20, 2024, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
* 1.	NH-CR 0034(193)402 (PCN 0609)	Moody SWPPP = 26.00 AC	1.795	Grading, PCC Surfacing, Curb & Gutter, Sidewalk, Lighting	SD34 - Fm 469th Ave to the E City Limits in Colman
* 2.	21005951 () (PCN X06M)	Moody SWPPP = 1.20 AC	1.800	Replacement of Sanitary Sewer Crossings, Installation of Sanitary Sewer Services, Water Main, Water Services and Ditch Grading for the City of Colman	SD34 - Fm 469th Ave to the E City Limits in Colman
<p>Bidders on this project will be required to comply with the federal bid requirements for ARPA and SRF. Please see instructions to bidders for requirements.</p> <p>Inquiries relative to these documents can be directed to Dan Gerhardt (605-773-4067), Environmental Funding Program, Dept. of Agriculture & Natural Resources, Foss Building, Pierre, SD.</p>					
** 3.	BRO-B 8030(18) (PCN 08MR)	Hand SWPPP = 1.05 AC	0.200	Structure (3-10'x8' CIP RCBC) & Approach Grading	Structure 1 N & 1 E of St Lawrence on 197th S. over Turtle Ck SN 30-194-250
** 4.	BRO-B 8003(38) (PCN 08MF)	Beadle SWPPP = 1.36 AC	0.200	Structure (3-12'x8' CIP RCBC) & Approach Grading	Structure 2 E & 0.4 S of Wessington on 376th Ave over Cain Ck SN 03-020-124
** 5.	BRO-B 8030(20) (PCN 08MU)	Hand SWPPP = 0.80 AC	0.400	Structure (2-9'x9' CIP RCBC) & Approach Grading	Structure 4 E & 0.4 N of St Lawrence on 366th Ave over Pearl Ck SN 30-220-256
6.	BRO-B 8007(212) (PCN 084J)	Brown SWPPP = 1.50 AC	0.200	Structure (122' Continuous Concrete) & Approach Grading	Structure 8.5 W & 5 N of Frederick on 102nd St over Elm Lake SN 07-019-020
7.	NH 0012(230)171, P 0063(59)252, P 1806(19)364, P 1806(20)370, P 1806(22)359 (PCN 05TY, 07CD, 06A1, 06E0, 06RC)	Corson SWPPP = 75.00 AC	26.532	Full Depth Reclamation, Asphalt Concrete Surfacing, Pipe Work	US12 - Fm 12 E of McLaughlin to W of Mobridge; SD63 - Fm McLaughlin N 2; SD1806 - Fm US12 to N of SD1806 P; 1806P - Fm SD1806 to end of the Route; SD1806 - Fm 3.5 S of US12 to US12
8.	P 0079(90)203 (PCN 06RR)	Harding	14.400	Cold Milling, Asphalt Concrete Resurfacing, Pipe Work	SD79 - Fm the E SD20 Jct N 15
9.	NH 0083(92)138, NH 0212(212)219 (PCN 08YD, 09AX)	Hughes, Potter, Sully	35.900	Asphalt Concrete Surfacing of Shoulders	US83 - Fm US14 to US212; US212 - Fm W Jct of US83 to E Jct of US83

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	NH-CR 0034(193)402 Work Type 2 or Work Type 4	Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107 DBE Goal: 3.000%	Contract Id: 9632	Phone: 605/367-5680 See Special Provisions for Completion Requirements
1	Mobilization		LS	1.000
2	Reestablish Right-of-Way and Property Corner		Each	135.000
3	Reestablish Public Land Survey System Corner		Each	6.000
4	Grade Staking		Mile	5.538
5	Final Cross Section Survey		Mile	1.798
6	Miscellaneous Staking		Mile	1.798
7	Slope Staking		Mile	1.798
8	Engineer Directed Surveying/Staking		Hour	40.000
9	Construction Schedule, Category III		LS	1.000
10	Training Program		Hour	1,000.000
11	Clearing		LS	1.000
12	Remove Traffic Sign		Each	51.000
13	Remove Concrete Curb and/or Gutter		Ft	47.000
14	Remove Drop Inlet		Each	21.000
15	Remove Fence		Ft	4,062.000
16	Remove Asphalt Concrete Pavement		SqYd	1,812.300
17	Remove Concrete Pavement		SqYd	40,200.900
18	Remove Concrete Driveway Pavement		SqYd	892.600
19	Remove Concrete Sidewalk		SqYd	4.700
20	Remove Luminaire Pole Footing		Each	30.000
21	Remove Sediment		CuYd	22.300
22	Remove Silt Fence		Ft	1,661.000
23	Remove Sign for Reset		Each	3.000
24	Unclassified Excavation		CuYd	79,475.000
25	Contaminated Material Excavation		CuYd	100.000
26	Muck Excavation		CuYd	1,654.000
27	Undercutting		CuYd	19,225.000
28	Water for Embankment		MGal	515.600
29	Water for Granular Material		MGal	539.300
30	Placing Topsoil		CuYd	6,691.000
31	Incidental Work, Grading		LS	1.000
32	Base Course		Ton	25,740.400
33	Base Course, Salvaged		Ton	18,802.600
34	Gravel Cushion		Ton	443.200
35	Granular Material, Furnish		Ton	45.000
36	Granular Material		Ton	247.000
37	Salvage and Stockpile Asphalt Mix and Granular Base Material		Ton	18,802.600
38	Asphalt Concrete Composite		Ton	2,772.500
39	Saw Joint in Asphalt Concrete		Ft	301.000
40	Grind 12" Rumble Strip or Stripe in Asphalt Concrete		Mile	0.200
41	8" Nonreinforced PCC Pavement		SqYd	43,369.200
42	8" PCC Driveway Pavement		SqYd	138.100
43	6" PCC Approach Pavement		SqYd	983.300
44	8" PCC Approach Pavement		SqYd	339.800
45	8" PCC Fillet Section		SqYd	356.600
46	Dowel Bar		Each	25,869.000
47	Insert Steel Bar in PCC Pavement		Each	92.000
48	Saw Joint in PCC Pavement		Ft	15,363.700
49	Grind Sinusoidal Centerline Rumble Stripe in PCC Pavement		Mile	0.300
50	Pipe Culvert Undercut		CuYd	131.000
51	18" RCP Class 2, Furnish		Ft	4,436.000
52	18" RCP, Install		Ft	4,436.000
53	24" RCP Class 2, Furnish		Ft	512.000

54	24" RCP, Install	Ft	512.000
55	30" RCP Class 2, Furnish	Ft	618.000
56	30" RCP, Install	Ft	618.000
57	36" RCP Class 2, Furnish	Ft	50.000
58	36" RCP, Install	Ft	50.000
59	42" RCP Class 2, Furnish	Ft	188.000
60	42" RCP, Install	Ft	188.000
61	18" RCP Flared End, Furnish	Each	3.000
62	18" RCP Flared End, Install	Each	3.000
63	36" RCP Flared End, Furnish	Each	1.000
64	36" RCP Flared End, Install	Each	1.000
65	42" RCP Flared End, Furnish	Each	8.000
66	42" RCP Flared End, Install	Each	8.000
67	24" RCP Sloped End, Furnish	Each	2.000
68	24" RCP Sloped End, Install	Each	2.000
69	24" RCP Arch Class 2, Furnish	Ft	492.000
70	24" RCP Arch, Install	Ft	492.000
71	30" RCP Arch Class 2, Furnish	Ft	666.000
72	30" RCP Arch, Install	Ft	666.000
73	36" RCP Arch Class 2, Furnish	Ft	142.000
74	36" RCP Arch, Install	Ft	142.000
75	36" RCP Arch Flared End, Furnish	Each	2.000
76	36" RCP Arch Flared End, Install	Each	2.000
77	24" RCP Arch Sloped End, Furnish	Each	3.000
78	24" RCP Arch Sloped End, Install	Each	3.000
79	30" RCP Arch Sloped End, Furnish	Each	7.000
80	30" RCP Arch Sloped End, Install	Each	7.000
81	36" RCP Arch Sloped End, Furnish	Each	2.000
82	36" RCP Arch Sloped End, Install	Each	2.000
83	18" CMP 16 Gauge, Furnish	Ft	530.000
84	18" CMP, Install	Ft	530.000
85	36" CMP 16 Gauge, Furnish	Ft	56.000
86	36" CMP, Install	Ft	56.000
87	36" CMP Elbow, Furnish	Each	2.000
88	36" CMP Elbow, Install	Each	2.000
89	36" CMP Sloped End, Furnish	Each	2.000
90	36" CMP Sloped End, Install	Each	2.000
91	18" CMP Safety End, Furnish	Each	16.000
92	18" CMP Safety End, Install	Each	16.000
93	18" CMP Arch 16 Gauge, Furnish	Ft	54.000
94	18" CMP Arch, Install	Ft	54.000
95	18" CMP Arch Safety End, Furnish	Each	2.000
96	18" CMP Arch Safety End, Install	Each	2.000
97	Cleanout for Culvert Treatment	Each	2.000
98	Slipline 48" Pipe	Ft	320.000
99	Class M6 Concrete	CuYd	153.200
100	Cellular Grout	CuYd	78.600
101	Controlled Density Fill	CuYd	3.900
102	Reinforcing Steel	Lb	27,607.000
103	Type III Field Laboratory	Each	1.000
104	Type 2 Right-of-Way Fence	Ft	2,587.000
105	Type 4 Right-of-Way Fence	Ft	1,033.000
106	Type 6 Right-of-Way Fence	Ft	489.000
107	2 Post Panel	Each	25.000
108	3 Post Panel	Each	10.000
109	16' Tubular Gate	Each	2.000

110	2.0"x2.0" Perforated Tube Post	Ft	406.800
111	2.5"x2.5" Perforated Tube Post	Ft	185.500
112	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	277.800
113	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	268.300
114	Reset Sign	Each	3.000
115	Radar Speed Sign	Each	2.000
116	Cold Applied Plastic Pavement Marking, 4"	Ft	36,130.000
117	Cold Applied Plastic Pavement Marking, 24"	Ft	336.000
118	Cold Applied Plastic Pavement Marking, Arrow	Each	34.000
119	Preformed Thermoplastic Pavement Marking, 24"	Ft	168.000
120	Preformed Thermoplastic Pavement Marking, Area	SqFt	180.000
121	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	36,130.000
122	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	504.000
123	Grooving for Cold Applied Plastic Pavement Marking, Area	SqFt	180.000
124	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	34.000
125	Flagging	Hour	500.000
126	Pilot Car	Hour	2,500.000
127	Traffic Control Signs	SqFt	1,244.200
128	Traffic Control, Miscellaneous	LS	1.000
129	Type 3 Barricade	Each	60.000
130	Tubular Marker	Each	210.000
131	Replace Tubular Marker	Each	50.000
132	Remove Pavement Marking, 4" or Equivalent	Ft	3,500.000
133	4" Temporary Pavement Marking Tape Type I	Ft	432.000
134	Temporary Pavement Marking	Ft	22,364.000
135	Portable Temporary Traffic Control Signal	Unit	2.000
136	Driveway Assistance Device	Mth	10.000
137	Detour and Restriction Signing	SqFt	563.000
138	Temporary Business Signing	SqFt	50.000
139	Contractor Furnished Portable Changeable Message Sign	Each	4.000
140	Breakaway Base Luminaire Pole with Arm, 50' Mounting Height	Each	6.000
141	Roadway Luminaire, LED with Photoelectric Cell	Each	36.000
142	2.5' Diameter Footing	Ft	291.000
143	Type 1 Electrical Junction Box	Each	3.000
144	Type 2 Electrical Junction Box	Each	4.000
145	Electrical Service Cabinet	Each	3.000
146	Miscellaneous, Electrical	LS	1.000
147	Remove and Reset Luminaire Pole	Each	30.000
148	1" Rigid Conduit, Schedule 40	Ft	45.000
149	2" Rigid Conduit, Schedule 40	Ft	6,600.000
150	1" Rigid Conduit, Schedule 80	Ft	60.000
151	2" Rigid Conduit, Schedule 80	Ft	335.000
152	2" Conduit, SDR 13.5	Ft	450.000
153	1/C #1 AWG Copper Wire	Ft	3,580.000
154	1/C #2 AWG Copper Wire	Ft	9,330.000
155	1/C #3 AWG Copper Wire	Ft	3,785.000
156	1/C #4 AWG Copper Wire	Ft	3,730.000
157	1/C #6 AWG Copper Wire	Ft	6,060.000
158	1/C #8 AWG Copper Wire	Ft	1,440.000
159	1/C #10 AWG Copper Wire	Ft	5,450.000
160	1/C #14 AWG Copper Wire	Ft	3,600.000
161	2/C #10 AWG Copper Pole and Bracket Cable	Ft	2,520.000
162	Modified Type B68 Concrete Curb and Gutter	Ft	2,631.000
163	Type B68 Concrete Curb and Gutter	Ft	5,134.000
164	Modified Type F68 Concrete Curb and Gutter	Ft	2,853.000
165	Type F68 Concrete Curb and Gutter	Ft	301.000

166	Type B6 Concrete Curb	Ft	19.000
167	Modified Type P8 Concrete Gutter	Ft	320.000
168	Type P8 Concrete Gutter	Ft	484.000
169	8" Concrete Valley Gutter	Ft	48.000
170	4" Concrete Sidewalk	SqFt	19,335.000
171	6" Concrete Sidewalk	SqFt	27,793.000
172	6" Reinforced Concrete Sidewalk	SqFt	168.000
173	4" Colored Concrete Sidewalk	SqFt	6,889.000
174	6" Colored Concrete Sidewalk	SqFt	303.000
175	4" Reinforced Colored Concrete Sidewalk	SqFt	30.000
176	Type 1 Detectable Warnings	SqFt	550.000
177	Type B Frame and Grate	Each	70.000
178	Type C Frame and Grate	Each	9.000
179	Type E Frame and Grate	Each	1.000
180	4' x 11' Precast Concrete Type S Drop Inlet Lid	Each	7.000
181	Precast Drop Inlet Collar	Each	71.000
182	48" Manhole Cone Section	Ft	4.000
183	Type A7 Manhole Frame and Lid	Each	2.000
184	Bank and Channel Protection Gabion	CuYd	20.000
185	Cover Crop Seeding	Bu	10.000
186	Type D Permanent Seed Mixture	Lb	586.000
187	Type G Permanent Seed Mixture	Lb	274.000
188	Fertilizing	Ton	6.700
189	Mulching	Ton	21.000
190	Fiber Reinforced Matrix	Ton	5.200
191	Type 3 Erosion Control Blanket	SqYd	250.000
192	Sediment Filter Bag	Ft	2,780.000
193	Remove and Reset Sediment Filter Bag	Ft	695.000
194	Surface Roughening	Acre	1.500
195	Low Flow Silt Fence	Ft	3,022.000
196	High Flow Silt Fence	Ft	3,622.000
197	Mucking Silt Fence	CuYd	461.000
198	Repair Silt Fence	Ft	1,661.000
199	Sediment Control at Inlet with Frame and Grate	Each	82.000
200	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	91.000
201	Dewatering	LS	1.000
202	Type B Drainage Fabric	SqYd	58.000
203	Reinforcement Fabric (MSE)	SqYd	1,800.000
204	Refurbish Single Mailbox	Each	4.000
205	Construction Entrance	Each	2.000

2. **21005951 ()** **Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107** **Phone: 605/367-5680**
Work Type 2 or Work Type 4 **DBE Goal: 5.000%** **Contract Id: 9633** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Manhole	Each	6.000
3	Remove Storm Sewer Pipe	Ft	220.000
4	Remove Asphalt Concrete Pavement	SqYd	68.200
5	Remove Concrete Driveway Pavement	SqYd	44.300
6	Remove Concrete Sidewalk	SqYd	21.800
7	Remove Granular Material	CuYd	150.000
8	Remove Fire Hydrant	Each	1.000
9	Remove Sign for Reset	Each	2.000
10	Remove Pipe for Reset	Ft	98.000
11	Remove Pipe End Section for Reset	Each	4.000
12	Unclassified Excavation	CuYd	1,200.000
13	Placing Topsoil	CuYd	500.000

14	Contractor Furnished Topsoil	CuYd	40.000
15	Incidental Work	LS	1.000
16	Base Course	Ton	34.000
17	Gravel Surfacing	Ton	300.000
18	Asphalt Concrete Composite	Ton	16.400
19	4" PCC Driveway Pavement	SqYd	44.300
20	24" RCP Flared End, Install	Each	4.000
21	24" RCP Arch, Install	Ft	98.000
22	18" CMP 16 Gauge, Furnish	Ft	74.000
23	18" CMP, Install	Ft	74.000
24	24" CMP Safety End with Bars, Furnish	Each	2.000
25	24" CMP Safety End, Install	Each	2.000
26	24" High Density Polyethylene Pipe, Furnish	Ft	148.000
27	24" High Density Polyethylene Pipe, Install	Ft	148.000
28	6" PVC Water Main	Ft	388.000
29	4" PVC Sewer Pipe	Ft	119.000
30	6" PVC Sewer Pipe	Ft	68.000
31	8" PVC Sewer Pipe	Ft	899.000
32	12" PVC Sewer Pipe	Ft	209.000
33	1" Water Service	Each	9.000
34	6" Sanitary Sewer Service Cleanout	Each	1.000
35	Sanitary Sewer Video Inspection	Ft	1,044.000
36	8"x4" Pipe Wye	Each	3.000
37	8"x6" Pipe Wye	Each	1.000
38	8"x8" Pipe Wye	Each	1.000
39	6"x6" Pipe Tee	Each	1.000
40	1" Corporation Stop with Tapping Saddle	Each	9.000
41	1" Curb Stop with Box	Each	9.000
42	6" Gate Valve with Box	Each	1.000
43	Standard Fire Hydrant	Each	1.000
44	Install Fire Hydrant	Each	1.000
45	Water Main Bedding Material	Ft	388.000
46	6" Sewer Pipe Bedding Material	Ft	68.000
47	8" Sewer Pipe Bedding Material	Ft	899.000
48	12" Sewer Pipe Bedding Material	Ft	209.000
49	Trench Dewatering	Ft	600.000
50	Bore and Jack 16" Pipe	Ft	125.000
51	Temporary Water Main Bypass	Each	2.000
52	Cellular Grout	CuYd	3.000
53	Reset Sign	Each	2.000
54	Traffic Control Movable Concrete Barrier	Each	12.000
55	Remove and Reset Traffic Control Movable Concrete Barrier	Each	84.000
56	Temporary Concrete Barrier End Protection	Each	2.000
57	Remove and Reset Temporary Concrete Barrier End Protection	Each	14.000
58	4" Reinforced Concrete Sidewalk	SqFt	9.000
59	48" Manhole 6' to 8' Deep	Each	2.000
60	48" Manhole 8' to 10' Deep	Each	3.000
61	48" Manhole 10' to 12' Deep	Each	1.000
62	48" Manhole 12' to 14' Deep	Each	1.000
63	Type D Permanent Seed Mixture	Lb	293.000
64	Fertilizing	Lb	96.000
65	Fiber Mulching	Lb	1,500.000
66	Erosion Control	LS	1.000
67	Type 2 Erosion Control Blanket	SqYd	3,439.000
68	Type 3 Turf Reinforcement Mat	SqYd	100.000
69	12" Diameter Erosion Control Wattle	Ft	340.000

70	Remove and Reset Erosion Control Wattle	Ft	120.000
71	High Flow Silt Fence	Ft	70.000
72	Mucking Silt Fence	CuYd	20.000
73	Repair Silt Fence	Ft	70.000
74	Remove and Reset Mailbox	Each	3.000
75	Remove Existing Plant and Landscape Materials	LS	1.000

3. BRO-B 8030(18)

Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940

Phone: 605/353-7140

Work Type 9

DBE Goal: Not Specified

Contract Id: 9073

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Grade Staking	Mile	0.100
3	Miscellaneous Staking	Mile	0.100
4	Slope Staking	Mile	0.100
5	Structure Staking	Each	1.000
6	Engineer Directed Surveying/Staking	Hour	40.000
7	Clearing	LS	1.000
8	Unclassified Excavation	CuYd	2,015.000
9	Contractor Furnished Borrow Excavation	CuYd	775.000
10	Placing Topsoil	CuYd	395.000
11	Incidental Work, Structure	LS	1.000
12	Structure Excavation, Box Culvert	CuYd	90.000
13	Box Culvert Undercut	CuYd	238.000
14	Class A45 Concrete, Box Culvert	CuYd	189.800
15	Reinforcing Steel	Lb	31,393.000
16	Traffic Control Signs	SqFt	109.000
17	Traffic Control, Miscellaneous	LS	1.000
18	Type 3 Barricade	Each	8.000
19	Class B Riprap	Ton	64.200
20	Erosion Control	LS	1.000
21	Type 2 Erosion Control Blanket	SqYd	3,451.000
22	12" Diameter Erosion Control Wattle	Ft	488.000
23	Shaping for Erosion Control Blanket	Ft	1,004.000
24	High Flow Silt Fence	Ft	841.000
25	Mucking Silt Fence	CuYd	58.000
26	Repair Silt Fence	Ft	210.000
27	Type B Drainage Fabric	SqYd	80.000

4. BRO-B 8003(38)

Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940

Phone: 605/353-7140

Work Type 9

DBE Goal: Not Specified

Contract Id: 9095

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Construction Staking	LS	1.000
3	Clear and Grub Tree	Each	1.000
4	Remove Pipe Culvert	Ft	32.000
5	Remove Fence	Ft	920.000
6	Remove Sediment	CuYd	1.000
7	Remove Erosion Control Wattle	Ft	100.000
8	Remove Silt Fence	Ft	1,750.000
9	Unclassified Excavation	CuYd	3,288.000
10	Contractor Furnished Borrow Excavation	CuYd	174.000
11	Placing Topsoil	CuYd	549.000
12	Incidental Work, Structure	LS	1.000
13	Gravel Surfacing	Ton	663.600
14	Structure Excavation, Box Culvert	CuYd	111.000
15	Box Culvert Undercut	CuYd	324.000
16	36" RCP Class 2, Furnish	Ft	32.000
17	36" RCP, Install	Ft	32.000
18	36" RCP Flared End, Furnish	Each	2.000

19	36" RCP Flared End, Install	Each	2.000
20	Class A45 Concrete, Box Culvert	CuYd	224.500
21	Reinforcing Steel	Lb	37,661.000
22	Type 2 Right-of-Way Fence	Ft	929.000
23	Type 1 Temporary Fence	Ft	1,571.000
24	2 Post Panel	Each	16.000
25	Type 2 Object Marker	Each	4.000
26	Traffic Control Signs	SqFt	109.000
27	Traffic Control, Miscellaneous	LS	1.000
28	Type 3 Barricade	Each	8.000
29	Class B Riprap	Ton	73.900
30	Erosion Control	LS	1.000
31	Type 2 Erosion Control Blanket	SqYd	4,400.000
32	12" Diameter Erosion Control Wattle	Ft	200.000
33	Remove and Reset Erosion Control Wattle	Ft	50.000
34	Shaping for Erosion Control Blanket	Ft	1,000.000
35	High Flow Silt Fence	Ft	1,750.000
36	Mucking Silt Fence	CuYd	121.000
37	Repair Silt Fence	Ft	438.000
38	Type B Drainage Fabric	SqYd	96.000
39	Reinforcement Fabric (MSE)	SqYd	469.000

5. BRO-B 8030(20) Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940 Phone: 605/353-7140
Work Type 9 DBE Goal: Not Specified Contract Id: 9059 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Grade Staking	Mile	0.090
3	Miscellaneous Staking	Mile	0.090
4	Slope Staking	Mile	0.090
5	Structure Staking	Each	1.000
6	Engineer Directed Surveying/Staking	Hour	40.000
7	Clearing	LS	1.000
8	Unclassified Excavation	CuYd	1,455.000
9	Contractor Furnished Borrow Excavation	CuYd	1,551.000
10	Placing Topsoil	CuYd	398.000
11	Incidental Work, Structure	LS	1.000
12	Structure Excavation, Box Culvert	CuYd	64.000
13	Box Culvert Undercut	CuYd	164.000
14	Class A45 Concrete, Box Culvert	CuYd	152.300
15	Reinforcing Steel	Lb	19,326.000
16	Traffic Control Signs	SqFt	109.000
17	Traffic Control, Miscellaneous	LS	1.000
18	Type 3 Barricade	Each	8.000
19	Class B Riprap	Ton	352.100
20	Erosion Control	LS	1.000
21	Type 2 Erosion Control Blanket	SqYd	2,591.000
22	12" Diameter Erosion Control Wattle	Ft	341.000
23	Shaping for Erosion Control Blanket	Ft	270.000
24	High Flow Silt Fence	Ft	1,028.000
25	Mucking Silt Fence	CuYd	7.000
26	Repair Silt Fence	Ft	257.000
27	Type B Drainage Fabric	SqYd	350.000

6. BRO-B 8007(212) Area Engineer: Mark Peterson, West Highway 12, Aberdeen, SD, 57402-1767 Phone: 605/626-7885
Work Type 7 DBE Goal: Not Specified Contract Id: 9252 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Grade Staking	Mile	0.157
3	Miscellaneous Staking	Mile	0.157

4	Slope Staking	Mile	0.157
5	Structure Staking	Each	1.000
6	Engineer Directed Surveying/Staking	Hour	10.000
7	Bridge Elevation Survey	LS	1.000
8	Concrete Penetrating Sealer	SqYd	352.400
9	Clearing	LS	1.000
10	Remove Silt Fence	Ft	200.000
11	Unclassified Excavation	CuYd	298.000
12	Contractor Furnished Borrow Excavation	CuYd	2,630.000
13	Select Granular Backfill	Ton	16.400
14	Placing Topsoil	CuYd	140.000
15	Incidental Work, Structure	LS	1.000
16	Membrane Sealant Expansion Joint	Ft	51.800
17	Structure Excavation, Bridge	CuYd	337.000
18	Bridge End Embankment	CuYd	95.000
19	Granular Bridge End Backfill	CuYd	42.300
20	Approach Slab Underdrain Excavation	CuYd	1.900
21	Class A45 Concrete, Bridge Deck	CuYd	197.900
22	Class A45 Concrete, Bridge	CuYd	182.400
23	Concrete Approach Slab for Bridge	SqYd	117.700
24	Concrete Approach Sleeper Slab for Bridge	SqYd	25.900
25	Type T101 Bridge Railing	Ft	234.000
26	Reinforcing Steel	Lb	22,070.000
27	Epoxy Coated Reinforcing Steel	Lb	51,572.000
28	Preboring Pile	Ft	80.000
29	HP 10x42 Steel Test Pile, Furnish and Drive	Ft	195.000
30	HP 10x42 Steel Bearing Pile, Furnish and Drive	Ft	1,365.000
31	Straight Class A W Beam Guardrail with Wood Posts	Ft	612.500
32	Straight Class B W Beam Guardrail with Wood Posts	Ft	50.000
33	Straight Double Class B W Beam Guardrail with Wood Posts	Ft	50.000
34	W Beam Guardrail Tangent End Terminal	Each	4.000
35	Guardrail Delineator	Each	23.000
36	Traffic Control Signs	SqFt	77.000
37	Traffic Control, Miscellaneous	LS	1.000
38	Type 3 Barricade	Each	8.000
39	Detour and Restriction Signing	SqFt	275.000
40	4" Underdrain Pipe	Ft	118.000
41	Porous Backfill	Ton	3.500
42	Class B Riprap	Ton	2,809.300
43	Overburden Excavation for Riprap	CuYd	883.000
44	Erosion Control	LS	1.000
45	12" Diameter Erosion Control Wattle	Ft	200.000
46	Remove and Reset Erosion Control Wattle	Ft	50.000
47	Surface Roughening	Acre	0.100
48	Low Flow Silt Fence	Ft	1,000.000
49	Mucking Silt Fence	CuYd	56.000
50	Repair Silt Fence	Ft	200.000
51	Floating Silt Curtain	Ft	1,030.000
52	Type B Drainage Fabric	SqYd	3,364.000
53	Perforated Geocell	SqFt	468.000

7. **NH 0012(230)171, P 0063(59)252, P 1806(19)364, P 1806(20)370, P 1806(22)359** **Area Engineer: John Villbrandt, PO Box 488, Mobridge, SD, 57601-0488** **Phone: 605/845-3844**
DBE Goal: Not Specified **Contract Id: 9587** **See Special Provisions for Completion Requirements**
Work Type 5
1 Mobilization LS 1.000
2 Construction Staking Mile 30.824
3 Grade Staking Mile 0.422

4	Miscellaneous Staking	Mile	27.193
5	Slope Staking	Mile	0.950
6	Engineer Directed Surveying/Staking	Hour	150.000
7	Checker	LS	1.000
8	Construction Schedule, Category II	LS	1.000
9	Training Program	Hour	2,000.000
10	Remove Delineator	Each	16.000
11	Remove Pipe Culvert	Ft	354.000
12	Remove Pipe End Section	Each	38.000
13	Remove Cattle Pass End Section	Each	6.000
14	Remove Fence	Ft	924.000
15	Remove Beam Guardrail	Ft	3,350.000
16	Remove Asphalt Concrete Pavement	SqYd	7,839.200
17	Remove Silt Fence	Ft	1,313.000
18	Remove Sign for Reset	Each	31.000
19	Remove Delineator for Reset	Each	538.000
20	Remove Pipe for Reset	Ft	432.000
21	Remove Pipe End Section for Reset	Each	44.000
22	Unclassified Excavation	CuYd	31,197.000
23	Unclassified Excavation, Digouts	CuYd	1,276.000
24	Contractor Furnished Borrow	CuYd	45,661.000
25	Undercutting	CuYd	6,252.000
26	Water for Embankment	MGal	743.300
27	Water for Granular Material	MGal	50.400
28	Heavy Roadway Shaping	SqYd	5,000.000
29	Remove and Replace Topsoil	LS	1.000
30	Incidental Work, Grading	LS	1.000
31	Base Course	Ton	10,410.500
32	Base Course, Salvaged	Ton	2,545.000
33	Granular Material, Furnish	Ton	66,544.300
34	Salvage Granular Material	Ton	1,313.000
35	Blend and Stockpile Granular Material	Ton	2,345.000
36	Full Depth Reclamation	SqYd	384,421.000
37	Asphalt Concrete Composite	Ton	1,882.400
38	Asphalt Concrete Blade Laid	Ton	2,053.000
39	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	27.800
40	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	24.800
41	Grind Centerline Rumble Stripe in Asphalt Concrete	Mile	21.200
42	MC-70 Asphalt for Prime	Ton	268.100
43	SS-1h or CSS-1h Asphalt for Tack	Ton	367.800
44	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	119.700
45	Blotting Sand for Prime	Ton	1,717.600
46	Sand for Flush Seal	Ton	1,578.500
47	Cold Milling Asphalt Concrete	SqYd	591,156.000
48	24" RCP Class 3, Furnish	Ft	254.000
49	24" RCP, Install	Ft	254.000
50	36" RCP Class 3, Furnish	Ft	100.000
51	36" RCP, Install	Ft	100.000
52	48" RCP Class 3, Furnish	Ft	8.000
53	48" RCP, Install	Ft	8.000
54	54" RCP Class 3, Furnish	Ft	8.000
55	54" RCP, Install	Ft	8.000
56	18" RCP Flared End, Furnish	Each	8.000
57	18" RCP Flared End, Install	Each	8.000
58	36" RCP Flared End, Furnish	Each	7.000
59	36" RCP Flared End, Install	Each	7.000

60	48" RCP Flared End, Furnish	Each	2.000
61	48" RCP Flared End, Install	Each	2.000
62	54" RCP Flared End, Furnish	Each	3.000
63	54" RCP Flared End, Install	Each	3.000
64	24" RCP Sloped End, Furnish	Each	14.000
65	24" RCP Sloped End, Install	Each	14.000
66	24" RCP Arch Sloped End, Furnish	Each	1.000
67	24" RCP Arch Sloped End, Install	Each	1.000
68	18" CMP 14 Gauge, Furnish	Ft	64.000
69	18" CMP, Install	Ft	64.000
70	24" CMP 14 Gauge, Furnish	Ft	80.000
71	24" CMP, Install	Ft	80.000
72	24" CMP Elbow, Furnish	Each	4.000
73	24" CMP Elbow, Install	Each	4.000
74	18" CMP Sloped End, Furnish	Each	1.000
75	18" CMP Sloped End, Install	Each	1.000
76	24" CMP Sloped End, Furnish	Each	9.000
77	24" CMP Sloped End, Install	Each	9.000
78	18" CMP Safety End, Furnish	Each	2.000
79	18" CMP Safety End, Install	Each	2.000
80	24" RCP to CMP Transition, Furnish	Each	2.000
81	24" Pipe Transition, Install	Each	2.000
82	Culvert Joint Cleaning	Ft	438.000
83	Repair Culvert Joint	Ft	438.000
84	Chemical Grout Void Fill	Gal	24.000
85	Cleanout Pipe Culvert	Each	60.000
86	Reset Pipe	Ft	432.000
87	Reset Pipe End Section	Each	44.000
88	Cellular Grout	CuYd	194.600
89	Controlled Density Fill	CuYd	17.200
90	Type III Field Laboratory	Each	1.000
91	Type 2 Right-of-Way Fence	Ft	924.000
92	Type 2 Temporary Fence	Ft	1,929.000
93	2 Post Panel	Each	18.000
94	Type 1 MGS	Ft	1,312.500
95	Type 1 Guardrail Transition	Each	30.000
96	MGS MASH Flared End Terminal	Each	30.000
97	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	10.000
98	4"x8" White Delineator with 1.12 Lb/Ft Post	Each	31.000
99	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	26.000
100	Reset Delineator	Each	538.000
101	Guardrail Delineator	Each	136.000
102	Type 2 Object Marker Back to Back	Each	210.000
103	Reset Sign	Each	31.000
104	Cold Applied Plastic Pavement Marking, 4"	Ft	25,423.000
105	Cold Applied Plastic Pavement Marking, 24"	Ft	526.000
106	Cold Applied Plastic Pavement Marking, Area	SqFt	40.000
107	Cold Applied Plastic Pavement Marking, Arrow	Each	14.000
108	High Build Waterborne Pavement Marking Paint, White	Gal	1,471.000
109	High Build Waterborne Pavement Marking Paint, Yellow	Gal	707.000
110	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	25,423.000
111	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	526.000
112	Grooving for Cold Applied Plastic Pavement Marking, Area	SqFt	40.000
113	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	14.000
114	Flagging	Hour	4,175.000
115	Pilot Car	Hour	1,805.000

116	Traffic Control Signs	SqFt	2,700.400
117	Traffic Control, Miscellaneous	LS	1.000
118	Type 3 Barricade	Each	3.000
119	Tubular Marker	Each	12.000
120	Temporary Pavement Marking	Mile	124.800
121	Detour and Restriction Signing	SqFt	300.000
122	Contractor Furnished Portable Changeable Message Sign	Each	2.000
123	4" PVC Outlet Pipe	Ft	100.000
124	4" Slotted Corrugated Polyethylene Drainage Tubing	Ft	280.000
125	Concrete Headwall for Underdrain	Each	1.000
126	Porous Backfill	Ton	118.000
127	Class B Riprap	Ton	37.300
128	PVC Coated Bank and Channel Protection Gabion	CuYd	79.500
129	Type F Permanent Seed Mixture	Lb	2,376.000
130	Fertilizing	Ton	72.690
131	Mulching	Ton	145.300
132	Type 3 Erosion Control Blanket	SqYd	5,048.000
133	12" Diameter Erosion Control Wattle	Ft	6,031.000
134	Remove and Reset Erosion Control Wattle	Ft	1,508.000
135	Shaping for Erosion Control Blanket	Ft	2,534.000
136	High Flow Silt Fence	Ft	5,252.000
137	Mucking Silt Fence	CuYd	330.000
138	Repair Silt Fence	Ft	1,313.000
139	Type B Drainage Fabric	SqYd	297.000
140	Geogrid Reinforcement	SqYd	4,034.000
141	Storage Unit	Each	1.000
142	PG 58-34 Asphalt Binder	Ton	3,480.700
143	Class Q3R Hot Mixed Asphalt Concrete	Ton	76,423.600
144	Hydrated Lime	Ton	760.600
145	PG 58-34 Asphalt Binder	Ton	2,872.700
146	Class Q3R Hot Mixed Asphalt Concrete	Ton	78,429.200
147	Hydrated Lime	Ton	773.000
148	Granular Material, Furnish	Ton	1,385.400
149	Blend, Haul, and Stockpile Granular Material	Ton	2,770.800
150	Granular Material, Furnish	Ton	1,358.800
151	Blend, Haul, and Stockpile Granular Material	Ton	2,717.600
152	Granular Material, Furnish	Ton	38,606.600
153	Blend, Haul, and Stockpile Granular Material	Ton	77,213.200
154	Granular Material, Furnish	Ton	38,280.400
155	Blend, Haul, and Stockpile Granular Material	Ton	76,200.400
156	PG 58-34 Asphalt Binder	Ton	664.700
157	Class Q3R Hot Mixed Asphalt Concrete	Ton	12,934.300
158	Hydrated Lime	Ton	141.300
159	PG 58-34 Asphalt Binder	Ton	562.400
160	Class Q3R Hot Mixed Asphalt Concrete	Ton	13,235.500
161	Hydrated Lime	Ton	141.600
162	Granular Material, Furnish	Ton	2,880.800
163	Blend, Haul, and Stockpile Granular Material	Ton	5,761.600
164	Granular Material, Furnish	Ton	2,805.700
165	Blend, Haul, and Stockpile Granular Material	Ton	5,611.500
166	PG 58-34 Asphalt Binder	Ton	170.700
167	Class Q3R Hot Mixed Asphalt Concrete	Ton	3,348.400
168	Hydrated Lime	Ton	36.300
169	PG 58-34 Asphalt Binder	Ton	144.200
170	Class Q3R Hot Mixed Asphalt Concrete	Ton	3,423.900
171	Hydrated Lime	Ton	36.400

172	Granular Material, Furnish	Ton	848.900
173	Blend, Haul, and Stockpile Granular Material	Ton	1,697.800
174	Granular Material, Furnish	Ton	829.900
175	Blend, Haul, and Stockpile Granular Material	Ton	1,659.800
176	PG 58-34 Asphalt Binder	Ton	306.600
177	Class Q3R Hot Mixed Asphalt Concrete	Ton	5,874.400
178	Hydrated Lime	Ton	62.700
179	PG 58-34 Asphalt Binder	Ton	260.300
180	Class Q3R Hot Mixed Asphalt Concrete	Ton	6,023.200
181	Hydrated Lime	Ton	66.300
182	Granular Material, Furnish	Ton	1,297.300
183	Blend, Haul, and Stockpile Granular Material	Ton	2,594.600
184	Granular Material, Furnish	Ton	1,261.900
185	Blend, Haul, and Stockpile Granular Material	Ton	2,523.800
186	PG 58-34 Asphalt Binder	Ton	249.900
187	Class Q3R Hot Mixed Asphalt Concrete	Ton	5,048.700
188	Hydrated Lime	Ton	53.400
189	PG 58-34 Asphalt Binder	Ton	209.900
190	Class Q3R Hot Mixed Asphalt Concrete	Ton	5,155.300
191	Hydrated Lime	Ton	53.400

8. P 0079(90)203

Area Engineer: John Matthesen, W Hwy 34, Belle Fourche, SD, 57717-0786

Phone: 605/892-2872

Work Type 5

DBE Goal: Not Specified

Contract Id: 9588

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Checker	LS	1.000
3	Clear and Grub Tree	Each	1.000
4	Remove Pipe End Section	Each	22.000
5	Remove Fence	Ft	210.000
6	Remove Beam Guardrail	Ft	1,925.000
7	Remove W Beam Guardrail End Terminal	Each	16.000
8	Remove Rubrail	Ft	65.600
9	Remove Asphalt Concrete Pavement	SqYd	1,142.400
10	Salvage Riprap	Ton	75.000
11	Remove Pipe for Reset	Ft	24.000
12	Remove Pipe End Section for Reset	Each	23.000
13	Unclassified Excavation, Digouts	CuYd	762.000
14	Contractor Furnished Borrow	CuYd	190.000
15	Water for Granular Material	MGal	30.500
16	Shoulder Clearing	Mile	30.500
17	Remove and Replace Topsoil	LS	1.000
18	Incidental Work, Grading	LS	1.000
19	Base Course	Ton	2,011.200
20	Base Course, Salvaged Asphalt Mix	Ton	1,523.000
21	Asphalt Concrete Composite	Ton	500.900
22	Asphalt Concrete Blade Laid	Ton	2,284.500
23	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	30.500
24	Grind 6" Transverse Rumble Strip in Asphalt Concrete	Ft	442.000
25	SS-1h or CSS-1h Asphalt for Tack	Ton	162.100
26	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	51.800
27	Sand for Flush Seal	Ton	785.800
28	Cold Milling Asphalt Concrete	SqYd	227,936.000
29	18" RCP Class 2, Furnish	Ft	28.000
30	18" RCP, Install	Ft	28.000
31	24" RCP Class 2, Furnish	Ft	32.000
32	24" RCP, Install	Ft	32.000
33	30" RCP Class 2, Furnish	Ft	32.000

34	30" RCP, Install	Ft	32.000
35	48" RCP Class 2, Furnish	Ft	12.000
36	48" RCP, Install	Ft	12.000
37	42" RCP Flared End, Furnish	Each	3.000
38	42" RCP Flared End, Install	Each	3.000
39	60" RCP Flared End, Furnish	Each	2.000
40	60" RCP Flared End, Install	Each	2.000
41	84" RCP Flared End, Furnish	Each	2.000
42	84" RCP Flared End, Install	Each	2.000
43	24" RCP Sloped End, Furnish	Each	6.000
44	24" RCP Sloped End, Install	Each	6.000
45	30" RCP Sloped End, Furnish	Each	2.000
46	30" RCP Sloped End, Install	Each	2.000
47	36" RCP Sloped End, Furnish	Each	1.000
48	36" RCP Sloped End, Install	Each	1.000
49	18" RCP Safety End, Furnish	Each	10.000
50	18" RCP Safety End, Install	Each	10.000
51	36" RCP Arch Class 2, Furnish	Ft	12.000
52	36" RCP Arch, Install	Ft	12.000
53	Cleanout Pipe Culvert	Each	4.000
54	Cleanout for Culvert Treatment	Each	6.000
55	Reset Pipe	Ft	24.000
56	Reset Pipe End Section	Each	23.000
57	24" Cured in Place Pipe	Ft	192.000
58	42" Cured in Place Pipe	Ft	115.000
59	60" Cured in Place Pipe	Ft	90.000
60	60" Cured in Place Arch Pipe	Ft	112.000
61	Type III Field Laboratory	Each	1.000
62	Type 2 Right-of-Way Fence	Ft	210.000
63	Type 1 Temporary Fence	Ft	420.000
64	2 Post Panel	Each	4.000
65	Type 1 MGS	Ft	400.000
66	Straight Class A W Beam Guardrail with Wood Posts	Ft	212.500
67	Straight Class B W Beam Guardrail with Wood Posts	Ft	100.000
68	Straight Double Class B W Beam Guardrail with Wood Posts	Ft	100.000
69	Type 2A Guardrail Transition	Each	8.000
70	W Beam Guardrail to MGS Transition	Each	8.000
71	MGS MASH Tangent End Terminal	Each	16.000
72	Rubrail	Ft	65.600
73	High Build Waterborne Pavement Marking Paint, White	Gal	686.000
74	High Build Waterborne Pavement Marking Paint, Yellow	Gal	532.000
75	Flagging	Hour	2,000.000
76	Pilot Car	Hour	1,000.000
77	Traffic Control Signs	SqFt	1,396.100
78	Traffic Control, Miscellaneous	LS	1.000
79	Temporary Pavement Marking	Mile	60.900
80	Class C Riprap	Ton	249.000
81	Place Riprap	Ton	75.000
82	PVC Coated Bank and Channel Protection Gabion	CuYd	31.500
83	Erosion Control	LS	1.000
84	12" Diameter Erosion Control Wattle	Ft	520.000
85	Type B Drainage Fabric	SqYd	506.000
86	Reinforcement Fabric (MSE)	SqYd	517.000
87	Refurbish Single Mailbox	Each	5.000
88	Refurbish Double Mailbox	Each	1.000
89	PG 58-34 Asphalt Binder	Ton	1,276.100

90	CLASS Q2R HOT MIXED ASPHALT CONCRETE	Ton	28,093.300
91	Hydrated Lime	Ton	279.500
92	PG 58-34 Asphalt Binder	Ton	1,061.600
93	CLASS Q2R HOT MIXED ASPHALT CONCRETE	Ton	28,752.300
94	Hydrated Lime	Ton	279.500

9. **NH 0083(92)138, NH 0212(212)219** **Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405** **Phone: 605/773-5294**
Work Type 5 **DBE Goal: Not Specified** **Contract Id: 9626** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Checker	LS	1.000
3	Remove Guardrail Terminal Anchor	Each	4.000
4	Salvage Beam Guardrail	Ft	350.000
5	Unclassified Excavation, Digouts	CuYd	1,793.000
6	Contractor Furnished Borrow	CuYd	160.000
7	Water for Granular Material	MGal	837.300
8	Shoulder Preparation	Mile	71.874
9	Base Course, Salvaged	Ton	7,556.800
10	Granular Material, State Furnished	Ton	3,000.000
11	Salvage Asphalt Mix Material	Ton	2,194.000
12	Salvage and Stockpile Granular Material	Ton	7,556.800
13	Salvage Granular Material	Ton	21,317.700
14	Haul and Stockpile Granular Material	Ton	21,317.700
15	Blend and Stockpile Granular Material	Ton	10,858.400
16	Haul and Stockpile Asphalt Mix Material	Ton	2,194.000
17	Compaction Sample	Each	12.000
18	Saw and Seal Shoulder Joint	Ft	379,477.000
19	MC-70 Asphalt for Prime	Ton	458.000
20	SS-1h or CSS-1h Asphalt for Tack	Ton	92.000
21	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	76.000
22	Blotting Sand for Prime	Ton	20.000
23	Sand for Flush Seal	Ton	1,040.300
24	Cold Milling Asphalt Concrete	SqYd	2,112.000
25	Type III Field Laboratory	Each	1.000
26	Type 1 MGS	Ft	162.500
27	Type 1 Retrofit Guardrail Transition	Each	4.000
28	MGS MASH Flared End Terminal	Each	4.000
29	Guardrail Delineator	Each	16.000
30	High Build Waterborne Pavement Marking Paint, White	Gal	1,639.000
31	High Build Waterborne Pavement Marking Paint, Yellow	Gal	439.000
32	High Build Waterborne Pavement Marking Paint, Arrow	Each	9.000
33	High Build Waterborne Pavement Marking Paint, Message	Each	3.000
34	Grooving for Durable Pavement Marking, 4"	Ft	439,300.000
35	Grooving for Durable Pavement Marking, 8"	Ft	1,630.000
36	Grooving for Durable Pavement Marking, Arrow	Each	9.000
37	Grooving for Durable Pavement Marking, Message	Word	3.000
38	Flagging	Hour	700.000
39	Pilot Car	Hour	260.000
40	Traffic Control Signs	SqFt	697.200
41	Traffic Control, Miscellaneous	LS	1.000
42	Erosion Control	LS	1.000
43	Refurbish Single Mailbox	Each	2.000
44	PG 58-34 Asphalt Binder	Ton	2,419.000
45	Class HR Asphalt Concrete	Ton	46,370.700
46	PG 58-34 Asphalt Binder	Ton	1,991.500
47	Class HR Asphalt Concrete	Ton	48,079.000
48	PG 58-34 Asphalt Binder	Ton	63.400

49	Class HR Asphalt Concrete	Ton	1,227.000
50	PG 58-34 Asphalt Binder	Ton	53.100
51	Class HR Asphalt Concrete	Ton	1,272.200

10. IM 0901(209)14
Work Type 13

Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970

Phone: 605/394-2244

DBE Goal: Not Specified

Contract Id: 9591

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Clearing	LS	1.000
4	Remove Fence	Ft	17,100.000
5	6' Chain Link Fence with Tension Wired Top	Ft	17,680.000
6	Pedestrian Swing Gate	Each	3.000
7	Double Vehicular Swing Gate	Each	1.000
8	Modify Chain Link Fence	Ft	6,932.000
9	Replace Chain Link Fence Fabric	SqFt	846.000
10	Straighten Chain Link Fence Post	Each	15.000
11	Chain Link Fence Post	Each	9.000
12	Traffic Control Signs	SqFt	32.000
13	Traffic Control, Miscellaneous	LS	1.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1, 3 through 10 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects.

Bidders submitting a bid on Items 3 and 4 must also submit a bid on Item 5. Award of these three combinations (Items 3 & 4 & 5) will be to the same bidder based on the total combined three projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION