

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on December 04, 2024, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
* 1.	NH-CR-EM 0018(195)103 (PCN 04FC, 06N3)	Oglala Lakota SWPPP = 15.10 AC	0.900	Urban Grading, Curb & Gutter, Storm Sewer, Lighting, PCC Surfacing, ADA, Signal	US18 - In Pine Ridge Fm 2 Blocks N of SD407 to E of Indian Health Rd; SD407 - In Pine Ridge Fm Cherry Hill Ct to US18
* 2.	2211 01441() (PCN X06L)	Oglala Lakota	0.900	Replace Water Line	US18 - In Pine Ridge Fm 2 Blocks N of SD407 to E of Indian Health Rd
** 3.	NH-P-PH 0079(87)129, NH 0212(193)28 (PCN 04L0, 06CP)	Butte SWPPP = 13.60 AC	9.066	Grading, Asphalt Concrete Surfacing & Resurfacing	SD79 N & S - From the beginning of the divided section to the Jct of US212 S of Newell; SD79 - Fm Jct of US212 in Newell N 0.25; US212, US212 E & W - Fm Nisland to SD79 in Newell
** 4.	P 0079(88)133, NH 0212(202)38 (PCN 06G1, 06G2)	Butte SWPPP = 1.50 AC	1.000	ADA & Sidewalk	SD79 - Through Newell; US212 - Through Newell
5.	BRO-B 8030(19) (PCN 08MT)	Hand SWPPP = 0.90 AC	0.200	Structure (3-12'x6' Precast RCBC) & Approach Grading	Structure 6 E & 8.4 N of Miller on 366th Ave over Wolf Ck SN 30-220-166
6.	BRO-B 8034(35) (PCN 08MX)	Hutchinson SWPPP = 1.76 AC	0.200	Structure (3-12'x5' Precast RCBC) & Approach Grading	Structure 1.3 N & 11.3 E of Parkston on Co Rd 11 over Plum Ck SN 34-173-057
7.	P-PT 016A(15)26, P-B 016A(10)37 (PCN 06QK, 04G1)	Custer SWPPP = 4.95 AC	---	Structure's (2-12'x12' CIP RCBC, 2-9'x7'CIP RCBC, 2-8'x7' CIP RCBC) & Approach Grading, Cold Milling, Asphalt Concrete Resurfacing, Pipe Work, Modify Intersection, Bridge Rail Upgrade, Inslope Restoration	US16A - Fm 2 E of Custer to SD36; US16A - 1 W of SD36 Over Grace Coolidge Creek
8.	IM 0909(98)396 (PCN 091T)	Minnehaha SWPPP = 1.40 AC	---	LSDC Overlay, Approach Slabs, Pavement, Rails, Joints	I90 E & W - I90/I29 Interch over I29 Drainage Ditch & I90/I229 Interch over I229
9.	PT 0014(238)203 (PCN 06X7)	Stanley SWPPP = 4.90 AC	2.434	Slide Repair, Erosion Control, Pipe Work	US14 - Fm 8 E to 11 E of Hayes

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	NH-CR-EM 0018(195)103 Work Type 2 or Work Type 3	Area Engineer: Bruce Schroeder, PO Box 431, Custer, SD, 57730-0431 DBE Goal: Not Specified	Contract Id: 9547	See Special Provisions for Completion Requirements	Phone: 605/673-4948
1	Blading			Hour	100.000
2	Mobilization			LS	1.000
3	Construction Schedule, Category III			LS	1.000
4	Training Program			Hour	2,000.000
5	Clear and Grub Tree			Each	9.000
6	Clearing			LS	1.000
7	Remove Traffic Sign			Each	15.000
8	Remove Concrete Curb and/or Gutter			Ft	4,643.000
9	Remove Fence			Ft	1,976.000
10	Remove Asphalt Concrete Pavement			SqYd	3,099.900
11	Remove Concrete Pavement			SqYd	4,009.100
12	Remove Concrete Sidewalk			SqYd	5,985.600
13	Remove Signal Equipment			LS	1.000
14	Remove Signal Pole Footing			Each	8.000
15	Remove Luminaire Pole Footing			Each	19.000
16	Remove Sediment			CuYd	16.400
17	Remove Erosion Control Wattle			Ft	2,760.000
18	Remove Sediment Filter Bag			Ft	1,952.000
19	Remove Silt Fence			Ft	461.000
20	Salvage Luminaire Pole			Each	17.000
21	Salvage Luminaire			Each	17.000
22	Salvage Signal Equipment			LS	1.000
23	Remove Gate for Reset			Each	2.000
24	Remove Sign for Reset			Each	32.000
25	Remove Pipe End Section for Reset			Each	1.000
26	Unclassified Excavation			CuYd	38,982.000
27	Contractor Furnished Borrow			CuYd	7,910.000
28	Contaminated Material Excavation			CuYd	200.000
29	Muck Excavation			CuYd	898.000
30	Undercutting			CuYd	19,767.000
31	Water for Embankment			MGal	73.000
32	Water for Granular Material			MGal	156.200
33	Water for Vegetation			MGal	376.800
34	Placing Topsoil			CuYd	2,095.000
35	Incidental Work, Grading			LS	1.000
36	Base Course			Ton	1,047.000
37	Base Course, Salvaged			Ton	2,868.500
38	Gravel Cushion, Salvaged			Ton	11,642.000
39	Salvage and Stockpile Asphalt Mix Material			Ton	7,395.000
40	Salvage and Stockpile Granular Material			Ton	10,609.000
41	Blend, Haul, and Stockpile Granular Material			Ton	14,669.600
42	Asphalt Concrete Composite			Ton	3,196.300
43	8" Nonreinforced PCC Pavement			SqYd	15,664.300
44	6" Barrier Type Colored Median PCC Pavement			SqYd	22.000
45	6" Raised Concrete Island with Pedestrian Access			SqYd	38.500
46	6" PCC Driveway Pavement			SqYd	23.700
47	8" PCC Driveway Pavement			SqYd	543.100

48	6" PCC Approach Pavement	SqYd	799.400
49	8" PCC Fillet Section	SqYd	1,471.300
50	Dowel Bar	Each	9,708.000
51	Insert Steel Bar in PCC Pavement	Each	81.000
52	Structure Excavation, Retaining Wall	CuYd	1.000
53	Pipe Culvert Undercut	CuYd	86.000
54	Footing Undercut	CuYd	2.000
55	18" RCP Class 2, Furnish	Ft	1,210.000
56	18" RCP, Install	Ft	1,210.000
57	24" RCP Class 2, Furnish	Ft	272.000
58	24" RCP, Install	Ft	272.000
59	36" RCP Class 2, Furnish	Ft	3,180.000
60	36" RCP, Install	Ft	3,180.000
61	42" RCP Class 2, Furnish	Ft	130.000
62	42" RCP, Install	Ft	130.000
63	36" RCP Flared End, Furnish	Each	2.000
64	36" RCP Flared End, Install	Each	2.000
65	42" RCP Flared End, Furnish	Each	2.000
66	42" RCP Flared End, Install	Each	2.000
67	36" CMP 16 Gauge, Furnish	Ft	4.000
68	36" CMP, Install	Ft	4.000
69	36" CMP Safety End with Bars, Furnish	Each	1.000
70	36" CMP Safety End, Install	Each	1.000
71	36" CMP to RCP Transition, Furnish	Each	1.000
72	36" Pipe Transition, Install	Each	1.000
73	Cleanout Pipe Culvert	Each	42.000
74	Reset Pipe End Section	Each	1.000
75	Class M6 Concrete	CuYd	204.400
76	Pipe Handrail	Ft	187.200
77	Reinforcing Steel	Lb	35,388.000
78	Epoxy Coated Reinforcing Steel	Lb	1,483.000
79	Type C Concrete Retaining Wall	SqFt	60.000
80	Type III Field Laboratory	Each	1.000
81	Type 2 Right-of-Way Fence	Ft	172.000
82	2 Post Panel	Each	2.000
83	Reset Gate	Each	2.000
84	5' Chain Link Fence with Top Rail	Ft	1,436.000
85	Special 4' Fence	Ft	86.000
86	Single Vehicular Swing Gate	Each	2.000
87	2.0"x2.0" Perforated Tube Post	Ft	235.600
88	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	13.000
89	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	630.400
90	Reset Sign	Each	32.000
91	Radar Speed Sign, Solar Powered	Each	3.000
92	Cold Applied Plastic Pavement Marking, 4"	Ft	11,244.000
93	Cold Applied Plastic Pavement Marking, 8"	Ft	190.000
94	Preformed Thermoplastic Pavement Marking, 12"	Ft	164.000
95	Preformed Thermoplastic Pavement Marking, 24"	Ft	1,216.000
96	Preformed Thermoplastic Pavement Marking, Arrow	Each	49.000
97	High Build Waterborne Pavement Marking Paint, 4" White	Ft	370.000
98	High Build Waterborne Pavement Marking Paint, 4" Yellow	Ft	4,509.000
99	High Build Waterborne Pavement Marking Paint, 12" Yellow	Ft	31.000
100	High Build Waterborne Pavement Marking Paint, 24" Yellow	Ft	18.000
101	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	11,244.000
102	Grooving for Cold Applied Plastic Pavement Marking, 8"	Ft	190.000
103	Grooving for Cold Applied Plastic Pavement Marking, 12"	Ft	164.000

104	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	1,216.000
105	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	49.000
106	Flagging	Hour	1,100.000
107	Traffic Control Signs	SqFt	2,136.300
108	Traffic Control, Miscellaneous	LS	1.000
109	Type 3 Barricade	Each	81.000
110	Temporary Raised Pavement Markers	Ft	23,140.000
111	Tubular Marker	Each	995.000
112	Type C Advance Warning Arrow Board	Each	2.000
113	Linear Delineation System Panel, Barrier Mounted	Each	20.000
114	Remove Pavement Marking, 4" or Equivalent	Ft	11,345.000
115	Remove Pavement Marking, Arrow	Each	18.000
116	4" Temporary Pavement Marking Tape Type I	Ft	18,660.000
117	Temporary Pavement Marking	Ft	8,489.000
118	Traffic Control Movable Concrete Barrier	Each	20.000
119	Remove and Reset Traffic Control Movable Concrete Barrier	Each	60.000
120	Temporary Concrete Barrier End Protection	Each	4.000
121	Remove and Reset Temporary Concrete Barrier End Protection	Each	6.000
122	Temporary Concrete Barrier End Protection Module Set or Repair Kit	Each	1.000
123	Detour and Restriction Signing	SqFt	1,378.200
124	Temporary Business Signing	SqFt	210.000
125	Longitudinal Pedestrian Barricade	Ft	5,650.000
126	Temporary Pedestrian Access Route	LS	1.000
127	Temporary Curb Ramp	Each	11.000
128	Longitudinal Pedestrian Barrier	Ft	775.000
129	Temporary Sidewalk	SqFt	5,150.000
130	Temporary Flexible Sidewalk	SqFt	5,150.000
131	Reset Temporary Flexible Sidewalk	SqFt	5,150.000
132	Breakaway Base Luminaire Pole with Arm, 40' Mounting Height	Each	20.000
133	Pedestal Signal Pole	Each	2.000
134	Signal Pole with 25' Mast Arm	Each	1.000
135	Signal Pole with 30' Mast Arm	Each	1.000
136	Signal Pole with 35' Mast Arm	Each	2.000
137	Signal Pole with 25' Mast Arm and Luminaire Arm	Each	3.000
138	Signal Pole with 30' Mast Arm and Luminaire Arm	Each	1.000
139	Signal Pole with 35' Mast Arm and Luminaire Arm	Each	3.000
140	Signal Pole with 40' Mast Arm and Luminaire Arm	Each	1.000
141	Roadway Luminaire, LED with Photoelectric Cell	Each	28.000
142	3 Section Vehicle Signal Head	Each	36.000
143	2' Diameter Footing	Ft	164.000
144	3' Diameter Footing	Ft	137.000
145	Type 1 Electrical Junction Box	Each	16.000
146	Type 2 Electrical Junction Box	Each	13.000
147	Type 3 Electrical Junction Box	Each	3.000
148	Electrical Service Cabinet	Each	2.000
149	Electrical Service Cabinet with Secondary Disconnect	Each	2.000
150	Traffic Signal Controller	Each	3.000
151	Battery Backup System for Traffic Signal	Each	3.000
152	Preformed Detector Loop	Each	78.000
153	Siren Emergency Vehicle Preemption System	Each	3.000
154	Accessible Pedestrian Signal	Each	24.000
155	Pedestrian Push Button Pole	Each	25.000
156	Pedestrian Signal Head with Countdown Timer	Each	24.000
157	Pedestrian Crossing Sign	Each	24.000
158	Rectangular Rapid Flashing Beacon System	Each	1.000
159	Remove and Reset Luminaire Pole	Each	8.000

160	1" Rigid Conduit, Schedule 40	Ft	355.000
161	2" Rigid Conduit, Schedule 40	Ft	5,785.000
162	4" Rigid Conduit, Schedule 40	Ft	40.000
163	2" Rigid Conduit, Schedule 80	Ft	1,320.000
164	3" Rigid Conduit, Schedule 80	Ft	640.000
165	1/C #1 AWG Copper Wire	Ft	12,980.000
166	1/C #2 AWG Copper Wire	Ft	6,405.000
167	1/C #6 AWG Copper Wire	Ft	5,055.000
168	1/C #8 AWG Copper Wire	Ft	1,440.000
169	1/C #14 AWG Copper Wire	Ft	1,600.000
170	2/C #14 AWG Copper Tray Cable, K2	Ft	3,820.000
171	4/C #14 AWG Copper Tray Cable, K2	Ft	1,575.000
172	6/C #14 AWG Copper Tray Cable, K2	Ft	140.000
173	25/C #14 AWG Copper Tray Cable, K2	Ft	1,700.000
174	#16 AWG Copper Twisted Shielded Pair	Ft	5,695.000
175	2/C #10 AWG Copper Pole and Bracket Cable	Ft	1,580.000
176	Modified Type B68 Concrete Curb and Gutter	Ft	5,318.000
177	Type B68 Concrete Curb and Gutter	Ft	1,927.000
178	Modified Type P8 Concrete Gutter	Ft	582.000
179	Type P8 Concrete Gutter	Ft	431.000
180	8" Concrete Valley Gutter	Ft	129.000
181	4" Concrete Sidewalk	SqFt	53,608.000
182	6" Reinforced Concrete Sidewalk	SqFt	6,310.000
183	4" Colored Concrete Sidewalk	SqFt	26,250.000
184	Type 1 Detectable Warnings	SqFt	868.000
185	4' x 11' Precast Concrete Type S Drop Inlet Lid	Each	32.000
186	Special Precast Concrete Type S Drop Inlet Lid	Each	2.000
187	Special Manhole	Each	1.000
188	48" Manhole Cone Section	Ft	4.300
189	Type A8 Manhole Frame and Lid	Each	8.000
190	Manhole Frame & Lid, Install	Each	8.000
191	Adjust Manhole	Each	14.000
192	Class B Riprap	Ton	72.700
193	Class C Riprap	Ton	76.000
194	Cover Crop Seeding	Bu	2.000
195	Special Permanent Seed Mixture 1	Lb	1,103.000
196	Hydroseeding	SqYd	18,841.000
197	Fertilizing	Ton	2.900
198	Fiber Mulching	Ton	5.400
199	Hydraulic Straw Mulch	Lb	822.000
200	Soil Stabilizer	Acre	2.500
201	Type 3 Erosion Control Blanket	SqYd	11,788.000
202	12" Diameter Erosion Control Wattle	Ft	2,760.000
203	Remove and Reset Erosion Control Wattle	Ft	690.000
204	Sediment Filter Bag	Ft	1,952.000
205	Shaping for Erosion Control Blanket	Ft	76.000
206	High Flow Silt Fence	Ft	1,844.000
207	Mucking Silt Fence	CuYd	128.000
208	Repair Silt Fence	Ft	461.000
209	Sediment Control at Inlet with Frame and Grate	Each	34.000
210	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	442.000
211	Dewatering	LS	1.000
212	Sweeping	Hour	218.000
213	Type B Drainage Fabric	SqYd	136.000
214	Reinforcement Fabric (MSE)	SqYd	1,280.000
215	Construction Entrance	Each	3.000

216 Landscaping Rock CuYd 15.000

2. 2211 01441() Area Engineer: Bruce Schroeder, PO Box 431, Custer, SD, 57730-0431 Phone: 605/673-4948

Work Type 2 or Work Type 3 DBE Goal: NONE Contract Id: 9548 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Clear and Grub Stump	Each	3.000
3	Clear and Grub Tree	Each	6.000
4	Remove Concrete Curb and/or Gutter	Ft	201.000
5	Remove Manhole	Each	1.000
6	Remove Fence	Ft	36.000
7	Remove Asphalt Concrete Pavement	SqYd	345.400
8	Remove Concrete Pavement	SqYd	474.500
9	Remove Concrete Sidewalk	SqYd	29.600
10	Water for Granular Material	MGal	2.600
11	Water for Vegetation	MGal	22.600
12	Placing Topsoil	CuYd	124.000
13	Base Course, Salvaged	Ton	89.000
14	Gravel Cushion, Salvaged	Ton	120.000
15	Asphalt Concrete Composite	Ton	34.000
16	8" Nonreinforced PCC Pavement	SqYd	456.400
17	Dowel Bar	Each	246.000
18	Insert Steel Bar in PCC Pavement	Each	221.000
19	1" High Density Polyethylene Pipe	Ft	445.000
20	4" PVC Water Main	Ft	50.000
21	6" PVC Water Main	Ft	416.000
22	8" PVC Water Main	Ft	3,800.000
23	6" PVC Sewer Pipe	Ft	277.000
24	4" Water Service	Each	1.000
25	8"x4" Pipe Tee	Each	1.000
26	8"x6" Pipe Tee	Each	13.000
27	8"x8" Pipe Tee	Each	8.000
28	8"x4" Pipe Reducer	Each	1.000
29	8"x6" Pipe Reducer	Each	8.000
30	1" Corporation Stop with Tapping Saddle	Each	16.000
31	1" Curb Stop with Box	Each	16.000
32	4" Pipe Bend	Each	2.000
33	6" Pipe Bend	Each	14.000
34	8" Pipe Bend	Each	24.000
35	8" Pipe Coupling	Each	5.000
36	8" Gate Valve with Box	Each	25.000
37	Tracer Wire Access Box, Type 1	Each	23.000
38	Fire Hydrant with Auxiliary Valve & Box	Each	11.000
39	Meter Pit	Each	1.000
40	Temporary Water Service	Each	16.000
41	Reconnect Water Service	Each	16.000
42	Abandon Water Main	Ft	3,455.000
43	Connect To Existing Water Main	Each	14.000
44	5' Chain Link Fence with Top Rail	Ft	21.000
45	Type B68 Concrete Curb and Gutter	Ft	148.000
46	Type P8 Concrete Gutter	Ft	23.000
47	4" Concrete Sidewalk	SqFt	248.000
48	Special Permanent Seed Mixture 1	Lb	65.000
49	Hydroseeding	SqYd	1,116.000
50	Fertilizing	Ton	0.200
51	Fiber Mulching	Lb	692.000
52	Dewatering	LS	1.000

53	Landscaping Rock	CuYd	16.000
54	Locate Underground Utility	Hour	50.000

3. **NH-P-PH 0079(87)129, NH** **Area Engineer: John Matthesen, W Hwy 34, Belle Fourche, SD, 57717-0786** **Phone: 605/892-2872**
0212(193)28 **DBE Goal: Not Specified** **Contract Id: 9472** **See Special Provisions for Completion Requirements**
Work Type 5

1	Mobilization	LS	1.000
2	Grade Staking	Mile	0.997
3	Graded Centerline Staking	Mile	0.766
4	Miscellaneous Staking	Mile	0.766
5	Slope Staking	Mile	0.766
6	Engineer Directed Surveying/Staking	Hour	80.000
7	Checker	LS	1.000
8	Training Program	Hour	500.000
9	Remove Traffic Sign	Each	32.000
10	Remove Delineator	Each	70.000
11	Remove Pipe End Section	Each	13.000
12	Remove Fence	Ft	1,816.000
13	Remove 3 Cable Guardrail	Ft	270.000
14	Remove Beam Guardrail	Ft	587.500
15	Remove Asphalt Concrete Pavement	SqYd	745.600
16	Remove Concrete Pavement	SqYd	602.700
17	Remove Silt Fence	Ft	892.000
18	Remove Sign for Reset	Each	2.000
19	Remove Pipe for Reset	Ft	4.000
20	Remove Pipe End Section for Reset	Each	1.000
21	Unclassified Excavation	CuYd	46,550.000
22	Unclassified Excavation, Digouts	CuYd	416.000
23	Contractor Furnished Borrow Excavation	CuYd	12,013.000
24	Undercutting	CuYd	18,344.000
25	Water for Granular Material	MGal	334.900
26	Shoulder Clearing	Mile	15.200
27	Placing Topsoil	CuYd	3,200.000
28	Contractor Furnished Topsoil	CuYd	1,450.000
29	Remove and Replace Topsoil	LS	1.000
30	Obliterate Old Road	Sta	30.000
31	Incidental Work, Grading	LS	1.000
32	Base Course	Ton	1,205.000
33	Base Course, Salvaged	Ton	16,312.000
34	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	24,384.800
35	Full Depth Reclamation, Shoulder	SqYd	62,425.000
36	Asphalt Concrete Composite	Ton	240.700
37	Asphalt Concrete Blade Laid	Ton	1,247.000
38	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	18.400
39	Grind Sinusoidal Transverse Rumble Strip in Asphalt Concrete	SqFt	392.000
40	MC-70 Asphalt for Prime	Ton	70.400
41	SS-1h or CSS-1h Asphalt for Tack	Ton	150.500
42	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	52.700
43	Blotting Sand for Prime	Ton	20.000
44	Sand for Flush Seal	Ton	550.600
45	Cold Milling Asphalt Concrete	SqYd	146,158.000
46	Pipe Culvert Undercut	CuYd	18.000
47	18" RCP Class 2, Furnish	Ft	36.000
48	18" RCP, Install	Ft	36.000
49	24" RCP Class 2, Furnish	Ft	506.000
50	24" RCP, Install	Ft	506.000
51	18" RCP Flared End, Furnish	Each	11.000

52	18" RCP Flared End, Install	Each	11.000
53	24" RCP Flared End, Furnish	Each	9.000
54	24" RCP Flared End, Install	Each	9.000
55	18" CMP 16 Gauge, Furnish	Ft	100.000
56	18" CMP, Install	Ft	100.000
57	18" CMP Flared End, Furnish	Each	3.000
58	18" CMP Flared End, Install	Each	3.000
59	24" CMP Flared End, Furnish	Each	2.000
60	24" CMP Flared End, Install	Each	2.000
61	42" CMP Flared End, Furnish	Each	1.000
62	42" CMP Flared End, Install	Each	1.000
63	Cleanout Pipe Culvert	Each	9.000
64	Cleanout for Culvert Treatment	Each	1.000
65	Reset Pipe	Ft	4.000
66	Reset Pipe End Section	Each	1.000
67	24" Cured in Place Pipe	Ft	164.000
68	Type III Field Laboratory	Each	1.000
69	Type 2 Right-of-Way Fence	Ft	150.000
70	Type 4 Right-of-Way Fence	Ft	1,666.000
71	Type 2 Temporary Fence	Ft	150.000
72	Type 3 Temporary Fence	Ft	948.000
73	2 Post Panel	Each	10.000
74	Straight Double Class A Thrie Beam Guardrail with Wood Posts	Ft	12.500
75	Type 1 MGS	Ft	150.000
76	Straight Class A W Beam Guardrail with Wood Posts	Ft	137.500
77	Curved Class A W Beam Guardrail with CRT Posts	Ft	25.000
78	Type 1 Retrofit Guardrail Transition	Each	3.000
79	W Beam to Thrie Beam Guardrail Transition	Each	1.000
80	MGS MASH Tangent End Terminal	Each	3.000
81	W Beam Guardrail Special Anchor Assembly	Each	1.000
82	2.0"x2.0" Perforated Tube Post	Ft	22.500
83	2.5"x2.5" Perforated Tube Post	Ft	160.500
84	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	27.000
85	Guardrail Delineator	Each	20.000
86	Type 2 Object Marker Back to Back	Each	15.000
87	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	121.000
88	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	52.300
89	Reset Sign	Each	2.000
90	Preformed Thermoplastic Pavement Marking, 4"	Ft	7,934.000
91	Preformed Thermoplastic Pavement Marking, 24"	Ft	1,675.000
92	High Build Waterborne Pavement Marking Paint, White	Gal	429.000
93	High Build Waterborne Pavement Marking Paint, Yellow	Gal	233.000
94	High Build Waterborne Pavement Marking Paint, Arrow	Each	3.000
95	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	7,934.000
96	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	1,675.000
97	Curb Painting	Ft	1,682.000
98	Flagging	Hour	4,250.000
99	Pilot Car	Hour	2,000.000
100	Traffic Control Signs	SqFt	1,380.500
101	Traffic Control, Miscellaneous	LS	1.000
102	Type 3 Barricade	Each	4.000
103	Temporary Pavement Marking	Mile	41.700
104	Detour and Restriction Signing	SqFt	314.800
105	Contractor Furnished Portable Changeable Message Sign	Each	2.000
106	Type M Median Drain	Each	1.000
107	Type M Frame and Grate Assembly	Each	1.000

108	PVC Coated Bank and Channel Protection Gabion	CuYd	9.000
109	Type F Permanent Seed Mixture	Lb	355.000
110	Fertilizing	Ton	10.200
111	Fiber Mulching	Ton	13.600
112	Type 2 Turf Reinforcement Mat	SqYd	112.000
113	12" Diameter Erosion Control Wattle	Ft	860.000
114	High Flow Silt Fence	Ft	3,676.000
115	Mucking Silt Fence	CuYd	248.000
116	Repair Silt Fence	Ft	892.000
117	Type B Drainage Fabric	SqYd	30.000
118	Refurbish Single Mailbox	Each	31.000
119	Refurbish Double Mailbox	Each	5.000
120	Storage Unit	Each	1.000
121	Articulated Concrete Mattress	SqYd	121.000
122	PG 58-34 Asphalt Binder	Ton	323.600
123	Class Q3R Hot Mixed Asphalt Concrete	Ton	7,041.000
124	Hydrated Lime	Ton	70.000
125	PG 58-34 Asphalt Binder	Ton	267.700
126	Class Q3R Hot Mixed Asphalt Concrete	Ton	7,230.300
127	Hydrated Lime	Ton	71.700
128	PG 58-34 Asphalt Binder	Ton	1,395.200
129	Class Q3R Hot Mixed Asphalt Concrete	Ton	28,651.300
130	Hydrated Lime	Ton	295.900
131	PG 58-34 Asphalt Binder	Ton	1,159.100
132	Class Q3R Hot Mixed Asphalt Concrete	Ton	29,382.700
133	Hydrated Lime	Ton	293.100

4. P 0079(88)133, NH 0212(202)38 **Area Engineer: John Matthesen, W Hwy 34, Belle Fourche, SD, 57717-0786** **Phone: 605/892-2872**
Work Type 5 **DBE Goal: Not Specified** **Contract Id: 9580** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Construction Staking	LS	1.000
3	Reestablish Right-of-Way and Property Corner	Each	66.000
4	Reestablish Public Land Survey System Corner	Each	2.000
5	Clear and Grub Tree	Each	34.000
6	Remove Concrete Curb and/or Gutter	Ft	2,336.000
7	Remove Drop Inlet Frame and Grate Assembly	Each	1.000
8	Remove Chain Link Fence	Ft	71.000
9	Remove Asphalt Concrete Pavement	SqYd	583.300
10	Remove Concrete Pavement	SqYd	38.200
11	Remove Concrete Driveway Pavement	SqYd	367.200
12	Remove Concrete Sidewalk	SqYd	2,524.200
13	Unclassified Excavation	CuYd	215.000
14	Contractor Furnished Borrow Excavation	CuYd	20.000
15	Placing Topsoil	CuYd	101.000
16	Incidental Work, Grading	LS	1.000
17	Gravel Cushion	Ton	463.200
18	Asphalt Concrete Composite	Ton	171.700
19	6" PCC Approach Pavement	SqYd	658.600
20	8" PCC Approach Pavement	SqYd	383.700
21	8" PCC Fillet Section	SqYd	189.500
22	Structure Excavation, Miscellaneous	CuYd	15.000
23	15" RCP Class 2, Furnish	Ft	24.000
24	15" RCP, Install	Ft	24.000
25	15" CMP 14 Gauge, Furnish	Ft	2.000
26	15" CMP, Install	Ft	2.000
27	18" CMP 14 Gauge, Furnish	Ft	424.000

28	18" CMP, Install	Ft	424.000
29	15" RCP to CMP Transition, Furnish	Each	1.000
30	15" Pipe Transition, Install	Each	1.000
31	Adjust Water Valve Box	Each	6.000
32	Class M6 Concrete	CuYd	30.600
33	Epoxy Coated Reinforcing Steel	Lb	3,383.000
34	3' Chain Link Fence with Top Rail	Ft	68.000
35	Pedestrian Swing Gate	Each	1.000
36	Traffic Control Signs	SqFt	440.100
37	Traffic Control, Miscellaneous	LS	1.000
38	Type B66 Concrete Curb and Gutter	Ft	1,151.000
39	Type P6 Concrete Gutter	Ft	125.000
40	Type P8 Concrete Gutter	Ft	40.000
41	8" Concrete Valley Gutter	Ft	435.000
42	4" Concrete Sidewalk	SqFt	31,131.000
43	6" Concrete Sidewalk	SqFt	770.000
44	Type 1 Detectable Warnings	SqFt	570.000
45	Type B Frame and Grate	Each	1.000
46	Adjust Drop Inlet	Each	1.000
47	Trench Drain Frame and Grate	Ft	221.000
48	Type D Permanent Seed Mixture	Lb	57.000
49	Fertilizing	Lb	279.000
50	Fiber Mulching	Lb	564.000
51	Sediment Control at Inlet with Frame and Grate	Each	3.000
52	Tree Trimming	Each	14.000

5.	BRO-B 8030(19)	Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940			Phone: 605/353-7140
	Work Type 2 or Work Type 12	DBE Goal: Not Specified	Contract Id: 9090	See Special Provisions for Completion Requirements	
1	Mobilization	LS	1.000		
2	Grade Staking	Mile	0.100		
3	Miscellaneous Staking	Mile	0.100		
4	Slope Staking	Mile	0.100		
5	Structure Staking	Each	1.000		
6	Engineer Directed Surveying/Staking	Hour	40.000		
7	Clearing	LS	1.000		
8	Salvage Fence	Ft	156.000		
9	Unclassified Excavation	CuYd	1,558.000		
10	Contractor Furnished Borrow Excavation	CuYd	354.000		
11	Placing Topsoil	CuYd	607.000		
12	Incidental Work, Structure	LS	1.000		
13	Structure Excavation, Box Culvert	CuYd	81.000		
14	Box Culvert Undercut	CuYd	240.000		
15	Controlled Density Fill	CuYd	14.000		
16	12'x6' Precast Concrete Box Culvert, Furnish	Ft	42.000		
17	12'x6' Precast Concrete Box Culvert, Install	Ft	42.000		
18	12'x6' Precast Concrete Box Culvert End Section, Furnish	Each	2.000		
19	12'x6' Precast Concrete Box Culvert End Section, Install	Each	2.000		
20	2-12'x6' Precast Concrete Box Culvert, Furnish	Ft	42.000		
21	2-12'x6' Precast Concrete Box Culvert, Install	Ft	42.000		
22	2-12'x6' Precast Concrete Box Culvert End Section, Furnish	Each	2.000		
23	2-12'x6' Precast Concrete Box Culvert End Section, Install	Each	2.000		
24	Traffic Control Signs	SqFt	109.000		
25	Traffic Control, Miscellaneous	LS	1.000		
26	Type 3 Barricade	Each	8.000		
27	Class B Riprap	Ton	78.000		
28	Erosion Control	LS	1.000		

29	Type 2 Erosion Control Blanket	SqYd	3,475.000
30	12" Diameter Erosion Control Wattle	Ft	250.000
31	Shaping for Erosion Control Blanket	Ft	1,106.000
32	High Flow Silt Fence	Ft	1,158.000
33	Mucking Silt Fence	CuYd	86.000
34	Repair Silt Fence	Ft	310.000
35	Type B Drainage Fabric	SqYd	96.000

6. BRO-B 8034(35) Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206 Phone: 605/995-8120
Work Type 2 or Work Type 12 DBE Goal: Not Specified Contract Id: 9210 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Grade Staking	Mile	0.152
3	Miscellaneous Staking	Mile	0.152
4	Slope Staking	Mile	0.152
5	Structure Staking	Each	1.000
6	Engineer Directed Surveying/Staking	Hour	40.000
7	Clearing	LS	1.000
8	Remove Delineator	Each	14.000
9	Remove Sediment	CuYd	1.000
10	Salvage Traffic Sign	Each	2.000
11	Unclassified Excavation	CuYd	3,326.000
12	Placing Topsoil	CuYd	798.000
13	Incidental Work, Structure	LS	1.000
14	Structure Excavation, Box Culvert	CuYd	85.000
15	Box Culvert Undercut	CuYd	238.000
16	Controlled Density Fill	CuYd	12.800
17	12'x5' Precast Concrete Box Culvert, Furnish	Ft	46.000
18	12'x5' Precast Concrete Box Culvert, Install	Ft	46.000
19	12'x5' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
20	12'x5' Precast Concrete Box Culvert End Section, Install	Each	2.000
21	2-12'x5' Precast Concrete Box Culvert, Furnish	Ft	46.000
22	2-12'x5' Precast Concrete Box Culvert, Install	Ft	46.000
23	2-12'x5' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
24	2-12'x5' Precast Concrete Box Culvert End Section, Install	Each	2.000
25	Traffic Control Signs	SqFt	121.500
26	Traffic Control, Miscellaneous	LS	1.000
27	Type 3 Barricade	Each	9.000
28	Class B Riprap	Ton	76.000
29	Type G Permanent Seed Mixture	Lb	46.000
30	Mulching	Ton	6.000
31	Type 2 Erosion Control Blanket	SqYd	140.000
32	12" Diameter Erosion Control Wattle	Ft	440.000
33	Shaping for Erosion Control Blanket	Ft	79.000
34	Low Flow Silt Fence	Ft	500.000
35	Mucking Silt Fence	CuYd	35.000
36	Repair Silt Fence	Ft	125.000
37	Temporary Diversion Channel for Fish Passage	Each	1.000
38	Type B Drainage Fabric	SqYd	98.000
39	Reinforcement Fabric (MSE)	SqYd	344.000

7. P-PT 016A(15)26, P-B 016A(10)37 Area Engineer: Bruce Schroeder, PO Box 431, Custer, SD, 57730-0431 Phone: 605/673-4948
Work Type 2 or Work Type 5 DBE Goal: Not Specified Contract Id: 9119 See Special Provisions for Completion Requirements

1	Construction and Maintenance of Detour(s)	LS	1.000
2	Maintenance of Traffic Diversion(s)	LS	1.000
3	Remove Traffic Diversion(s)	LS	1.000
4	Mobilization	LS	1.000
5	Incentive/Disincentive Pay	Day	0.000

6	Incentive/Disincentive Pay	Day	0.000
7	Grade Staking	Mile	0.402
8	Graded Centerline Staking	Mile	0.310
9	Miscellaneous Staking	Mile	0.402
10	Slope Staking	Mile	0.402
11	Structure Staking	Each	3.000
12	Engineer Directed Surveying/Staking	Hour	60.000
13	Checker	LS	1.000
14	Training Program	Hour	500.000
15	Clearing	LS	1.000
16	Remove Bridge Railing	Ft	306.000
17	Remove Delineator	Each	159.000
18	Remove Concrete Curb and/or Gutter	Ft	400.000
19	Remove Beam Guardrail	Ft	5,380.000
20	Remove W Beam Guardrail End Terminal	Each	19.000
21	Remove Rubrail	Ft	100.000
22	Remove Asphalt Concrete Pavement	SqYd	5,223.300
23	Remove Sediment	CuYd	1.000
24	Remove Silt Fence	Ft	1,310.000
25	Salvage Beam Guardrail	Ft	400.000
26	Remove Sign for Reset	Each	14.000
27	Remove Pipe for Reset	Ft	32.000
28	Remove Pipe End Section for Reset	Each	6.000
29	Unclassified Excavation	CuYd	26,207.000
30	Unclassified Excavation, Digouts	CuYd	631.000
31	Contractor Furnished Borrow Excavation	CuYd	778.000
32	Contaminated Material Excavation	CuYd	100.000
33	Unclassified/Rock Excavation	CuYd	20,173.000
34	Undercutting	CuYd	3,147.000
35	Water for Granular Material	MGal	137.400
36	Dust Control Chloride	Lb	102,010.000
37	Ordinary Roadway Shaping	Mile	6.300
38	Placing Topsoil	CuYd	751.000
39	Remove and Replace Topsoil	LS	1.000
40	Incidental Work, Grading	LS	1.000
41	Incidental Work, Structure	LS	1.000
42	Base Course	Ton	14,025.400
43	Gravel Surfacing	Ton	10,320.700
44	Granular Material, Furnish	Ton	1,500.000
45	Granular Material	Ton	445.200
46	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	13,611.000
47	Blend and Stockpile Granular Material	Ton	3,000.000
48	Asphalt Concrete Composite	Ton	3,727.700
49	Asphalt Concrete Blade Laid	Ton	2,022.500
50	MC-70 Asphalt for Prime	Ton	19.000
51	SS-1h or CSS-1h Asphalt for Tack	Ton	136.300
52	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	47.000
53	Blotting Sand for Prime	Ton	9.200
54	Sand for Flush Seal	Ton	667.100
55	Cold Milling Asphalt Concrete	SqYd	221,953.000
56	Structural Steel, Miscellaneous	LS	1.000
57	Structure Excavation, Box Culvert	CuYd	404.000
58	Structure Excavation, Miscellaneous	CuYd	2.000
59	Pipe Culvert Undercut	CuYd	533.000
60	Box Culvert Undercut	CuYd	825.000
61	24" RCP Class 2, Furnish	Ft	594.000

62	24" RCP, Install	Ft	594.000
63	30" RCP Class 2, Furnish	Ft	124.000
64	30" RCP, Install	Ft	124.000
65	36" RCP Class 2, Furnish	Ft	104.000
66	36" RCP, Install	Ft	104.000
67	42" RCP Class 2, Furnish	Ft	148.000
68	42" RCP, Install	Ft	148.000
69	54" RCP Class 2, Furnish	Ft	70.000
70	54" RCP, Install	Ft	70.000
71	72" RCP Class 2, Furnish	Ft	80.000
72	72" RCP, Install	Ft	80.000
73	24" RCP Flared End, Furnish	Each	13.000
74	24" RCP Flared End, Install	Each	13.000
75	36" RCP Flared End, Furnish	Each	4.000
76	36" RCP Flared End, Install	Each	4.000
77	42" RCP Flared End, Furnish	Each	4.000
78	42" RCP Flared End, Install	Each	4.000
79	54" RCP Flared End, Furnish	Each	2.000
80	54" RCP Flared End, Install	Each	2.000
81	72" RCP Flared End, Furnish	Each	2.000
82	72" RCP Flared End, Install	Each	2.000
83	24" RCP Sloped End, Furnish	Each	3.000
84	24" RCP Sloped End, Install	Each	3.000
85	30" RCP Sloped End, Furnish	Each	2.000
86	30" RCP Sloped End, Install	Each	2.000
87	24" RCP Arch Class 2, Furnish	Ft	262.000
88	24" RCP Arch, Install	Ft	262.000
89	42" RCP Arch Class 2, Furnish	Ft	122.000
90	42" RCP Arch, Install	Ft	122.000
91	84" RCP Arch Class 2, Furnish	Ft	66.000
92	84" RCP Arch, Install	Ft	66.000
93	24" RCP Arch Flared End, Furnish	Each	4.000
94	24" RCP Arch Flared End, Install	Each	4.000
95	42" RCP Arch Flared End, Furnish	Each	4.000
96	42" RCP Arch Flared End, Install	Each	4.000
97	84" RCP Arch Flared End, Furnish	Each	2.000
98	84" RCP Arch Flared End, Install	Each	2.000
99	24" RCP Arch Sloped End, Furnish	Each	4.000
100	24" RCP Arch Sloped End, Install	Each	4.000
101	18" CMP 16 Gauge, Furnish	Ft	182.000
102	18" CMP, Install	Ft	182.000
103	18" CMP Elbow, Furnish	Each	4.000
104	18" CMP Elbow, Install	Each	4.000
105	18" CMP Flared End, Furnish	Each	2.000
106	18" CMP Flared End, Install	Each	2.000
107	24" CMP Flared End, Furnish	Each	1.000
108	24" CMP Flared End, Install	Each	1.000
109	18" CMP Safety End with Bars, Furnish	Each	1.000
110	18" CMP Safety End, Install	Each	1.000
111	Culvert Joint Cleaning	Ft	380.000
112	Repair Culvert Joint	Ft	380.000
113	Chemical Grout Void Fill	Gal	200.000
114	Cleanout for Culvert Treatment	Each	4.000
115	Reset Pipe	Ft	32.000
116	Reset Pipe End Section	Each	6.000
117	18" Cured in Place Pipe	Ft	77.000

118	24" Cured in Place Pipe	Ft	48.000
119	30" Cured in Place Pipe	Ft	38.000
120	30" Cured in Place Arch Pipe	Ft	71.000
121	Class A45 Concrete, Box Culvert	CuYd	959.500
122	Class M6 Concrete	CuYd	12.800
123	Controlled Density Fill	CuYd	136.500
124	Class B Bridge Guardrail, Design 1T	Ft	100.000
125	Reinforcing Steel	Lb	136,279.000
126	Nonstructural Timber	LS	1.000
127	Type II Field Laboratory	Each	1.000
128	Type III Field Laboratory	Each	1.000
129	Type 1 MGS	Ft	387.500
130	Type 1C MGS	Ft	4,465.000
131	Type 3 Guardrail Transition	Each	8.000
132	W Beam Guardrail to MGS Transition	Each	1.000
133	MGS MASH Flared End Terminal	Each	8.000
134	MGS MASH Tangent End Terminal	Each	24.000
135	2.0"x2.0" Perforated Tube Post	Ft	7.000
136	2.5"x2.5" Perforated Tube Post	Ft	27.000
137	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	159.000
138	4" Tubular White Delineator Reflector	Each	10.000
139	Guardrail Delineator	Each	148.000
140	Type 2 Object Marker Back to Back	Each	5.000
141	Type 2 Object Marker	Each	84.000
142	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	41.000
143	Reset Sign	Each	11.000
144	Cold Applied Plastic Pavement Marking, 4"	Ft	6,890.000
145	Cold Applied Plastic Pavement Marking, 6"	Ft	12.000
146	Cold Applied Plastic Pavement Marking, 24"	Ft	517.000
147	Cold Applied Plastic Pavement Marking, Arrow	Each	6.000
148	High Build Waterborne Pavement Marking Paint, White	Gal	553.000
149	High Build Waterborne Pavement Marking Paint, Yellow	Gal	500.000
150	High Build Waterborne Pavement Marking Paint, 4" White	Ft	1,370.000
151	High Build Waterborne Pavement Marking Paint, 4" Yellow	Ft	1,370.000
152	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	6,890.000
153	Grooving for Cold Applied Plastic Pavement Marking, 6"	Ft	12.000
154	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	517.000
155	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	6.000
156	Flagging	Hour	1,700.000
157	Pilot Car	Hour	700.000
158	Traffic Control Signs	SqFt	2,359.000
159	Traffic Control, Miscellaneous	LS	1.000
160	Type 3 Barricade	Each	16.000
161	Linear Delineation System Panel, Barrier Mounted	Each	150.000
162	4" Temporary Pavement Marking Tape Type I	Ft	576.000
163	Temporary Pavement Marking	Mile	38.100
164	Traffic Control Movable Concrete Barrier	Each	150.000
165	Remove and Reset Traffic Control Movable Concrete Barrier	Each	50.000
166	Portable Temporary Traffic Control Signal	Unit	4.000
167	Detour and Restriction Signing	SqFt	773.400
168	Contractor Furnished Portable Changeable Message Sign	Each	2.000
169	Modified Type B68 Concrete Curb and Gutter	Ft	453.000
170	Type L Frame and Grate Assembly	Each	9.000
171	4" Perforated PVC Drain Pipe with Sleeve	Ft	15.000
172	4" PVC Outlet Pipe	Ft	55.000
173	Concrete Headwall for Underdrain	Each	1.000

174	Porous Backfill	Ton	14.000
175	Class B Riprap	Ton	460.100
176	Bank and Channel Protection Gabion	CuYd	972.500
177	Cover Crop Seeding	Bu	0.500
178	Special Permanent Seed Mixture 1	Lb	117.000
179	Hydroseeding	SqYd	4,508.000
180	Fertilizing	Ton	3.340
181	Fiber Mulching	Ton	3.600
182	Fiber Reinforced Matrix	Lb	3,290.000
183	Soil Stabilizer	Acre	0.700
184	Type 3 Erosion Control Blanket	SqYd	100.000
185	Type 4 Erosion Control Blanket	SqYd	100.000
186	12" Diameter Erosion Control Wattle	Ft	3,100.000
187	Remove and Reset Erosion Control Wattle	Ft	100.000
188	Low Flow Silt Fence	Ft	1,500.000
189	High Flow Silt Fence	Ft	136.000
190	Mucking Silt Fence	CuYd	114.000
191	Repair Silt Fence	Ft	416.000
192	Floating Silt Curtain	Ft	800.000
193	Type B Drainage Fabric	SqYd	2,223.000
194	Refurbish Double Mailbox	Each	1.000
195	Construction Entrance	Each	1.000
196	Permanent Vehicle Classification System	Each	1.000
197	PG 58-34 Asphalt Binder	Ton	1,353.800
198	Class Q3R Hot Mixed Asphalt Concrete	Ton	26,227.600
199	Hydrated Lime	Ton	279.500
200	PG 58-34 Asphalt Binder	Ton	1,137.100
201	Class Q3R Hot Mixed Asphalt Concrete	Ton	26,901.700
202	Hydrated Lime	Ton	292.700

8. **IM 0909(98)396** **Area Engineer: Harry Johnston, 5316 W 60th St N, Sioux Falls, SD, 57107** **Phone: 605/367-5680**
Work Type 8 **DBE Goal: Not Specified** **Contract Id: 9641** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Incentive/Disincentive Pay	Day	0.000
3	Bridge Elevation Survey	LS	1.000
4	Construction Schedule, Category I	LS	1.000
5	Remove Traffic Sign	Each	4.000
6	Remove Drop Inlet Frame and Grate Assembly	Each	12.000
7	Remove Crossover Closure	Ft	600.000
8	Remove 3 Cable Guardrail	Ft	1,798.000
9	Remove Beam Guardrail	Ft	749.000
10	Remove 3 Cable Guardrail Anchor Assembly	Each	11.000
11	Remove 3 Cable Guardrail Slip Base Anchor Assembly	Each	2.000
12	Remove W Beam Guardrail Breakaway Cable Terminal	Each	4.000
13	Remove W Beam Guardrail End Terminal	Each	2.000
14	Remove Asphalt Concrete Pavement	SqYd	1,164.000
15	Remove Concrete Pavement	SqYd	1,637.000
16	Remove Silt Fence	Ft	20.000
17	Remove Type 1 MGS for Reset	Ft	150.000
18	Remove Type 1 Retrofit Guardrail Transition for Reset	Each	2.000
19	Unclassified Excavation	CuYd	46.000
20	Contractor Furnished Borrow Excavation	CuYd	387.000
21	Remove and Replace Topsoil	LS	1.000
22	Gravel Cushion, Salvaged	Ton	1,290.000
23	Salvage Granular Material	Ton	1,469.000
24	Asphalt Concrete Composite	Ton	524.000

25	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	0.100
26	12" Nonreinforced PCC Pavement	SqYd	1,788.000
27	Dowel Bar	Each	614.000
28	Insert Steel Bar in PCC Pavement	Each	230.000
29	Membrane Sealant Expansion Joint	Ft	559.400
30	Class A45 Concrete, Bridge Repair	CuYd	37.700
31	Breakout Structural Concrete	CuYd	36.300
32	Install Dowel in Concrete	Each	138.000
33	Epoxy Coated Reinforcing Steel	Lb	1,417.000
34	Galvanic Anode	Each	176.000
35	Low Slump Dense Concrete Bridge Deck Overlay	CuYd	355.000
36	Concrete Removal Type 1A	SqYd	4,700.100
37	Concrete Removal Type 1B	SqYd	403.000
38	Concrete Removal Type 1C	SqYd	201.500
39	Concrete Removal Type 1D	SqYd	201.500
40	Concrete Removal Type B	Ft	60.000
41	Class A45 Concrete Fill	CuYd	45.300
42	Finishing and Curing	SqYd	4,700.100
43	High Tension 4 Cable Guardrail	Ft	261.000
44	High Tension Cable Guardrail Anchor Assembly	Each	4.000
45	Crossover Closure	Ft	600.000
46	Type 1 MGS	Ft	1,162.500
47	Type 1 Retrofit Guardrail Transition	Each	9.000
48	MGS MASH Flared End Terminal	Each	2.000
49	MGS MASH Tangent End Terminal	Each	7.000
50	Beam Guardrail Post and Block	Each	49.000
51	Reset Type 1 MGS	Ft	150.000
52	Reset Type 1 Retrofit Guardrail Transition	Each	2.000
53	2.5"x2.5" Perforated Tube Post	Ft	57.500
54	Guardrail Delineator	Each	68.000
55	Type 2 Object Marker	Each	4.000
56	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	37.300
57	Durable Pavement Marking, 4" White	Ft	7,510.000
58	Durable Pavement Marking, 4" Yellow	Ft	5,698.000
59	Durable Pavement Marking, 12" Yellow	Ft	1,480.000
60	Grooving for Durable Pavement Marking, 4"	Ft	13,208.000
61	Grooving for Durable Pavement Marking, 12"	Ft	1,480.000
62	Flagging	Hour	20.000
63	Traffic Control Signs	SqFt	783.500
64	Traffic Control, Miscellaneous	LS	1.000
65	Type 3 Barricade	Each	12.000
66	Temporary Raised Pavement Markers	Ft	23,040.000
67	Tubular Marker	Each	160.000
68	Replace Tubular Marker	Each	16.000
69	Type C Advance Warning Arrow Board	Each	4.000
70	Linear Delineation System Panel, Barrier Mounted	Each	116.000
71	Traffic Control Movable Concrete Barrier	Each	101.000
72	Remove and Reset Traffic Control Movable Concrete Barrier	Each	133.000
73	Temporary Concrete Barrier End Protection	Each	11.000
74	Remove and Reset Temporary Concrete Barrier End Protection	Each	14.000
75	Temporary Concrete Barrier End Protection Module Set or Repair Kit	Each	3.000
76	Detour and Restriction Signing	SqFt	2,095.400
77	Contractor Furnished Portable Changeable Message Sign	Each	4.000
78	Type A Frame and Grate	Each	12.000
79	Adjust Drop Inlet	Each	10.000
80	Erosion Control	LS	1.000

81	Low Flow Silt Fence	Ft	72.000
82	Mucking Silt Fence	CuYd	4.000
83	Repair Silt Fence	Ft	20.000

9. **PT 0014(238)203** **Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405** **Phone: 605/773-5294**
Work Type 2 or Work Type 12 **DBE Goal: Not Specified** **Contract Id: 9549** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Fence	Ft	3,100.000
3	Remove Sediment	CuYd	3.900
4	Remove Silt Fence	Ft	490.000
5	Remove Pipe for Reset	Ft	16.000
6	Remove Pipe End Section for Reset	Each	2.000
7	Contractor Furnished Borrow	CuYd	7,232.000
8	Reprofiling Ditch	Sta	0.500
9	Remove and Replace Topsoil	LS	1.000
10	Incidental Work, Grading	LS	1.000
11	24" RCP Class 2, Furnish	Ft	20.000
12	24" RCP, Install	Ft	20.000
13	42" RCP Class 2, Furnish	Ft	8.000
14	42" RCP, Install	Ft	8.000
15	24" CMP 14 Gauge, Furnish	Ft	48.000
16	24" CMP, Install	Ft	48.000
17	30" CMP 14 Gauge, Furnish	Ft	352.000
18	30" CMP, Install	Ft	352.000
19	36" CMP 14 Gauge, Furnish	Ft	368.000
20	36" CMP, Install	Ft	368.000
21	42" CMP 14 Gauge, Furnish	Ft	40.000
22	42" CMP, Install	Ft	40.000
23	24" CMP Elbow, Furnish	Each	2.000
24	24" CMP Elbow, Install	Each	2.000
25	30" CMP Elbow, Furnish	Each	4.000
26	30" CMP Elbow, Install	Each	4.000
27	36" CMP Elbow, Furnish	Each	5.000
28	36" CMP Elbow, Install	Each	5.000
29	42" CMP Elbow, Furnish	Each	2.000
30	42" CMP Elbow, Install	Each	2.000
31	24" CMP Flared End, Furnish	Each	1.000
32	24" CMP Flared End, Install	Each	1.000
33	30" CMP Flared End, Furnish	Each	6.000
34	30" CMP Flared End, Install	Each	6.000
35	36" CMP Flared End, Furnish	Each	5.000
36	36" CMP Flared End, Install	Each	5.000
37	42" CMP Flared End, Furnish	Each	1.000
38	42" CMP Flared End, Install	Each	1.000
39	30" Steel Pipe, Furnish	Ft	290.000
40	24" RCP to CMP Transition, Furnish	Each	1.000
41	24" Pipe Transition, Install	Each	1.000
42	42" RCP to CMP Transition, Furnish	Each	1.000
43	42" Pipe Transition, Install	Each	1.000
44	Culvert Joint Cleaning	Ft	204.000
45	Repair Culvert Joint	Ft	204.000
46	Chemical Grout Void Fill	Gal	10.000
47	Reset Pipe	Ft	16.000
48	Reset Pipe End Section	Each	2.000
49	Bore and Jack 30" Pipe	Ft	290.000
50	Cellular Grout	CuYd	48.200

51	Type II Field Laboratory	Each	1.000
52	Type 2 Right-of-Way Fence	Ft	3,100.000
53	Type 1A Temporary Fence	Ft	4,817.000
54	2 Post Panel	Each	22.000
55	3 Post Panel	Each	2.000
56	Type 2 Object Marker Back to Back	Each	4.000
57	Flagging	Hour	40.000
58	Traffic Control Signs	SqFt	242.000
59	Traffic Control, Miscellaneous	LS	1.000
60	Class B Riprap	Ton	1,539.200
61	Hydroseeding	SqYd	15,342.000
62	Fiber Mulching	Ton	4.900
63	Type 3 Erosion Control Blanket	SqYd	14,436.000
64	Type 2 Turf Reinforcement Mat	SqYd	228.000
65	12" Diameter Erosion Control Wattle	Ft	1,728.000
66	Remove and Reset Erosion Control Wattle	Ft	441.000
67	Rock Check Dam	CuYd	110.300
68	Shaping for Erosion Control Blanket	Ft	1,250.000
69	High Flow Silt Fence	Ft	1,960.000
70	Mucking Silt Fence	CuYd	136.000
71	Repair Silt Fence	Ft	490.000
72	Type B Drainage Fabric	SqYd	1,730.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1, 3 through 9 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects.

Bidders submitting a bid on Item 3 must also submit a bid on Item 4. Award of these combinations (Items 3 & 4) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION