

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on December 11, 2024, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
* 1.	NH-CR 0014(185)229 (PCN 026Z)	Hughes SWPPP = 40.00 AC	1.329	Urban Grading, Curb & Gutter, Sidewalk, Signals, Storm Sewer, Lighting, Asphalt Concrete Surfacing, PCC Surfacing	US14 -(Euclid) Fm Sioux Ave to the Divided Hwy W of SD1804 in Pierre
* 2.	436 () (PCN X05W)	Hughes	---	Water Main Improvement and Sewer Manhole Adjustments	US14 Euclid Ave - Fm Sioux Ave to N of 8th St.
<p>Bidders on item #2 will be required to comply with the federal bid requirements and inclusions for projects involving D.A.N.R. drinking water State Revolving Fund (SRF) loans, disadvantaged business enterprise (DBE) program, and the president's executive order nos. 11246 as amended, 11518 and 11625 as amended. The requirements for bidders and contractors under this regulation which concerns utilization of disadvantaged / minority business enterprises (DBE/MBE) and women's business enterprises (WBE) are explained in the state revolving fund (SRF) general conditions contained in the proposal. The DBE/MBE and WBE goals for participation in this contract in terms of percentage of contract value are: MBE/DBE = 1%; WBE = 4%. Contractors must also submit the MBE/WBE subcontractor solicitation information form (page MBE/WBE-6) and the certification regarding debarment, suspension and other responsibility matters (page debar-2) with his bid. Davis Bacon and related acts wages apply to this project. All provisions relative to those acts must be met. Inquiries regarding completion of these forms should be directed to: Bailey McTigue, Natural Resources Engineer, Water and Waste Funding Program, Department of Agriculture & Natural Resources, Foss building, Pierre, SD (605)773-5418. The low responsive bidder will be required to certify to compliance with the Buy American Iron and Steel provision of the Consolidated Appropriations Act of 2014. This certification form may be found on page BA-2 of the State Revolving Fund (SRF) General Conditions and must be included in the bid proposal.</p>					
3.	BRF-B 6642(03), BRO-B 8017(10), BRO-B 8017(11) (PCN 08NT, 08NU, 08NV)	Custer SWPPP = 0.60 AC	0.600	Structure (10x6 Precast; 2-8x7 Precast; 3-5' RCP Pipe Culverts), Approach Grading	Structure 8.4 E & 2.7 N of Custer on a State Park Rd over Center Lake Inlet (GF&P OWNED) SN 17-314-043
4.	BRO-B 8062(11) (PCN 08NC)	Tripp SWPPP = 2.93 AC	---	Structure (3-12x9 CIP RCBC) & Approach Grading	Structure 5.5 E & 6.75 N of Colome on 279th St over W Br of Bull Ck SN 62-325-290
5.	P 0079(84)232 (PCN 06TD)	Harding SWPPP = 27.00 AC	0.900	Structure (196' Prestressed Girder Bridge) & Approach Grading	SD79 - Str 0.1 S of the ND Border Over the N Fork of the Grand River
6.	CR 0294(74)114 (PCN 080D)	Brookings, Moody SWPPP = 48.98 AC	7.400	Variable Speed Limit & ITS Device	I29 - Fm Exit 114 (Flandreau) to 3 N of Exit 133 (Brookings)
7.	IM-P-B 0905(00)212, IM 0905(125)212 (PCN 097Q, 09YP)	Jones, Lyman	22.687	Asphalt Concrete Surfacing, CRC Pavement Repair	US83 - Detour for Interchange Reconstruction at Exit 212, Fm I90 on 293rd Ave, SD248 to US83, SD248 -Fm Murdo to Vivian, Exit 214 Ramps, I90 WF - Fm Exit 208 to SD248, I90 E-Exit 212
8.	NH 0012(316)137 (PCN 09EJ)	Corson	19.815	Asphalt Concrete Surfacing of Shoulders	US12 - Fm 5 E of McIntosh to McLaughlin

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	NH-CR 0014(185)229 Work Type 2 and Work Type 3 or Work Type 2 and Work Type 5	Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405 DBE Goal: Not Specified	Contract Id: 9383	See Special Provisions for Completion Requirements	Phone: 605/773-5294
1	Mobilization			LS	1.000
2	Incentive/Disincentive Pay			Day	0.000
3	Incentive/Disincentive Pay			Day	0.000
4	Reestablish Right-of-Way and Property Corner			Each	152.000
5	Grade Staking			Mile	2.902
6	Miscellaneous Staking			Mile	1.392
7	Engineer Directed Surveying/Staking			Hour	80.000
8	Checker			LS	1.000
9	Construction Schedule, Category III			LS	1.000
10	Project Management, Category III			LS	1.000
11	Training Program			Hour	1,000.000
12	Clear and Grub Tree			Each	70.000
13	Clearing			LS	1.000
14	Remove Concrete Curb and/or Gutter			Ft	15,215.000
15	Remove Drop Inlet			Each	39.000
16	Remove Concrete Pavement			SqYd	1,433.000
17	Remove Concrete Driveway Pavement			SqYd	2,711.300
18	Remove Concrete Sidewalk			SqYd	9,383.300
19	Remove Signal Pole Footing			Each	14.000
20	Remove Luminaire Pole Footing			Each	63.000
21	Remove Sediment			CuYd	31.900
22	Remove Erosion Control Wattle			Ft	830.000
23	Remove Sediment Filter Bag			Ft	3,692.000
24	Remove Silt Fence			Ft	2,796.000
25	Salvage Traffic Sign			Each	73.000
26	Salvage Luminaire Pole			Each	61.000
27	Salvage Signal Equipment			LS	1.000
28	Salvage Drop Inlet Frame and Grate Assembly			Each	5.000
29	Remove Sign for Reset			Each	36.000
30	Unclassified Excavation			CuYd	41,878.000
31	Water for Dust Control			MGal	50.000
32	Water for Embankment			MGal	14.500
33	Water for Granular Material			MGal	661.500
34	Water for Vegetation			MGal	144.300
35	Pit Run			Ton	652.400
36	Placing Topsoil			CuYd	1,203.000
37	Incidental Work, Grading			LS	1.000
38	Base Course			Ton	21,415.100
39	Base Course, Salvaged			Ton	32,965.200
40	Granular Material			Ton	2,241.000
41	Salvage Asphalt Mix Material			Ton	11,612.100
42	Salvage Granular Material			Ton	21,353.100
43	Blend and Stockpile Granular Material			Ton	32,965.200
44	Asphalt Concrete Composite			Ton	588.600
45	Compaction Sample			Each	9.000
46	MC-70 Asphalt for Prime			Ton	59.800
47	SS-1h or CSS-1h Asphalt for Tack			Ton	34.000

48	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	10.000
49	Blotting Sand for Prime	Ton	10.000
50	Sand for Fog Seal	Ton	10.000
51	CRS-2P Asphalt for Surface Treatment	Ton	57.800
52	Modified Cover Aggregate	Ton	492.600
53	8" Nonreinforced PCC Pavement	SqYd	7,285.800
54	4" Barrier Type Colored Median PCC Pavement	SqYd	344.600
55	6" PCC Driveway Pavement	SqYd	143.600
56	8" PCC Driveway Pavement	SqYd	139.200
57	8" PCC Approach Pavement	SqYd	3,736.700
58	8" PCC Fillet Section	SqYd	1,542.000
59	Dowel Bar	Each	11,875.000
60	Insert Steel Bar in PCC Pavement	Each	163.000
61	18" RCP Class 2, Furnish	Ft	4,214.000
62	18" RCP, Install	Ft	4,214.000
63	24" RCP Class 2, Furnish	Ft	2,028.000
64	24" RCP, Install	Ft	2,028.000
65	30" RCP Class 2, Furnish	Ft	542.000
66	30" RCP, Install	Ft	542.000
67	36" RCP Class 2, Furnish	Ft	826.000
68	36" RCP, Install	Ft	826.000
69	42" RCP Class 2, Furnish	Ft	2,064.000
70	42" RCP, Install	Ft	2,064.000
71	54" RCP Class 2, Furnish	Ft	162.000
72	54" RCP, Install	Ft	162.000
73	60" RCP Class 2, Furnish	Ft	64.000
74	60" RCP, Install	Ft	64.000
75	60" RCP Flared End, Furnish	Each	1.000
76	60" RCP Flared End, Install	Each	1.000
77	54" RCP Arch Class 2, Furnish	Ft	398.000
78	54" RCP Arch, Install	Ft	398.000
79	15" CMP 14 Gauge, Furnish	Ft	190.000
80	15" CMP, Install	Ft	190.000
81	42" CMP 14 Gauge, Furnish	Ft	302.000
82	42" CMP, Install	Ft	302.000
83	42" CMP Elbow, Furnish	Each	2.000
84	42" CMP Elbow, Install	Each	2.000
85	15" CMP Safety End, Furnish	Each	2.000
86	15" CMP Safety End, Install	Each	2.000
87	8" PVC Pipe	Ft	28.000
88	18" Pipe Cap	Each	1.000
89	Class M6 Concrete	CuYd	334.100
90	Reinforcing Steel	Lb	63,179.000
91	Type III Field Laboratory	Each	1.000
92	Reset Sign	Each	36.000
93	Cold Applied Plastic Pavement Marking, 4"	Ft	25,176.000
94	Cold Applied Plastic Pavement Marking, 24"	Ft	2,555.000
95	Cold Applied Plastic Pavement Marking, Arrow	Each	62.000
96	Cold Applied Plastic Pavement Marking, Combination Arrow	Each	4.000
97	Cold Applied Plastic Pavement Marking, Lane Reduction Arrow	Each	2.000
98	Cold Applied Plastic Pavement Marking, Symbol	Each	1.000
99	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	25,176.000
100	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	2,555.000
101	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	62.000
102	Grooving for Cold Applied Plastic Pavement Marking, Combination Arrow	Each	4.000
103	Grooving for Cold Applied Plastic Pavement Marking, Lane Reduction Arrow	Each	2.000

104	Grooving for Cold Applied Plastic Pavement Marking, Symbol	Each	1.000
105	Pavement Marking Masking, 5"	Ft	885.000
106	Pavement Marking Masking, Combination Arrow	Each	4.000
107	Flagging	Hour	1,000.000
108	Traffic Control Signs	SqFt	1,178.700
109	Traffic Control, Miscellaneous	LS	1.000
110	Traffic Control Supervisor	LS	1.000
111	Type 3 Barricade	Each	58.000
112	Temporary Raised Pavement Markers	Ft	18,743.000
113	Type C Advance Warning Arrow Board	Each	2.000
114	Remove Pavement Marking, 4" or Equivalent	Ft	4,323.000
115	Remove Pavement Marking, Arrow	Each	7.000
116	Temporary Pavement Marking	Ft	28,858.000
117	Traffic Control Movable Concrete Barrier	Each	17.000
118	Detour and Restriction Signing	SqFt	1,492.500
119	Temporary Business Signing	SqFt	98.400
120	Contractor Furnished Portable Changeable Message Sign	Each	3.000
121	Longitudinal Pedestrian Barricade	Ft	348.000
122	Temporary Pedestrian Access Route	LS	1.000
123	Temporary Curb Ramp	Each	5.000
124	Traffic Control Barrier	Ft	1,705.000
125	Breakaway Base Luminaire Pole with Arm, 40' Mounting Height	Each	48.000
126	Breakaway Base Luminaire Pole with Arm, 50' Mounting Height	Each	2.000
127	Breakaway Base Luminaire Pole with Twin Arms, 40' Mounting Height	Each	1.000
128	Signal Pole with 25' Mast Arm	Each	1.000
129	Signal Pole with 30' Mast Arm	Each	3.000
130	Signal Pole with 35' Mast Arm	Each	3.000
131	Signal Pole with 50' Mast Arm	Each	1.000
132	Signal Pole with 40' Mast Arm and Luminaire Arm	Each	2.000
133	Signal Pole with 45' Mast Arm and Luminaire Arm	Each	3.000
134	Signal Pole with 50' Mast Arm and Luminaire Arm	Each	1.000
135	Signal Pole with 55' Mast Arm and Luminaire Arm	Each	2.000
136	Signal Pole with 60' Mast Arm and Luminaire Arm	Each	1.000
137	Roadway Luminaire, LED with Photoelectric Cell	Each	62.000
138	3 Section Vehicle Signal Head	Each	52.000
139	4 Section Vehicle Signal Head	Each	20.000
140	2' Diameter Footing	Ft	376.000
141	3' Diameter Footing	Ft	192.000
142	Type 2 Electrical Junction Box	Each	41.000
143	Type 3 Electrical Junction Box	Each	14.000
144	Type 4 Electrical Junction Box	Each	20.000
145	Electrical Service Cabinet	Each	6.000
146	Traffic Signal Controller	Each	4.000
147	Wireless Interconnect System	Each	4.000
148	Signal Flasher Unit	Each	2.000
149	Battery Backup System for Traffic Signal	Each	5.000
150	Video Detection System	Each	5.000
151	Preformed Detector Loop	Each	30.000
152	Emergency Vehicle Preemption Unit	Each	4.000
153	Optical Detector	Each	17.000
154	Miscellaneous Signal Parts	LS	1.000
155	Accessible Pedestrian Signal	Each	40.000
156	Pedestrian Push Button Pole	Each	40.000
157	Pedestrian Signal Head with Countdown Timer	Each	40.000
158	Pedestrian Crossing Sign	Each	40.000
159	Solar Powered Flashing Beacon	Each	3.000

160	Over-Height Vehicle Detection System	Each	2.000
161	Miscellaneous, Electrical	LS	1.000
162	Remove and Reset Luminaire Pole	Each	2.000
163	2" Rigid Conduit, Schedule 40	Ft	12,000.000
164	4" Rigid Conduit, Schedule 40	Ft	270.000
165	2" Rigid Conduit, Schedule 80	Ft	6,625.000
166	3" Rigid Conduit, Schedule 80	Ft	2,820.000
167	4" Rigid Conduit, Schedule 80	Ft	240.000
168	2" Innerduct, Schedule 40	Ft	7,095.000
169	2/2/4 Aluminum Wire	Ft	17,220.000
170	1/C #4 AWG Copper Wire	Ft	3,840.000
171	1/C #6 AWG Copper Wire	Ft	1,485.000
172	1/C #10 AWG Copper Wire	Ft	7,210.000
173	2/C #14 AWG Copper Tray Cable, K2	Ft	6,935.000
174	4/C #14 AWG Copper Tray Cable, K2	Ft	2,550.000
175	5/C #14 AWG Copper Tray Cable, K2	Ft	900.000
176	7/C #14 AWG Copper Tray Cable, K2	Ft	2,740.000
177	12/C #14 AWG Copper Tray Cable, K2	Ft	65.000
178	19/C #14 AWG Copper Tray Cable, K2	Ft	255.000
179	24/C #14 AWG Copper Tray Cable, K2	Ft	2,740.000
180	2/C #10 AWG Copper Pole and Bracket Cable	Ft	3,430.000
181	24 Strand Fiber Optic Cable	Ft	7,320.000
182	Type B66 Concrete Curb and Gutter	Ft	13,563.000
183	Type B68 Concrete Curb and Gutter	Ft	1,843.000
184	Type P6 Concrete Gutter	Ft	1,272.000
185	Type P8 Concrete Gutter	Ft	70.000
186	8" Concrete Valley Gutter	SqYd	333.500
187	4" Concrete Sidewalk	SqFt	24,073.000
188	6" Concrete Sidewalk	SqFt	84,113.000
189	6" Colored Concrete Sidewalk	SqFt	29,250.000
190	Sidewalk Drain	Ft	23.000
191	Type 1 Detectable Warnings	SqFt	1,737.000
192	Type B Frame and Grate	Each	84.000
193	7' x 11' Concrete Type S Drop Inlet Base	Each	3.000
194	4' x 11' Precast Concrete Type S Drop Inlet Lid	Each	3.000
195	Precast Drop Inlet Collar	Each	84.000
196	48" Manhole Riser Section	Ft	41.300
197	Type A9 Manhole Frame and Lid	Each	33.000
198	Type D Permanent Seed Mixture	Lb	448.000
199	Special Permanent Seed Mixture 1	Lb	2.000
200	Special Permanent Seed Mixture 2	Lb	29.000
201	Fertilizing	Ton	1.100
202	Fiber Reinforced Matrix	Ton	2.500
203	Type 1 Erosion Control Blanket	SqYd	250.000
204	Type 3 Erosion Control Blanket	SqYd	260.000
205	12" Diameter Erosion Control Wattle	Ft	830.000
206	Remove and Reset Erosion Control Wattle	Ft	208.000
207	Temporary Sediment Barrier	Ft	2,241.000
208	Sediment Filter Bag	Ft	3,692.000
209	Remove and Reset Sediment Filter Bag	Ft	923.000
210	High Flow Silt Fence	Ft	2,796.000
211	Mucking Silt Fence	CuYd	194.000
212	Repair Silt Fence	Ft	699.000
213	Sediment Control at Inlet with Frame and Grate	Each	117.000
214	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	52.000
215	Dewatering	LS	1.000

216	Sweeping	Hour	15.000
217	Non-woven Separator Fabric	SqYd	848.000
218	Reinforcement Fabric (MSE)	SqYd	46,429.000
219	Refurbish Single Mailbox	Each	7.000
220	Right of Way Marker	Each	6.000
221	Construction Entrance	Each	2.000
222	Traffic Counter Surface Utility Box	Each	4.000
223	Bollard	Each	2.000
224	Railroad Protective Insurance	LS	1.000
225	PG 64-34 Asphalt Binder	Ton	855.700
226	Class G Asphalt Concrete	Ton	14,875.400
227	Hydrated Lime	Ton	147.500
228	PG 64-34 Asphalt Binder	Ton	756.100
229	Class G Asphalt Concrete	Ton	15,275.900
230	Hydrated Lime	Ton	152.200

2. **436 ()** **Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405** **Phone: 605/773-5294**
Work Type 2 or Work Type 3 or **DBE Goal: 5.000%** **Contract Id: 9652** **See Special Provisions for Completion Requirements**
Work Type 5

1	Mobilization	LS	1.000
2	Construction Staking	LS	1.000
3	Remove Concrete Curb and/or Gutter	Ft	35.000
4	Remove Manhole	Each	5.000
5	Remove Asphalt Concrete Pavement	SqYd	83.000
6	Remove Concrete Sidewalk	SqYd	12.000
7	Incidental Work	LS	1.000
8	Base Course	Ton	104.000
9	Asphalt Concrete Composite	Ton	28.000
10	SS-1h or CSS-1h Asphalt for Tack	Ton	0.100
11	16" Steel Encasement Pipe	Ft	154.000
12	1" Muncipex Pipe	Ft	2,240.000
13	1.5" Muncipex Pipe	Ft	126.000
14	2" Muncipex Pipe	Ft	314.000
15	3" PVC Pipe	Ft	26.000
16	4" PVC Water Main	Ft	139.000
17	6" PVC Water Main	Ft	919.000
18	8" PVC Water Main	Ft	75.000
19	10" PVC Water Main	Ft	276.000
20	12" PVC Water Main	Ft	60.000
21	14" PVC Water Main	Ft	6,694.000
22	8" PVC Sewer Pipe	Ft	314.000
23	10" PVC Sewer Pipe	Ft	8.000
24	12" PVC Sewer Pipe	Ft	8.000
25	15" PVC Sewer Pipe	Ft	5.000
26	18" PVC Sewer Pipe	Ft	598.000
27	4" Sewer Service	Ft	1,145.000
28	6" Sewer Service	Ft	50.000
29	Sanitary Sewer Video Inspection	Ft	3,300.000
30	6"x4" Pipe Tee	Each	1.000
31	6"x6" Pipe Tee	Each	1.000
32	8"x6" Pipe Tee	Each	1.000
33	14"x3" Pipe Tee	Each	1.000
34	14"x4" Pipe Tee	Each	2.000
35	14"x6" Pipe Tee	Each	16.000
36	14"x8" Pipe Tee	Each	1.000
37	14"x10" Pipe Tee	Each	1.000
38	14"x14" Pipe Tee	Each	4.000

39	14"x6" Pipe Cross	Each	2.000
40	14"x10" Pipe Cross	Each	2.000
41	14"x12" Pipe Cross	Each	1.000
42	14"x14" Pipe Cross	Each	1.000
43	6"x4" Pipe Reducer	Each	1.000
44	12"x6" Pipe Reducer	Each	3.000
45	14"x6" Pipe Reducer	Each	2.000
46	14"x10" Pipe Reducer	Each	1.000
47	14"x12" Pipe Reducer	Each	1.000
48	1" Curb Stop with Box	Each	68.000
49	1.5" Curb Stop with Box	Each	4.000
50	2" Curb Stop with Box	Each	8.000
51	6" Pipe Bend	Each	12.000
52	14" Pipe Bend	Each	35.000
53	6" Pipe Cap	Each	4.000
54	3" Gate Valve with Box	Each	1.000
55	4" Gate Valve with Box	Each	3.000
56	6" Gate Valve with Box	Each	14.000
57	8" Gate Valve with Box	Each	1.000
58	10" Gate Valve with Box	Each	5.000
59	12" Gate Valve with Box	Each	1.000
60	14" Gate Valve with Box	Each	25.000
61	Tracer Wire Access Box, Type 1	Each	99.000
62	Fire Hydrant with Auxiliary Valve & Box	Each	12.000
63	Type 2 Foundation Material	Ton	100.000
64	Type 3 Foundation Material	Ton	100.000
65	Imported Trench Backfill	CuYd	2,000.000
66	Temporary Water Service	Each	20.000
67	Temporary Water Main Connection	Each	2.000
68	Reconnect Water Service	Each	87.000
69	Abandon Water Main	Ft	6,780.000
70	Connect To Existing Water Main	Each	18.000
71	Reconnect Sewer Service	Each	24.000
72	Connect to Existing Sewer Main	Each	9.000
73	Sewer Bypass Pumping	LS	1.000
74	Type B66 Concrete Curb and Gutter	Ft	35.000
75	4" Concrete Sidewalk	SqFt	108.000
76	48" Manhole	Each	4.000
77	48" Drop Manhole	Each	1.000
78	Manhole Frame	Each	11.000
79	Manhole Lid	Each	11.000
80	Adjust Manhole	Each	18.000
81	Sediment Control at Inlet with Frame and Grate	Each	5.000
82	Reinforcement Fabric (MSE)	SqYd	98.000

3.	BRF-B 6642(03), BRO-B 8017(10), BRO-B 8017(11)	Area Engineer: Bruce Schroeder, PO Box 431, Custer, SD, 57730-0431		Phone: 605/673-4948
	Work Type 2 or Work Type 12	DBE Goal: Not Specified	Contract Id: 9348	See Special Provisions for Completion Requirements
	1 Mobilization	LS	1.000	
	2 Extra Work, Utilities	LS	1.000	
	3 Clearing	LS	1.000	
	4 Remove Curb Stop	Each	1.000	
	5 Remove Asphalt Concrete Pavement	SqYd	368.000	
	6 Remove Sediment	CuYd	3.000	
	7 Unclassified Excavation	CuYd	1,132.000	
	8 Contractor Furnished Borrow Excavation	CuYd	296.000	
	9 Placing Topsoil	CuYd	131.000	

44	Approach Slab Underdrain Excavation	CuYd	6.600
45	Precast Concrete Headwall for Drain	Each	4.000
46	18" RCP Class 2, Furnish	Ft	34.000
47	18" RCP, Install	Ft	34.000
48	24" RCP Class 2, Furnish	Ft	146.000
49	24" RCP, Install	Ft	146.000
50	30" RCP Class 3, Furnish	Ft	134.000
51	30" RCP, Install	Ft	134.000
52	42" RCP Class 3, Furnish	Ft	156.000
53	42" RCP, Install	Ft	156.000
54	42" RCP Flared End, Furnish	Each	2.000
55	42" RCP Flared End, Install	Each	2.000
56	24" RCP Sloped End, Furnish	Each	2.000
57	24" RCP Sloped End, Install	Each	2.000
58	30" RCP Sloped End, Furnish	Each	2.000
59	30" RCP Sloped End, Install	Each	2.000
60	18" CMP 14 Gauge, Furnish	Ft	56.000
61	18" CMP 16 Gauge, Furnish	Ft	130.000
62	18" CMP, Install	Ft	186.000
63	18" CMP Elbow, Furnish	Each	2.000
64	18" CMP Elbow, Install	Each	2.000
65	18" CMP Flared End, Furnish	Each	1.000
66	18" CMP Flared End, Install	Each	1.000
67	18" CMP Safety End, Furnish	Each	4.000
68	18" CMP Safety End, Install	Each	4.000
69	36" CMP Arch 16 Gauge, Furnish	Ft	96.000
70	36" CMP Arch, Install	Ft	96.000
71	36" CMP Arch Flared End, Furnish	Each	4.000
72	36" CMP Arch Flared End, Install	Each	4.000
73	Class A45 Concrete, Bridge Deck	CuYd	269.200
74	Class A45 Concrete, Bridge	CuYd	99.900
75	Concrete Approach Slab for Bridge	SqYd	172.300
76	Concrete Approach Sleeper Slab for Bridge	SqYd	37.900
77	Class M6 Concrete	CuYd	2.300
78	Controlled Density Fill	CuYd	7.700
79	Class A45 Concrete, Drilled Shaft	CuYd	71.300
80	Drilled Shaft Excavation	CuYd	65.700
81	62" Permanent Casing	Ft	20.000
82	Reinforcing Steel	Lb	30,638.000
83	Epoxy Coated Reinforcing Steel	Lb	2,083.000
84	Stainless Reinforcing Steel	Lb	63,317.000
85	Preboring Pile	Ft	120.000
86	HP 12 Pile Tip Reinforcement	Each	12.000
87	HP 12x53 Steel Test Pile, Furnish and Drive	Ft	100.000
88	HP 12x53 Steel Bearing Pile, Furnish and Drive	Ft	450.000
89	54" Minnesota Shape Prestressed Concrete Beam	Ft	774.000
90	Type III Field Laboratory	Each	1.000
91	Type 2 Right-of-Way Fence	Ft	8,291.000
92	Type 4 Right-of-Way Fence	Ft	3,430.000
93	Type 1 Temporary Fence	Ft	11,618.000
94	2 Post Panel	Each	36.000
95	3 Post Panel	Each	15.000
96	Type 1 MGS	Ft	550.000
97	Type 1 Guardrail Transition	Each	4.000
98	MGS MASH Flared End Terminal	Each	4.000
99	2.0"x2.0" Perforated Tube Post	Ft	87.900

100	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	32.000
101	Guardrail Delineator	Each	18.000
102	Type 2 Object Marker Back to Back	Each	13.000
103	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	19.500
104	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	23.000
105	Reset Sign	Each	8.000
106	High Build Waterborne Pavement Marking Paint, White	Gal	61.000
107	High Build Waterborne Pavement Marking Paint, Yellow	Gal	37.000
108	Grooving for Durable Pavement Marking, 4"	Ft	15,085.000
109	Flagging	Hour	320.000
110	Pilot Car	Hour	160.000
111	Traffic Control Signs	SqFt	588.000
112	Traffic Control, Miscellaneous	LS	1.000
113	Type 3 Barricade	Each	6.000
114	Temporary Pavement Marking	Mile	4.900
115	Type A Frame and Grate	Each	2.000
116	Precast Drop Inlet Collar	Each	2.000
117	4" Underdrain Pipe	Ft	124.000
118	Porous Backfill	Ton	5.400
119	Class B Riprap	Ton	1,484.600
120	Overburden Excavation for Riprap	CuYd	777.000
121	PVC Coated Bank and Channel Protection Gabion	CuYd	25.000
122	Cover Crop Seeding	Bu	27.000
123	Type F Permanent Seed Mixture	Lb	521.000
124	Fertilizing	Ton	10.000
125	Mulching	Ton	17.500
126	Fiber Reinforced Matrix	Ton	19.700
127	Soil Stabilizer	Acre	12.300
128	Type 3 Erosion Control Blanket	SqYd	5,078.000
129	Type 2 Turf Reinforcement Mat	SqYd	691.000
130	12" Diameter Erosion Control Wattle	Ft	6,410.000
131	Remove and Reset Erosion Control Wattle	Ft	1,603.000
132	Sediment Filter Bag	Ft	48.000
133	Surface Roughening	Acre	14.000
134	Shaping for Erosion Control Blanket	Ft	2,631.000
135	Low Flow Silt Fence	Ft	6,900.000
136	High Flow Silt Fence	Ft	1,800.000
137	Mucking Silt Fence	CuYd	604.000
138	Repair Silt Fence	Ft	2,175.000
139	Sediment Control at Inlet with Frame and Grate	Each	2.000
140	Bridge Berm Slope Protection, Quarried Aggregate	SqYd	142.200
141	Type B Drainage Fabric	SqYd	1,989.000
142	Perforated Geocell	SqFt	604.000
143	Construction Entrance	Each	2.000
144	PG 64-34 Asphalt Binder	Ton	344.200
145	Class E Asphalt Concrete	Ton	5,932.800
146	PG 64-34 Asphalt Binder	Ton	304.600
147	Class E Asphalt Concrete	Ton	6,093.000

6.	CR 0294(74)114	Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201	Phone: 605/882-5166
	Work Type 10	DBE Goal: Not Specified	Contract Id: 9650 See Special Provisions for Completion Requirements
	1 Mobilization	LS	1.000
	2 Miscellaneous Staking	Mile	7.400
	3 Engineer Directed Surveying/Staking	Hour	40.000
	4 As-Built Survey	LS	1.000
	5 Roadway Weather Information System	Each	3.000

6	Remove Traffic Sign	Each	8.000
7	Remove Fence for Reset	Ft	40.000
8	Class A45 Concrete, Drilled Shaft	CuYd	12.400
9	Drilled Shaft Excavation	CuYd	12.400
10	62" Permanent Casing	Ft	21.000
11	Reinforcing Steel	Lb	1,684.000
12	Reset Fence	Ft	40.000
13	High Tension 4 Cable Guardrail	Ft	290.000
14	High Tension Cable Guardrail Anchor Assembly	Each	2.000
15	1.5' Diameter Breakaway Support Concrete Footing	Ft	160.000
16	1.75' Diameter Breakaway Support Concrete Footing	Ft	72.000
17	2' Diameter Breakaway Support Concrete Footing	Ft	54.000
18	2' Diameter Fixed Support Concrete Footing	Ft	70.000
19	S5x10 Steel Post	Ft	590.700
20	W6x15 Steel Post	Ft	173.800
21	W8x31 Steel Post	Ft	111.900
22	2.5"x2.5" Perforated Tube Post	Ft	136.000
23	Type 2 Object Marker	Each	2.000
24	Extruded Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	386.500
25	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	402.000
26	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	72.000
27	Variable Speed Limit Sign	Each	22.000
28	Flagging	Hour	40.000
29	Traffic Control Signs	SqFt	719.000
30	Traffic Control, Miscellaneous	LS	1.000
31	Type 3 Barricade	Each	8.000
32	Type C Advance Warning Arrow Board	Each	2.000
33	30' Hinged ITS Pole	Each	5.000
34	Roadway Weather Information System Tower	Each	3.000
35	Roadway Luminaire, LED	Each	1.000
36	1 Section Vehicle Signal Head	Each	20.000
37	2.5' Diameter Footing	Ft	8.000
38	Controller Cabinet Footing	Each	2.000
39	Type 2 Electrical Junction Box	Each	95.000
40	Electrical Service Cabinet	Each	7.000
41	Electrical Service Cabinet with Secondary Disconnect	Each	5.000
42	Type 1 Communication Cabinet	Each	10.000
43	Sawed-In Detector Loop	Each	3.000
44	Surveillance Camera	Each	8.000
45	Miscellaneous, Electrical	LS	1.000
46	Install Dynamic Message Sign with Pole	Each	1.000
47	1.5" Rigid Conduit, Schedule 80	Ft	6,167.000
48	3" Rigid Conduit, Schedule 80	Ft	1,400.000
49	1.5" Conduit, SDR 13.5	Ft	43,137.000
50	3" Conduit, SDR 13.5	Ft	3,395.000
51	1/C #4 AWG Copper Wire	Ft	139,725.000
52	1/C #6 AWG Copper Wire	Ft	1,491.000
53	1/C #8 AWG Copper Wire	Ft	14,079.000
54	1/C #14 AWG Copper Wire	Ft	16,661.000
55	2/C #14 AWG IMSA Copper Cable, K1	Ft	701.000
56	3/C #14 AWG IMSA Copper Cable, K1	Ft	10,662.000
57	#14 AWG Copper Twisted Shielded Pair	Ft	24,480.000
58	2/C #10 AWG Copper Pole and Bracket Cable	Ft	45.000
59	Outdoor Rated Cat6 Cable	Ft	3,827.000
60	Coaxial Cable	Ft	2,414.000
61	Erosion Control	LS	1.000

62	Drop Arm Road Closure Gate	Each	1.000
63	Permanent Vehicle Classification System	Each	2.000
64	Permanent Vehicle Detection System	Each	6.000

7. **IM-P-B 0905(00)212, IM** **Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771** **Phone: 605/842-0810**
0905(125)212 **DBE Goal: Not Specified** **Contract Id: 9656** **See Special Provisions for Completion Requirements**
Work Type 5

1	Mobilization	LS	1.000
2	Remove Asphalt Concrete Pavement	SqYd	9,924.400
3	Remove Concrete Pavement	SqYd	433.000
4	Remove High Tension 4 Cable Guardrail for Reset	Ft	600.000
5	Remove Sign for Reset	Each	1.000
6	Remove Pipe End Section for Reset	Each	1.000
7	Unclassified Excavation	CuYd	6,490.000
8	Unclassified Excavation, Digouts	CuYd	150.000
9	Contractor Furnished Borrow Excavation	CuYd	918.000
10	Undercutting	CuYd	367.000
11	Water for Granular Material	MGal	241.000
12	Surface Preparation	Mile	0.280
13	Shoulder Shaping	Mile	0.100
14	Heavy Roadway Shaping	Mile	0.569
15	Remove and Replace Topsoil	LS	1.000
16	Base Course, Salvaged	Ton	8,807.200
17	Base Course, Salvaged, State Furnished	Ton	1,948.200
18	Gravel Cushion	Ton	451.500
19	Salvage and Stockpile Granular Material	Ton	8,807.200
20	Asphalt Concrete Composite	Ton	8,398.300
21	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	0.400
22	Cold Milling Asphalt Concrete	SqYd	40,148.000
23	10" Continuously Reinforced PCC Pavement	SqYd	433.300
24	PCC Shoulder Pavement	SqYd	200.000
25	Nonreinforced PCC Pavement Repair	SqYd	84.500
26	Insert Steel Bar in PCC Pavement	Each	48.000
27	Reseal PCC Pavement Joint - Hot Pour	Ft	177.000
28	Seal Random Cracks in PCC Pavement	Ft	200.000
29	24" RCP Arch Class 2, Furnish	Ft	4.000
30	24" RCP Arch, Install	Ft	4.000
31	Reset Pipe End Section	Each	1.000
32	4" Pipe Cap	Each	2.000
33	Type III Field Laboratory	Each	1.000
34	Reset High Tension 4 Cable Guardrail	Ft	600.000
35	Reset Sign	Each	1.000
36	Cold Applied Plastic Pavement Marking, 24"	Ft	19.000
37	High Build Waterborne Pavement Marking Paint, White	Gal	1,013.000
38	High Build Waterborne Pavement Marking Paint with Reflective Elements, White	Gal	51.000
39	High Build Waterborne Pavement Marking Paint, Yellow	Gal	483.000
40	High Build Waterborne Pavement Marking Paint with Reflective Elements, Yellow	Gal	30.000
41	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	19.000
42	Grooving for Durable Pavement Marking, 4"	Ft	15,080.000
43	Pavement Marking Masking, 5"	Ft	610.000
44	Pavement Marking Masking, 13"	Ft	2,491.000
45	Flagging	Hour	492.000
46	Pilot Car	Hour	228.000
47	Traffic Control Signs	SqFt	1,292.900
48	Traffic Control, Miscellaneous	LS	1.000
49	Type 3 Barricade	Each	14.000
50	Temporary Raised Pavement Markers	Ft	2,850.000

51	Type C Advance Warning Arrow Board	Each	1.000
52	4" Temporary Pavement Marking Tape Type I	Ft	144.000
53	Temporary Pavement Marking	Mile	57.600
54	Contractor Furnished Portable Changeable Message Sign	Each	2.000
55	4" Perforated PVC Drain Pipe with Sleeve	Ft	110.000
56	4" PVC Outlet Pipe	Ft	50.000
57	Concrete Headwall for Underdrain	Each	2.000
58	Porous Backfill	Ton	62.000
59	Erosion Control	LS	1.000
60	9" Diameter Erosion Control Wattle	Ft	240.000

8. **NH 0012(316)137** **Area Engineer: John Villbrandt, PO Box 488, Mobridge, SD, 57601-0488** **Phone: 605/845-3844**
Work Type 5 **DBE Goal: Not Specified** **Contract Id: 9679** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Checker	LS	1.000
3	Remove High Tension 4 Cable Guardrail	Ft	1,045.000
4	Remove High Tension 4 Cable Guardrail Anchor Assembly	Each	2.000
5	Remove Asphalt Concrete Pavement	SqYd	1,470.000
6	Unclassified Excavation, Digouts	CuYd	991.000
7	Contractor Furnished Borrow Excavation	CuYd	10.000
8	Water for Granular Material	MGal	436.900
9	Shoulder Preparation	Mile	39.630
10	Base Course, Salvaged	Ton	2,829.500
11	Salvage and Stockpile Granular Material	Ton	2,829.500
12	Salvage Granular Material	Ton	10,489.200
13	Haul and Stockpile Granular Material	Ton	10,489.200
14	Compaction Sample	Each	6.000
15	Saw and Seal Shoulder Joint	Ft	209,246.000
16	MC-70 Asphalt for Prime	Ton	248.100
17	SS-1h or CSS-1h Asphalt for Tack	Ton	51.700
18	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	41.000
19	Blotting Sand for Prime	Ton	10.000
20	Sand for Flush Seal	Ton	565.400
21	Cold Milling Asphalt Concrete	SqYd	2,004.000
22	Type III Field Laboratory	Each	1.000
23	High Tension 4 Cable Guardrail	Ft	1,040.000
24	High Tension Cable Guardrail Anchor Assembly	Each	2.000
25	Furnish High Tension Cable Guardrail Post	Each	20.000
26	Furnish High Tension Cable Guardrail Post and Sleeve	Each	15.000
27	Type 2 Object Marker Back to Back	Each	2.000
28	High Build Waterborne Pavement Marking Paint, White	Gal	892.000
29	High Build Waterborne Pavement Marking Paint, Yellow	Gal	290.000
30	Flagging	Hour	500.000
31	Pilot Car	Hour	200.000
32	Traffic Control Signs	SqFt	611.800
33	Traffic Control, Miscellaneous	LS	1.000
34	Refurbish Single Mailbox	Each	1.000
35	PG 58-34 Asphalt Binder	Ton	1,677.800
36	Class E Asphalt Concrete	Ton	27,355.800
37	PG 58-34 Asphalt Binder	Ton	1,398.300
38	Class E Asphalt Concrete	Ton	28,116.200

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1, 3 through 8 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION