

October 28, 2025

ADDENDUM NO. 1

RE: Item #6, November 5, 2025 Letting - P 0019(49)43, PCN 06QE, Turner County - Cold Milling, Asphalt Concrete Resurfacing, Pipe Work, Modify Intersection, Full Depth Reclamation of Shoulders, Culvert Work & Pavement Markings

TO WHOM IT MAY CONCERN:

The following addenda to the plans shall be inserted and made a part of your proposal for the referenced project.

SPECIAL PROVISIONS: NO CHANGE

SDEBS BID PROPOSAL: *The electronic bid proposal for this contract has been revised to include the changes associated with this addendum. Bidders must log in to the SDEBS to retrieve and incorporate these changes into their bid.*

Bid Items were added:
Bid Item 009E3320 "Checker"

PLANS: Please destroy sheet 2 and replace with the enclosed sheet, dated 10/14/25. Sheet 18A was added.

Sheet 2: Bid Item 009E3320 "Checker" was added.

Sheet 18A: CHECKING SPREAD RATES note was added.

Sincerely,

Sam Weisgram
Engineering Supervisor

SW/gp

CC: Travis Dressen, Mitchell Region Engineer
Harry Johnston, Sioux Falls Area Engineer

ESTIMATE OF QUANTITIES

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	P 0019(49)43	2	85

Rev. 10/14/25 GAW

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
009E0010	Mobilization	Lump Sum	LS
009E3210	Construction Staking	8.095	Mile
009E3230	Grade Staking	0.899	Mile
009E3240	Graded Centerline Staking	0.599	Mile
009E3250	Miscellaneous Staking	8.095	Mile
009E3280	Slope Staking	0.599	Mile
009E3301	Engineer Directed Surveying/Staking	40.0	Hour
009E3320	Checker	Lump Sum	LS
009E4200	Construction Schedule, Category II	Lump Sum	LS
100E0100	Clearing	Lump Sum	LS
110E0135	Remove Delineator	31	Each
110E0500	Remove Pipe Culvert	172	Ft
110E0510	Remove Pipe End Section	14	Each
110E1010	Remove Asphalt Concrete Pavement	969.0	SqYd
110E7500	Remove Pipe for Reset	54	Ft
110E7510	Remove Pipe End Section for Reset	7	Each
120E0010	Unclassified Excavation	10,483	CuYd
120E0100	Unclassified Excavation, Digouts	405	CuYd
120E0600	Contractor Furnished Borrow Excavation	6,535	CuYd
120E0900	Contaminated Material Excavation	100	CuYd
120E2000	Undercutting	5,637	CuYd
120E6100	Water for Embankment	75.0	MGal
120E6200	Water for Granular Material	316.0	MGal
230E0010	Placing Topsoil	2,155	CuYd
260E1010	Base Course	8,084.0	Ton
280E0020	Full Depth Reclamation, Shoulder	88,878	SqYd
320E0005	PG 58-34 Asphalt Binder	1,781.2	Ton
320E1200	Asphalt Concrete Composite	1,375.0	Ton
320E1203	Class Q3R Hot Mixed Asphalt Concrete	34,859.0	Ton
320E1800	Asphalt Concrete Blade Laid	1,214.0	Ton
320E4000	Hydrated Lime	357.2	Ton
320E7012	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	16.2	Mile
330E0010	MC-70 Asphalt for Prime	91.9	Ton
330E0100	SS-1h or CSS-1h Asphalt for Tack	140.5	Ton
330E0210	SS-1h or CSS-1h Asphalt for Flush Seal	2.9	Ton
330E1000	Blotting Sand for Prime	5.0	Ton
332E0010	Cold Milling Asphalt Concrete	140,395	SqYd
421E0100	Pipe Culvert Undercut	28	CuYd
450E0142	24" RCP Class 2, Furnish	76	Ft
450E0150	24" RCP, Install	76	Ft
450E0182	36" RCP Class 2, Furnish	86	Ft
450E0190	36" RCP, Install	86	Ft
450E2008	18" RCP Flared End, Furnish	8	Each

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
450E2009	18" RCP Flared End, Install	8	Each
450E2028	36" RCP Flared End, Furnish	2	Each
450E2029	36" RCP Flared End, Install	2	Each
450E2200	24" RCP Sloped End, Furnish	2	Each
450E2201	24" RCP Sloped End, Install	2	Each
450E4759	18" CMP 16 Gauge, Furnish	28	Ft
450E4760	18" CMP, Install	28	Ft
450E5100	CMP Tee, Furnish	1	Each
450E5101	CMP Tee, Install	1	Each
450E5406	18" CMP Safety End, Furnish	1	Each
450E5407	18" CMP Safety End, Install	1	Each
450E8209	18" Smooth Tapered Sleeve, Furnish	2	Each
450E8210	18" Smooth Tapered Sleeve, Install	2	Each
450E9000	Reset Pipe	54	Ft
450E9001	Reset Pipe End Section	7	Each
600E0300	Type III Field Laboratory	1	Each
632E2510	Type 2 Object Marker Back to Back	53	Each
633E1200	High Build Waterborne Pavement Marking Paint, White	374	Gal
633E1205	High Build Waterborne Pavement Marking Paint, Yellow	169	Gal
634E0010	Flagging	790.0	Hour
634E0020	Pilot Car	395.0	Hour
634E0110	Traffic Control Signs	391.4	SqFt
634E0120	Traffic Control, Miscellaneous	Lump Sum	LS
634E0275	Type 3 Barricade	1	Each
634E0630	Temporary Pavement Marking	32.4	Mile
700E0210	Class B Riprap	126.0	Ton
730E0202	Type B Permanent Seed Mixture	225	Lb
732E0100	Mulching	25.0	Ton
734E0102	Type 2 Erosion Control Blanket	73	SqYd
734E0103	Type 3 Erosion Control Blanket	315	SqYd
734E0510	Shaping for Erosion Control Blanket	333	Ft
831E0110	Type B Drainage Fabric	215	SqYd
900E0010	Refurbish Single Mailbox	9	Each
900E0012	Refurbish Double Mailbox	1	Each
900E1980	Storage Unit	1	Each

SPECIFICATIONS

Standard Specifications for Roads and Bridges, 10-1-25 Version, Required Provisions, and Special Provisions as included in the Proposal. The Standard Specifications for Roads and Bridges are available for download and viewing at <https://dot.sd.gov/doing-business/contractors/standard-specifications>.

CHECKING SPREAD RATES

The Contractor will be responsible for checking the Asphalt Concrete spread rates and taking the weigh delivery tickets as the surfacing material arrives on the project and is placed onto the roadway.

The Contractor will compute the required spread rates for each typical surfacing section and create a spread chart prior to the start of material delivery and placement. The Engineer will review and check the Contractor's calculations and spread charts. The station to station spread will be written on each ticket as the surfacing material is delivered to the roadway.

At the end of each day's shift, the Contractor will verify the following:

- All tickets are present and accounted for,
- The quantity summary for each item is calculated,
- The amount of material wasted if any,
- Each day's ticket summary is marked with the corresponding 'computed by',
- The ticket summary is initialed and certified that the delivered and placed quantity is correct.

All daily tickets and the summary by item will be given to the Engineer no later than the following morning.

If the checker is not properly and accurately performing the required duties, the Contractor will correct the problem or replace the checker with an individual capable of performing the duties to the satisfaction of the Engineer. Failure to do so will result in suspension of the work.

The Department will perform depth checks. The Contractor will be responsible for placement of material to the correct depth unless otherwise directed by the Engineer. If the placed material is not within a tolerance of ±1/2 inch of the plan shown depth, the Contractor will correct the problem at no additional cost to the Department. Excess material above the tolerance will not be paid for. Achieving the correct depth may require picking up and moving material or other action as required by the Engineer. All costs for providing the Contractor furnished checker and performing all related duties will be incidental to the contract lump sum price for the "Checker". No allowances will be made to the contract lump sum price for Checker due to authorized quantity variations unless the quantities for the material being checked vary above or below the estimated quantities by more than 25 percent. Payment for the Checker will then be increased or decreased by the same proportion as the placed material quantity bears to the estimated material quantity.