



Planning & Engineering
Office of Project Development
700 E Broadway Avenue
Pierre, South Dakota 57501-2586
O: 605.773.3275 | F: 605.773.2614
dot.sd.gov

November 25, 2025

ADDENDUM NO. 1

RE: Item #4, December 10, 2025 Letting - NH 0034(207)96, NH 0073(81)160, PCN 079F, 06PH, Meade, Ziebach County - Cold Milling, Asphalt Concrete Resurfacing, Pipe Work, Turn Lanes

TO WHOM IT MAY CONCERN:

The following addenda to the plans shall be inserted and made a part of your proposal for the referenced project.

SPECIAL PROVISIONS: NO CHANGE

SDEBS BID PROPOSAL: *The electronic bid proposal for this contract has been revised to include the changes associated with this addendum. Bidders must log in to the SDEBS to retrieve and incorporate these changes into their bid.*

Quantities for Bid Items were changed:

Bid Item 110E1010 "Remove Asphalt Concrete Pavement" changed from 9,330.1 to 4,047.6 SqYd

PLANS: Please destroy sheets 3 & 16 and replace with the enclosed sheets, dated 11/25/25.

Sheet 3: **Quantities for Bid Item was changed:**
Bid Item 110E1010 "Remove Asphalt Concrete Pavement" changed from 8,280.7 to 2,998.2 SqYd

Sheet 16: TABLE OF SURFACING QUANTITIES was revised.

Sincerely,

Sam Weisgram
Engineering Supervisor

SW/gp

CC: Todd Seaman, Rapid City Region Engineer
John Matthesen, Belle Fourche Area Engineer

ESTIMATE OF QUANTITIES – PCN 079F

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
009E0010	Mobilization	Lump Sum	LS
009E3320	Checker	Lump Sum	LS
009E4200	Construction Schedule, Category II	Lump Sum	LS
110E0300	Remove Concrete Curb and/or Gutter	245	Ft
110E0500	Remove Pipe Culvert	2	Ft
110E0510	Remove Pipe End Section	6	Each
110E0600	Remove Fence	106	Ft
110E1010	Remove Asphalt Concrete Pavement	2,998.2	SqYd
110E1130	Remove Concrete Driveway Pavement	40.0	SqYd
110E5451	Salvage Riprap	150.0	Ton
110E7510	Remove Pipe End Section for Reset	8	Each
120E0010	Unclassified Excavation	377	CuYd
120E0100	Unclassified Excavation, Digouts	934	CuYd
120E2000	Undercutting	2,527	CuYd
120E6200	Water for Granular Material	214.0	MGal
210E0100	Shoulder Clearing	37.2	Mile
230E0100	Remove and Replace Topsoil	Lump Sum	LS
250E0010	Incidental Work	Lump Sum	LS
260E1010	Base Course	3,009.9	Ton
260E1050	Base Course, Salvaged Asphalt Mix	4,551.5	Ton
280E0020	Full Depth Reclamation, Shoulder	109,924	SqYd
320E0005	PG 58-34 Asphalt Binder	209.3	Ton
320E1200	Asphalt Concrete Composite	476.1	Ton
320E1800	Asphalt Concrete Blade Laid	3,360.6	Ton
320E4000	Hydrated Lime	33.5	Ton
320E7012	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	37.2	Mile
330E0010	MC-70 Asphalt for Prime	130.3	Ton
330E0100	SS-1h or CSS-1h Asphalt for Tack	213.6	Ton
330E0210	SS-1h or CSS-1h Asphalt for Flush Seal	83.6	Ton
330E2000	Sand for Flush Seal	974.9	Ton
332E0010	Cold Milling Asphalt Concrete	296,534	SqYd
450E5211	18" CMP Flared End, Furnish	2	Each
450E5212	18" CMP Flared End, Install	2	Each
450E5219	30" CMP Flared End, Furnish	4	Each
450E5220	30" CMP Flared End, Install	4	Each
450E8910	Cleanout for Culvert Treatment	2	Each
450E9001	Reset Pipe End Section	8	Each
450E9518	18" Cured in Place Pipe	72	Ft
450E9526	30" Cured in Place Pipe	128	Ft
600E0300	Type III Field Laboratory	1	Each
620E0020	Type 2 Right-of-Way Fence	106	Ft
620E0510	Type 1 Temporary Fence	270	Ft
620E1020	2 Post Panel	2	Each

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
632E2510	Type 2 Object Marker Back to Back	3	Each
633E0010	Cold Applied Plastic Pavement Marking, 4"	5,380	Ft
633E0030	Cold Applied Plastic Pavement Marking, 24"	396	Ft
633E0040	Cold Applied Plastic Pavement Marking, Arrow	6	Each
633E1200	High Build Waterborne Pavement Marking Paint, White	845	Gal
633E1205	High Build Waterborne Pavement Marking Paint, Yellow	303	Gal
633E5000	Grooving for Cold Applied Plastic Pavement Marking, 4"	5,380	Ft
633E5015	Grooving for Cold Applied Plastic Pavement Marking, 24"	396	Ft
633E5025	Grooving for Cold Applied Plastic Pavement Marking, Arrow	6	Each
633E5100	Grooving for Durable Pavement Marking, 4"	198,265	Ft
634E0010	Flagging	2,500.0	Hour
634E0020	Pilot Car	1,000.0	Hour
634E0110	Traffic Control Signs	1,471.0	SqFt
634E0120	Traffic Control, Miscellaneous	Lump Sum	LS
634E0560	Remove Pavement Marking, 4" or Equivalent	2,000	Ft
634E0630	Temporary Pavement Marking	74.9	Mile
680E0204	4" Perforated PVC Drain Pipe with Sleeve	260	Ft
680E0224	4" PVC Outlet Pipe	60	Ft
680E2000	Concrete Headwall for Underdrain	3	Each
680E2500	Porous Backfill	300.0	Ton
700E0310	Class C Riprap	298.2	Ton
700E2010	Place Riprap	150.0	Ton
720E1010	PVC Coated Bank and Channel Protection Gabion	96.5	CuYd
730E0210	Type F Permanent Seed Mixture	45	Lb
731E0200	Fertilizing	1.25	Ton
732E0200	Fiber Mulching	1.6	Ton
734E0154	12" Diameter Erosion Control Wattle	480	Ft
831E0110	Type B Drainage Fabric	822	SqYd
900E0010	Refurbish Single Mailbox	8	Each
900E0012	Refurbish Double Mailbox	1	Each
900E1980	Storage Unit	1	Each

SPECIFICATIONS

Standard Specifications for Roads and Bridges, 10-1-25 Version, Required Provisions, and Special Provisions as included in the Proposal. The Standard Specifications for Roads and Bridges is available for download and viewing at <https://dot.sd.gov/doing-business/contractors/standard-specifications>.

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	NH 0034(207)96 & NH 0073(81)160	3	86

Revised 11/25/2025 NJT

Alternate A – PCN 079F

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
320E0005	PG 58-34 Asphalt Binder	2,286.2	Ton
320E1203	CLASS Q3R HOT MIXED ASPHALT CONCRETE	50,216.9	Ton
320E4000	Hydrated Lime	494.7	Ton

Alternate B – PCN 079F

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
320E0005	PG 58-34 Asphalt Binder	1,898.6	Ton
320E1203	CLASS Q3R HOT MIXED ASPHALT CONCRETE	51,509.2	Ton
320E4000	Hydrated Lime	510.4	Ton

TABLE OF SURFACING QUANTITIES

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	NH 0034(207)96 & NH 0073(81)160	16	86

Revised 11/25/2025 NJT

																		Alt A			Alt B				
				Cold Milling Asphalt Concrete	Full Depth Reclamation (FDR), Shoulder		Water for Granular Material	Unclassified Excavation, Digouts	Base Course, Salvaged Asphalt Mix	Remove Asphalt Concrete Pavement	Base Course	Asphalt Concrete Composite	SS-1h or CSS-1h Asphalt for Tack	Asphalt Concrete Blade Laid	Hydrated Lime	PG 58-34 Asphalt Binder	MC-70 Asphalt for Prime	PG 58-34 Asphalt Binder	Class Q3R Hot Mixed Asphalt Concrete	Hydrated Lime	PG 58-34 Asphalt Binder	Class Q3R Hot Mixed Asphalt Concrete	Hydrated Lime	SS-1h or CSS-1h Asphalt for Flush Seal	Sand for Flush Seal
Section	Station to	Station	Length Ft	SqYd	SqYd	CuYd	Mgal	CuYd	Ton	SqYd	Ton	Ton	Ton	Ton	Ton	Ton	Ton	Ton	Ton	Ton	Ton	Ton	Ton	Ton	Ton
SD34 (PCN 079F)																									
3	40+13.0	64+01.22	2388.22	6,899	3,184		6.2	23	45.2	33.9	45.2	11.3	5.0	67.8	0.7	5.0	3.8	52.5	1,153.4	11.3	43.4	1,185.1	11.8	2.0	23.4
Equation	64+01.22	64+00.77																							
3	64+00.77	127+92.87	6392.10	18,466	8,523		16.6	61	121.1	90.8	121.1	30.3	13.5	181.6	1.8	13.4	10.1	140.4	3,087.1	30.3	116.2	3,171.8	31.5	5.4	62.5
Equation	127+92.87	127+91.96																							
3	127+91.96	240+01.28	11209.32	32,383	14,946		29.1	106	212.3	159.2	212.3	53.1	23.7	318.4	3.2	23.6	17.7	246.3	5,413.6	53.1	203.8	5,562.2	55.2	9.5	109.6
Equation	240+01.28	240+00.83																							
3	240+00.83	378+01.21	13800.38	39,868	18,401		35.8	131	261.4	196	261.4	65.3	29.1	392.1	3.9	29.0	21.8	303.2	6,665.0	65.3	250.9	6,847.9	68.0	11.7	134.9
Equation	378+01.21	378+00.77																							
3	378+00.77	553+01.27	17500.50	50,557	23,334		45.4	166	331.4	248.6	331.4	82.9	36.9	994.3	9.9	36.8	27.7	384.5	8,451.9	82.9	318.2	8,684.0	86.2	14.9	171.1
Equation	553+01.27	553+00.95																							
3	553+00.95	720+22.45	16721.50	48,307	22,295		43.4	158	316.7	237.5	316.7	79.2	35.3	475.0	4.8	35.2	26.4	367.4	8,075.7	79.2	304.0	8,297.4	82.3	14.2	163.5
Equation	720+22.45	719+92.06																							
3	719+92.06	732+12.0	1219.94	3,524	1,627		3.2	12	23.1	17.3	23.1	5.8	2.6	34.7	0.3	2.6	1.9	26.8	589.2	5.8	22.2	605.3	6.0	1.0	11.9
4	732+12.0	735+27.0	315.00	1,085	420		0.8	3	6.0	4.5	6.0	1.5	0.7	8.9	0.1	0.7	0.5	7.1	156.1	1.5	5.9	160.3	1.6	0.3	3.1
3	735+27.0	771+73.87	3646.87	10,535	4,862		9.5	35	69.1	51.8	69.1	17.3	7.7	155.4	1.6	7.7	5.8	80.1	1,761.3	17.3	66.3	1,809.6	18.0	3.1	35.7
Equation	771+73.87	771+72.6																							
3	771+72.6	864+21.52	9248.92	26,719	12,332		24.0	88	175.2	131.4	175.2	43.8	19.5	262.8	2.6	19.4	14.6	203.2	4,466.8	43.8	168.2	4,589.4	45.5	7.9	90.4
Equation	864+21.52	0+00.0																							
5	0+00.0	15+75.0	1575.00	5,250				15		22.4	29.8	7.5	3.2	44.7	0.4	3.3		28.3	623.4	6.3	23.6	640.1	6.3	1.3	15.4
6	15+75.0	21+10.0	535.00	3,329				5		7.6	10.1	2.5	2.0	30.4	0.3	3.4		16.7	367.0	3.6	13.8	376.9	3.7	0.7	10.5
5	21+10.0	159+96.0	13886.00	46,287				131		197.2	263.0	65.7	28.5	394.5	3.9	29.2		249.8	5,496.5	55.2	207.8	5,643.8	55.2	11.2	135.8
Additional Quantities				3,325	0	2,527		0	2,990.0	1,600.0	1,145.5	9.9	5.9	0.0	0.0	0.0	0.0	179.9	3,909.9	39.1	154.3	3,935.4	39.1	0.4	7.1
	PCN 079F	Totals:	98438.75	296,534	109,924	2,527	214.0	934	4,551.5	2,998.2	3,009.9	476.1	213.6	3,360.6	33.5	209.3	130.3	2,286.2	50,216.9	494.7	1,898.6	51,509.2	510.4	83.6	974.9
SD73 (PCN 06PH)																									
1	5+00.00	71+20.32	6620.32	19,125	8,827		17.2	63	125.4	94.0	125.4	31.3	14.0	188.1	1.9	13.9	10.5	145.4	3,197.3	31.3	120.4	3,285.1	32.6	5.6	64.7
Equation	71+20.32	71+24.46																							
1	71+24.46	137+50.41	6625.95	19,142	8,835		17.2	63	125.5	94.1	125.5	31.4	14.0	188.2	1.9	13.9	10.5	145.6	3,200.0	31.4	120.5	3,287.9	32.6	5.6	64.8
Equation	137+50.41	137+50.00																							
1	137+50.00	593+90.29	45640.29	131,850	60,854		118.3	432	864.4	648.3	864.4	216.1	96.3	1,296.6	13.0	96.0	72.1	1,002.7	22,042.2	216.1	829.8	22,647.3	224.7	38.8	446.3
Equation	593+90.29	593+50.00																							
1	593+50.00	653+00.41	5950.41	17,190	7,934		15.4	56	112.7	84.5	112.7	28.2	12.6	169.0	1.7	12.5	9.4	130.7	2,873.8	28.2	108.2	2,952.7	29.3	5.1	58.2
Equation	653+00.41	653+00.00																							
1	653+00.00	725+50.00	7250.00	20,944	9,667		18.8	69	137.3	103.0	137.3	34.3	15.3	206.0	2.1	15.2	11.5	159.3	3,501.4	34.3	131.8	3,597.5	35.7	6.2	70.9
2	725+50.00	743+46.15	1796.15	7,983				17		25.5	34.0	8.5	4.1	51.0	0.5	3.8		40.8	895.0	8.8	33.8	919.4	9.2	1.7	17.5
Additional Quantities				1,694	0	0		0	1,955.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	95.0	2,064.3	20.6	76.4	2,064.3	20.6	0.0	0.0
	PCN 06PH	Totals:	73883.12	217,928	96,117	0	186.9	700	3,320.3	1,049.4	1,399.3	349.8	159.8	2,098.9	21.1	155.3	114.0	1,719.5	37,774.0	370.7	1,420.9	38,754.2	384.7	63.0	722.4