STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	1	142

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA
DEPARTMENT OF TRANSPORTATION

PLANS FOR PROPOSED

PROJECT PH 8037(02)
JERAULD COUNTY

SIGNING AND DELINEATION

PCN 04L5



INDEX OF SHEETS

Sheet 1:	Title Sheet
Sheets 2-4:	Estimate of Quantities
Sheets 5-9:	Specifications & Plan Notes
Sheet 10:	County Map
Sheets 11-18:	Township Maps
Sheets 19-20:	City Maps
Sheets 21-41:	Typical Installation Details & Standard Plates
Sheets 42-58:	Special Sign Layouts
Sheets 59-142:	Table of Permanent Signing



Ulteig
We Listen. We Solve.®

5701 S Corporate Place, Suite 1
Sioux Falls, South Dakota 57108
Phone: 605.323.2306
Fax: 605.323.2308
Web: www.Ulteig.com

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

4

August 19, 2026

G:\2024\24.00540\C3D Design\Plan Sheets\0 – Title Sheet\24.00540–Title.dwg PLOT DATE: 5/21/2026 11:25 AM Jason Orban Autodesk–MONO.stb

ESTIMATE OF QUANTITIES
JERAULD COUNTY
PROJECT PH 8037(02), PCN 04L5

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
009E0010	Mobilization	Lump Sum	LS
009E3305	As-Built Survey	Lump Sum	LS
009E4100	Construction Schedule, Category I	Lump Sum	LS
110E0130	Remove Traffic Sign	2,289	Each
110E5020	Salvage Traffic Sign	69	Each
110E7150	Remove Sign for Reset	4	Each
632E1321	2.0"x2.0" Perforated Tube Post	2,617	Each
632E1341	2.5"x2.5" Perforated Tube Post	2	Each
632E1650	No Passing Zone Reference Post	109	Each
632E2022	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	1,091	Each
632E2028	4" Tubular White Delineator with 1.12 Lb/Ft Post	40	Each
632E2207	4" Tubular White Delineator Reflector	575	Each
632E2220	Guardrail Delineator	16	Each
632E2510	Type 2 Object Marker Back to Back	872	Each
632E2533	Type 3 Flexible Object Marker	64	Each
632E2535	Type 4 Object Marker	66	Each
632E3203	Flat Aluminum Sign, Nonremovable Copy High Intensity	7,727.4	SqFt
632E3205	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	9,491.1	SqFt
632E3500	Reset Sign	4	Each
634E0120	Traffic Control, Miscellaneous	Lump Sum	LS

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

JERAULD COUNTY SUMMARY
For Information Only

Bid Item #	Item	Unit	County Total	Township Total	City Total
009E0010	Mobilization	Lump Sum	Lump Sum	Lump Sum	Lump Sum
009E3305	As-Built Survey	Lump Sum	Lump Sum	Lump Sum	Lump Sum
009E4100	Construction Schedule, Category I	Lump Sum	Lump Sum	Lump Sum	Lump Sum
110E0130	Remove Traffic Sign	Each	1645	56	588
110E5020	Salvage Traffic Sign	Each	21	3	45
110E7150	Remove Sign for Reset	Each	2	0	2
632E1321	2.0” x 2.0” Perforated Tube Post	Each	1536	689	392
632E1341	2.5” x 2.5” Perforated Tube Post	Each	0	0	2
632E1650	No Passing Zone Reference Post	Each	109	0	0
632E2022	4” x 4” White Delineator Back to Back with 1.12 Lb/Ft Post	Each	824	267	0
632E2028	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	24	16	0
632E2207	4” Tubular White Delineator Reflector	Each	387	187	1
632E2220	Guardrail Delineator	Each	16	0	0
632E2510	Type 2 Object Marker Back to Back	Each	559	309	4
632E2533	Type 3 Flexible Object Marker	Each	48	16	0
632E2535	Type 4 Object Marker	Each	24	39	3
632E3203	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	6025.1	35.0	1667.3
632E3205	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	4876.5	3641.5	973.1
632E3500	Reset Sign	Each	2	0	2
634E0120	Traffic Control, Miscellaneous	Lump Sum	Lump Sum	Lump Sum	Lump Sum

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	4	142

JERAULD COUNTY TOWNSHIP SUMMARY
For Information Only

Bid Item #	Item	Unit	Blaine Township	Crow Lake Township	Dale Township	Franklin Township	Harmony Township	Marlar Township	Media Township	Pleasant Township	Viola Township	Wessington Springs Township
009E0010	Mobilization	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum
009E3305	As-Built Survey	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum
009E4100	Construction Schedule, Category I	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum
110E0130	Remove Traffic Sign	Each	11	4	County Managed See County Totals	10	6	2	County Managed See County Totals	16	7	County Managed See County Totals
110E5020	Salvage Traffic Sign	Each	0	0		0	0	0		1	2	
110E7150	Remove Sign for Reset	Each	0	0		0	0	0		0	0	
632E1321	2.0” x 2.0” Perforated Tube Post	Each	46	76		122	126	45		128	146	
632E1341	2.5” x 2.5” Perforated Tube Post	Each	0	0		0	0	0		0	0	
632E1650	No Passing Zone Reference Post	Each	0	0		0	0	0		0	0	
632E2022	4” x 4” White Delineator Back to Back with 1.12 Lb/Ft Post	Each	4	28		88	98	20		0	29	
632E2028	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	0	0		0	0	16		0	0	
632E2207	4” Tubular White Delineator Reflector	Each	27	8		49	37	10		26	30	
632E2220	Guardrail Delineator	Each	0	0		0	0	0		0	0	
632E2510	Type 2 Object Marker Back to Back	Each	26	34		100	40	5		24	80	
632E2533	Type 3 Flexible Object Marker	Each	4	0		4	0	0		0	8	
632E2535	Type 4 Object Marker	Each	6	9		0	15	6		0	3	
632E3203	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	0	0		0	0	0		0	35.0	
632E3205	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	169	421.4		592.6	674.2	252.5		725.2	806.6	
632E3500	Reset Sign	Each	0	0		0	0	0		0	0	
634E0120	Traffic Control, Miscellaneous	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum

JERAULD COUNTY CITY SUMMARY
For Information Only

Bid Item #	Item	Unit	City of Alpena	City of Wessington Springs
009E0010	Mobilization	Lump Sum	Lump Sum	Lump Sum
009E3305	As-Built Survey	Lump Sum	Lump Sum	Lump Sum
009E4100	Construction Schedule, Category I	Lump Sum	Lump Sum	Lump Sum
110E0130	Remove Traffic Sign	Each	151	437
110E5020	Salvage Traffic Sign	Each	11	34
110E7150	Remove Sign for Reset	Each	0	2
632E1321	2.0” x 2.0” Perforated Tube Post	Each	75	317
632E1341	2.5” x 2.5” Perforated Tube Post	Each	0	2
632E1650	No Passing Zone Reference Post	Each	0	0
632E2022	4” x 4” White Delineator Back to Back with 1.12 Lb/Ft Post	Each	0	0
632E2028	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	0	0
632E2207	4” Tubular White Delineator Reflector	Each	0	1
632E2220	Guardrail Delineator	Each	0	0
632E2510	Type 2 Object Marker Back to Back	Each	0	4
632E2533	Type 3 Flexible Object Marker	Each	0	0
632E2535	Type 4 Object Marker	Each	0	3
632E3203	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	322.6	1344.7
632E3205	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	163.8	809.3
632E3500	Reset Sign	Each	0	2
634E0120	Traffic Control, Miscellaneous	Lump Sum	Lump Sum	Lump Sum

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.

FOR BIDDING PURPOSES ONLY

ENVIRONMENTAL COMMITMENTS

The SDDOT is committed to protecting the environment and uses Environmental Commitments as a communication tool for the Engineer and Contractor to ensure that attention is given to avoid, minimize, and/or mitigate an environmental impact. Environmental commitments to various agencies and the public have been made to secure approval of this project. An agency with permitting authority can delay a project if identified environmental impacts have not been adequately addressed. Unless otherwise designated, the Contractor's primary contact regarding matters associated with these commitments will be the Project Engineer. During construction, the Project Engineer will verify that the Contractor has met Environmental Commitment requirements. These environmental commitments are not subject to change without prior written approval from the SDDOT Environmental Office.

Additional guidance on SDDOT's Environmental Commitments can be accessed through the Environmental Procedures Manual found at: https://dot.sd.gov/media/3677d319/EnvironmentalProceduresManual.pdf

For questions regarding change orders in the field that may have an effect on an Environmental Commitment, the Project Engineer will contact the Environmental Engineer at 605-773-3180 or 605-773-4336 to determine whether an environmental analysis and/or resource agency coordination is necessary.

Once construction is complete, the Project Engineer will review all environmental commitments for the project and document their completion.

COMMITMENT B: FEDERALLY THREATENED, ENDANGERED, AND PROTECTED SPECIES

COMMITMENT B2: WHOOPING CRANE

The Whooping Crane is a spring and fall migratory bird in South Dakota that is about 5 feet tall and typically stops on wetlands, rivers, and agricultural lands along their migration route. An adult Whooping Crane is white with a red crown and a long, dark, pointed bill. Immature Whooping Cranes are cinnamon brown. While in flight, their long necks are kept straight and their long dark legs trail behind. Adult Whooping Cranes' black wing tips are visible during flight.

Action Taken/Required:

Harassment or other measures to cause the Whooping Crane to leave the site is a violation of the Endangered Species Act. If a Whooping Crane is sighted roosting in the vicinity of the project, borrow pit, or staging site associated with the project, cease construction activities in the affected area until the Whooping Crane departs and contact the Project Engineer. The Project Engineer will contact the Environmental Office so that the sighting can be reported to USFWS.

COMMITMENT B4: BALD EAGLE

Bald eagles are known to occur in this area.

Action Taken/Required:

If a nest is observed within one mile of the project site, notify the Project Engineer immediately so that he/she can consult with the Environmental Office for an appropriate course of action.

COMMITMENT E: STORM WATER

Construction activities constitute less than 1 acre of disturbance.

Action Taken/Required:

At a minimum and regardless of project size, appropriate erosion and sediment control measures must be installed to control the discharge of pollutants from the construction site.

COMMITMENT H: WASTE DISPOSAL SITE

The Contractor will furnish a site(s) for the disposal of construction and/or demolition debris generated by this project.

Action Taken/Required:

Construction and/or demolition debris may not be disposed of within the Public ROW.

The waste disposal site(s) will be managed and reclaimed in accordance with the following from the General Permit for Construction/Demolition Debris Disposal Under the South Dakota Waste Management Program issued by the Department of Environment and Natural Resources.

The waste disposal site(s) will not be located in a wetland, within 200 feet of surface water, or in an area that adversely affects wildlife, recreation, aesthetic value of an area, or any threatened or endangered species, as approved by the Environmental Office and the Project Engineer.

If the waste disposal site(s) is located such that it is within view of any ROW, the following additional requirements will apply:

1. Construction and/or demolition debris consisting of concrete, asphalt concrete, or other similar materials will be buried in a trench separate from wood debris. The final cover over the construction and/or demolition debris will consist of a minimum of 1 foot of soil capable of supporting vegetation. Waste disposal sites provided outside of the Public ROW will be seeded in accordance with Natural Resources Conservation Service recommendations. The seeding recommendations may be obtained through the appropriate County NRCS Office. The Contractor will control the access to waste disposal sites not within the Public ROW with fences, gates, and placement of a sign or signs at the entrance to the site stating, "No Dumping Allowed".

2. Concrete and asphalt concrete debris may be stockpiled within view of the ROW for a period not to exceed the duration of the project. Prior to project completion, the waste will be removed from view of the ROW or buried, and the waste disposal site reclaimed as noted above.

The above requirements will not apply to waste disposal sites that are covered by an individual solid waste permit as specified in SDCL 34A-6-58, SDCL 34A-6-1.13, and ARSD 74:27:10:06.
Failure to comply with the requirements stated above may result in civil penalties in accordance with South Dakota Solid Waste Law, SDCL 34A-6-1.31.

All costs associated with furnishing waste disposal site(s), disposing of waste, maintaining control of access (fence, gates, and signs), and reclamation of the waste disposal site(s) will be incidental to the various contract items.

COMMITMENT I: HISTORICAL PRESERVATION OFFICE CLEARANCES

State Historical Preservation Office (SHPO or THPO) concurrence has not been obtained for this project.

Action Taken/Required:

All earth disturbing activities require review of cultural resources impacts. This work includes, but is not limited to: staging areas, borrow sites, waste disposal sites, and all material processing sites.

The Contractor will arrange and pay for a record search and when necessary, a cultural resource survey. The Contractor has the option to contact the state Archaeological Research Center (ARC) at 605-394-1936 or another qualified archaeologist, to obtain either a records search or a cultural resources survey. A record search might be sufficient for review if the site was previously surveyed; however, a cultural resources survey may need to be conducted by a qualified archaeologist.

The Contractor will provide ARC with the following: a topographical map or aerial view of which the site is clearly outlined, site dimensions, project number, and PCN. If applicable, provide evidence that the site has been previously disturbed by farming, mining, or construction activities with a landowner statement that artifacts have not been found on the site.

The Contractor will submit the cultural resources survey report to SDDOT Environmental Office, 700 East Broadway Avenue, Pierre, SD 57501-2586. SDDOT will submit the information to the appropriate SHPO/THPO. Allow **30 Days** from the date this information is submitted to the Environmental Engineer for SHPO/THPO review.

In the event of an inadvertent discovery of human remains, funerary objects, or if evidence of cultural resources is identified during project construction activities, then such activities will immediately cease and the Project Engineer will be immediately notified. The Project Engineer will contact the SDDOT Environmental Office to determine an appropriate course of action.

SHPO/THPO review does not relieve the Contractor of the responsibility. The Contractor is responsible for obtaining any additional permits and clearances for Contractor furnished material sources, material processing sites, stockpile sites, storage areas, plant sites, and waste areas that affect wetlands, threatened and endangered species, or waterways. The Contractor will not utilize a site known or suspected of having contaminated soil or water. The Contractor will provide the required permits and clearances to the Project Engineer at the preconstruction meeting.

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

PERMANENT SIGNING

The Contractor will furnish all signs, posts, stiffeners, bases, hardware, and labor for installation of permanent signs in size, type, and quantity as shown in these plans and/or as required by the Engineer.

The Contractor will be responsible for contacting South Dakota One Call to locate the utilities at the staked sign installation locations.

The Contractor will provide all labor and equipment necessary to install permanent signing, remove existing signs, and reset existing signs as detailed in these plans and/or as required by the Engineer. Payment for furnishing and installing permanent signs will be paid for at the contract unit price for each type of sign based on sheeting requirements per square foot of sign. Payment for new signposts, hardware, bases, and labor will be made at the contract unit price per each for 2.0" x 2.0" and 2.5" x 2.5" Perforated Tube Post**.** See bridge details**,** breakaway post details, and fixed post details regarding posts, hardware, bases, and footings. The Contractor is urged to cut posts to length on job site after verification of post length. The installation height of the signs will not exceed the minimum by more than 0.5 feet.

When signs are vertically mounted in succession, they will be 1-2 inches apart. Lateral placement of signs will be determined by the Engineer.

The Contractor will coordinate work such that traffic cannot see both an existing sign and a new sign without work actually in progress at that location. If removal of existing signs cannot be completed at the same time as the installation of new signs, the Contractor will adequately cover the existing sign prior to leaving that specific work site.

The Contractor will coordinate and adjust the sign assembly offsets on routes with designated snowmobile trails to allow for a clear path for a snowmobile groomer to pass by in the bottom of the ditch. Contact information for designated routes and widths will be provided to the Contractor at the preconstruction meeting. All adjustments to standard offsets will be approved by the Engineer prior to installation.

STAKING

The Contractor will stake all device locations prior to installation. The locations of the devices as noted in the plans are approximate. The lateral distance from the roadway and the height of each device will be established by the Contractor in accordance with the Standard Plates, Special Details, and the current MUTCD.

All costs for this work will be incidental to the contract unit price for the various signing contract items. No separate payment will be made for staking due to any change in quantities of devices installed.

EXISTING TRAFFIC SIGNS AND DELINEATORS

The Contractor will deliver all dismantled signs that are scheduled for salvage to the respective Township, County, or Town.

All costs for labor and equipment necessary to remove, dismantle, backfill holes (wooden posts only) and deliver existing signs to the respective owners will be included in the contract unit price per each sign for "Salvage Traffic Sign".

All costs for labor and equipment necessary to remove and deliver delineators and posts to the respective owners will be incidental to the contract unit price per each for "Salvage Traffic Sign".

REMOVE TRAFFIC SIGN

Signs that are scheduled for Removal will become property of the Contractor. Holes remaining from the removal of wood posts will be backfilled and compacted with material placed in layers not to exceed 6 inches in depth.

All costs associated with the removal of existing signs, delineators, object markers, posts, hardware, and backfilled holes will be incidental to the contract unit price per each for "Remove Traffic Sign". Quantities will be a summation of "R/R" and "D/R" at the contract unit price per each for all signs, delineators, and object markers.

The post action removal of signposts, delineator posts, and object marker posts by replacement ("Repl") or discard ("Disc") is incidental to the contract unit price for "Remove Traffic Sign".

An estimated 40 empty posts are to be removed and are incidental to the contract unit price for "Remove Traffic Sign". The sign type and description for empty posts is "POST, Post Only – No Sign Involved".

SALVAGE TRAFFIC SIGN

All existing signs, posts, and hardware scheduled for Salvage as per these plans remain property of the County, Town, or Township and will be transported to a local location as directed by the local contact. The Contractor will notify the local contact two days prior to time of delivery so correct placement for storage and inventory of materials can be made upon receipt. Signs specified to be salvage will be handled with care so that the signs are not damaged during removal or transport and will be stockpiled for owner reuse. The Contractor will replace and pay for any salvaged signs damaged in their care.

All costs for labor and equipment necessary to remove, dismantle, and deliver signs to the Local Government will be incidental to the contract unit price per each for "Salvage Traffic Sign".

RESET SIGN

Signs that are scheduled for reset will be dismantled and reassembled to the extent needed by the Contractor to properly reset the sign. Signs will be handled with care so that the sign, post, and base is not damaged during the relocation process. The Contractor will replace and pay for any reset signs damaged in their care. The Contractor will remove and deliver existing posts to the respective owners for all reset signs that require use of new posts as per the Table of Permanent Signing.

PERFORATED TUBE POST

The Contractor will use Telespar® brand (or approved equal) posts and bases on all new standard highway signs as approved by the Engineer.

Sign posts and bases will be constructed in accordance with Special Detail L21.

Post quantities for perforated tube posts will be determined by measurement of each type.

Each type of perforated tube posts will be paid for at the contract unit price per Each. Payment will be full compensation for furnishing and installing materials, including post anchors, anchor sleeves, mounting hardware, telescoped inner post sections, and anchor plates.

HARDWARE

Aluminum U-Channel stiffeners will be used on all standard highway signs 36" and greater in width or as detailed in the plans and will conform to the requirements of ASTM B221 Alloy 6063-T6 or 6061-T6. The U-Channel will be 2 inches in width and free of holes. The U-Channel stiffeners will also be used to connect various signs and perforated tube posts together so that an entire sign can be erected as a single installation. Stiffeners may be fastened to signs by use of 1/4" drive rivets with a minimum of one on each end and one centered between each post. Installation of the stiffeners will be incidental to other contract items.

A 3/8" diameter straight bolt (Grade 8) will be used in all breakaway shear bases for the 2.5" perforated tube posts and/or in the attachment of the soil stabilizer to post base. All other perforated tube signpost base material will be fastened with 5/16" diameter corner bolts (Grade 2).

All perforated tube signposts will have a soil stabilizer attached to the base. Soil stabilizers will be a MPJ Sign Wedge or equal as approved by the Engineer.

The Contractor will utilize a pre-manufactured aluminum adjustable angle bracket for all dual-mounted W1-8 Chevron signs. An estimated 121 adjustable brackets are needed for this project.

All sign assemblies mounted on concrete surfacing will utilize a flush mount breakaway post base. An estimated 9 flush mount breakaways are needed for this project.

Slip Base Anchors for use with the 2.5" posts will be Telespar Slip Base Anchor brand or equal meeting the requirements of NCHRP Report 350 and/or MASH crash testing requirements.

NEW PERMANENT SIGNING

All signs will be manufactured in accordance with the sheeting manufacturer's recommendations utilizing a matched component system, including inks, electronic cuttable films, and protective overlay films.

All Flat Aluminum Signs, Nonremovable Copy High Intensity will have sheeting in conformance with the requirements of ASTM D4956 Type IV. All Flat Aluminum Signs, Nonremovable Copy Super/Very High Intensity will have sheeting in conformance with the requirements of ASTM D4956 Type XI.

The payment for new signs in the Table of Permanent Signing will include all labor (including installing date decals), equipment, and materials to complete the work, and will be paid for at the contract unit price per square foot for "Flat Aluminum Sign, Nonremovable Copy High Intensity" or "Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity".

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

DIGITALLY PRINTED SIGNS

Digitally printed signs will be allowed on this project. If the Contractor elects to provide digitally printed signs, such signs will adhere to the following specifications.

PROTECTIVE OVERLAY FILM

Permanent traffic signs printed with digital ink systems will be fabricated with a full sign protective overlay film designed to provide a smooth surface needed for retroreflectivity, and to protect the sign from fading and UV degradation. The overlaminate will comply with the retroreflective sheeting manufacturer's recommendations to ensure proper adhesion and transparency and will also meet the reflective film durability as identified in Table 1.

Table 1: Retroreflective Film Minimum Durability Requirements

ASTM D4956 Type	Full Sign Replacement Term (years)	Sheeting Replacement Term (years)
I	0	7
III	7	10
IV	7	10
VIII	7	10
IX	7	12
XI	7	12

FABRICATION

Retroreflective sheeting will be applied to a properly cleaned and prepared aluminum sign blank in accordance with the retroreflective sheeting manufacturer's recommendations. Sign legend will be applied using digital print technologies and systems in accordance with the retroreflective sheeting manufacturer's recommendations and the requirements of these plans.

Finished signs will be free of ragged edges and must be supplied clean and free of scratches, grease, oil, lubricants or other contaminants. Minor blemishes (dirt speck, dust, etc.) may settle on the fresh ink surface or become entrapped between the sheeting surface and transparent overlay film due to static charge within the sign shop environment. Any blemish must be minor and not interfere with the communication of the sign message to the motorist. The blemish must not be visible to the naked eye when viewed from 30 feet or greater.

After application of the retroreflective sheeting, sign blanks will be stacked and packaged face to face, back to back, and protected in accordance with the sheeting manufacturer's recommendations. Finished signs will be securely packaged to prevent damage during transit or storage according to the sheeting manufacturer's recommendations.

TRAFFIC SIGN PERFORMANCE WARRANTY PROVISIONS

Based on the ASTM Type of sheeting specified, traffic control signs will be warranted for the duration shown in Table 1. Full product terms and conditions are as established by each sheeting manufacturer and may contain certain limitations based on sheeting and ink colors, and geographic exposure of the sign. A copy of the warranty document with complete details of terms and conditions will be supplied if requested by the Engineer.

CERTIFIED DIGITAL SIGN FABRICATOR

Sign fabricators using digital imaging methods to produce regulated traffic signs must be certified by the reflective sheeting manufacturer whose materials are used to produce the delivered signs.

DATE TAGGING SIGNS WITH PERTINENT INFORMATION

All digitally printed signs are required to be date-tagged with the following 2 components:

1. Date tags on the back of signs
   Tags will have the following information and be fabricated with material and printing system that are as durable as the warranted sign.
   - Name of Sign Fabricator
   - Date the sign was fabricated (month and year)
   - Process that was used for sign fabrication (digitally printed)
   - Supplier of sheeting that was used for fabricating the sign.

2. Border date
   The month and year (mm/yyyy) of sign fabrication will be printed in the border of the sign in 3/8" sans serif font. Border date will be printed with the same warranted printed system as the sign face. The date should be printed in the locations indicated below.



POLE MOUNTED SIGNS

Signs that are mounted on luminaire and utility poles will be attached with high strength stainless steel bands or galvanized pole clamps. Signs will be attached as recommended by the manufacturer. All sign mounting hardware will be stainless steel or galvanized steel.

Pole mounted signs will be mounted a minimum of 7 ft above the ground. Mounting heights are measured to the bottom of the signs.

All costs for pole sign mounting hardware will be incidental to the contract unit price per square foot for "Flat Aluminum Sign, Nonremovable Copy High Intensity" or "Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity".

SIGN LAYOUT SHOP DRAWING SUBMITTALS

The Contractor will submit shop drawings for all guide sign layouts and any other special sign not included in the latest edition of the Standard Highway Signs Manual. Submittals will be sent in Adobe PDF format to the following email addresses:

Chad.Stensland@Ulteig.com
Paula.Huizenga@state.sd.us
Doug.Kinniburgh@state.sd.us
Corey.Pinkley@state.sd.us

DELINEATORS

Delineator reflectors will be attached to the post with two rivets each. The Contractor will lay out delineator locations and will obtain Engineer approval of locations prior to installation. Upon removal of existing delineators, the Contractor will install new delineators so that all sections of roadway carrying traffic are delineated by nightfall. Delineators will be placed with the bottom of the reflector unit approximately 4 feet above the near roadway edge. They will be located **8** feet outside the outer edge of the shoulder or the face of the curb.

Where a roadside barrier or other obstruction intrudes into the space between the pavement edge and the extension of the line of delineators, the delineators will be in line with the barrier or in line with the innermost edge of the obstruction. All guardrail will be delineated as per Standard Plate 632.40.

The standard spacing between delineators on the same side of the roadway in tangent sections will be 528 feet. When normal spacing is interrupted by structures, crossroads, or ramps, delineators falling within such areas may be moved in either direction a distance not exceeding one-quarter of the standard spacing. Delineators still falling within such areas should be eliminated.

All cost for materials, labor and equipment necessary to furnish and install delineators will be incidental to the contract unit price per each for "4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post", "4" Tubular White Delineator with 1.12 Lb/Ft Post", "4" Tubular White Delineator Reflector", or "Guardrail Delineator".

The spacing for delineators on the outside radius of horizontal curves and for three spaces in advance and for three spaces beyond the curve is given in the following table:

FOR BIDDING PURPOSES ONLY

DELINEATORS (CONT)

Max. Spacing for Delineators on Outside Radius of Horizontal Curves (Distance in Feet Rounded to the Nearest 5 Feet)

Radius Of Curve	Spacing On Curve	Spacing in Advance & Beyond Curve (in feet) 1st	2nd	3rd
50	20	40	65	125
150	30	60	90	180
250	40	85	125	250
300	50	95	145	290
400	55	110	170	300
500	65	125	190	300
600	70	140	210	300
700	75	150	230	300
800	80	165	245	300
900	85	175	260	300
1000	90	185	275	300

Spacing for specific radii not shown may be interpolated from the table or computed from the formula $S = 3\sqrt{(R-50)}$. For unknown radii of curve, the Contractor will space delineators such that three can be seen be drivers at all times along same side of road. The minimum spacing should be 20 feet. The spacing on curves should not exceed 300 feet. The spacing of the first delineator approaching a curve is 2xS, the second is 3xS and the third is 6xS but not to exceed 300 feet. If a spacing less than 300 feet is used approaching the curve, the distance shown above should be adjusted accordingly.

Bridge approach delineation will be provided at structures as noted in the plans and will consist of a minimum of four (back-to-back) delineators on each side of the roadway spaced 50 feet apart. Except where approach guardrail is in place, the delineators will be located in a straight line beginning a minimum of 200 feet from the corner of the bridge and at the normal offset distance outside the shoulder edge and tapering to the inside edge of the obstruction. Where approach guardrail is present, install guardrail delineation as per Standard Plate 632.40.

If the overall width perpendicular to the centerline of the roadway is 40' or less between two delineators, the height of the delineator will be adjusted such that the top of the delineator does not exceed 3' above the edge of the driving surface.

TYPE 2 OBJECT MARKERS

The inner edge of the Type 2 object marker will be installed at the opening of the pipe end section, bridge, box culvert, or cattle pass. Refer to Standard Plates 632.01, 632.03, 632.04 and 632.40 for the placement of Type 2 object markers and post lengths. If the overall width perpendicular to the centerline of the roadway is 40' or less between two object markers, the height of the markers will be adjusted such that the top of the marker does not exceed 3' above the edge of the driving surface.

Refer to Standard Plate 632.40 for the placement of adhesive object markers on guardrail end terminals. All costs for furnishing and installing the adhesive object markers will be incidental to various contract items.

The Table of Permanent Signs may contain quantities of Type 2 Object Markers with 1.12 Lb/Ft flanged channel posts longer than 7.0 Ft.

TYPE 3 FLEXIBLE OBJECT MARKERS

The Type 3 flexible object marker will be fabricated to withstand 35 impacts at 45 MPH without requiring major maintenance to the unit or causing damage to the impacting vehicle. It will also sustain a minimum of one impact at 60 MPH with the centerline of the Type 3 flexible object marker impacted by approximately the centerline of the right tire of the impact vehicle. The unit will incorporate a sign, which is securely attached to a flexible support post, and utilize a reactive spring device or flexible joint to absorb the stress from the impacting vehicle. The spring device will be tensioned at 200 pounds. The post, sign, and spring assembly will receive a fixed surface-mounted base.

The fixed-surface mounted base will be constructed of a high-impact plastic material. The base will be able to be attached or inserted in the square tube post.

The Type 3 flexible object marker and support post will be constructed of a flexible material resistant to ultraviolet light, ozone, and hydrocarbons. The post will have sufficient stiffness to remain rigid in windy conditions.

The fixed-surface mounted base will have nominal dimensions of 8"x8" unless otherwise specified and the installation system will consist of a thermosetting epoxy adhesive. As an alternative, a plastic sleeve with anchor and bolt system may be used. Either of these installation methods should follow the manufacturer's recommended installation procedures. The Type 3 flexible object markers at bridge ends will be installed at the mounting height of 3'+/- 1' from the bottom of the marker to the surface of the nearest traffic lane.

An estimated 13 structures have no locations to mount Type 3 flexible object markers with fixed-surface mounted bases. When the Type 3 flexible object markers cannot be mounted to the structure the Contractor must install them at a location in advance of the structure to allow for the flexible object marker to be deflected to a horizontal orientation without contacting the structure.

All costs for materials, including posts and hardware, labor and equipment necessary to furnish and install Type 3 object markers will be incidental to the contract unit price per each for "Type 3 Flexible Object Marker".

TYPE 4 OBJECT MARKERS

The Contractor will install Type 4 object markers at the locations specified in the Table of Permanent Signing. A minimum of three markers will be used to designate a closure point and will be centered in each lane and one on centerline of the roadway, unless otherwise noted in the plans. Type 4 object markers may also be mounted on gates where control of access exists.

TRAFFIC CONTROL

Traffic control will be as per the standard details TA-4, TA-6, and/or TA-18 in Part 6 of the 2009 Edition of the FHWA Manual on Uniform Traffic Control Devices including revisions.

Payment for traffic control will be incidental to the contract lump sum price for "Traffic Control, Miscellaneous".

MANUAL DRIVE CAP

Manual post drive caps will be furnished to Jerauld County for each type of post. Payment for the drive caps will be incidental to the contract unit price per each for furnishing the various types of posts.

NO PASSING ZONE REFERENCE POST

The Contractor will furnish and install a non-reflective yellow marker post at the end of the no passing zones as indicated in the table of Permanent Signing. The post will extend 4 feet from ground line to top of post and will be driven with or without a separate base a minimum of 18 inches into the ground. The post will have a minimum one-dimensional width of 4 inches and will have the top 6" marked with non-reflective black paint or sheeting. The end of no passing zone markers will be mounted approximately 3 feet from the R.O.W. line. This post must be clearly visible from the driving lane. If topography or obstructions block the visibility of the post from the driving lane, the post may be moved transversely until such point it is visible but not exceed the minimum offset of the standard highway delineation. All costs for labor, equipment, and materials to install new posts will be incidental to the contract unit price per each for "No Passing Zone Reference Post".

AS-BUILT SURVEY

The Contractor will provide an as-built inventory of all installed devices to the DOT Area Office within 30 calendar days of the completion of the field work.

The inventory will be delivered in electronic spreadsheet format and will contain the following information:

1. Description of Device (include the MUTCD Sign Code, sign sizes, sheeting type, special legend)
2. Description of Support(s) and Length of Post Installed
3. Date Installed
4. Location of Device and Direction Facing (not required for white delineator items)
5. Owner of Device (County, Township, City, etc.)

The device location will be provided in GPS format to an accuracy of 10 feet +/-. Elevations are not required. The DOT Area Office will review the inventory and provide a copy to the Owner(s) if requested.

All costs for this work will be incidental to the contract lump sum price for "As-Built Survey". No separate payment will be made for As-Built Survey due to increases in the quantities of devices installed.

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

CHEVRON SIGN INSTALLATION LOCATION

Chevron signs will be located 8 feet outside the outer edge of the shoulder or the face of the curb.

STREET NAME SIGN INSTALLATION LOCATION

The contractor will install street name signs at locations indicated below:

County Intersections – As outlined in the standard details.
Township Intersections – Corner of Right-of-Way.
State Intersections – Sixteen feet from edge of roadway and sixteen feet from any other sign.

In instances where the intersecting roadways are at different elevations. The street name sign height above adjacent roadway will be measured from the highest roadway edge elevation as measured perpendicularly from the sign installation location.

In instances of deep fill on township roads the contractor will install the street name sign as indicated in the standard details in lieu of the corner of the Right-of-Way.

In instances where existing street name signs are mounted on same post as existing SD Highway 224 stop signs (State Intersections east of 392 Ave), discard/remove (D/R) the street name sign from the post; the stop sign and post will remain. New street name signs will be installed sixteen feet from edge of roadway and sixteen feet from any other sign. Notify the Project Engineer when these locations have been constructed. The Project Engineer will notify SDDOT to remove the top of the post that protrudes above the top of the existing stop sign.

SEASONAL WEIGHT LIMIT SIGN INSTALLATION

Contractor will install foldable seasonal weight limits signs. If seasonal weight limits are in not in effect, install sign folded down so the text is hidden from view.

RADAR FEEDBACK SIGN INSTALLATION

Radar feedback (“YOUR SPEED”) signs, solar panels, and other radar associated hardware will be reset on new posts (R/S/R/R) with other signs. Coordinate with Philip LaBore at City of Wessington Springs and also notify City if the displays are damaged or not operating upon arrival. Coordination with the manufacturer may be necessary to reset hardware. Contractor will remount and connect equipment, taking care to ensure they remain in “as-is” operating status, including the replacement of any additional hardware that may be required to properly transfer the assembly to a new post. City of Wessington Springs will adjust settings for a fully operational system. The costs of parts, labor, and coordination for resetting radar feedback signs, solar panels, and other radar associated hardware will be incidental to various contract unit prices.

DATABASE ACTION LEGEND

The descriptions for the Action column in the Permanent Signing Table are given in the following table:

Action	Action Description	Payment
NEW	Install New Sign	Sqft By Sheeting Type
D/R	Remove & Discard Existing Sign	Per each Remove Traffic Sign
IN PL	Leave Existing Sign In Place	None
R/R	Replace & Discard Existing Sign	Sqft By Sheeting Type & per each Remove Traffic Sign
D/S	Remove Existing Sign for Salvage	Per each Salvage Traffic Sign
R/S	Replace & Salvage Existing Sign	Sqft By Sheeting Type & per each Salvage Traffic Sign
R/S/R/R	Reset Existing Salvaged Sign	Per each Remove Sign for Reset & per each Reset Sign

Contact Information

Jerauld County
Brian Kolousek
Jerauld County Highway Superintendent
605-350-0373

City of Alpena
Butch Tebay or Jeff Kelsey
City Maintenance or Mayor
605-530-0543 or 605-354-3506

City of Wessington Springs
Philip LaBore
Street Superintendent
605-770-5545

Blaine Township
Brian Feistner
Supervisor
605-350-4909

Crow Lake Township
Richard Kolousek
Supervisor
605-730-1510

Dale Township (Jerauld County)
Brian Kolousek
Jerauld County Highway Superintendent
605-350-0373

Franklin Township
David Kogel
Supervisor
605-350-7731

Harmony Township
Brett Borkowski
Chairman
605-280-7630

Marlar Township
Melissa S. Schimke
Treasurer
605-354-6446

Media Township (Jerauld County)
Brian Kolousek
Jerauld County Highway Superintendent
605-350-0373

Pleasant Township
Preston Barber
Supervisor
605-730-1496

Viola Township
Barry Krueger
Chairman
605-770-9437

Wessington Springs Township (Jerauld County)
Brian Kolousek
Jerauld County Highway Superintendent
605-350-0373

Non-Participating Cities and Townships
City of Lane
Alpena Township
Anina Township
Chery Township
Logan Township
Crow Township

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

JERAULD COUNTY MAP

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	10	142



LEGEND

STREAM	PRIMITIVE ROAD	DAM
INTERSTATE HIGHWAY (90)	UNIMPROVED ROAD	BRIDGE / BOX CULVERT
US HIGHWAY (14)	GRADED AND DRAINED ROAD	MARSH OR SWAMP LAND
STATE HIGHWAY (50)	GRAVEL OR STONE SURFACED ROAD	
	HARD SURFACED ROAD	
	RAILROAD	

Note: Participating and Non-Participating Township Maps are shown on the following sheets as information to the contractor. The work described in these plans will occur in all townships because County-owned signs, object markers, and delineators are present in all townships.

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	11	142

MAP 1
MARLAR TOWNSHIP



MAP 2
HARMONY TOWNSHIP



LEGEND

STREAM		PRIMITIVE ROAD	
INTERSTATE HIGHWAY	90	UNIMPROVED ROAD	
US HIGHWAY	14	GRADED AND DRAINED ROAD	
STATE HIGHWAY	50	GRAVEL OR STONE SURFACED ROAD	
		HARD SURFACED ROAD	
BRIDGE OR CULVERT		RAILROAD	
		DAM	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	12	142

MAP 3
CHERY TOWNSHIP
(NON-PARTICIPATING)



MAP 4
DALE TOWNSHIP



LEGEND

STREAM		PRIMITIVE ROAD	
INTERSTATE HIGHWAY	90	UNIMPROVED ROAD	
US HIGHWAY	14	GRADED AND DRAINED ROAD	
STATE HIGHWAY	50	GRAVEL OR STONE SURFACED ROAD	
		HARD SURFACED ROAD	
BRIDGE OR CULVERT		RAILROAD	
		DAM	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	13	142

MAP 5
ALPENA TOWNSHIP



MAP 6
CROW TOWNSHIP
(NON-PARTICIPATING)



LEGEND

STREAM		PRIMITIVE ROAD	
INTERSTATE HIGHWAY	90	UNIMPROVED ROAD	
US HIGHWAY	14	GRADED AND DRAINED ROAD	
STATE HIGHWAY	50	GRAVEL OR STONE SURFACED ROAD	
BRIDGE OR CULVERT		HARD SURFACED ROAD	
		RAILROAD	
		DAM	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	14	142

MAP 7
PLEASANT TOWNSHIP



MAP 8
MEDIA TOWNSHIP



LEGEND

STREAM		PRIMITIVE ROAD	
INTERSTATE HIGHWAY	90	UNIMPROVED ROAD	
US HIGHWAY	14	GRADED AND DRAINED ROAD	
STATE HIGHWAY	50	GRAVEL OR STONE SURFACED ROAD	
		HARD SURFACED ROAD	
BRIDGE OR CULVERT		RAILROAD	
		DAM	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	15	142

MAP 9
WESSINGTON SPRINGS TOWNSHIP



MAP 10
FRANKLIN TOWNSHIP



LEGEND

STREAM		PRIMITIVE ROAD	
INTERSTATE HIGHWAY	90	UNIMPROVED ROAD	
US HIGHWAY	14	GRADED AND DRAINED ROAD	
STATE HIGHWAY	50	GRAVEL OR STONE SURFACED ROAD	
BRIDGE OR CULVERT		HARD SURFACED ROAD	
		RAILROAD	
		DAM	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	16	142

MAP 11
LOGAN TOWNSHIP
(NON-PARTICIPATING)



MAP 12
CROW LAKE TOWNSHIP



LEGEND

STREAM		PRIMITIVE ROAD	
INTERSTATE HIGHWAY	90	UNIMPROVED ROAD	
US HIGHWAY	14	GRADED AND DRAINED ROAD	
STATE HIGHWAY	50	GRAVEL OR STONE SURFACED ROAD	
BRIDGE OR CULVERT		HARD SURFACED ROAD	
		RAILROAD	
		DAM	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	17	142

MAP 13
ANINA TOWNSHIP
(NON-PARTICIPATING)



MAP 14
VIOLA TOWNSHIP



LEGEND

STREAM		PRIMITIVE ROAD	
INTERSTATE HIGHWAY	90	UNIMPROVED ROAD	
US HIGHWAY	14	GRADED AND DRAINED ROAD	
STATE HIGHWAY	50	GRAVEL OR STONE SURFACED ROAD	
		HARD SURFACED ROAD	
BRIDGE OR CULVERT		RAILROAD	
		DAM	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	18	142

MAP 15

BLAINE TOWNSHIP



LEGEND

STREAM		PRIMITIVE ROAD	
INTERSTATE HIGHWAY	90	UNIMPROVED ROAD	
US HIGHWAY	14	GRADED AND DRAINED ROAD	
STATE HIGHWAY	50	GRAVEL OR STONE SURFACED ROAD	
BRIDGE OR CULVERT		HARD SURFACED ROAD	
		RAILROAD	
		DAM	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

MAP 16

WESSINGTON SPRINGS MAP

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	19	142



REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	20	142

FOR BIDDING PURPOSES ONLY

MAP 17

ALPENA MAP

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	21	142

Figure 2C-2. Examples of Warning Signs for Changes in Horizontal Alignment (Sheet 1 of 2)



Table 2C-5. Typical Spacing of Chevron Alignment Signs on Horizontal Curves

Advisory Speed	Curve Radius	Sign Spacing
15 mph or less	Less than 200 feet	40 feet
20 to 30 mph	200 to 400 feet	80 feet
35 to 45 mph	401 to 700 feet	120 feet
50 to 60 mph	701 to 1,250 feet	160 feet
More than 60 mph	More than 1,250 feet	200 feet

Note: The relationship between the curve radius and the advisory speed shown in this table should not be used to determine the advisory speed.

Figure 2C-2. Examples of Warning Signs for Changes in Horizontal Alignment (Sheet 2 of 2)



REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.



December 9,2013

	SDDOT	30" WARNING SIGNS (Typical Sign Detail)	SPECIAL DETAIL LO1
			Sheet 1 of 1



August 24,2021

	SDDOT	36" AND 48" WARNING SIGNS (Typical Sign and Stiffener Detail)	SPECIAL DETAIL LO2
			Sheet 1 of 1

Ulteig
We listen. We solve.®



Post Spacing	
Sign Width	w
36"	24"
42"	24"
48"	30"
54"	30"
60"	36"
66"	42"

Stiffener Spacing	
Sign Height	h
18"	12"
24"	18"
30"	24"
36"	24"
42"	36"
48"	36"

For sign widths not shown in the above table, post spacing will be rounded to the nearest six (6) inches based on 3/5 of the overall sign width. Stiffener spacing will also be in six (6) inch increments but will not be placed less than three (3) inches from the top or bottom of sign.

August 25, 2021

SDDOT	SQUARE OR RECTANGULAR SIGNS (Typical Sign and Stiffener Details)	SPECIAL DETAIL LO3
		Sheet 1 of 1



One Way Stiffener and Post Spacing		
Sign Width	w	h
54"	30"	12"

Large Arrow Stiffener and Post Spacing		
Sign Width	w	h
48"	30"	18"
60"	36"	24"

August 25, 2021

SDDOT	ONE WAY SIGN OR LARGE ARROW SIGN (Typical Sign and Stiffener Details)	SPECIAL DETAIL LO4
		Sheet 1 of 1

Ulteig
We listen. We solve.®



#A plastic washer, as recommended by the sheeting manufacturer, will be installed between the sign face and the metal washer shown.

(Drawing shown from face of sign)

August 25, 2021

	SDDOT	48" OR 60" YIELD SIGN (Typical Sign and Stiffener Details)	SPECIAL DETAIL LO5
			Sheet 1 of 1



(Drawing shown from face of sign)

(Drawing shown from face of sign)

June 10, 2013

	SDDOT	30" STOP OR 30"-36" YIELD (Typical Sign Details)	SPECIAL DETAIL LO6
			Sheet 1 of 1

Ulteig
We listen. We solve.®



Stiffener and Post Spacing		
Sign Size	w	h
36"	24"	24"
48"	30"	30"

(Drawing shown from face of sign)

August 25, 2021

	SDDOT	36" OR 48" STOP SIGNS (Typical Sign and Stiffener Details)	SPECIAL DETAIL LO7
			Sheet 1 of 1



(Drawing shown from face of sign)

August 25, 2021

	SDDOT	NO PASS ZONE PENNANT (Typical Sign and Stiffener Details)	SPECIAL DETAIL LO8
			Sheet 1 of 1

Ulteig
We listen. We solve.®

W1-8 Single Mount Detail

View from Face



W1-8 Double Mount Detail

View from Top



NOTE: Chevrons will be installed on all curves where the difference between the speed limit and the advisory speed is 10 mph or greater. The first Chevron will be placed within 50' of begining of curve from each direction of travel and will be mounted as a single mount installation. All intermediate installations will be mounted as a double mount installation with approach angle adjusted such that 3 sign faces are visible at all times when traveling through the curve.



SIGN SIZE (IN)		12x18	18x24	24x30	30x36	36x48
		POST LENGTH L (FT)				
SLOPE	6:1	6½	7	7½	8	9
	4:1	7	7½	8	8½	9½
	3:1	7½	8	8½	9	10

August 25, 2021

	SDDOT	CHEVRON SIGN (Typical Erection Details)	SPECIAL DETAIL L09
			Sheet 1 of 1



SEC. A-A

#A plastic washer, as recommended by the sheeting manufacturer, will be installed between the sign face and the bolt head and also between the sign and the nut.

NOTE: Sign assembly may be mounted above Yield or Stop sign - refer to plan note or Table of Permanent Signing for specific locations. When mounting above another sign, 2" of verticle clearance will be maintained between signs.

Back-to-back signs over 24" in width will be bolted to each other with at least one connector on each end of sign.



August 25, 2021

	SDDOT	STREET NAME SIGN (Typical Sign and Stiffener Details)	SPECIAL DETAIL L10
			Sheet 1 of 1

Ulteig
We listen. We solve.®

SLIP BASE DESIGN



ELEVATION

STUB POST DESIGN



ELEVATION

* Dimensions shown may vary by Manufacturer. The Contractor will use Manufacturer recommended assembly parts and procedures. Sign installations must meet or exceed NCHRP 350 or MASH breakaway requirements and be FHWA approved.



SEC. A-A



SEC. B-B



BREAKAWAY SUPPORT STUB CLEARANCE DIAGRAM

NOTE: The top of anchor post will NOT extend more than 4" max.

GENERAL NOTES-

1. Design Specification: AASHTO Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals, Latest Edition.
2. The manufacturer will provide certification that the posts and hardware furnished have essentially the same chemistry, mechanical properties and geometry as that used in the FHWA tests, and that it will meet the FHWA change in velocity requirements.
3. The manufacturer will also provide certification that the breakaway system furnished will develop the full shear and bending yield strength of the sign post section being spliced.
4. All posts will be galvanized in accordance with ASTM A653, Des. G-90.
5. All hardware will be galvanized in accordance with ASTM A153.

August 25, 2021

	SDDOT	BREAKAWAY SIGN SUPPORTS Perforated Steel Post w/Concrete Footings	SPECIAL DETAIL L20 Sheet 1 of 1

SIGN BASE DETAILS FOR A 2" SIGN POST



NOTE:
Corner bolt shown is for attaching sign post to base. The MPJ will be attached to base using two 3/8" straight bolts for all new installations. If installing the MPJ on an existing post base, no bolts are used and the MPJ must be driven on a minimum of 2" below the ground line.

Height of h1 (distance between breakaway plane and top of MPJ) will not be less than 9" and will overlap the collar section such that at least 1 3/8" straight bolt will be common for the base section, the collar section, and the MPJ.

SIGN BASE DETAILS FOR A 2½" SIGN POST



NOTE:
A 3-piece base assembly is shown, however, a 2-piece (Hog Leg) assembly may also be used.

August 25, 2021

	SDDOT	TUBULAR POST BASE DETAILS (Typical Soil Installation)	SPECIAL DETAIL L21 Sheet 1 of 1

Ulteig
We listen. We solve.®



March 1, 2016

	SDDOT	TUBULAR POST BASE DETAILS (Typical Flush Mount Breakaway Installation)	SPECIAL DETAIL L22
			Sheet 1 of 1



RURAL LOCATION WITH 1 POST
(Drawing shown from face of sign)



RURAL LOCATION WITH 2 POSTS
(Drawing shown from face of sign)

June 10, 2013

	SDDOT	LATERAL OFFSET (Typical Rural Sign Installations)	SPECIAL DETAIL L23
			Sheet 1 of 1

Ulteig
We listen. We solve.



URBAN LOCATION WITH 1 POST
(Drawing shown from face of sign)



URBAN LOCATION WITH 2 POSTS
(Drawing shown from face of sign)

July 24, 2012

	SDDOT	LATERAL OFFSET (Typical Urban Sign Installations)	SPECIAL DETAIL L24
			Sheet 1 of 1

BW = Bridge Width
RW = Road Width
(Includes Shoulders)



RW > BW and No Guardrail Present**



RW < or = BW and No Guardrail Present**
If BW = or < 40', then # = 3'
If BW > 40', then # = 4'

** If Guardrail is present, refer to Standard Plates 632.40 for installation of Type 2 Object Markers

July 24, 2012

	SDDOT	TYPE 2 & 3 OBJECT MARKERS (Typical Installation Details)	SPECIAL DETAIL L25
			Sheet 1 of 1

Ulteig
We listen. We solve.®

4"x4" DELINEATORS
with Type XI reflective sheeting



Mounting Holes in all Delineators to be 7/16" diameter



4" TUBULAR DELINEATORS
with Type XI reflective sheeting



Detail shown represents delineator on its own post. When mounted on a sign assembly, the signpost will run through the delineator and top of delineator will be mounted at 4" elevation above the edge of driving lane.

DETAIL FOR SINGLE MOUNTING DELINEATORS ON POST

SINGLE



@@ Alternative methods of fastening, such as 1/2" Blind Rivets with Collar, may be approved by the Engineer.

CUTAWAY OF POST SHOWING FASTENENER

DETAIL FOR MOUNTING 4"x4" DELINEATORS BACK TO BACK ON POST

BACK-TO-BACK



@@ Alternative methods of fastening, such as 1/2"- 13 Twin Rivets, may be approved by the Engineer.

August 25, 2021

	SDDOT	DELINEATORS (Typical Placement and Mounting Details)	SPECIAL DETAIL L30
			Sheet 1 of 2

SIDE ROAD - ONE-WAY TRAFFIC



SIDE ROAD - TWO-WAY TRAFFIC



4" Tubular (White) Delineator installed as shown only on intersections with radius or a combination radius greater than 75' and also has stop/yield control. At all other intersections with stop/yield control, one 4" tubular delineator will be installed on each stop/yield sign assembly and large arrow (Tee-intersections).

August 25, 2021

	SDDOT	DELINEATORS (Typical Placement and Mounting Details)	SPECIAL DETAIL L30
			Sheet 2 of 2

Ulteig
We listen. We solve.®



June 10, 2013

	SDDOT	TYPICAL SIGN LAYOUT FOR THROUGH ROADWAYS WITH IMPROVED SIDEROAD AT ACUTE ANGLE	SPECIAL DETAIL L40
			Sheet 1 of 1



July 24, 2012

	SDDOT	TYPICAL SIGN LAYOUT FOR THROUGH ROADWAYS WITH IMPROVED SIDEROAD	SPECIAL DETAIL L41
			Sheet 1 of 1

Ulteig
We listen. We solve.

* Variable distance based on radius (max. 50').



June 10, 2013

	SDDOT	TYPICAL SIGN LAYOUT FOR ROADWAYS WITH UNIMPROVED SIDEROAD	SPECIAL DETAIL L42
			Sheet 1 of 1



* Variable distance based on radius (max. 50').
** For medians greater than 30 feet wide.



June 10, 2013

	SDDOT	TYPICAL SIGN LAYOUT FOR DIVIDED ROADWAYS WITH SIDEROAD	SPECIAL DETAIL L43
			Sheet 1 of 1

Ulteig
We listen. We solve.



June 10, 2013

	SDDOT	TYPICAL SIGN LAYOUT FOR DIVIDED ROADWAYS WITH CROSSROAD	SPECIAL DETAIL L44
			Sheet 1 of 1



Legend and border will be black vinyl non-reflective material on fluorescent yellow Type XI background conforming to ASTM D4956.

The W70-3 will be installed at each location where a W70-1 is installed and a W70-4 will be installed at each location where a W70-2 is installed.

December 6, 2023

	SDDOT	SIGN DETAIL FOR MINIMUM & NO MAINTENANCE ROADS	SPECIAL DETAIL L50
			Sheet 1 of 1

Ulteig
We listen. We solve.®



Posted Speed (M.P.H.)	Recommended Length of Longitudinal Buffer Space (Feet)
20	115
25	155
30	200
35	250
40	305
45	360
50	425
55	495
60	570
65	645

Buffer Space dependant on site limintations.

Posted Speed (M.P.H.)	Spacing of Advanced Warning Signs (Feet) (A)
0 - 30	325
35 - 40	350
45 - 50	500
55 - 65	750

Install signs as applicable for each direction of travel.

June 13, 2017

	SDDOT	GUIDES FOR TRAFFIC CONTROL DEVICES ROAD CLOSED FOR HAZARD ON IMPROVED ROADWAY	SPECIAL DETAIL L70
			Sheet 1 of 1



Posted Speed Prior to Work (M.P.H.)	Spacing of Advanced Warning Signs (Feet) (A)
0 - 30	325
35 - 40	350
45 - 50	500
55 - 65	750

August 25, 2021

	SDDOT	GUIDES FOR TRAFFIC CONTROL DEVICES ROAD CLOSED OBLITERATED OR UNIMPROVED ROADWAY	SPECIAL DETAIL L71
			Sheet 1 of 1

Ulteig
We listen. We solve.



August 15, 2018

	SDDOT	GUIDES FOR TRAFFIC CONTROL DEVICES BRIDGE WEIGHT LIMIT R12-5a SIGN LAYOUT	SPECIAL DETAIL L73 Sheet 1of 1



TYPE 2 OBJECT MARKER POST LENGTHS

OFFSET (*)		1'	2'	3'	4'	5'	6'	7'	8'	Greater Than 8'
		POST LENGTH (L)								
SLOPE	3:1	8'-6"	8'-9"	9'-3"	9'-6"	9'-9"	10'-3"	10'-6"	10'-9"	8'-0"
	4:1	8'-6"	8'-9"	9'-0"	9'-3"	9'-9"	9'-9"	10'-0"	10'-3"	8'-0"
	5:1	8'-3"	8'-6"	8'-9"	9'-0"	9'-3"	9'-3"	9'-6"	9'-9"	8'-0"
	6:1	8'-3"	8'-6"	8'-9"	8'-9"	9'-0"	9'-3"	9'-3"	9'-6"	8'-0"

GENERAL NOTES:

*** The type 2 object marker may be installed back to back when specified in the plans.

Post Length L was calculated based on a shoulder width of 6 feet at a crosslope of 4 percent and L was rounded up to the nearest 3 inches.

** Dimension A is 4 feet when the Offset * is 8 feet and less. Dimension B is 4 feet when Offset * is greater than 8 feet.

The type 2 object marker and the 1.12 lb/ft flanged channel steel post will be in conformance with Specifications Section 982.2 J.

Payment for the type 2 object marker will be in conformance with Specification Section 632.5 B.

December 23, 2019

	SDDOT	TYPE 2 OBJECT MARKER (DIRECT DRIVE)	PLATE NUMBER 632.01 Sheet 1 of 1
Published Date: 2025			

Ulteig
We listen. We solve.®



PLAN VIEW
(For Multiple Pipe Culverts, Box Culverts, and Cattle Passes)
(Pipe culverts shown for illustrative purpose.)
(Embankment is not shown.)



PLAN VIEW
(For Single Pipe Culvert, Box Culvert, and Cattle Pass)
(Pipe culvert shown for illustrative purpose.)
(Embankment is not shown.)

GENERAL NOTES:

This standard plate will be used in conjunction with standard plate 632.01.

* The type 2 object markers will be installed at the locations shown above. The type 2 object markers, single faced or back to back, will be as specified in the plans.

December 23, 2019

Published Date: 2025	SDDOT	TYPE 2 OBJECT MARKER AT PIPE CULVERTS, BOX CULVERTS, AND CATTLE PASSES (Less than 60" Overall Width)	PLATE NUMBER 632.03 Sheet 1 of 1



PLAN VIEW
(For Multiple Pipe Culverts, Box Culverts, and Cattle Passes)
(Pipe culverts shown for illustrative purpose.)
(Embankment is not shown.)



PLAN VIEW
(For Single Pipe Culvert, Box Culvert, and Cattle Pass)
(Box culvert shown for illustrative purpose.)
(Embankment is not shown.)

GENERAL NOTES:

This standard plate will be used in conjunction with standard plate 632.01.

* The type 2 object markers will be installed at the locations shown above. The type 2 object markers, single faced or back to back, will be as specified in the plans.

December 23, 2019

Published Date: 2025	SDDOT	TYPE 2 OBJECT MARKER AT PIPE CULVERTS, BOX CULVERTS, AND CATTLE PASSES (60" and Greater Overall Width)	PLATE NUMBER 632.04 Sheet 1 of 1

Ulteig
We listen. We solve.



PLAN VIEW
(Typical Guardrail Layouts)

- (B) Steel Beam Guardrail Delineation
- (E) Guardrail End Terminal Object Marker
- (C) 3 Cable Guardrail (Low Tension) Delineation
- (HT) High Tension Cable Guardrail Delineation
- (M) Type 2 Object Marker

*For two-way traffic, install delineation at the opposite end of structure the same as shown. Back-to-back delineation is required for two-way traffic, single-sided delineation for one-way traffic.

April 8, 2025

Published Date: 2026	SDDOT	DELINEATION OF GUARDRAIL	PLATE NUMBER 632.40
			Sheet 1 of 4



(B) STEEL BEAM GUARDRAIL DELINEATION



DELINEATOR
(For Steel Beam Guardrail)



ADHESIVE OBJECT MARKER



(E) GUARDRAIL END TERMINAL OBJECT MARKER

April 8, 2025

Published Date: 2026	SDDOT	DELINEATION GUARDRAIL	PLATE NUMBER 632.40
			Sheet 2 of 4

Ulteig
We listen. We solve.



Ⓒ 3 CABLE GUARDRAIL (LOW TENSION) DELINEATION



Ⓒ 3 CABLE GUARDRAIL (LOW TENSION) DELINEATION



PLAN VIEW
(Type 2 Object Marker Details and Post Orientation)



ELEVATION VIEW
Ⓜ (Type 2 Object Marker)
(For Marking 3 Cable Guardrail (Low Tension) Anchor, High Tension Cable Guardrail Anchor, and Trailing End Terminal)

April 8, 2025

Published Date: 2026	SDDOT	DELINEATION OF GUARDRAIL	PLATE NUMBER 632.40
			Sheet 3 of 4

GENERAL NOTES:

The delineation of high tension cable guardrail will be reflective sheeting placed back to back on every third post cap or cable spacer. Maximum spacing of delineation will not exceed 35 feet. The sheeting will be type XI in conformance with ASTM D4956. The color of the reflective sheeting will be the same as the nearest pavement marking.

The delineators for steel beam guardrail and sheeting on 3 cable guardrail (low tension) posts will be covered with a minimum of 16 square inches of reflective sheeting. The reflective sheeting will be type XI in conformance with ASTM D4956. Along two-way roadways the sheeting will be on both sides of the delineators and guardrail posts and will be white in color. For one-way roadways the sheeting will only be required on the side facing traffic and the color will be the same as the nearest pavement marking, yellow on the left side of the roadway and white on the right side.

When steel beam guardrail is attached to a bridge the first delineator will be attached to the post nearest the bridge.

At bridges with guardrail less than 200 feet in length, a minimum of 4 delineators will be placed in addition to the end terminal yellow object marker. The spacing between the delineators will be approximately one third of the length of the guardrail.

At bridges with guardrail 200 feet and greater in length, including bridges that have steel beam guardrail transitioning to 3 cable guardrail (low tension), the delineators will be placed at a spacing of approximately 50 feet. Delineation will extend throughout the length of the guardrail system.

Steel beam guardrail that is not attached to a bridge and is less than 200 feet in length, a minimum of 4 delineators will be placed in addition to the end terminal yellow object markers. The spacing between the delineators will be approximately one third of the length of the guardrail.

Steel beam guardrail that is not attached to a bridge and is 200 feet and greater in length, including steel beam guardrail transitioning to 3 cable guardrail (low tension), the delineators will be placed at a spacing of approximately 50 feet. Delineation will extend throughout the length of the guardrail system.

All costs for furnishing and installing single or back to back guardrail delineation on 3 cable guardrail and steel beam guardrail will be included in the contract unit price per each for "Guardrail Delineator".

All costs for furnishing and installing the reflective sheeting on the cable spacers or post caps for the high tension cable guardrail will be incidental to the respective high tension cable guardrail contract item.

An adhesive object marker will be placed on the end of the W beam guardrail or MGS end terminal. The adhesive object marker dimensions may vary due to the shape of the terminal end. A minimum of 256 square inches of object marker reflective sheeting area is required on end terminals with sufficient surface area. Other end terminals (SoftStop) will require an adhesive object marker with a minimum size of 6" x 12". The reflective sheeting will be fluorescent yellow type XI sheeting in conformance with ASTM D4956. All costs for furnishing and installing the adhesive object marker will be incidental to various contract items.

A type 2 object marker will be placed such that the edges of the type 2 object marker and the 3 cable guardrail (low tension) anchor, high tension cable guardrail anchor, or the trailing end terminal that are nearest to the roadway will be installed in line with the same lateral offset from the traveled way at the location as noted on sheet 1 of this standard plate. The type 2 object marker (6" x 12") will have fluorescent yellow type XI sheeting in conformance with ASTM D4956. All costs for furnishing and installing the type 2 object marker including the steel post, 6" x 12" reflective panel, and hardware will be included in the contract unit price per each for "Type 2 Object Marker" for single-sided and "Type 2 Object Marker Back to Back" for back to back type 2 object markers.

April 8, 2025

Published Date: 2026	SDDOT	DELINEATION OF GUARDRAIL	PLATE NUMBER 632.40
			Sheet 4 of 4

Ulteig
We listen. We solve.



PLAN VIEW
(Examples of stub height clearance checks)



ELEVATION VIEW

GENERAL NOTES:

The top of anchor posts and slip bases WILL NOT extend above a 60" chord line within a 120" diameter circle around the post with ends 4" above the ground.

At locations where there is curb and gutter adjacent to the breakaway sign support, the stub height will be a maximum of 4" above the ground line at the localized area adjacent to the breakaway support stub.

The 4" stub height clearance is not necessary for U-channel lap splices where the support is designed to yield (bend) at the base.

January 22, 2021

Published Date: 2026	SDDOT	***BREAKAWAY SUPPORT STUB CLEARANCE***	***PLATE NUMBER*** 634.99
			Sheet 1 of 1

Ulteig
We listen. We solve.®

NOTES:

1. Price for anchor plate will be included in the cost for the Flexible Object Marker.
2. Drill holes in anchor plate to match hole configuration of flexible object marker base.
3. Inside edge of the marker will be in line with the inner edge of the obstruction/struture/bridge.



TYPE 3 FLEXIBLE OBJECT MARKER SUPPORT BRACKET

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.

NOTES:

1. 4"x4" Double Sided Delineators will be installed in accordance with SDDOT Special Detail L30.
2. Type 3 Flexible and Type 2 Object Markers will be installed in accordance with Special Detail L25.
3. If there is no location to mount a Type 3 Flexible Object marker as shown in Special Detail L25 refer to "Type 3 Flexible Object Marker Support Bracket" detail.



TYPICAL STRUCTURE DELINEATION
(no guardrail present)

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.



This sign will have a white background with a green border and legend. The international symbol of accessibility will be white on a blue square with rounded corners.

SPECIAL SIGN Alternate to R7-8 + R7-8SD

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

SIGN DETAIL

1:40



SIGN NUMBER	R7-8SD
WIDTH x HGHT.	12" x 9"
BORDER WIDTH	0.4"
CORNER RADIUS	1.5"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: White
LEGEND/BORDER	TYPE: Reflective
	COLOR: Green/Green

Panel Style: Parking Sign Permitted.ssi
Dimensions are in inches tenths

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																		LENGTH	SERIES/SIZE
S	T	A	T	E		P	E	R	M	I	T																									B 2000
3.7"	4"	4.3"	4.8"	5.1"	5.4"	6.2"	6.6"	7"	7.4"	7.9"	8.1"																							4.7"	0.7"
O	R		L	I	C	E	N	S	E		R	E	Q	U	I	R	E	D																	B 2000
2.1"	2.5"	2.8"	3.6"	4"	4.2"	4.6"	5"	5.4"	5.9"	6.2"	7"	7.3"	7.7"	8.2"	8.6"	8.9"	9.3"	9.6"																	7.9"	0.7"
$	1	0	0		M	I	N	I	M	U	M		F	I	N	E																			B 2000
2.4"	2.8"	3.1"	3.5"	3.9"	4.7"	5.2"	5.4"	5.9"	6.1"	6.6"	7.1"	7.5"	8.3"	8.6"	8.9"	9.3"																			7.2"	0.7"
A	N	D		C	L	A	S	S		2		M	I	S	D	E	M	E	A	N	O	R													B 2000
1"	1.4"	1.8"	2.2"	3"	3.4"	3.7"	4.1"	4.5"	4.8"	5.6"	6"	6.7"	7.2"	7.4"	7.8"	8.2"	8.6"	9.1"	9.4"	10"	10.3"	10.8"													10.2"	0.7"
F	O	R		V	I	O	L	A	T	O	R	S																							B 2000
3.4"	3.8"	4.2"	4.6"	5.3"	5.7"	6"	6.4"	6.7"	7.1"	7.5"	8"	8.3"																							5.2"	0.7"

Ulteig
We listen. We solve.®

SPECIAL SIGNS

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	44	142

SIGN DETAIL
1:40



BORDER
R=1.8 in
TH=0.5 in

Panel Style: guide_con_recreational.ssi
Dimensions are in inches tenths

Panel Style: guide_con_destination.ssi
M.U.T.C.D.: 2023 Edition

SIGN NUMBER	SP-2
WIDTH x HGHT.	24" x 30"
BORDER WIDTH	0.5"
CORNER RADIUS	1.75"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Brown
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/White

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	270.0	6.0	3.0	4.0	12.0

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																LENGTH	SERIES/SIZE
P	A	R	K																														B 2000
7.6	9.6	12.3	14.6																													8.8	4.0
A	N	D		B	O	A	T																										B 2000
2.3	5.0	7.6	9.3	13.3	15.5	17.8	20.2																									19.5	4.0
R	A	M	P																														B 2000
7.3	9.4	12.1	14.9																													9.3	4.0

SIGN DETAIL
1:40



BORDER
R=2.3 in
TH=0.5 in

Panel Style: guide_con_recreational.ssi
M.U.T.C.D.: 2023 Edition

SIGN NUMBER	SP-3AR
WIDTH x HGHT.	30" x 30"
BORDER WIDTH	0.5"
CORNER RADIUS	2.25"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Brown
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/White

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	270.0	6.0	5.0	4.0	18.0

Panel Style: guide_con_recreational.ssi
Dimensions are in inches tenths

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																LENGTH	SERIES/SIZE
V	E	T	E	R	A	N	S																										C 2000
4.2	7.2	9.6	12.2	14.9	17.5	20.7	23.6																									21.6	4.0
M	E	M	O	R	I	A	L																										C 2000
4.0	7.5	10.2	13.7	16.8	19.7	20.9	24.0																									22.0	4.0

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.

SPECIAL SIGNS

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	45	142

SIGN DETAIL
1:40

BORDER
R=1.5 in
TH=0.5 in

Panel Style: guide_con_street name_2-line_2023.ssi
M.U.T.C.D.: 2023 Edition

Panel Style: guide_con_street name_2-line_2023.ssi
Dimensions are in inches tenths

SIGN NUMBER	TOWNBOARD
WIDTH x HGHT.	40" x 20"
BORDER WIDTH	0.5"
CORNER RADIUS	1.5"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Green
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/White

SYMBOL	ROT	X	Y	WID	HT

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																LENGTH	SERIES/SIZE
A	l	P	e	n	a																												EM 2000
4.5	12.0	15.6	20.9	26.7	32.5																											32.0	6.0/4.5
P	O	P	.		2	1	2																										C 2000
13.0	15.2	17.6	19.6	20.1	23.1	25.2	26.4																									15.1	3.0

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.

SPECIAL SIGNS

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	46	142

SIGN DETAIL
1:40



BORDER
R=1.5 in
TH=0.4 in
IN=0.4 in

Panel Style: Parking Sign Permitted.ssi
M.U.T.C.D.: 2023 Edition

SIGN NUMBER	SP-4
WIDTH x HGHT.	12" x 18"
BORDER WIDTH	0.38"
CORNER RADIUS	1.5"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: White
LEGEND/BORDER	TYPE: Reflective
	COLOR: Green/Green

SYMBOL	ROT	X	Y	WID	HT

Panel Style: Parking Sign Permitted.ssi
Dimensions are in inches tenths

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																LENGTH	SERIES/SIZE
P	A	R	A	L	L	E	L																										B 2000
1.7	2.7	4.0	5.0	6.4	7.4	8.5	9.6																									8.6	2.0
P	A	R	K	I	N	G																											B 2000
2.2	3.2	4.6	5.8	7.0	7.7	8.9																										7.5	2.0
O	N	L	Y																														B 2000
3.7	5.0	6.3	7.2																													4.6	2.0
$	1	0	0		F	I	N	E																									B 2000
3.6	4.1	4.5	5.1	5.6	6.6	7.1	7.4	8.1																								4.9	1.0
M	A	X	I	M	U	M																											B 2000
4.0	4.6	5.2	5.8	6.2	6.9	7.6																										4.1	1.0

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.

SPECIAL SIGNS

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	47	142

SIGN DETAIL
1:40



BORDER
R=1.1 in
TH=0.6 in
IN=0.4 in

Panel Style: regulatory.ssi
M.U.T.C.D.: 2023 Edition

Panel Style: regulatory.ssi
Dimensions are in inches tenths

Letter locations are panel edge to lower left corner

SIGN NUMBER	R16-X13A
WIDTH x HGHT.	36" x 40"
BORDER WIDTH	0.63"
CORNER RADIUS	1.13"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: White
LEGEND/BORDER	TYPE: Reflective
	COLOR: Black/Black

SYMBOL	ROT	X	Y	WID	HT

LETTER POSITIONS (X)																																		LENGTH	SERIES/SIZE
D	Y	N	A	M	I	C																													C 2000
8.6	11.3	14.4	17.2	20.3	23.8	25.2																												18.9	4.0
E	N	G	I	N	E																														C 2000
10.3	13.0	16.1	19.1	20.5	23.7																													15.4	4.0
B	R	A	K	I	N	G																													C 2000
8.9	11.8	14.4	17.5	20.4	21.9	24.9																												18.3	4.0
P	R	O	H	I	B	I	T	E	D																										C 2000
5.4	8.4	11.3	14.4	17.6	19.0	21.9	23.0	25.6	28.4																									25.2	4.0
B	Y		C	I	T	Y																													C 2000
11.2	13.1	15.1	18.1	20.3	21.2	22.9																												13.6	3.0
O	R	D	I	N	A	N	C	E																											C 2000
8.8	11.2	13.3	15.6	16.7	18.8	21.1	23.4	25.7																										18.5	3.0

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.

SPECIAL SIGNS

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	48	142

SIGN DETAIL
1:40



BORDER
R=1.0 in
TH=0.3 in
IN=0.3 in

Panel Style: Parking Sign Prohibitted.ssi
M.U.T.C.D.: 2023 Edition

SIGN NUMBER	R7-1Xa
WIDTH x HGHT.	12" x 18"
BORDER WIDTH	0.25"
CORNER RADIUS	1"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: White
LEGEND/BORDER	TYPE: Reflective
	COLOR: Red/Black/Red

SYMBOL	ROT	X	Y	WID	HT

Panel Style: Parking Sign Prohibitted.ssi
Dimensions are in inches tenths

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																LENGTH	SERIES/SIZE
P																																	EM 2000
4.3																																3.4	5.0
H	E	R	E		T	O																											C 2000
1.1	2.7	4.0	5.5	6.5	8.5	9.8																										9.8	2.0
C	O	R	N	E	R																												C 2000
1.7	3.2	4.8	6.2	7.8	9.2																											8.6	2.0

SIGN DETAIL
1:40



BORDER
R=1.0 in
TH=0.3 in
IN=0.3 in

Panel Style: Parking Sign Prohibitted.ssi
M.U.T.C.D.: 2023 Edition

SIGN NUMBER	R7-2Xa
WIDTH x HGHT.	12" x 18"
BORDER WIDTH	0.25"
CORNER RADIUS	1"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: White
LEGEND/BORDER	TYPE: Reflective
	COLOR: Red/Red

SYMBOL	ROT	X	Y	WID	HT

Panel Style: Parking Sign Prohibitted.ssi
Dimensions are in inches tenths

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																LENGTH	SERIES/SIZE
N	O																																B 2000
4.4	6.2																															3.2	3.0
P	A	R	K	I	N	G																											B 2000
1.1	2.4	4.3	5.8	7.4	8.1	9.7																										9.9	3.0
I	N																																C 2000
5.1	5.8																															1.8	2.0
A	L	L	E	Y																													C 2000
2.7	4.2	5.5	6.8	8.0																												6.6	2.0

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

SPECIAL SIGNS

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	49	142

SIGN DETAIL
1:40



BORDER
R=1.1 in
TH=0.6 in
IN=0.4 in

Panel Style: regulatory.ssi
M.U.T.C.D.: 2023 Edition

Panel Style: regulatory.ssi
Dimensions are in inches tenths

SIGN NUMBER	R12-4X
WIDTH x HGHT.	30" x 36"
BORDER WIDTH	0.63"
CORNER RADIUS	1.13"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: White
LEGEND/BORDER	TYPE: Reflective
	COLOR: Black/Black

SYMBOL	ROT	X	Y	WID	HT

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																		LENGTH	SERIES/SIZE
G	R	O	S	S																															D 2000
6.9	10.5	13.8	17.3	20.4																														16.2	4.0
W	E	I	G	H	T																														D 2000
5.4	9.6	12.7	14.3	17.9	21.2																													18.2	4.0
L	I	M	I	T																															D 2000
8.3	11.4	13.0	17.1	18.3																														12.5	4.0
P	E	R		A	X	L	E																												D 2000
2.1	5.4	8.5	11.3	15.3	19.0	22.4	25.5																											25.9	4.0
1	3	5	0	0		L	B	S																											D 2000
3.8	5.4	8.1	10.7	13.4	15.6	18.6	20.9	23.2																										21.5	3.0

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

SPECIAL SIGNS

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	50	142

SIGN DETAIL
1:40



BORDER
R=1.5 in
TH=0.5 in

SIGN NUMBER	SP-5L
WIDTH x HGHT.	48" x 18"
BORDER WIDTH	0.5"
CORNER RADIUS	1.5"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Brown
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/White

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90.0	4.4	3.7	3.0	6.0

Panel Style: guide_con_recreational.ssi
Dimensions are in inches tenths

Panel Style: guide_con_recreational.ssi
M.U.T.C.D.: 2023 Edition

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																LENGTH	SERIES/SIZE
N	A	T	U	R	E		&		H	I	S	T	O	R	Y																		D 2000
4.4	6.8	9.6	11.9	14.6	17.2	19.1	22.1	24.7	27.7	30.5	31.5	33.8	36.0	38.8	41.1																	39.3	3.0
T	R	A	I	L																													D 2000
33.0	35.3	37.6	40.6	41.8																												10.7	3.0

SIGN DETAIL
1:40



BORDER
R=1.5 in
TH=0.5 in

SIGN NUMBER	SP-5R
WIDTH x HGHT.	48" x 18"
BORDER WIDTH	0.5"
CORNER RADIUS	1.5"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Brown
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/White

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	270.0	37.7	4.5	3.0	6.0

Panel Style: guide_con_recreational.ssi
Dimensions are in inches tenths

Panel Style: guide_con_recreational.ssi
M.U.T.C.D.: 2023 Edition

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																LENGTH	SERIES/SIZE
N	A	T	U	R	E		&		H	I	S	T	O	R	Y																		D 2000
4.4	6.8	9.6	11.9	14.6	17.2	19.1	22.1	24.7	27.7	30.5	31.5	33.8	36.0	38.8	41.1																	39.3	3.0
T	R	A	I	L																													D 2000
4.4	6.7	8.9	11.9	13.1																												10.7	3.0

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.

SPECIAL SIGNS

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	51	142

SIGN DETAIL
1:40



BORDER
R=1.1 in
TH=0.6 in
IN=0.4 in

Panel Style: regulatory.ssi
M.U.T.C.D.: 2023 Edition

SIGN NUMBER	SP-6
WIDTH x HGHT.	30" x 24"
BORDER WIDTH	0.63"
CORNER RADIUS	1.13"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: White
LEGEND/BORDER	TYPE: Reflective
	COLOR: Black/Black

SYMBOL	ROT	X	Y	WID	HT

Panel Style: regulatory.ssi
Dimensions are in inches tenths

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																	LENGTH	SERIES/SIZE
N	O																																	C 2000
13.7	15.2																																2.7	2.0
S	N	O	W	M	O	B	I	L	E	S																								C 2000
7.3	8.8	10.3	11.7	13.5	15.2	16.8	18.3	19.0	20.3	21.6																							15.4	2.0
O	R																																	C 2000
13.7	15.2																																2.7	2.0
U	N	L	I	C	E	N	S	E	D																									C 2000
8.3	9.9	11.4	12.7	13.4	14.9	16.3	17.8	19.2	20.6																								13.4	2.0
M	O	T	O	R		V	E	H	I	C	L	E	S																					C 2000
5.3	7.0	8.4	9.7	11.3	12.4	14.4	15.9	17.3	18.8	19.5	21.0	22.3	23.6																				19.4	2.0

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.

SPECIAL SIGNS

FOR BIDDING PURPOSES ONLY

SIGN DETAIL
1:40



BORDER
R=2.3 in
TH=0.8 in

SIGN NUMBER	D1-1C
WIDTH x HGHT.	48" x 18"
BORDER WIDTH	0.75"
CORNER RADIUS	2.25"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Green
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/White

SYMBOL	ROT	X	Y	WID	HT
AR90L1	0.0	2.0	4.0	8.9	8.9

Panel Style: guide_con_destination_1-line_2023.ssi
Dimensions are in inches tenths

Panel Style: guide_con_destination_1-line_2023.ssi
M.U.T.C.D.: 2023 Edition

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																	LENGTH	SERIES/SIZE
S	h	a	k	e	s	P	e	a	r	e																								D 2000
14.9	18.2	21.1	24.1	27.0	29.7	32.1	35.0	37.7	40.7	42.6																							30.1	4.0/3.0
G	a	r	d	e	n																													D 2000
14.9	18.2	21.2	23.1	26.1	29.0																												16.5	4.0/3.0

SIGN DETAIL
1:40



BORDER
R=1.5 in
TH=0.4 in
IN=0.4 in

SIGN NUMBER	R7-1Xb
WIDTH x HGHT.	12" x 18"
BORDER WIDTH	0.38"
CORNER RADIUS	1.5"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: White
LEGEND/BORDER	TYPE: Reflective
	COLOR: Red/Black/Red

SYMBOL	ROT	X	Y	WID	HT

Panel Style: Parking Sign Prohibitted.ssi
Dimensions are in inches tenths

Panel Style: Parking Sign Prohibitted.ssi
M.U.T.C.D.: 2023 Edition

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																	LENGTH	SERIES/SIZE
P																																		EM 2000
4.3																																	4.1	5.0
T	H	I	S																															C 2000
4.3	5.3	6.4	6.9																														3.5	1.5
S	I	D	E		O	F																												C 2000
2.5	3.6	4.1	5.3	6.1	7.6	8.7																											7.0	1.5
S	T	R	E	E	T																													C 2000
3.1	4.1	5.1	6.2	7.2	8.1																												5.7	1.5

Ulteig
We listen. We solve.

SPECIAL SIGNS

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	53	142

SIGN DETAIL
1:40



BORDER
R=1.5 in
TH=0.4 in
IN=0.4 in

Panel Style: Parking Sign Prohibitted.ssi
M.U.T.C.D.: 2023 Edition

Panel Style: Parking Sign Prohibitted.ssi
Dimensions are in inches tenths

Letter locations are panel edge to lower left corner

SIGN NUMBER	R7-2Xb
WIDTH x HGHT.	12" x 18"
BORDER WIDTH	0.4"
CORNER RADIUS	1.5"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: White
LEGEND/BORDER	TYPE: Reflective
	COLOR: Red/Black/Red

SYMBOL	ROT	X	Y	WID	HT

LETTER POSITIONS (X)																																LENGTH	SERIES/SIZE
P																																	EM 2000
8.6																																8.2	10.0
3	:	0	0		A	M																											C 2000
4.9	6.9	7.8	10.1	11.8	14.8	17.2																										14.3	3.0
T	O																																C 2000
10.2	12.1																															3.7	3.0
6	:	0	0		A	M																											C 2000
4.8	6.9	7.8	10.1	11.9	14.9	17.2																										14.3	3.0

SIGN DETAIL
1:40



BORDER
R=1.1 in
TH=0.6 in
IN=0.4 in

Panel Style: Regulatory - Red on White.ssi
M.U.T.C.D.: 2023 Edition

Panel Style: Regulatory - Red on White.ssi
Dimensions are in inches tenths

Letter locations are panel edge to lower left corner

SIGN NUMBER	SP-7
WIDTH x HGHT.	18" x 24"
BORDER WIDTH	0.63"
CORNER RADIUS	1.13"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: White
LEGEND/BORDER	TYPE: Reflective
	COLOR: Red/Red

SYMBOL	ROT	X	Y	WID	HT
RS-077	0.0	5.5	14.0	7.1	8.0

LETTER POSITIONS (X)																																LENGTH	SERIES/SIZE
E	M	E	R	G	E	N	C	Y																									C 2000
2.5	3.9	5.7	7.0	8.4	10.0	11.3	12.8	14.2																								12.9	2.0
S	N	O	W																														C 2000
6.0	7.5	9.0	10.4																													5.9	2.0
R	O	U	T	E																													C 2000
5.7	7.1	8.7	10.1	11.4																												6.7	2.0

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

SPECIAL SIGNS

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	54	142

SIGN DETAIL
1:40



BORDER
R=1.8 in
TH=0.5 in

Panel Style: guide_con_recreational.ssi
M.U.T.C.D.: 2023 Edition

Panel Style: guide_con_recreational.ssi
Dimensions are in inches tenths

SIGN NUMBER	SP-3BR
WIDTH x HGHT.	36" x 24"
BORDER WIDTH	0.5"
CORNER RADIUS	1.75"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Brown
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/White

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	270.0	27.2	2.5	4.0	6.0

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																LENGTH	SERIES/SIZE
V	E	T	E	R	A	N	S																										C 2000
7.2	10.2	12.6	15.2	17.9	20.5	23.7	26.6																									21.6	4.0
M	E	M	O	R	I	A	L																										C 2000
7.0	10.5	13.2	16.7	19.8	22.7	23.9	27.0																									22.0	4.0
1		B	L	O	C	K																											C 2000
7.0	7.8	11.8	14.7	17.3	20.3	23.4																										18.6	4.0

SIGN DETAIL
1:40



BORDER
R=1.8 in
TH=0.8 in

Panel Style: guide_con_destination_1-line_2023.ssi
M.U.T.C.D.: 2023 Edition

Panel Style: guide_con_destination_1-line.ssi
Dimensions are in inches tenths

SIGN NUMBER	SP-8
WIDTH x HGHT.	42" x 24"
BORDER WIDTH	0.75"
CORNER RADIUS	1.75"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Green
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/White

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	270.0	14.0	2.8	4.0	14.0

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																LENGTH	SERIES/SIZE
S	t		J	o	s	e	p	h																									C 2000
4.2	8.0	10.2	16.2	20.2	23.9	27.0	30.8	34.8																								34.9	6.0/4.5
C	a	t	h	o	l	i	c		C	h	u	r	c	h																			C 2000
3.5	6.2	8.5	10.3	12.9	15.6	16.9	18.0	20.0	24.0	27.0	29.7	32.4	34.1	34.8																		35.1	4.0/3.0

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.

SPECIAL SIGNS

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	55	142

SIGN DETAIL
1:40



BORDER
R=1.4 in
TH=0.8 in
IN=0.5 in

SIGN NUMBER	SP-9R
WIDTH x HGHT.	36" x 36"
BORDER WIDTH	0.75"
CORNER RADIUS	1.38"
MOUNTING	Ground
BACKGROUND	TYPE: High Intensity
	COLOR: Yellow
LEGEND/BORDER	TYPE: High Intensity
	COLOR: /Black

SYMBOL	ROT	X	Y	WID	HT
AR90R1	0.0	16.9"	14.3"	20.8"	20.8"

Panel Style: warning.ssi
Dimensions are in inches tenths

Panel Style: warning.ssi
M.U.T.C.D.: 2023 Edition

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)	LENGTH	SERIES/SIZE

SIGN DETAIL
1:40



BORDER
R=1.4 in
TH=0.8 in
IN=0.5 in

SIGN NUMBER	SP-9L
WIDTH x HGHT.	36" x 36"
BORDER WIDTH	0.75"
CORNER RADIUS	1.38"
MOUNTING	Ground
BACKGROUND	TYPE: High Intensity
	COLOR: Yellow
LEGEND/BORDER	TYPE: High Intensity
	COLOR: /Black

SYMBOL	ROT	X	Y	WID	HT
AR90L1	0.0	11.7"	14.3"	20.8"	20.8"

Panel Style: warning.ssi
Dimensions are in inches tenths

Panel Style: warning.ssi
M.U.T.C.D.: 2023 Edition

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)	LENGTH	SERIES/SIZE

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

SPECIAL SIGNS

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	56	142

SIGN DETAIL
1:40



BORDER
R=1.4 in
TH=0.8 in
IN=0.5 in

Panel Style: warning.ssi
M.U.T.C.D.: 2023 Edition

Panel Style: warning.ssi
Dimensions are in inches tenths

SIGN NUMBER	SP–10R
WIDTH x HGHT.	36" x 36"
BORDER WIDTH	0.75"
CORNER RADIUS	1.38"
MOUNTING	Ground
BACKGROUND	TYPE: High Intensity
	COLOR: Yellow
LEGEND/BORDER	TYPE: High Intensity
	COLOR: /Black

SYMBOL	ROT	X	Y	WID	HT
AR90R1	0.0	16.9"	14.3"	20.8"	20.8"

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)	LENGTH	SERIES/SIZE

SIGN DETAIL
1:40



BORDER
R=1.4 in
TH=0.8 in
IN=0.5 in

Panel Style: warning.ssi
M.U.T.C.D.: 2023 Edition

Panel Style: warning.ssi
Dimensions are in inches tenths

SIGN NUMBER	SP–10L
WIDTH x HGHT.	36" x 36"
BORDER WIDTH	0.75"
CORNER RADIUS	1.38"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Yellow
LEGEND/BORDER	TYPE: Reflective
	COLOR: /Black

SYMBOL	ROT	X	Y	WID	HT
AR90L1	0.0	11.7"	14.3"	20.8"	20.8"

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)	LENGTH	SERIES/SIZE

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.

SIGN DETAIL
1:40



BORDER
R=1.8 in
TH=0.5 in

Panel Style: guide_con_recreational.ssi
M.U.T.C.D.: 2023 Edition

SIGN NUMBER	SP-3BL
WIDTH x HGHT.	36" x 24"
BORDER WIDTH	0.5"
CORNER RADIUS	1.75"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Brown
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/White

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90.0	2.8	2.5	4.0	6.0

Panel Style: guide_con_recreational.ssi
Dimensions are in inches tenths

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																LENGTH	SERIES/SIZE
V	E	T	E	R	A	N	S																										C 2000
7.2	10.2	12.6	15.2	17.9	20.5	23.7	26.6																									21.6	4.0
M	E	M	O	R	I	A	L																										C 2000
7.0	10.5	13.2	16.7	19.8	22.7	23.9	27.0																									22.0	4.0
1		B	L	O	C	K																											C 2000
10.4	11.2	15.2	18.1	20.6	23.7	26.8																										18.6	4.0

SIGN DETAIL
1:40



BORDER
R=1.4 in
TH=0.8 in
IN=0.5 in

SIGN NUMBER	SP-11R
WIDTH x HGHT.	36" x 36"
BORDER WIDTH	0.75"
CORNER RADIUS	1.38"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Yellow
LEGEND/BORDER	TYPE: Reflective
	COLOR: /Black

SYMBOL	ROT	X	Y	WID	HT
AR90R1	0.0	16.9"	14.3"	20.8"	20.8"

Panel Style: warning.ssi
Dimensions are in inches tenths

Panel Style: warning.ssi
M.U.T.C.D.: 2023 Edition

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																LENGTH	SERIES/SIZE

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.®

SPECIAL SIGNS

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	58	142

SIGN DETAIL
1:40



BORDER
R=2.3 in
TH=0.5 in

Panel Style: guide_con_recreational.ssi
M.U.T.C.D.: 2023 Edition

SIGN NUMBER	SP-3AL
WIDTH x HGHT.	30" x 30"
BORDER WIDTH	0.5"
CORNER RADIUS	2.25"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Brown
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/White

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90.0	6.0	5.0	4.0	18.0

Panel Style: guide_con_recreational.ssi
Dimensions are in inches tenths

Letter locations are panel edge to lower left corner

LETTER POSITIONS (X)																																		LENGTH	SERIES/SIZE
V	E	T	E	R	A	N	S																														C 2000
4.2	7.2	9.6	12.2	14.9	17.5	20.7	23.6																													21.6	4.0
M	E	M	O	R	I	A	L																														C 2000
4.0	7.5	10.2	13.7	16.8	19.7	20.9	24.0																													22.0	4.0

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

Ulteig
We listen. We solve.

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	59	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25210124800	220th Street	44.19657	-98.79008	W14-2	D/R	1	West				Yellow		Disc	1		Harmony	W14-2, No Outlet		
25210124847	220th Street	44.19659	-98.79006	W14-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W14-1, Dead End		
25210125300	220th Street	44.19659	-98.77391	OM4-3	New	3	West				Red	1.12 lb/ft Post	New	3	7	Harmony	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
25213101441	220th Street	44.19683	-98.65260	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	220 St	
25213101441.2	220th Street	44.19683	-98.65260	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	377 Ave	
25213102626	220th Street	44.19676	-98.61181	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	220 St	
25213102626.2	220th Street	44.19676	-98.61181	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	379 Ave	
25214172250	220th Street	44.19676	-98.43322	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	220 St	
25214172250.2	220th Street	44.19676	-98.43322	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	389 Ave	
25214172525	220th Street	44.19674	-98.41292	W1-7	R/R	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	Repl	2	11	County	W1-7, Two-Direction Large Arrow		
25214172525.2	220th Street	44.19674	-98.41292	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25214172736	220th Street	44.19674	-98.41277	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	220 St	
25214172736.2	220th Street	44.19674	-98.41277	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	390 Ave	
2521417451	220th Street	44.19678	-98.35207	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	220 St	
2521417451.2	220th Street	44.19678	-98.35207	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	393 Ave	
2521417633	220th Street	44.19674	-98.39253	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	220 St	
2521417633.2	220th Street	44.19674	-98.39253	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	391 Ave	
25224121315	220th Street	44.19637	-98.87033	W1-1R	D/R	1	West				Yellow		Disc	2		Marlar	W1-1R, Turn (Right)		
25224121315.2	220th Street	44.19637	-98.87033	W13-1P	D/R	1	West				Yellow		Disc			Marlar	W13-1P, Advisory Speed (Plaque)	10	
25224121502	220th Street	44.19638	-98.86923	W2-2R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Marlar	W2-2, Side Road (Right)		Install Minimum 325' in Advance of Intersection
2522413756	220th Street	44.19646	-98.84785	W1-7	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	Marlar	W1-7, Two-Direction Large Arrow		
2522413756.2	220th Street	44.19646	-98.84785	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Marlar	Del8a, 4" Tubular White Delineator (no post)		
25412162626	220th Street	44.19681	-98.70698	W1-2L	R/R	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	County	W1-2L, Curve (Left)		Install Minimum 200' in Advance of Curve PC.
25412162626.2	220th Street	44.19681	-98.70698	W13-1P	R/R	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	Repl			County	W13-1P, Advisory Speed (Plaque)	35	
25412163030	220th Street	44.19677	-98.70773	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 132', 198', 300'
2541321219	220th Street	44.19674	-98.55482	W1-1R	D/R	1	West				Yellow		Disc	1		County	W1-1R, Turn (Right)		
2541321219.2	220th Street	44.19674	-98.55482	W13-1P	D/R	1	West				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)		
254168537	220th Street	44.19670	-98.86763	D3-1	In Place	2	North & South				Green	2" X 2" Perforated Tube Post	In Place			County	D3-1, Street Name	220 St	
254168537.2	220th Street	44.19670	-98.86763	D3-1	In Place	2	East & West				Green	2" X 2" Perforated Tube Post	In Place			County	D3-1, Street Name	366 Ave	
25421143958	220th Street	44.19676	-98.71098	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
25421144044	220th Street	44.19675	-98.71127	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
25421144153	220th Street	44.19675	-98.71184	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
25421144235	220th Street	44.19675	-98.71204	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
25427151120	220th Street	44.19683	-98.57463	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 170'
25427151604	220th Street	44.19670	-98.57527	W1-2R	R/R	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	County	W1-2R, Curve (Right)		Install Minimum 125' in advance of Curve PC
25427151604.2	220th Street	44.19670	-98.57527	W13-1P	R/R	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	Repl			County	W13-1P, Advisory Speed (Plaque)	40	
25427191429	220th Street	44.19675	-98.49313	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
25427191601	220th Street	44.19669	-98.49272	W1-6R	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W1-6R, One-Direction Large Arrow (Right)		
25427191601.2	220th Street	44.19669	-98.49272	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25427195350	220th Street	44.19633	-98.82907	W2-2R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Marlar	W2-2, Side Road (Right)		Install Minimum 325' in Advance of Intersection
25427195857	220th Street	44.19639	-98.82622	W2-2L	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Marlar	W2-2, Side Road (Left)		Install Minimum 325' in Advance of Intersection
2556224633	220th Street	44.19680	-98.55234	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	220 St	
2556224633.2	220th Street	44.19680	-98.55234	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	383 Ave	
2556224854	220th Street	44.19679	-98.55249	W1-6R	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6R, One-Direction Large Arrow (Right)		
2556224854.2	220th Street	44.19679	-98.55249	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2556225023	220th Street	44.19672	-98.55244	Del7	New	4					White	1.12 lb/ft Post	New	4	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 70', Curve Spacing = 20'. Delineators omitted in conflict with approach
2556225328	220th Street	44.19679	-98.55268	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
2622792309	220th Street	44.19658	-98.78971	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W70-1, Minimum Maintenance		
2622792309.2	220th Street	44.19658	-98.78971	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W70-3, Travel At Your Own Risk		
2622792309.3	220th Street	44.19658	-98.78971	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	25	
2631991032	220th Street	44.19648	-98.86793	W1-7	In Place	1	South				Yellow	2" X 2" Perforated Tube Post	In Place			County	W1-7, Two-Direction Large Arrow		
2631991032.2	220th Street	44.19648	-98.86793	Del8a	In Place	1	South				White	2" X 2" Perforated Tube Post	In Place			County	Del8a, 4" Tubular White Delineator (no post)		
263199406	220th Street	44.19653	-98.86780	R1-1	In Place	1	East				Red	2" X 2" Perforated Tube Post	In Place			County	R1-1, Stop		
263199406.2	220th Street	44.19653	-98.86780	Del8a	In Place	1	East				White	2" X 2" Perforated Tube Post	In Place			County	Del8a, 4" Tubular White Delineator (no post)		
2633152502	220th Street	44.19671	-98.55376	SP-9R	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	SP-9R, Turn (Right) w/ Side Road Up		Install Minimum 275' in advance of Curve PC
2633152502.2	220th Street	44.19671	-98.55376	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	10	
25213105225	221st Street	44.18110	-98.67209	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
25213105225.2	221st Street	44.18110	-98.67209	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	376 Ave	
25213131227	221st Street	44.18296	-98.63194	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
25213131227.2	221st Street	44.18296	-98.63194	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	378 Ave	
25213131545	221st Street	44.18327	-98.61167	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
25213134509	221st Street	44.18365	-98.57218	R2-1 (55)	R/R	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25213135646	221st Street	44.18342	-98.61140	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	221 St	
25213135646.2	221st Street	44.18342	-98.61140	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	379 Ave	
2521313743	221st Street	44.18244	-98.65218	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
2521313743.2	221st Street	44.18244	-98.65218	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	377 Ave	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	60	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25213141614	221st Street	44.18340	-98.58157	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25213141629	221st Street	44.18349	-98.58157	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25213161513	221st Street	44.18310	-98.62007	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25213161550	221st Street	44.18319	-98.62009	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25213163350	221st Street	44.18338	-98.61212	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25213163509	221st Street	44.18328	-98.61098	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25213164241	221st Street	44.17952	-98.66972	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25213164327	221st Street	44.17963	-98.66969	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25213165637	221st Street	44.18250	-98.67662	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25213165819	221st Street	44.18229	-98.65837	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25214131808	221st Street	44.18394	-98.44516	OM2-2Va	D/R	1	East & West				Yellow		Disc	1		County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
25214131858	221st Street	44.18378	-98.44514	OM2-2Va	D/R	1	East & West				Yellow		Disc	1		County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
2521413549	221st Street	44.18422	-98.45271	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
2521413549.2	221st Street	44.18422	-98.45271	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	388 Ave	
2521413801	221st Street	44.18370	-98.45238	R2-1 (55)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2521414406	221st Street	44.18415	-98.43314	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
2521414406.2	221st Street	44.18415	-98.43314	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	389 Ave	
25214145202	221st Street	44.18408	-98.42826	OM2-2Va	D/R	1	East & West				Yellow		Disc	1		County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
25214145303	221st Street	44.18398	-98.42829	OM2-2Va	D/R	1	East & West				Yellow		Disc	1		County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
25214145417	221st Street	44.18415	-98.41852	OM2-2Va	D/R	1	East & West				Yellow		Disc	1		County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
25214145511	221st Street	44.18404	-98.41854	OM2-2Va	D/R	1	East & West				Yellow		Disc	1		County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
25214145926	221st Street	44.18420	-98.41341	R2-1 (55)	R/R	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2521414646	221st Street	44.18393	-98.43274	R2-1 (55)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2521414804	221st Street	44.18405	-98.43388	R2-1 (55)	R/R	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25214152233	221st Street	44.18429	-98.41273	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
25214152233.2	221st Street	44.18429	-98.41273	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
25214152652	221st Street	44.18421	-98.41163	OM2-2Va	D/R	1	East & West				Yellow		Disc	1		County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
25214153007	221st Street	44.18404	-98.41161	OM2-2Va	D/R	1	East & West				Yellow		Disc	1		County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
25214153209	221st Street	44.18407	-98.40788	OM2-2Va	D/R	1	East & West				Yellow		Disc	1		County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
25214153256	221st Street	44.18427	-98.40785	OM2-2Va	D/R	1	East & West				Yellow		Disc	1		County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
2521415344	221st Street	44.18407	-98.41227	R2-1 (55)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25214154718	221st Street	44.18407	-98.40266	OM2-2Va	D/R	1	East & West				Yellow		Disc	1		County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
25214154810	221st Street	44.18427	-98.40264	OM2-2Va	D/R	1	East & West				Yellow		Disc	1		County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
25214154936	221st Street	44.18427	-98.39848	OM2-2Vb	D/R	1	East & West				Yellow		Disc	1		County	OM2-2Vb, Type 2 Object Marker Single Sided (6"x12")		
25214155023	221st Street	44.18413	-98.39850	OM2-2Vb	D/R	1	East & West				Yellow		Disc	1		County	OM2-2Vb, Type 2 Object Marker Single Sided (6"x12")		
25214155930	221st Street	44.18429	-98.39316	R2-1 (55)	R/R	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2521416052	221st Street	44.18417	-98.39201	R2-1 (55)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25214161828	221st Street	44.18438	-98.38181	S3-1	R/R	1	East	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	Repl	2	10	County	S3-1, School Bus Stop Ahead (Symbol)		Install Minimum 325' in Advance of Intersecting Road
25214162104	221st Street	44.18425	-98.37930	W14-3	R/R	1	East	48" x 36"		5.6	Yellow	2" X 2" Perforated Tube Post	Repl	2	10	County	W14-3, No Passing Zone (Pennant)		
25214162436	221st Street	44.18427	-98.37891	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25214162547	221st Street	44.18438	-98.37890	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25214163144	221st Street	44.18430	-98.37411	R2-1 (45)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 45mph		
25214163444	221st Street	44.18441	-98.37310	R2-1 (55)	R/R	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2521416601	221st Street	44.18419	-98.38721	R16-X13A	R/R	1	West	36" x 42"	10.5		White	2" X 2" Perforated Tube Post	Repl	2	10	County	R16-X13A, Dynamic Engine Breaking Prohibited	DYNAMIC ENGINE BRAKING PROHIBITED BY CITY ORDINANCE	
2521416754	221st Street	44.18435	-98.38693	OM2-2Vb	D/R	1	East & West				Yellow		Disc	1		County	OM2-2Vb, Type 2 Object Marker Single Sided (6"x12")		
2521416854	221st Street	44.18421	-98.38696	OM2-2Vb	D/R	1	East & West				Yellow		Disc	1		County	OM2-2Vb, Type 2 Object Marker Single Sided (6"x12")		
25220153821	221st Street	44.18393	-98.44831	W3-1	R/R	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2522414619	221st Street	44.18030	-98.80883	W2-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
2522414737	221st Street	44.18045	-98.80637	W2-1	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
2522414933	221st Street	44.18023	-98.81781	Other	D/R	1	West				Yellow		Disc	1		County	Other, Other Sign	Dangerous Intersection	
25224151354	221st Street	44.18350	-98.57043	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2522485229	221st Street	44.18068	-98.92564	R2-1 (55)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2522485552	221st Street	44.18086	-98.92599	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
2522485552.2	221st Street	44.18086	-98.92599	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	363 Ave	
2522492028	221st Street	44.18053	-98.86856	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2522492144	221st Street	44.18041	-98.86743	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2522492704	221st Street	44.18061	-98.86777	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
2522492704.2	221st Street	44.18061	-98.86777	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	366 Ave	
2522493353	221st Street	44.18028	-98.82887	W2-1	R/R	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
2522493620	221st Street	44.18040	-98.82642	W2-1	R/R	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	61	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
252249402	221st Street	44.18074	-98.90874	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2522494112	221st Street	44.18040	-98.82821	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2522494226	221st Street	44.18030	-98.82707	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
252249525	221st Street	44.18062	-98.90755	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
252249635	221st Street	44.18078	-98.90802	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
252249635.2	221st Street	44.18078	-98.90802	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	364 Ave	
25228192204	221st Street	44.18048	-98.80747	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
25228192204.2	221st Street	44.18048	-98.80747	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	369 Ave	
2523102601	221st Street	44.18373	-98.57111	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
2523102601.2	221st Street	44.18373	-98.57111	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	382 Ave	
252311449	221st Street	44.18352	-98.56921	R2-1 (55)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2524135444	221st Street	44.18369	-98.53252	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2524135528	221st Street	44.18369	-98.53254	W1-7	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-7, Two-Direction Large Arrow		
2524135528.2	221st Street	44.18369	-98.53254	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2524135849	221st Street	44.18372	-98.53253	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
2524135849.2	221st Street	44.18372	-98.53253	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	384 Ave	
252481006	221st Street	44.18381	-98.49258	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
252481006.2	221st Street	44.18381	-98.49258	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	386 Ave	
252482536	221st Street	44.18385	-98.47254	W1-7	R/R	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	Repl	2	10	County	W1-7, Two-Direction Large Arrow		
252482536.2	221st Street	44.18385	-98.47254	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
252482742	221st Street	44.18385	-98.47244	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
252482742.2	221st Street	44.18385	-98.47244	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	387 Ave	
252495436	221st Street	44.18372	-98.45888	W5-2	D/R	1	West				Yellow		Disc	1		County	W5-2, Narrow Bridge		
2526103155	221st Street	44.18122	-98.76751	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	221 St	
2526103155.2	221st Street	44.18122	-98.76751	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	371 Ave	
2526104213	221st Street	44.18158	-98.74987	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
2526104213.2	221st Street	44.18158	-98.74987	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	372 Ave	
2526105240	221st Street	44.18195	-98.72955	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
2526105240.2	221st Street	44.18195	-98.72955	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	373 Ave	
252610546	221st Street	44.18093	-98.79011	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
252610546.2	221st Street	44.18093	-98.79011	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	370 Ave	
2526111433	221st Street	44.18221	-98.70948	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
2526111433.2	221st Street	44.18221	-98.70948	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	374 Ave	
252694026	221st Street	44.18048	-98.82745	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
252694026.2	221st Street	44.18048	-98.82745	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	368 Ave	
2527113758	221st Street	44.18356	-98.55235	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
25310141706	221st Street	44.18423	-98.40864	W14-3	R/R	1	West	48" x 36"		5.6	Yellow	2" X 2" Perforated Tube Post	Repl	2	10	County	W14-3, No Passing Zone (Pennant)		
25310142143	221st Street	44.18433	-98.38560	W14-3	R/R	1	West	48" x 36"		5.6	Yellow	2" X 2" Perforated Tube Post	Repl	2	10	County	W14-3, No Passing Zone (Pennant)		
25310145205	221st Street	44.18389	-98.45238	W14-3	R/R	1	West	48" x 36"		5.6	Yellow	2" X 2" Perforated Tube Post	Repl	2	10	County	W14-3, No Passing Zone (Pennant)		
2531015037	221st Street	44.18401	-98.43936	W14-3	R/R	1	West	48" x 36"		5.6	Yellow	2" X 2" Perforated Tube Post	Repl	2	10	County	W14-3, No Passing Zone (Pennant)		
25312151813	221st Street	44.18380	-98.44628	W14-3	R/R	1	East	48" x 36"		5.6	Yellow	2" X 2" Perforated Tube Post	Repl	2	10	County	W14-3, No Passing Zone (Pennant)		
2531215621	221st Street	44.18369	-98.45238	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532422914	221st Street	44.18372	-98.44776	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532422950	221st Street	44.18405	-98.44629	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532423209	221st Street	44.18383	-98.43604	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532423749	221st Street	44.18426	-98.40623	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532423930	221st Street	44.18410	-98.40285	W14-3	R/R	1	East	48" x 36"		5.6	Yellow	2" X 2" Perforated Tube Post	Repl	2	10	County	W14-3, No Passing Zone (Pennant)		
2532425100	221st Street	44.18417	-98.38290	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532425149	221st Street	44.18445	-98.37931	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532425315	221st Street	44.18443	-98.37489	W14-3	R/R	1	West	48" x 36"		5.6	Yellow	2" X 2" Perforated Tube Post	Repl	2	10	County	W14-3, No Passing Zone (Pennant)		
2532425406	221st Street	44.18421	-98.37492	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532485652	221st Street	44.18380	-98.43937	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
253249138	221st Street	44.18415	-98.38560	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
253916029	221st Street	44.18371	-98.53310	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2539161144	221st Street	44.18360	-98.49395	W2-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
253916219	221st Street	44.18357	-98.53200	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25414154541	221st Street	44.18400	-98.40865	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25414154618	221st Street	44.18399	-98.40683	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25414154808	221st Street	44.18427	-98.40286	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25414155605	221st Street	44.18434	-98.38292	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
25416101118	221st Street	44.18218	-98.70842	W2-1	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
25416101254	221st Street	44.18222	-98.70645	Other	D/R	1	East				Yellow		Disc	1		County	Other, Other Sign	Dangerous Intersection	
25416101505	221st Street	44.18201	-98.71090	W2-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
25416101619	221st Street	44.18199	-98.71294	Other	D/R	1	West				Yellow		Disc	1		County	Other, Other Sign	Dangerous Intersection	
25421111547	221st Street	44.18429	-98.37460	W3-5	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W3-5, Reduce Speed Limit Ahead (Symbol)	45	Install Minimum 125' in Advance of R2-1 (45 mph) Speed Limit Sign
25421111723	221st Street	44.18423	-98.37749	W3-5	D/R	1	West				Yellow		Disc	1		County	W3-5, Reduce Speed Limit Ahead (Symbol)	45	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	62	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25424201628	221st Street	44.18362	-98.55233	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	221 St	
25424201628.2	221st Street	44.18362	-98.55233	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	383 Ave	
25424211053	221st Street	44.18202	-98.71185	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 200' spacing no[illegible]outh side (100' sta[illegible]
25427143722	221st Street	44.18238	-98.67712	W1-2R	D/R	1	West				Yellow		Disc	1		County	W1-2R, Curve (Right)		
25427143722.2	221st Street	44.18238	-98.67712	W13-1P	D/R	1	West				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	35	
25427143813	221st Street	44.18114	-98.67247	W1-2L	D/R	1	Northwest				Yellow		Disc	1		County	W1-2L, Curve (Left)		
25427143813.2	221st Street	44.18114	-98.67247	W13-1P	D/R	1	Northwest				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	35	
25427143957	221st Street	44.18097	-98.67198	W1-2L	D/R	1	Southeast				Yellow		Disc	1		County	W1-2L, Curve (Left)		
25427143957.2	221st Street	44.18097	-98.67198	W13-1P	D/R	1	Southeast				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	35	
25427144049	221st Street	44.17948	-98.66811	W1-2L	D/R	1	West				Yellow		Disc	1		County	W1-2L, Curve (Left)		
25427144049.2	221st Street	44.17948	-98.66811	W13-1P	D/R	1	West				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	35	
25427144150	221st Street	44.17961	-98.66795	W1-2R	D/R	1	East				Yellow		Disc	1		County	W1-2R, Curve (Right)		
25427144150.2	221st Street	44.17961	-98.66795	W13-1P	D/R	1	East				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	35	
25427144238	221st Street	44.18044	-98.66427	W1-2R	D/R	1	Northeast				Yellow		Disc	1		County	W1-2R, Curve (Right)		
25427144238.2	221st Street	44.18044	-98.66427	W13-1P	D/R	1	Northeast				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	35	
25427144406	221st Street	44.18235	-98.67602	W1-5R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-5R, Winding Road (Right)		Install Minimum 125' in A[illegible]
25427144406.2	221st Street	44.18235	-98.67602	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	40	
25427144457	221st Street	44.18011	-98.66525	W1-5R	New	1	Northeast	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-5R, Winding Road (Right)		Install Minimum 125' in Advance of Curve PC.
25427144457.2	221st Street	44.18011	-98.66525	W13-1P	New	1	Northeast	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	40	
25427144721	221st Street	44.17973	-98.67073	W1-8	New	12	East & West	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	7	8	County	W1-8, Chevron Alignment		Curve Radius = 800', Curve Spacing = 120'
25427144826	221st Street	44.18219	-98.67355	W1-8	New	12	East & West	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	7	8	County	W1-8, Chevron Alignment		Curve Radius = 825', Curve Spacing = 120'
25427144849	221st Street	44.17953	-98.66624	W1-8	New	6	East & West	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	4	8	County	W1-8, Chevron Alignment		Curve Radius = 700', Curve Spacing = 120'
25427144943	221st Street	44.18250	-98.67553	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 168', 252", 300'
25427144959	221st Street	44.18161	-98.67259	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 168'
25427145022	221st Street	44.18046	-98.67183	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 166'
25427145050	221st Street	44.17945	-98.66924	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 166'
25427145112	221st Street	44.17942	-98.66718	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 154'
25427145136	221st Street	44.17981	-98.66553	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 154', 231', 300'
25427145256	221st Street	44.18124	-98.66225	W1-2R	D/R	1	Southwest				Yellow		Disc	1		County	W1-2R, Curve (Right)		
25427145256.2	221st Street	44.18124	-98.66225	W13-1P	D/R	1	Southwest				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	35	
25427145425	221st Street	44.18253	-98.65775	W1-2L	D/R	1	East				Yellow		Disc	1		County	W1-2L, Curve (Left)		
25427145425.2	221st Street	44.18253	-98.65775	W13-1P	D/R	1	East				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)		
25427145618	221st Street	44.18176	-98.66159	W1-2R	New	1	Southwest	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2R, Curve (Right)		Install Minimum 125' in Advance of Curve PC.
25427145618.2	221st Street	44.18176	-98.66159	W13-1P	New	1	Southwest	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	40	
25427145656	221st Street	44.18245	-98.65894	W1-2L	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2L, Curve (Left)		Install Minimum 125' in Advance of Curve PC.
25427145656.2	221st Street	44.18245	-98.65894	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	40	
25427145728	221st Street	44.18237	-98.66045	W1-8	New	6	East & West	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	4	8	County	W1-8, Chevron Alignment		Curve Radius = 800', Curve Spacing = 120'
25427145840	221st Street	44.18246	-98.65942	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 166', 249', 300'
25427145913	221st Street	44.18208	-98.66129	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 166', 249', 300'
2548213537	221st Street	44.18360	-98.57360	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548213723	221st Street	44.18354	-98.57381	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548213841	221st Street	44.18354	-98.57359	Del7	R/R	8					White	1.12 lb/ft Post	Repl	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2548213931	221st Street	44.18360	-98.57381	Del7	R/R	8					White	1.12 lb/ft Post	Repl	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
25489338	221st Street	44.18384	-98.45571	OM2-2Va	In Place	4	East & West				Yellow	1.12 lb/ft Post	In Place			County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
25489533	221st Street	44.18375	-98.45571	Del7	In Place	16					White		In Place			County	Del7, 4"x4" White Delineator Back to Back w/Post		
2551142608	221st Street	44.18365	-98.56850	W2-3L	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-3L, Angle Side Road (Left)		Install Minimum 325' in Advance of Intersecting Road
2557154858	221st Street	44.18430	-98.37293	Townboard	R/R	1	West	40" x 20"	5.6		Green	2" X 2" Perforated Tube Post	Repl	2	10	County	Townboard, Townboard, Alpena Pop. 212	Alpena Pop. 212	
25610231537	221st Street	44.18423	-98.38531	S3-1	New	1	West	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	10	County	S3-1, School Bus Stop Ahead (Symbol)		Install Minimum 325' in Advance of Intersecting Road
25610231605	221st Street	44.18417	-98.38636	S3-1	D/R	1	West				Yellow-Green		Disc	1		County	S3-1, School Bus Stop Ahead (Symbol)		
2631993913	221st Street	44.18443	-98.37367	Other	In Place	1	East				White		In Place				Other, Other Sign	224	Owned by SDDOT; M1-5 State Route Sign
2631993913.2	221st Street	44.18443	-98.37367	M4-6	In Place	1	East				White		In Place				M4-6, End	END	Owned by SDDOT
25130105434	222nd Street	44.16919	-98.57107	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25130105434.2	222nd Street	44.16919	-98.57107	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25130105655	222nd Street	44.16920	-98.57111	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	222 St	
25130105655.2	222nd Street	44.16920	-98.57111	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	382 Ave	
25130111316	222nd Street	44.16919	-98.53231	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	222 St	
25130111316.2	222nd Street	44.16919	-98.53231	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	384 Ave	
25130111450	222nd Street	44.16915	-98.53231	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25130111450.2	222nd Street	44.16915	-98.53231	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25130111601	222nd Street	44.16907	-98.53262	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop	222 St	
25130111601.2	222nd Street	44.16907	-98.53262	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2513011655	222nd Street	44.16900	-98.55212	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2513011905	222nd Street	44.16908	-98.55216	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	222 St	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	63	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2513011905.2	222nd Street	44.16908	-98.55216	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	383 Ave	
2521314114	222nd Street	44.16842	-98.63157	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	222 St	
2521314114.2	222nd Street	44.16842	-98.63157	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	378 Ave	
2521314339	222nd Street	44.16888	-98.61128	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	222 St	
2521314339.2	222nd Street	44.16888	-98.61128	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	379 Ave	
25214123651	222nd Street	44.16953	-98.43317	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	222 St	
25214123651.2	222nd Street	44.16953	-98.43317	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	389 Ave	
25214123921	222nd Street	44.16956	-98.41299	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25214123921.2	222nd Street	44.16956	-98.41299	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25214124030	222nd Street	44.16964	-98.41279	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25214124030.2	222nd Street	44.16964	-98.41279	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25214124131	222nd Street	44.16967	-98.41278	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	222 St	
25214124131.2	222nd Street	44.16967	-98.41278	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	390 Ave	
25214124505	222nd Street	44.16982	-98.39249	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	222 St	
25214124505.2	222nd Street	44.16982	-98.39249	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	391 Ave	
25214125106	222nd Street	44.16980	-98.37247	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25214125106.2	222nd Street	44.16980	-98.37247	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25214125123	222nd Street	44.16988	-98.37226	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25214125123.2	222nd Street	44.16988	-98.37226	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25214125238	222nd Street	44.16996	-98.37222	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	222 St	
25214125238.2	222nd Street	44.16996	-98.37222	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	392 Ave	
25214125535	222nd Street	44.16998	-98.35408	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	222 St	
25214125535.2	222nd Street	44.16998	-98.35408	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	393 Ave	
25214171326	222nd Street	44.17016	-98.33183	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	222 St	
25214171326.2	222nd Street	44.17016	-98.33183	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	394 Ave	
25220154349	222nd Street	44.16792	-98.68940	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	222 St	
25220154349.2	222nd Street	44.16792	-98.68940	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	375 Ave	
25220154539	222nd Street	44.16788	-98.68978	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W70-1, Minimum Maintenance		
25220154539.2	222nd Street	44.16788	-98.68978	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W70-3, Travel At Your Own Risk		
25220154539.3	222nd Street	44.16788	-98.68978	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	25	
2522016227	222nd Street	44.16790	-98.67182	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2522016227.2	222nd Street	44.16790	-98.67182	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2522016517	222nd Street	44.16796	-98.67165	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	222 St	
2522016517.2	222nd Street	44.16796	-98.67165	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	376 Ave	
25224101512	222nd Street	44.16607	-98.86810	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Marlar	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
25224101557	222nd Street	44.16608	-98.86786	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	222 St	
25224101557.2	222nd Street	44.16608	-98.86786	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	366 Ave	
2522410408	222nd Street	44.16624	-98.90798	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	222 St	
2522410408.2	222nd Street	44.16624	-98.90798	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	364 Ave	
25224154551	222nd Street	44.16880	-98.61144	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25224154551.2	222nd Street	44.16880	-98.61144	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
252494853	222nd Street	44.16921	-98.47250	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
252494853.2	222nd Street	44.16921	-98.47250	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
252495036	222nd Street	44.16930	-98.47231	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	222 St	
252495036.2	222nd Street	44.16930	-98.47231	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	387 Ave	
2527113958	222nd Street	44.16905	-98.53959	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527123825	222nd Street	44.16637	-98.78996	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	10	County	D3-1, Street Name	222 St	
2527123825.2	222nd Street	44.16637	-98.78996	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	370 Ave	
2527123913	222nd Street	44.16632	-98.79002	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	Harmony	R1-1, Stop		
2527123913.2	222nd Street	44.16632	-98.79002	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2527124158	222nd Street	44.16633	-98.78879	W3-1	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2527124712	222nd Street	44.16665	-98.76993	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	222 St	
2527124712.2	222nd Street	44.16665	-98.76993	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	371 Ave	
2527125301	222nd Street	44.16654	-98.77004	W1-7	New	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W1-7, Two-Direction Large Arrow		
2527125301.2	222nd Street	44.16654	-98.77004	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2527125346	222nd Street	44.16633	-98.78796	W2-4	D/R	1	East				Yellow		Disc	1		Harmony	W2-4, T-Symbol		
2527133216	222nd Street	44.16726	-98.72961	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	222 St	
2527133216.2	222nd Street	44.16726	-98.72961	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	373 Ave	
2527133755	222nd Street	44.16724	-98.73002	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W70-2, No Maintenance		
2527133755.2	222nd Street	44.16724	-98.73002	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W70-4, No Travel Advised		
2527133857	222nd Street	44.16690	-98.74954	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W70-2, No Maintenance		
2527133857.2	222nd Street	44.16690	-98.74954	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W70-4, No Travel Advised		
2527134041	222nd Street	44.16766	-98.70943	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2527134041.2	222nd Street	44.16766	-98.70943	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2527134314	222nd Street	44.16770	-98.70940	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	222 St	
2527134314.2	222nd Street	44.16770	-98.70940	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	374 Ave	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	64	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2527134442	222nd Street	44.16758	-98.70924	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W70-1, Minimum Maintenance		
2527134442.2	222nd Street	44.16758	-98.70924	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W70-3, Travel At Your Own Risk		
2527134442.3	222nd Street	44.16758	-98.70924	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	25	
25325174515	222nd Street	44.16703	-98.74973	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	10	County	D3-1, Street Name	222 St	
25325174515.2	222nd Street	44.16703	-98.74973	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	372 Ave	
2539155330	222nd Street	44.16907	-98.53226	W14-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W14-1, Dead End		
2539155449	222nd Street	44.16914	-98.52168	OM4-3	New	3	West				Red	1.12 lb/ft Post	New	3	7	County	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
2539161331	222nd Street	44.16928	-98.47261	W14-1	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W14-1, Dead End		
2539161448	222nd Street	44.16923	-98.47770	OM4-3	New	3	East				Red	1.12 lb/ft Post	New	3	7	County	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
25410225404	222nd Street	44.16688	-98.75005	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Harmony	R1-2, Yield		
25410225404.2	222nd Street	44.16688	-98.75005	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
25410225513	222nd Street	44.16685	-98.75123	W3-2	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W3-2, Yield Ahead		Install Minimum 325' in Advance of Intersection
254179219	222nd Street	44.16921	-98.47484	W20-3	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W20-3, Road Closed Ahead		
254179513	222nd Street	44.16906	-98.52454	W20-3	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W20-3, Road Closed Ahead		
2542194955	222nd Street	44.16909	-98.53959	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2542322135	222nd Street	44.16991	-98.35409	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2542322135.2	222nd Street	44.16991	-98.35409	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25430223005	222nd Street	44.16598	-98.86806	W1-6L	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Marlar	W1-6L, One-Direction Large Arrow (Left)		
25430223005.2	222nd Street	44.16598	-98.86806	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Marlar	Del8a, 4" Tubular White Delineator (no post)		
25430223243	222nd Street	44.16597	-98.86821	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Marlar	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
25430223439	222nd Street	44.16601	-98.86803	Del7	New	4					White	1.12 lb/ft Post	New	4	5	Marlar	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 50', Curve Spacing = 20'. Delineators omitted in conflict with approach
25430223651	222nd Street	44.16597	-98.86943	W1-1L	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Marlar	W1-1L, Turn (Left)		Install Minimum 325' in advance of Curve PC
25430223651.2	222nd Street	44.16597	-98.86943	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Marlar	W13-1P, Advisory Speed (Plaque)	5	
254521113	222nd Street	44.16620	-98.90800	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254521113.2	222nd Street	44.16620	-98.90800	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2546101120	222nd Street	44.16908	-98.55857	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2546101141	222nd Street	44.16901	-98.55856	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
254611102	222nd Street	44.16909	-98.53954	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
254611111	222nd Street	44.16904	-98.53964	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
241227191433	223rd Street	44.15157	-98.79992	W1-6R	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6R, One-Direction Large Arrow (Right)		
241227191433.2	223rd Street	44.15157	-98.79992	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
241227193630	223rd Street	44.15202	-98.76996	W1-6L	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6L, One-Direction Large Arrow (Left)		
241227193630.2	223rd Street	44.15202	-98.76996	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
24123012441	223rd Street	44.15209	-98.77000	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	12	County	D3-1, Street Name	223 St	
24123012441.2	223rd Street	44.15209	-98.77000	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	371 Ave	
24123092448	223rd Street	44.15158	-98.79995	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	223 St	
24123092448.2	223rd Street	44.15158	-98.79995	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	369 Ave	
25130113055	223rd Street	44.15466	-98.57098	R1-2	D/R	1	East				Red		Disc	1		County	R1-2, Yield		
25130113153	223rd Street	44.15461	-98.57104	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25130113153.2	223rd Street	44.15461	-98.57104	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25130113525	223rd Street	44.15464	-98.57103	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	223 St	
25130113525.2	223rd Street	44.15464	-98.57103	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	382 Ave	
25130113745	223rd Street	44.15452	-98.57131	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25130113745.2	223rd Street	44.15452	-98.57131	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25130121834	223rd Street	44.15472	-98.53199	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	223 St	
25130121834.2	223rd Street	44.15472	-98.53199	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	384 Ave	
25130123411	223rd Street	44.15453	-98.51225	W1-7	New	1	North & South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-7, Two-Direction Large Arrow		
25130123411.2	223rd Street	44.15453	-98.51225	Del8a	New	1	North & South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2513012756	223rd Street	44.15465	-98.55170	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	223 St	
2513012756.2	223rd Street	44.15465	-98.55170	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	383 Ave	
25210194758	223rd Street	44.00945	-98.43227	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
25210194758.2	223rd Street	44.00945	-98.43227	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521123307	223rd Street	44.15478	-98.49200	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	223 St	
2521123307.2	223rd Street	44.15478	-98.49200	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	386 Ave	
25213144931	223rd Street	44.15430	-98.59124	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	223 St	
25213144931.2	223rd Street	44.15430	-98.59124	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	380 Ave	
25214111251	223rd Street	44.15497	-98.45180	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	223 St	
25214111251.2	223rd Street	44.15497	-98.45180	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	US 281	
25214111925	223rd Street	44.15485	-98.43312	W1-7	New	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W1-7, Two-Direction Large Arrow		
25214111925.2	223rd Street	44.15485	-98.43312	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25214112056	223rd Street	44.15502	-98.43301	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	223 St	
25214112056.2	223rd Street	44.15502	-98.43301	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	389 Ave	
25214121113	223rd Street	44.15514	-98.41341	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	65	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25214121512	223rd Street	44.15503	-98.41431	W3-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
25214121625	223rd Street	44.15501	-98.41454	W2-1	D/R	1	West				Yellow		Disc	1		County	W2-1, Cross Road		
25214121856	223rd Street	44.15504	-98.41303	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25214121856.2	223rd Street	44.15504	-98.41303	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25214122508	223rd Street	44.15519	-98.41271	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	223 St	
25214122508.2	223rd Street	44.15519	-98.41271	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
25214122956	223rd Street	44.15530	-98.39245	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	223 St	
25214122956.2	223rd Street	44.15530	-98.39245	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	391 Ave	
25224102742	223rd Street	44.14829	-98.90807	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	223 St	
25224102742.2	223rd Street	44.14829	-98.90807	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	364 Ave	
25224103203	223rd Street	44.14809	-98.88802	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	223 St	
25224103203.2	223rd Street	44.14809	-98.88802	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	365 Ave	
25224103513	223rd Street	44.15130	-98.82782	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25224103513.2	223rd Street	44.15130	-98.82782	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25224103737	223rd Street	44.15144	-98.82755	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	223 St	
25224103737.2	223rd Street	44.15144	-98.82755	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	368 Ave	
25224133625	223rd Street	44.15141	-98.83352	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Marlar	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25224133659	223rd Street	44.15134	-98.83351	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Marlar	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25224151542	223rd Street	44.15516	-98.41276	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25224151542.2	223rd Street	44.15516	-98.41276	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2522819358	223rd Street	44.15467	-98.51212	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	223 St	
2522819358.2	223rd Street	44.15467	-98.51212	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	385 Ave	
252391157	223rd Street	44.15481	-98.47206	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	223 St	
252391157.2	223rd Street	44.15481	-98.47206	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	387 Ave	
252391421	223rd Street	44.15477	-98.47276	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
252391541	223rd Street	44.15468	-98.47161	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2527114947	223rd Street	44.15459	-98.52405	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2527114955	223rd Street	44.15467	-98.52405	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2527115041	223rd Street	44.15465	-98.50579	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2527141627	223rd Street	44.15254	-98.74969	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	223 St	
2527141627.2	223rd Street	44.15254	-98.74969	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	372 Ave	
2527142204	223rd Street	44.15278	-98.72952	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	223 St	
2527142204.2	223rd Street	44.15278	-98.72952	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	373 Ave	
2527143417	223rd Street	44.15302	-98.70914	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W70-2, No Maintenance		
2527143417.2	223rd Street	44.15302	-98.70914	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W70-4, No Travel Advised		
252714951	223rd Street	44.15208	-98.78989	W70-1	New	1	Northwest	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W70-1, Minimum Maintenance		
252714951.2	223rd Street	44.15208	-98.78989	W70-3	New	1	Northeast	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W70-3, Travel At Your Own Risk		
252714951.3	223rd Street	44.15208	-98.78989	W13-1P	New	1	Northeast	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	25	
2539164121	223rd Street	44.15467	-98.53270	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2539164353	223rd Street	44.15457	-98.53156	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25410203125	223rd Street	44.15343	-98.67200	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25410203125.2	223rd Street	44.15343	-98.67200	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25410203150	223rd Street	44.15347	-98.67198	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	223 St	
25410203150.2	223rd Street	44.15347	-98.67198	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	376 Ave	
25410204146	223rd Street	44.15378	-98.59122	R1-1	New	1	Northeast	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25410204146.2	223rd Street	44.15378	-98.59122	Del8a	New	1	Northeast				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25410224220	223rd Street	44.15268	-98.72971	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	Harmony	R1-1, Stop		
25410224220.2	223rd Street	44.15268	-98.72971	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
25410224332	223rd Street	44.15245	-98.74967	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	Harmony	R1-1, Stop		
25410224332.2	223rd Street	44.15245	-98.74967	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
25410224735	223rd Street	44.15313	-98.70927	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	223 St	
25410224735.2	223rd Street	44.15313	-98.70927	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	374 Ave	
25412133706	223rd Street	44.15104	-98.76986	W1-1L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	12	Harmony	W1-1L, Turn (Left)		Install Minimum 275' in Advance of Curve PC
25412133706.2	223rd Street	44.15104	-98.76986	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	10	
25412152155	223rd Street	44.15160	-98.79865	W1-1L	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	12	Harmony	W1-1L, Turn (Left)		Install Minimum 275' in Advance of Curve PC
25412152155.2	223rd Street	44.15160	-98.79865	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	10	
25412152355	223rd Street	44.15154	-98.79971	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
25412153650	223rd Street	44.15148	-98.79994	Del7	New	6					White	1.12 lb/ft Post	New	6	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 75', Curve Spacing = 20'
25413144856	223rd Street	44.15223	-98.79001	W1-6L	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	9	Harmony	W1-6L, One-Direction Large Arrow (Left)		
25413144856.2	223rd Street	44.15223	-98.79001	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
25413145042	223rd Street	44.15219	-98.78999	R1-2	New	1	Southeast	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Harmony	R1-2, Yield		
25413145042.2	223rd Street	44.15219	-98.78999	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
25413145112	223rd Street	44.15226	-98.79000	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	12	County	D3-1, Street Name	223 St	

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	66	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25413145112.2	223rd Street	44.15226	-98.79000	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	370 Ave	
25413145157	223rd Street	44.15214	-98.79030	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
25413145242	223rd Street	44.15222	-98.79005	Del7	New	5					White	1.12 lb/ft Post	New	5	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 65', Curve Spacing = 20'. Delineator omitted in conflict with approach
25416104229	223rd Street	44.15439	-98.60957	W1-1R	D/R	1	East				Yellow		Disc	1		County	W1-1R, Turn (Right)		
25416104320	223rd Street	44.15446	-98.61099	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	223 St	
25416104320.2	223rd Street	44.15446	-98.61099	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	379 Ave	
25416104427	223rd Street	44.15440	-98.61089	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
25416104427.2	223rd Street	44.15440	-98.61089	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25416104527	223rd Street	44.15435	-98.61127	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
25416104527.2	223rd Street	44.15435	-98.61127	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25416111251	223rd Street	44.15450	-98.57059	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2541785650	223rd Street	44.15454	-98.50680	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2541785805	223rd Street	44.15464	-98.50680	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25424105149	223rd Street	44.15213	-98.79308	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 700', Curve Spacing = 77'
2542485616	223rd Street	44.15158	-98.79501	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 128', 192', 300'
2542485857	223rd Street	44.15162	-98.79467	Del7	New	1					White	1.12 lb/ft Post	New	1	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 128'
25426124301	223rd Street	44.15155	-98.79587	W1-3L	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W1-3L, Reverse Turn (Left)		Install Minimum 225' in advance of Curve PC
25426124301.2	223rd Street	44.15155	-98.79587	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	25	
25426124512	223rd Street	44.15160	-98.79480	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 500', Curve Spacing = 64'
25426125322	223rd Street	44.15219	-98.79173	W1-3L	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W1-3L, Reverse Turn (Left)		Install Minimum 225' in advance of Curve PC
25426125322.2	223rd Street	44.15219	-98.79173	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	25	
25426125515	223rd Street	44.15205	-98.79348	Del7	New	1					White	1.12 lb/ft Post	New	1	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 154'
25426125803	223rd Street	44.15215	-98.79269	Del7	New	2					White	1.12 lb/ft Post	New	2	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 154', 231'
25426131131	223rd Street	44.15196	-98.78960	W1-1L	New	1	Northwest	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W1-1L, Turn (Left)		Install 100' southeast of Minimum Maintenance Sign
25426131131.2	223rd Street	44.15196	-98.78960	W13-1P	New	1	Northwest	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	20	
25426131503	223rd Street	44.15171	-98.78790	W1-1R	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W1-1R, Turn (Right)		Install Minimum 225' in advance of Curve PC
25426131503.2	223rd Street	44.15171	-98.78790	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	20	
25427141504	223rd Street	44.15422	-98.59370	W1-1R	D/R	1	West				Yellow		Disc	1		County	W1-1R, Turn (Right)		
25427141636	223rd Street	44.15427	-98.59286	W1-1R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1R, Turn (Right)		Install Minimum 275' in Advance of Curve PC.
25427141636.2	223rd Street	44.15427	-98.59286	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	15	
25427141743	223rd Street	44.15431	-98.59148	Del7	New	7					White	1.12 lb/ft Post	New	7	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 120', Curve Spacing = 26'. Delineator omitted in conflict with approach
25427141941	223rd Street	44.15439	-98.59183	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 52', 78', 156'
25427142044	223rd Street	44.15433	-98.59128	W1-6R	R/R	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	Repl	2	10	County	W1-6R, One-Direction Large Arrow (Right)		
25427142044.2	223rd Street	44.15433	-98.59128	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2545211424	223rd Street	44.15139	-98.82758	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545211424.2	223rd Street	44.15139	-98.82758	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254521311	223rd Street	44.14824	-98.90814	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254521311.2	223rd Street	44.14824	-98.90814	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254610843	223rd Street	44.15458	-98.50579	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2548215016	223rd Street	44.15495	-98.43566	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548215156	223rd Street	44.15488	-98.43594	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548215336	223rd Street	44.15487	-98.43566	Del7	R/R	8					White	1.12 lb/ft Post	Repl	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2548215453	223rd Street	44.15495	-98.43594	Del7	R/R	8					White	1.12 lb/ft Post	Repl	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2551213902	223rd Street	44.15157	-98.79496	W1-6R	New	1	Northeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6R, One-Direction Large Arrow (Right)		
2551213902.2	223rd Street	44.15157	-98.79496	Del8a	New	1	Northeast				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2551214051	223rd Street	44.15161	-98.79475	W1-6L	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6L, One-Direction Large Arrow (Left)		
2551214051.2	223rd Street	44.15161	-98.79475	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2551214255	223rd Street	44.15212	-98.79296	W1-6R	New	1	Southwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6R, One-Direction Large Arrow (Right)		
2551214255.2	223rd Street	44.15212	-98.79296	Del8a	New	1	Southwest				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2551214700	223rd Street	44.15208	-98.79327	W1-6L	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6L, One-Direction Large Arrow (Left)		
2551214700.2	223rd Street	44.15208	-98.79327	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2551214735	223rd Street	44.15173	-98.78887	W1-6L	New	1	Northwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6L, One-Direction Large Arrow (Left)		
2551214735.2	223rd Street	44.15173	-98.78887	Del8a	New	1	Northwest				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2551215022	223rd Street	44.15174	-98.78896	W1-6R	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6R, One-Direction Large Arrow (Right)		
2551215022.2	223rd Street	44.15174	-98.78896	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
25610203457	223rd Street	44.15142	-98.82787	W14-2	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Marlar	W14-2, No Outlet		
25610203843	223rd Street	44.15131	-98.82748	W14-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Marlar	W14-1, Dead End		
25610204504	223rd Street	44.15140	-98.82356	OM4-3	New	3	West				Red	1.12 lb/ft Post	New	3	7	Marlar	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
25610205135	223rd Street	44.15160	-98.79832	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25610205312	223rd Street	44.15152	-98.79840	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2561816628	223rd Street	44.15196	-98.77155	W1-1R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	12	Harmony	W1-1R, Turn (Right)		Install Minimum 275' in Advance of Curve PC

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	67	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2561816628.2	223rd Street	44.15196	-98.77155	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	10	
2592151959	223rd Street	44.14812	-98.90799	W14-2	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Marlar	W14-2, No Outlet		
2592154956	223rd Street	44.14805	-98.88802	W1-7	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Marlar	W1-7, Two-Direction Large Arrow		
2592154956.2	223rd Street	44.14805	-98.88802	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Marlar	Del8a, 4" Tubular White Delineator (no post)		
2592155105	223rd Street	44.14801	-98.88918	W2-4	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Marlar	W2-4, T-Symbol		Install Minimum 325' in Advance of Intersection
2633151608	223rd Street	44.15207	-98.79136	SP-10L	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	SP-10L, Turn (Left) w/ Side Road 45* Up/Right		Install Minimum 275' in Advance of Curve PC.
2633151608.2	223rd Street	44.15207	-98.79136	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	10	
25117101842	224th Street	44.13694	-98.80464	Del7	New	5					White	1.12 lb/ft Post	New	5	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 220', Curve Spacing = 40'
2519103100	224th Street	44.13844	-98.37254	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2519103100.2	224th Street	44.13844	-98.37254	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2519104143	224th Street	44.13857	-98.37223	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	224 St	
2519104143.2	224th Street	44.13857	-98.37223	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	392 Ave	
2521010537	224th Street	44.13826	-98.72935	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
2521010657	224th Street	44.13837	-98.72108	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2521010731	224th Street	44.13831	-98.72108	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25210133912	224th Street	44.13888	-98.68920	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	224 St	
25210133912.2	224th Street	44.13888	-98.68920	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	375 Ave	
2521094530	224th Street	44.13709	-98.79994	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	224 St	
2521094530.2	224th Street	44.13709	-98.79994	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	369 Ave	
2521095748	224th Street	44.13804	-98.74118	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2521095906	224th Street	44.13798	-98.74117	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25213145121	224th Street	44.13995	-98.59103	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	224 St	
25213145121.2	224th Street	44.13995	-98.59103	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	380 Ave	
25213151239	224th Street	44.13994	-98.57323	W2-4	D/R	1	West				Yellow		Disc	1		County	W2-4, T-Symbol		
2521315150	224th Street	44.13995	-98.57130	R1-2	D/R	1	West				Red		Disc	1		County	R1-2, Yield		
25213151529	224th Street	44.13993	-98.57254	W3-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2521315254	224th Street	44.13994	-98.57127	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521315254.2	224th Street	44.13994	-98.57127	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25213154220	224th Street	44.13902	-98.67162	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	224 St	
25213154220.2	224th Street	44.13902	-98.67162	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	376 Ave	
25214102716	224th Street	44.14051	-98.43286	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	224 St	
25214102716.2	224th Street	44.14051	-98.43286	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	389 Ave	
25214102855	224th Street	44.14052	-98.41298	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25214102855.2	224th Street	44.14052	-98.41298	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25214102955	224th Street	44.14062	-98.41264	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25214102955.2	224th Street	44.14062	-98.41264	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25214103058	224th Street	44.14069	-98.41268	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	224 St	
25214103058.2	224th Street	44.14069	-98.41268	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
25214103234	224th Street	44.14052	-98.41223	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25214105115	224th Street	44.14046	-98.38109	W1-2R	D/R	1	West				Yellow		Disc	1		County	W1-2R, Curve (Right)		
25214105523	224th Street	44.14082	-98.37218	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25214105523.2	224th Street	44.14082	-98.37218	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25214105815	224th Street	44.14085	-98.37220	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	224 St	
25214105815.2	224th Street	44.14085	-98.37220	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	392 Ave	
2521411117	224th Street	44.14099	-98.35175	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	224 St	
2521411117.2	224th Street	44.14099	-98.35175	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	393 Ave	
25214171908	224th Street	44.14110	-98.33186	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	224 St	
25214171908.2	224th Street	44.14110	-98.33186	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	394 Ave	
25224104426	224th Street	44.13730	-98.92589	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Marlar	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25224104515	224th Street	44.13724	-98.92589	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Marlar	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25224105101	224th Street	44.13731	-98.90846	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	224 St	
25224105101.2	224th Street	44.13731	-98.90846	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	364 Ave	
25224152008	224th Street	44.13888	-98.67188	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25224152008.2	224th Street	44.13888	-98.67188	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25224152109	224th Street	44.13898	-98.67167	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25224152109.2	224th Street	44.13898	-98.67167	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
252392747	224th Street	44.14021	-98.53183	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	224 St	
252392747.2	224th Street	44.14021	-98.53183	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	384 Ave	
252481456	224th Street	44.14031	-98.47193	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	10	County	D3-1, Street Name	224 St	
252481456.2	224th Street	44.14031	-98.47193	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	387 Ave	
252483226	224th Street	44.14008	-98.57101	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	224 St	
252483226.2	224th Street	44.14008	-98.57101	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	382 Ave	
2527144122	224th Street	44.13783	-98.74983	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Harmony	R1-2, Yield		
2527144122.2	224th Street	44.13783	-98.74983	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2527144242	224th Street	44.13791	-98.74960	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Harmony	R1-2, Yield		

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	68	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2527144242.2	224th Street	44.13791	-98.74960	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2527144255	224th Street	44.13793	-98.74961	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	224 St	
2527144255.2	224th Street	44.13793	-98.74961	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	372 Ave	
2527144420	224th Street	44.13790	-98.75105	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W70-1, Minimum Maintenance		
2527144420.2	224th Street	44.13790	-98.75105	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W70-3, Travel At Your Own Risk		
2527144420.3	224th Street	44.13790	-98.75105	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	25	
2527145218	224th Street	44.13825	-98.72940	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Harmony	R1-2, Yield		
2527145218.2	224th Street	44.13825	-98.72940	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2527145436	224th Street	44.13816	-98.72964	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Harmony	R1-2, Yield		
2527145436.2	224th Street	44.13816	-98.72964	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2527145552	224th Street	44.13828	-98.72942	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	224 St	
2527145552.2	224th Street	44.13828	-98.72942	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	373 Ave	
2527152113	224th Street	44.13847	-98.70952	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2527152113.2	224th Street	44.13847	-98.70952	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2527152221	224th Street	44.13861	-98.70922	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	224 St	
2527152221.2	224th Street	44.13861	-98.70922	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	374 Ave	
252715313	224th Street	44.13857	-98.70917	R1-2	D/R	1	East				Red		Disc	1		County	R1-2, Yield		
252715547	224th Street	44.13857	-98.70922	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
252715547.2	224th Street	44.13857	-98.70922	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2537155923	224th Street	44.14013	-98.53170	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2537155923.2	224th Street	44.14013	-98.53170	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2537162535	224th Street	44.14036	-98.45281	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2537162535.2	224th Street	44.14036	-98.45281	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2537162958	224th Street	44.14043	-98.45169	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	224 St	
2537162958.2	224th Street	44.14043	-98.45169	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	US 281	
2537163746	224th Street	44.14022	-98.47185	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2537163746.2	224th Street	44.14022	-98.47185	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
25412155908	224th Street	44.13696	-98.80039	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
25412155935	224th Street	44.13702	-98.80015	Del7	New	5					White	1.12 lb/ft Post	New	5	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 60', Curve Spacing = 20'. Delineator omitted in conflict with approach
25412161752	224th Street	44.13600	-98.80577	W1-8	New	4	East & West	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	3	8	Harmony	W1-8, Chevron Alignment		Curve Radius = 420', Curve Spacing = 120'
25412162011	224th Street	44.13533	-98.80762	Del7	New	6					White	1.12 lb/ft Post	New	6	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 120', Curve Spacing = 26'
25412162051	224th Street	44.13544	-98.80741	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 52', 78', 156'
25412162117	224th Street	44.13589	-98.80602	Del7	New	1					White	1.12 lb/ft Post	New	1	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 116'
25412162330	224th Street	44.13616	-98.80555	Del7	New	1					White	1.12 lb/ft Post	New	1	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 116'
25412162353	224th Street	44.13679	-98.80496	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 80', 120', 240'
25412162421	224th Street	44.13698	-98.80426	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 80', 120', 240'
2541216454	224th Street	44.13700	-98.80322	W1-5L	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W1-5L, Winding Road (Left)		Install Minimum 275' in Advance of Curve PC.
2541216454.2	224th Street	44.13700	-98.80322	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	15	
25416104922	224th Street	44.13990	-98.58987	W1-1R	D/R	1	East				Yellow		Disc	1		County	W1-1R, Turn (Right)		
25416105040	224th Street	44.13993	-98.59099	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
25416105040.2	224th Street	44.13993	-98.59099	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25416105135	224th Street	44.13982	-98.59134	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
25416105135.2	224th Street	44.13982	-98.59134	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25416105517	224th Street	44.14005	-98.57167	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2541691414	224th Street	44.13538	-98.80759	W1-6R	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6R, One-Direction Large Arrow (Right)		
2541691414.2	224th Street	44.13538	-98.80759	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2541691643	224th Street	44.13693	-98.80478	W1-6L	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W1-6L, One-Direction Large Arrow (Left)		
2541691643.2	224th Street	44.13693	-98.80478	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2541692022	224th Street	44.13698	-98.80451	W1-6R	New	1	Southwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6R, One-Direction Large Arrow (Right)		
2541692022.2	224th Street	44.13698	-98.80451	Del8a	New	1	Southwest				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2541692250	224th Street	44.13696	-98.80016	W1-6R	New	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6R, One-Direction Large Arrow (Right)		
2541692250.2	224th Street	44.13696	-98.80016	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
25417172502	224th Street	44.14058	-98.39695	W11-5	D/R	1	West				Yellow		Disc	1		County	W11-5, Farm Vehicles		
25417172713	224th Street	44.14058	-98.39640	W11-5	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W11-5, Farm Vehicles		Install Minimum 325' in Advance of Intersecting Road
25417172859	224th Street	44.14072	-98.39391	W11-5	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W11-5, Farm Vehicles		Install Minimum 325' in Advance of Intersecting Road
25421145746	224th Street	44.13841	-98.71509	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
2542293409	224th Street	44.13840	-98.72076	Del7	New	4					White	1.12 lb/ft Post	New	4	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 150' spacing north side of road, 150' spacing south side (75' staggered spacing)
2542293810	224th Street	44.13833	-98.71928	Del7	New	4					White	1.12 lb/ft Post	New	4	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 150' spacing north side of road, 150' spacing south side (75' staggered spacing)
2542293908	224th Street	44.13850	-98.71497	Del7	New	5					White	1.12 lb/ft Post	New	5	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 100' spacing north side of road, 100' spacing south side (50' staggered spacing)
2542293953	224th Street	44.13842	-98.71367	Del7	New	5					White	1.12 lb/ft Post	New	5	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 100' spacing north side of road, 100' spacing south side (50' staggered spacing)
2542294157	224th Street	44.13853	-98.70646	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
25424201349	224th Street	44.14075	-98.39241	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	224 St	
25424201349.2	224th Street	44.14075	-98.39241	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	391 Ave	
25425141933	224th Street	44.13761	-98.76961	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	224 St	

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	69	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25425141933.2	224th Street	44.13761	-98.76961	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	371 Ave	
25427123727	224th Street	44.13897	-98.37691	W1-2L	D/R	1	Northwest				Yellow		Disc	1		County	W1-2L, Curve (Left)		
25427123805	224th Street	44.13949	-98.37827	W1-4R	R/R	1	Northwest	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	County	W1-4R, Reverse Curve (Right)		Install Minimum 200' in Advance of Curve PC.
25427123805.2	224th Street	44.13949	-98.37827	W13-1P	New	1	Northwest	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	Repl			County	W13-1P, Advisory Speed (Plaque)	35	
25427123937	224th Street	44.13855	-98.37442	W1-4R	R/R	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	County	W1-4R, Reverse Curve (Right)		Install Minimum 200' in Advance of Curve PC.
25427123937.2	224th Street	44.13855	-98.37442	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	Repl			County	W13-1P, Advisory Speed (Plaque)	35	
25427124041	224th Street	44.13846	-98.37606	W1-8	New	4	East & West	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	3	8	County	W1-8, Chevron Alignment		Curve Radius = 500', Curve Spacing = 120'
25427125259	224th Street	44.13839	-98.37521	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 128', 192, 300'
25427125411	224th Street	44.13872	-98.37672	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 128'
25427125430	224th Street	44.13907	-98.37698	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 142'
25427125455	224th Street	44.13938	-98.37762	Del7	New	2					White	1.12 lb/ft Post	New	2	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 142', 213'
25427125823	224th Street	44.14050	-98.38081	W1-2L	New	1	Southeast	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2L, Curve (Left)		Install Minimum 125' in Advance of Curve PC.
25427125823.2	224th Street	44.14050	-98.38081	W13-1P	New	1	Southeast	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	45	
25427125909	224th Street	44.14057	-98.38092	W1-2L	D/R	1	Southeast				Yellow		Disc	1		County	W1-2L, Curve (Left)		
2542713013	224th Street	44.14066	-98.38348	W1-2R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2R, Curve (Right)		Install Minimum 125' in Advance of Curve PC.
2542713013.2	224th Street	44.14066	-98.38348	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	45	
2542713101	224th Street	44.14060	-98.38501	W1-2R	D/R	1	West				Yellow		Disc	1		County	W1-2R, Curve (Right)		
2542713143	224th Street	44.14077	-98.38202	W1-8	New	6	East & West	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	4	8	County	W1-8, Chevron Alignment		Curve Radius = 1200', Curve Spacing = 120'
2542713246	224th Street	44.14062	-98.38127	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 204'
2542713303	224th Street	44.14079	-98.38286	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 204, 300', 300'
25427142628	224th Street	44.13997	-98.59105	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25427142713	224th Street	44.13979	-98.59130	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
254521436	224th Street	44.13716	-98.90840	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254521436.2	224th Street	44.13716	-98.90840	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2548221552	224th Street	44.14087	-98.35725	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548221645	224th Street	44.14081	-98.35762	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548221740	224th Street	44.14079	-98.35724	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2548221830	224th Street	44.14088	-98.35763	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2556231018	224th Street	44.13757	-98.76851	W1-1R	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W1-1R, Turn (Right)		Install Minimum 275' in advance of Curve PC
2556231018.2	224th Street	44.13757	-98.76851	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	10	
255623350	224th Street	44.13754	-98.76981	W1-6R	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6R, One-Direction Large Arrow (Right)		
255623350.2	224th Street	44.13754	-98.76981	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
26227122040	224th Street	44.13919	-98.37724	W1-8	New	4	East & West	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	3	8	County	W1-8, Chevron Alignment		Curve Radius = 600', Curve Spacing = 120'
2633152150	224th Street	44.13693	-98.80145	SP-9L	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	SP-9L, Turn (Left) w/ Side Road Right		Install Minimum 275' in Advance of Curve PC.
2633152150.2	224th Street	44.13693	-98.80145	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	10	
25210101213	225th Street	44.12858	-98.82756	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25210101213.2	225th Street	44.12858	-98.82756	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25210135304	225th Street	44.12434	-98.68907	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	225 St	
25210135304.2	225th Street	44.12434	-98.68907	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	375 Ave	
2521091732	225th Street	44.12395	-98.70945	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521091732.2	225th Street	44.12395	-98.70945	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521091850	225th Street	44.12403	-98.70917	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2521091850.2	225th Street	44.12403	-98.70917	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2521092008	225th Street	44.12407	-98.70915	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	225 St	
2521092008.2	225th Street	44.12407	-98.70915	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	374 Ave	
2521093154	225th Street	44.12279	-98.78976	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	225 St	
2521093154.2	225th Street	44.12279	-98.78976	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	370 Ave	
2521094009	225th Street	44.12783	-98.80744	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	225 St	
2521094009.2	225th Street	44.12783	-98.80744	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	369 Ave	
25213154455	225th Street	44.12445	-98.67132	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	225 St	
25213154455.2	225th Street	44.12445	-98.67132	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	376 Ave	
2521316842	225th Street	44.12502	-98.63095	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	225 St	
2521316842.2	225th Street	44.12502	-98.63095	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	378 Ave	
2521317951	225th Street	44.12539	-98.59100	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	225 St	
2521317951.2	225th Street	44.12539	-98.59100	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	380 Ave	
25214101243	225th Street	44.12591	-98.45168	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	225 St	
25214101243.2	225th Street	44.12591	-98.45168	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	US 281	
25214101427	225th Street	44.12604	-98.43262	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	225 St	
25214101427.2	225th Street	44.12604	-98.43262	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	389 Ave	
25214101654	225th Street	44.12600	-98.41268	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25214101654.2	225th Street	44.12600	-98.41268	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25214101805	225th Street	44.12608	-98.41245	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	70	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25214101805.2	225th Street	44.12608	-98.41245	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25214101923	225th Street	44.12612	-98.41242	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	225 St	
25214101923.2	225th Street	44.12612	-98.41242	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
25214102143	225th Street	44.12630	-98.37215	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	225 St	
25214102143.2	225th Street	44.12630	-98.37215	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	392 Ave	
25224105514	225th Street	44.12278	-98.90805	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	225 St	
25224105514.2	225th Street	44.12278	-98.90805	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	364 Ave	
25224113314	225th Street	44.12862	-98.82758	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	225 St	
25224113314.2	225th Street	44.12862	-98.82758	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	368 Ave	
25224114036	225th Street	44.12774	-98.80897	W1-4R	D/R	1	West				Yellow		Disc	1		County	W1-4R, Reverse Curve (Right)		
25224152248	225th Street	44.12435	-98.67155	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25224152248.2	225th Street	44.12435	-98.67155	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25224152357	225th Street	44.12444	-98.67136	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25224152357.2	225th Street	44.12444	-98.67136	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
252394608	225th Street	44.12566	-98.55179	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	225 St	
252394608.2	225th Street	44.12566	-98.55179	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	383 Ave	
252394853	225th Street	44.12561	-98.53195	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
252394853.2	225th Street	44.12561	-98.53195	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
252395404	225th Street	44.12572	-98.53175	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	225 St	
252395404.2	225th Street	44.12572	-98.53175	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	384 Ave	
2524123102	225th Street	44.12557	-98.57091	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2524123102.2	225th Street	44.12557	-98.57091	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
252483936	225th Street	44.12556	-98.57096	R1-2	D/R	1	East				Red		Disc	1		County	R1-2, Yield		
252484211	225th Street	44.12549	-98.57119	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
252484211.2	225th Street	44.12549	-98.57119	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
252484427	225th Street	44.12560	-98.57092	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	225 St	
252484427.2	225th Street	44.12560	-98.57092	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	382 Ave	
2527115125	225th Street	44.12551	-98.56789	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2527115136	225th Street	44.12561	-98.56581	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
2527115204	225th Street	44.12559	-98.56786	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2527153528	225th Street	44.12307	-98.76961	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	225 St	
2527153528.2	225th Street	44.12307	-98.76961	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	371 Ave	
2528202227	225th Street	44.12342	-98.74950	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	225 St	
2528202227.2	225th Street	44.12342	-98.74950	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	372 Ave	
2528203745	225th Street	44.12378	-98.72932	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	225 St	
2528203745.2	225th Street	44.12378	-98.72932	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	373 Ave	
2531214709	225th Street	44.12782	-98.81673	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531214806	225th Street	44.12776	-98.81664	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25325174440	225th Street	44.12264	-98.88821	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	225 St	
25325174440.2	225th Street	44.12264	-98.88821	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	365 Ave	
2537155006	225th Street	44.12563	-98.53162	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2537155006.2	225th Street	44.12563	-98.53162	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2537162114	225th Street	44.12584	-98.45243	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2537162114.2	225th Street	44.12584	-98.45243	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
25410215613	225th Street	44.12846	-98.82605	W2-4	D/R	1	East				Yellow		Disc	1		County	W2-4, T-Symbol		
25410223316	225th Street	44.12361	-98.73074	W2-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
25412152831	225th Street	44.12259	-98.79922	W1-1R	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1R, Turn (Right)		Install Minimum 200' in Advance of Curve PC.
25412152831.2	225th Street	44.12259	-98.79922	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	30	
25412153326	225th Street	44.12265	-98.79892	W1-4R	D/R	1	East				Yellow		Disc	1		County	W1-4R, Reverse Curve (Right)		
25412153352	225th Street	44.12244	-98.80058	Del7	New	5					White	1.12 lb/ft Post	New	5	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 550', Curve Spacing = 68'
25412153512	225th Street	44.12255	-98.80119	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 136', 204', 300'
25412153530	225th Street	44.12284	-98.80185	W1-1L	New	1	Northwest	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1L, Turn (Left)		Install Minimum 200' in Advance of Curve PC.
25412153530.2	225th Street	44.12284	-98.80185	W13-1P	New	1	Northwest	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	30	
25412153939	225th Street	44.12415	-98.80418	W1-1R	New	1	Southeast	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1R, Turn (Right)		Install Minimum 200' in Advance of Curve PC.
25412153939.2	225th Street	44.12415	-98.80418	W13-1P	New	1	Southeast	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	30	
25412154017	225th Street	44.12533	-98.80583	W1-1L	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1L, Turn (Left)		Install Minimum 200' in Advance of Curve PC.
25412154017.2	225th Street	44.12533	-98.80583	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	30	
25412154056	225th Street	44.12437	-98.80490	Del7	New	3					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 128', 192', 300'
25412154117	225th Street	44.12458	-98.80525	Del7	New	4					White	1.12 lb/ft Post	New	4	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 500', Curve Spacing = 64'
25412154145	225th Street	44.12484	-98.80547	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 128', 192', 300'
25412154548	225th Street	44.12769	-98.80744	W1-6L	New	1	Southeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6L, One-Direction Large Arrow (Left)		
25412154548.2	225th Street	44.12769	-98.80744	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25412154723	225th Street	44.12778	-98.80750	W1-6R	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6R, One-Direction Large Arrow (Right)		
25412154723.2	225th Street	44.12778	-98.80750	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25412154913	225th Street	44.12751	-98.80729	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 86', 129', 258'
25412154933	225th Street	44.12783	-98.80820	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 86', 129', 258'

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	71	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25412154958	225th Street	44.12776	-98.80766	Del7	New	5					White	1.12 lb/ft Post	New	5	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 250', Curve Spacing = 43'. Delineators omitted in conflict with approach.
2541682938	225th Street	44.12774	-98.81791	W5-2	R/R	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	Repl	2	10	County	W5-2, Narrow Bridge		Install Minimum 325' in Advance of Bridge
2541683101	225th Street	44.12785	-98.81545	W5-2	R/R	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	Repl	2	10	County	W5-2, Narrow Bridge		Install Minimum 325' in Advance of Bridge
2541684718	225th Street	44.12234	-98.80032	W1-6L	New	1	Northwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6L, One-Direction Large Arrow (Left)		
2541684718.2	225th Street	44.12234	-98.80032	Del8a	New	1	Northwest				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541693127	225th Street	44.12373	-98.72275	W5-2	R/R	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	Repl	2	10	County	W5-2, Narrow Bridge		Install Minimum 325' in Advance of Bridge
254169404	225th Street	44.12469	-98.80539	W1-6R	New	1	Southeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6R, One-Direction Large Arrow (Right)		
254169404.2	225th Street	44.12469	-98.80539	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541694140	225th Street	44.12387	-98.72028	W5-2	R/R	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	Repl	2	10	County	W5-2, Narrow Bridge		Install Minimum 325' in Advance of Bridge
254169428	225th Street	44.12446	-98.80509	W1-6L	New	1	Northwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6L, One-Direction Large Arrow (Left)		
254169428.2	225th Street	44.12446	-98.80509	Del8a	New	1	Northeast				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541694413	225th Street	44.12378	-98.72151	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2541694423	225th Street	44.12384	-98.72150	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25424202957	225th Street	44.12243	-98.80098	W1-6R	New	1	Northeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6R, One-Direction Large Arrow (Right)		
25424202957.2	225th Street	44.12243	-98.80098	Del8a	New	1	Northeast				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25427211344	225th Street	44.12855	-98.82653	W3-1	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install at PC of curve, approximately 325' in advance of intersection.
25427212242	225th Street	44.12846	-98.82697	W1-3R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-3R, Reverse Turn (Right)		Install Minimum 100' in Advance of Curve PC.
25427212242.2	225th Street	44.12846	-98.82697	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	20	
25427212457	225th Street	44.12843	-98.82737	W1-4R	D/R	1	West				Yellow		Disc	1		County	W1-4R, Reverse Curve (Right)		
25427212709	225th Street	44.12783	-98.82357	W1-3R	R/R	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	County	W1-3R, Reverse Turn (Right)		Install Minimum 225' in Advance of Curve PC.
25427212709.2	225th Street	44.12783	-98.82357	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	Repl			County	W13-1P, Advisory Speed (Plaque)	20	
25427212949	225th Street	44.12774	-98.82464	W1-6L	New	1	Northwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6L, One-Direction Large Arrow (Left)		
25427212949.2	225th Street	44.12774	-98.82464	Del8a	New	1	Northwest				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25427213125	225th Street	44.12782	-98.82501	W1-6R	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6R, One-Direction Large Arrow (Right)		
25427213125.2	225th Street	44.12782	-98.82501	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25427213227	225th Street	44.12850	-98.82603	W1-6R	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6R, One-Direction Large Arrow (Right)		
25427213227.2	225th Street	44.12850	-98.82603	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25427213304	225th Street	44.12855	-98.82632	W1-6L	New	1	Southeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6L, One-Direction Large Arrow (Left)		
25427213304.2	225th Street	44.12855	-98.82632	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25427213428	225th Street	44.12772	-98.82441	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 96', 144', 288'
25427213514	225th Street	44.12794	-98.82527	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 96'
25427213547	225th Street	44.12776	-98.82485	Del7	New	4					White	1.12 lb/ft Post	New	4	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 300', Curve Spacing = 48'
25427213835	225th Street	44.12836	-98.82579	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 96'
25427213939	225th Street	44.12853	-98.82619	Del7	New	4					White	1.12 lb/ft Post	New	4	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 300', Curve Spacing = 48'
25427214213	225th Street	44.12855	-98.82659	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 96'
25430221702	225th Street	44.12264	-98.88835	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Marlar	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
25430222056	225th Street	44.12257	-98.88958	W1-1R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Marlar	W1-1R, Turn (Right)		Install Minimum 325' in advance of Curve PC
25430222056.2	225th Street	44.12257	-98.88958	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Marlar	W13-1P, Advisory Speed (Plaque)	5	
2543022811	225th Street	44.12259	-98.88807	W1-6R	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	9	Marlar	W1-6R, One-Direction Large Arrow (Right)		
2543022811.2	225th Street	44.12259	-98.88807	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Marlar	Del8a, 4" Tubular White Delineator (no post)		
254521552	225th Street	44.12272	-98.90811	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254521552.2	225th Street	44.12272	-98.90811	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2547143951	225th Street	44.12244	-98.79997	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 136', 204', 300'
26215221641	225th Street	44.12259	-98.88814	Del7	New	4					White	1.12 lb/ft Post	New	4	5	Marlar	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 50', Curve Spacing = 20'. Delineators omitted in conflict with approach
2633151409	225th Street	44.12686	-98.80676	SP-10L	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	SP-10L, Turn (Left) w/ Side Road 45* Up/Right		Install Minimum 275' in Advance of Curve PC.
2633151409.2	225th Street	44.12686	-98.80676	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	10	
2633152023	225th Street	44.12773	-98.80925	SP-10R	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	SP-10R, Turn (Right) w/ Side Road Left		Install Minimum 275' in Advance of Curve PC.
2633152023.2	225th Street	44.12773	-98.80925	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	10	
25213155028	226th Street	44.11003	-98.66979	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	226 St	
25213155028.2	226th Street	44.11003	-98.66979	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	376 Ave	
25213155334	226th Street	44.11000	-98.66976	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25213155334.2	226th Street	44.11000	-98.66976	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25213155553	226th Street	44.11024	-98.65000	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	226 St	
25213155553.2	226th Street	44.11024	-98.65000	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	377 Ave	
25213155956	226th Street	44.11043	-98.63022	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	226 St	
25213155956.2	226th Street	44.11043	-98.63022	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	378 Ave	
2521316213	226th Street	44.11031	-98.63046	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521316213.2	226th Street	44.11031	-98.63046	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521316408	226th Street	44.11029	-98.63171	W3-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Insta
2521410033	226th Street	44.11188	-98.35201	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521410033.2	226th Street	44.11188	-98.35201	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25214101157	226th Street	44.11138	-98.45159	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	226 St	
25214101157.2	226th Street	44.11138	-98.45159	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	US 281	
2521410133	226th Street	44.11190	-98.35200	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	226 St	
2521410133.2	226th Street	44.11190	-98.35200	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	393 Ave	
2521494629	226th Street	44.11149	-98.43245	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	226 St	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	72	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2521494629.2	226th Street	44.11149	-98.43245	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	389 Ave	
2521494834	226th Street	44.11157	-98.41227	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	226 St	
2521494834.2	226th Street	44.11157	-98.41227	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
2521494947	226th Street	44.11146	-98.41254	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521494947.2	226th Street	44.11146	-98.41254	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521495100	226th Street	44.11153	-98.41225	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521495100.2	226th Street	44.11153	-98.41225	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521495519	226th Street	44.11168	-98.39222	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	226 St	
2521495519.2	226th Street	44.11168	-98.39222	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	391 Ave	
2521495722	226th Street	44.11180	-98.37207	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	226 St	
2521495722.2	226th Street	44.11180	-98.37207	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	392 Ave	
2521495927	226th Street	44.11180	-98.35229	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521495927.2	226th Street	44.11180	-98.35229	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25224112227	226th Street	44.10801	-98.82766	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	226 St	
25224112227.2	226th Street	44.10801	-98.82766	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	368 Ave	
2522411519	226th Street	44.10828	-98.92148	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Marlar	W70-1, Minimum Maintenance		
2522411519.2	226th Street	44.10828	-98.92148	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Marlar	W70-3, Travel At Your Own Risk		
2522411519.3	226th Street	44.10828	-98.92148	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Marlar	W13-1P, Advisory Speed (Plaque)	25	
2522411945	226th Street	44.10825	-98.90808	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	226 St	
2522411945.2	226th Street	44.10825	-98.90808	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	364 Ave	
2522614255	226th Street	44.11025	-98.63046	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
25227131610	226th Street	44.11128	-98.47214	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
25227131610.2	226th Street	44.11128	-98.47214	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
25227134733	226th Street	44.11131	-98.47178	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	226 St	
25227134733.2	226th Street	44.11131	-98.47178	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	387 Ave	
252310454	226th Street	44.11116	-98.53175	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	10	County	D3-1, Street Name	226 St	
252310454.2	226th Street	44.11116	-98.53175	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	384 Ave	
252485430	226th Street	44.11113	-98.57091	R1-2	D/R	1	East				Red		Disc	1		County	R1-2, Yield		
252485531	226th Street	44.11106	-98.57087	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
252485531.2	226th Street	44.11106	-98.57087	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
252485739	226th Street	44.11110	-98.57085	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	10	County	D3-1, Street Name	226 St	
252485739.2	226th Street	44.11110	-98.57085	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	382 Ave	
25325174235	226th Street	44.10815	-98.88809	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	226 St	
25325174235.2	226th Street	44.10815	-98.88809	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	365 Ave	
2532518511	226th Street	44.11100	-98.56773	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2532518511.2	226th Street	44.11100	-98.56773	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2536102927	226th Street	44.10949	-98.70943	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
2536102927.2	226th Street	44.10949	-98.70943	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
2536103209	226th Street	44.10950	-98.70913	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	226 St	
2536103209.2	226th Street	44.10950	-98.70913	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	374 Ave	
25413221917	226th Street	44.10818	-98.92620	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Marlar	W70-1, Minimum Maintenance		
25413221917.2	226th Street	44.10818	-98.92620	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Marlar	W70-3, Travel At Your Own Risk		
25413221917.3	226th Street	44.10818	-98.92620	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Marlar	W13-1P, Advisory Speed (Plaque)	25	
2541322748	226th Street	44.11106	-98.53095	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2541322748.2	226th Street	44.11106	-98.53095	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
25414222244	226th Street	44.11000	-98.67015	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W70-2, No Maintenance		
25414222244.2	226th Street	44.11000	-98.67015	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
254521714	226th Street	44.10811	-98.90838	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254521714.2	226th Street	44.10811	-98.90838	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25117151208	227th Street	44.09677	-98.41681	W1-6L	New	1	Southeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6L, One-Direction Large Arrow (Left)		
25117151208.2	227th Street	44.09677	-98.41681	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25117151506	227th Street	44.09624	-98.41551	W1-6L	New	1	Northwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6L, One-Direction Large Arrow (Left)		
25117151506.2	227th Street	44.09624	-98.41551	Del8a	New	1	Northwest				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25117151539	227th Street	44.09625	-98.41573	W1-6R	New	1	Northeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6R, One-Direction Large Arrow (Right)		
25117151539.2	227th Street	44.09625	-98.41573	Del8a	New	1	Northeast				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25117152130	227th Street	44.09674	-98.41389	W1-6R	New	1	Southwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6R, One-Direction Large Arrow (Right)		
25117152130.2	227th Street	44.09674	-98.41389	Del8a	New	1	Southwest				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25225104244	227th Street	44.09653	-98.57079	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25225104244.2	227th Street	44.09653	-98.57079	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25225104345	227th Street	44.09660	-98.57076	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	227 St	
25225104345.2	227th Street	44.09660	-98.57076	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	382 Ave	
25225104644	227th Street	44.09614	-98.55368	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25225104741	227th Street	44.09607	-98.55366	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25225111140	227th Street	44.09617	-98.53217	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25225111140.2	227th Street	44.09617	-98.53217	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	73	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25225111804	227th Street	44.09625	-98.53196	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25225111804.2	227th Street	44.09625	-98.53196	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25225111922	227th Street	44.09628	-98.53192	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	227 St	
25225111922.2	227th Street	44.09628	-98.53192	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	384 Ave	
25225112131	227th Street	44.09619	-98.52641	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25225112221	227th Street	44.09625	-98.52641	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25225113224	227th Street	44.09635	-98.51189	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	227 St	
25225113224.2	227th Street	44.09635	-98.51189	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	385 Ave	
2522511328	227th Street	44.09615	-98.55191	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	227 St	
2522511328.2	227th Street	44.09615	-98.55191	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	383 Ave	
25225113631	227th Street	44.09622	-98.51321	W2-4	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-4, T-Symbol		Install Minimum 325' in Advance of Intersection
25225114841	227th Street	44.09643	-98.47198	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
25225114841.2	227th Street	44.09643	-98.47198	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25225114942	227th Street	44.09654	-98.47179	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
25225114942.2	227th Street	44.09654	-98.47179	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25225115124	227th Street	44.09658	-98.47176	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	227 St	
25225115124.2	227th Street	44.09658	-98.47176	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	387 Ave	
2522511646	227th Street	44.09610	-98.55172	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2522511722	227th Street	44.09603	-98.55180	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2522882404	227th Street	44.09531	-98.68908	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Pleasant	R1-2, Yield		
2522882404.2	227th Street	44.09531	-98.68908	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
2522883200	227th Street	44.09540	-98.68896	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	227 St	
2522883200.2	227th Street	44.09540	-98.68896	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	375 Ave	
2522883928	227th Street	44.09529	-98.66965	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	227 St	
2522883928.2	227th Street	44.09529	-98.66965	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	376 Ave	
2531182016	227th Street	44.09668	-98.43265	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
2531182016.2	227th Street	44.09668	-98.43265	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
2531182118	227th Street	44.09675	-98.43247	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
2531182118.2	227th Street	44.09675	-98.43247	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
2531182234	227th Street	44.09679	-98.43244	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	227 St	
2531182234.2	227th Street	44.09679	-98.43244	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	389 Ave	
2531183700	227th Street	44.09678	-98.41232	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2531183700.2	227th Street	44.09678	-98.41232	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2531184818	227th Street	44.09669	-98.41188	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2531184914	227th Street	44.09681	-98.41232	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	227 St	
2531184914.2	227th Street	44.09681	-98.41232	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
2531185738	227th Street	44.09708	-98.39214	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	227 St	
2531185738.2	227th Street	44.09708	-98.39214	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	391 Ave	
2531191034	227th Street	44.09716	-98.35217	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2531191034.2	227th Street	44.09716	-98.35217	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2531191743	227th Street	44.09732	-98.35186	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	227 St	
2531191743.2	227th Street	44.09732	-98.35186	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	393 Ave	
253119627	227th Street	44.09716	-98.37203	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	227 St	
253119627.2	227th Street	44.09716	-98.37203	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	392 Ave	
253119944	227th Street	44.09718	-98.35226	R1-2	D/R	1	West				Red		Disc	1		County	R1-2, Yield		
25325184109	227th Street	44.09488	-98.70913	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25325184109.2	227th Street	44.09488	-98.70913	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25325184134	227th Street	44.09498	-98.70889	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25325184134.2	227th Street	44.09498	-98.70889	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2536101316	227th Street	44.09447	-98.74880	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
2536101316.2	227th Street	44.09447	-98.74880	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
2536101438	227th Street	44.09458	-98.74892	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	227 St	
2536101438.2	227th Street	44.09458	-98.74892	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	372 Ave	
2536101929	227th Street	44.09497	-98.71082	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
2536101929.2	227th Street	44.09497	-98.71082	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
2536102227	227th Street	44.09490	-98.70878	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
2536102227.2	227th Street	44.09490	-98.70878	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
2536102227.3	227th Street	44.09490	-98.70878	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
2536102618	227th Street	44.09501	-98.70886	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	227 St	
2536102618.2	227th Street	44.09501	-98.70886	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	374 Ave	
2536104521	227th Street	44.09407	-98.78931	W1-7	R/R	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	Repl	2	11	Pleasant	W1-7, Two-Direction Large Arrow		
2536104521.2	227th Street	44.09407	-98.78931	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
2536104540	227th Street	44.09397	-98.78896	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
2536104540.2	227th Street	44.09397	-98.78896	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
2536111721	227th Street	44.09324	-98.90746	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	227 St	

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	74	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2536111721.2	227th Street	44.09324	-98.90746	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	364 Ave	
2536112129	227th Street	44.09303	-98.86743	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	227 St	
2536112129.2	227th Street	44.09303	-98.86743	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	366 Ave	
2536112606	227th Street	44.09321	-98.82758	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	227 St	
2536112606.2	227th Street	44.09321	-98.82758	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	368 Ave	
25412144145	227th Street	44.09474	-98.79263	W14-1	D/R	1	East				Yellow		Disc	1		Pleasant	W14-1, Dead End		
25414212524	227th Street	44.09409	-98.78914	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	227 St	
25414212524.2	227th Street	44.09409	-98.78914	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	370 Ave	
25414212657	227th Street	44.09538	-98.68893	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
25414212657.2	227th Street	44.09538	-98.68893	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25414222803	227th Street	44.09538	-98.64985	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	227 St	
25414222803.2	227th Street	44.09538	-98.64985	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	377 Ave	
25414223536	227th Street	44.09525	-98.66962	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25414223536.2	227th Street	44.09525	-98.66962	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25414223620	227th Street	44.09515	-98.66991	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25414223620.2	227th Street	44.09515	-98.66991	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541792024	227th Street	44.09650	-98.47199	W14-1	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W14-1, Dead End		
2541792150	227th Street	44.09645	-98.48194	OM4-3	New	3	East				Red	1.12 lb/ft Post	New	3	7	County	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
2541792339	227th Street	44.09647	-98.47919	W20-3	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W20-3, Road Closed Ahead		
2541792727	227th Street	44.09682	-98.45153	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	227 St	
2541792727.2	227th Street	44.09682	-98.45153	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	US 281	
25418214654	227th Street	44.09726	-98.35260	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2541883929	227th Street	44.09699	-98.37740	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25426155324	227th Street	44.09669	-98.41784	W1-5R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Franklin	W1-5R, Winding Road (Right)		Install Minimum 225' in Advance of Curve PC.
25426155324.2	227th Street	44.09669	-98.41784	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	20	
25426155606	227th Street	44.09678	-98.41288	W1-5L	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Franklin	W1-5L, Winding Road (Left)		Install Minimum 200' in Advance of Curve PC.
25426155606.2	227th Street	44.09678	-98.41288	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	20	
25426155640	227th Street	44.09674	-98.41664	W1-6R	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6R, One-Direction Large Arrow (Right)		
25426155640.2	227th Street	44.09674	-98.41664	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25426155727	227th Street	44.09670	-98.41421	W1-6L	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6L, One-Direction Large Arrow (Left)		
25426155727.2	227th Street	44.09670	-98.41421	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25426155758	227th Street	44.09677	-98.41698	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 74', 111', 222'
25426155816	227th Street	44.09676	-98.41673	Del7	New	4					White	1.12 lb/ft Post	New	4	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 200', Curve Spacing = 37'
25426155850	227th Street	44.09668	-98.41647	Del7	New	1					White	1.12 lb/ft Post	New	1	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 74'
25426155912	227th Street	44.09631	-98.41594	Del7	New	2					White	1.12 lb/ft Post	New	2	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 60', 90'
25426155943	227th Street	44.09626	-98.41567	Del7	New	4					White	1.12 lb/ft Post	New	4	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 150', Curve Spacing = 30'. Delineators omitted in conflict with approach
2542616128	227th Street	44.09628	-98.41544	Del7	New	2					White	1.12 lb/ft Post	New	2	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 60', 90'
2542616203	227th Street	44.09661	-98.41459	Del7	New	1					White	1.12 lb/ft Post	New	1	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 166'
2542616221	227th Street	44.09671	-98.41413	Del7	New	4					White	1.12 lb/ft Post	New	4	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 800', Curve Spacing = 83'
2542616251	227th Street	44.09677	-98.41367	Del7	New	1					White	1.12 lb/ft Post	New	1	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 166'
25427185911	227th Street	44.09403	-98.78965	W1-5R	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Pleasant	W1-5R, Winding Road (Right)		Install at 225' in Advance of Curve PC and west of 370 Ave intersection.
25427185911.2	227th Street	44.09403	-98.78965	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	20	
25427214547	227th Street	44.09389	-98.79065	W1-6L	New	1	Northwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Pleasant	W1-6L, One-Direction Large Arrow (Left)		
25427214547.2	227th Street	44.09389	-98.79065	Del8a	New	1	Northwest				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
25427215156	227th Street	44.09426	-98.79156	W1-6L	New	1	Northwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Pleasant	W1-6L, One-Direction Large Arrow (Left)		
25427215156.2	227th Street	44.09426	-98.79156	Del8a	New	1	Northwest				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
2545104453	227th Street	44.09480	-98.79234	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
2545104453.2	227th Street	44.09480	-98.79234	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
2545131816	227th Street	44.09669	-98.44642	S3-1	New	1	West	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	10	Franklin	S3-1, School Bus Stop Ahead (Symbol)		Install Minimum 325' in Advance of Intersecting Road
2545131854	227th Street	44.09678	-98.44308	S3-1	New	1	East	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	10	Franklin	S3-1, School Bus Stop Ahead (Symbol)		Install Minimum 325' in Advance of Intersecting Road
2545213837	227th Street	44.09670	-98.41253	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545213837.2	227th Street	44.09670	-98.41253	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2545214232	227th Street	44.09728	-98.35188	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545214232.2	227th Street	44.09728	-98.35188	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2555214126	227th Street	44.09537	-98.65015	W1-6R	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6R, One-Direction Large Arrow (Right)		
2555214126.2	227th Street	44.09537	-98.65015	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2555214338	227th Street	44.09534	-98.64999	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 55', Curve Spacing = 20'. Delineators omitted in conflict with approach.
2555214844	227th Street	44.09538	-98.65021	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
255522711	227th Street	44.09527	-98.65128	W1-1R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1R, Turn (Right)		Install Minimum 275' in advance of Curve PC
255522711.2	227th Street	44.09527	-98.65128	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	10	
2557155546	227th Street	44.09396	-98.79091	W1-6R	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Pleasant	W1-6R, One-Direction Large Arrow (Right)		
2557155546.2	227th Street	44.09396	-98.79091	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
2557155558	227th Street	44.09454	-98.79189	W1-6R	New	1	Southeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Pleasant	W1-6R, One-Direction Large Arrow (Right)		
2557155558.2	227th Street	44.09454	-98.79189	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
26224113602	227th Street	44.09708	-98.37740	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2622792648	227th Street	44.09539	-98.68921	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	75	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2622792648.2	227th Street	44.09539	-98.68921	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
2622792648.3	227th Street	44.09539	-98.68921	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
25111142112	228th Street	44.08219	-98.43420	W2-3R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Franklin	W2-3R, Angle Side Road (Right)		Install Minimum 225' in Advance of Curve PC.
25111142112.2	228th Street	44.08219	-98.43420	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	20	
25111155642	228th Street	44.08231	-98.43246	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	228 St	
25111155642.2	228th Street	44.08231	-98.43246	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	389 Ave	
25111155642.3	228th Street	44.08231	-98.43246	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25225123720	228th Street	44.08187	-98.51215	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	228 St	
25225123720.2	228th Street	44.08187	-98.51215	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	385 Ave	
2522785433	228th Street	44.08192	-98.47178	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	228 St	
2522785433.2	228th Street	44.08192	-98.47178	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	387 Ave	
25311101609	228th Street	44.08256	-98.38403	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311101652	228th Street	44.08251	-98.38395	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531193016	228th Street	44.08235	-98.41232	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2531193016.2	228th Street	44.08235	-98.41232	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2531193121	228th Street	44.08239	-98.41231	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	228 St	
2531193121.2	228th Street	44.08239	-98.41231	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
2531193421	228th Street	44.08245	-98.39241	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
2531193421.2	228th Street	44.08245	-98.39241	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
2531193548	228th Street	44.08252	-98.39217	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
2531193548.2	228th Street	44.08252	-98.39217	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
2531193656	228th Street	44.08255	-98.39217	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	228 St	
2531193656.2	228th Street	44.08255	-98.39217	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	391 Ave	
2531195744	228th Street	44.08264	-98.37206	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	228 St	
2531195744.2	228th Street	44.08264	-98.37206	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	392 Ave	
253120706	228th Street	44.08280	-98.35186	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	228 St	
253120706.2	228th Street	44.08280	-98.35186	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	393 Ave	
25415214954	228th Street	44.08164	-98.55222	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25415214954.2	228th Street	44.08164	-98.55222	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25415214954.3	228th Street	44.08164	-98.55222	R1-3P	New	1	East	18" x 6"		0.8	Red	2" X 2" Perforated Tube Post	Repl			County	R1-3P, All Way		Mount below R1-1
2541522049	228th Street	44.08231	-98.53117	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25415221056	228th Street	44.08166	-98.52267	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
25415221338	228th Street	44.08179	-98.51556	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25415221517	228th Street	44.08171	-98.51562	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25415221923	228th Street	44.08178	-98.51759	OM3-RS	New	1	East				Yellow					County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure
25415222023	228th Street	44.08170	-98.51772	OM3-RS	New	1	West				Yellow					County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure
25415222905	228th Street	44.08168	-98.51926	OM3-LS	New	1	East				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure
25415223047	228th Street	44.08176	-98.51926	OM3-RS	New	1	East				Yellow					County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure
25415223110	228th Street	44.08169	-98.51943	OM3-RS	New	1	West				Yellow					County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure
25415223135	228th Street	44.08176	-98.51945	OM3-LS	New	1	West				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure
2541522340	228th Street	44.08223	-98.53123	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25415223544	228th Street	44.08171	-98.51759	OM3-LS	New	1	East				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure
25415223652	228th Street	44.08178	-98.51772	OM3-LS	New	1	West				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure
25415224509	228th Street	44.08261	-98.53259	W1-7	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-7, Two-Direction Large Arrow		
25415224509.2	228th Street	44.08261	-98.53259	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25415231137	228th Street	44.08137	-98.49233	R1-2	New	1	Northwest	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
25415231137.2	228th Street	44.08137	-98.49233	Del8a	New	1	Northwest				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25415231927	228th Street	44.08145	-98.49210	R1-2	New	1	Northeast	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	County	R1-2, Yield		
25415231927.2	228th Street	44.08145	-98.49210	Del8a	New	1	Northeast				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25415232932	228th Street	44.08193	-98.47209	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
25415232932.2	228th Street	44.08193	-98.47209	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25415232956	228th Street	44.08205	-98.47177	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
25415232956.2	228th Street	44.08205	-98.47177	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541591900	228th Street	44.08168	-98.55222	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	228 St	
2541591900.2	228th Street	44.08168	-98.55222	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	383 Ave	
2541593632	228th Street	44.08154	-98.55179	R2-1 (55)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25416191923	228th Street	44.08192	-98.47906	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25416191941	228th Street	44.08202	-98.47905	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25416192126	228th Street	44.08196	-98.47935	Del7	D/R	8	East & West				White		Disc	8		County	Del7, 4"x4" White Delineator Back to Back w/Post		
2541793114	228th Street	44.08270	-98.53220	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	228 St	
2541793114.2	228th Street	44.08270	-98.53220	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	384 Ave	
2541794636	228th Street	44.08235	-98.45168	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	228 St	
2541794636.2	228th Street	44.08235	-98.45168	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	US 281	
25424142747	228th Street	44.08279	-98.34805	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
25425142321	228th Street	44.08229	-98.42245	W1-7	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	Franklin	W1-7, Two-Direction Large Arrow		

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	76	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25425142321.2	228th Street	44.08229	-98.42245	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25426142251	228th Street	44.08153	-98.54965	W1-3L	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-3L, Reverse Turn (Left)		Install Minimum 200' in Advance of Curve PC.
25426142251.2	228th Street	44.08153	-98.54965	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	25	
25426142428	228th Street	44.08148	-98.55103	W1-4L	D/R	1	West				Yellow		Disc	1		County	W1-4L, Reverse Curve (Left)		
25426142516	228th Street	44.08239	-98.54401	W1-4L	D/R	1	East				Yellow		Disc	1		County	W1-4L, Reverse Curve (Left)		
25426142631	228th Street	44.08245	-98.54493	W1-3L	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-3L, Reverse Turn (Left)		Install Minimum 225' in Advance of Curve PC.
25426142631.2	228th Street	44.08245	-98.54493	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	25	
25426142717	228th Street	44.08258	-98.54579	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 96', 144', 288'
25426142755	228th Street	44.08258	-98.54659	W1-6L	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6L, One-Direction Large Arrow (Left)		
25426142755.2	228th Street	44.08258	-98.54659	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25426142823	228th Street	44.08261	-98.54633	W1-6R	New	1	Southwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6R, One-Direction Large Arrow (Right)		
25426142823.2	228th Street	44.08261	-98.54633	Del8a	New	1	Southwest				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25426142848	228th Street	44.08260	-98.54646	Del7	New	6					White	1.12 lb/ft Post	New	6	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 300', Curve Spacing = 48'
25426142928	228th Street	44.08243	-98.54700	Del7	New	2					White	1.12 lb/ft Post	New	2	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 96',144'
25426143010	228th Street	44.08152	-98.54890	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 104', 156', 300'
25426143028	228th Street	44.08156	-98.54841	W1-6R	New	1	Northeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6R, One-Direction Large Arrow (Right)		
25426143028.2	228th Street	44.08156	-98.54841	Del8a	New	1	Northeast				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25426143057	228th Street	44.08164	-98.54798	W1-6L	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6L, One-Direction Large Arrow (Left)		
25426143057.2	228th Street	44.08164	-98.54798	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25426143124	228th Street	44.08160	-98.54819	Del7	New	5					White	1.12 lb/ft Post	New	5	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 350', Curve Spacing = 52'
25426143155	228th Street	44.08184	-98.54765	Del7	New	2					White	1.12 lb/ft Post	New	2	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 104', 156'
25426145552	228th Street	44.08228	-98.53103	W3-1	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
25426145902	228th Street	44.08255	-98.53212	Del8	New	9					White	1.12 lb/ft Post	New	9	5	County	Del8, 4" Tubular White Delineator w/Post		Evenly spaced with a maximum space of 20'. Delineator omitted in conflict with approach
2542615101	228th Street	44.08236	-98.53240	Del8	New	15					White	1.12 lb/ft Post	New	15	5	County	Del8, 4" Tubular White Delineator w/Post		Evenly spaced with a maximum space of 20'
25430194903	228th Street	44.08169	-98.52888	W1-6R	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W1-6R, One-Direction Large Arrow (Right)		
25430194903.2	228th Street	44.08169	-98.52888	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25430195057	228th Street	44.08164	-98.52807	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 176', 264', 300'
25430195231	228th Street	44.08173	-98.52917	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 176', 264', 300'
25430195332	228th Street	44.08165	-98.52853	W1-6L	New	1	Northwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W1-6L, One-Direction Large Arrow (Left)		
25430195332.2	228th Street	44.08165	-98.52853	Del8a	New	1	Northwest				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25430195623	228th Street	44.08165	-98.52865	Del7	New	4					White	1.12 lb/ft Post	New	4	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 900', Curve Spacing = 88'
25430201650	228th Street	44.08190	-98.52991	W1-1L	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1L, Turn (Left)		Install Minimum 200' in advance of Curve PC
25430201650.2	228th Street	44.08190	-98.52991	W13-1P	New	1	Northwest	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	30	
25430202009	228th Street	44.08181	-98.53414	W1-6L	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6L, One-Direction Large Arrow (Left)		
25430202009.2	228th Street	44.08181	-98.53414	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25430202243	228th Street	44.08176	-98.53442	W1-6R	New	1	Northeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6R, One-Direction Large Arrow (Right)		
25430202243.2	228th Street	44.08176	-98.53442	Del8a	New	1	Northeast				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25430204445	228th Street	44.08197	-98.53355	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 166'
2543020811	228th Street	44.08176	-98.52729	W1-1R	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1R, Turn (Right)		Install Minimum 200' in advance of Curve PC
2543020811.2	228th Street	44.08176	-98.52729	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	30	
25430211122	228th Street	44.08182	-98.53407	Del7	New	6					White	1.12 lb/ft Post	New	6	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 800', Curve Spacing = 83'
25430211513	228th Street	44.08172	-98.53559	W1-1L	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1L, Turn (Left)		Install Minimum 200' in advance of Curve PC
25430211513.2	228th Street	44.08172	-98.53559	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	25	
25430212436	228th Street	44.08233	-98.53298	W1-1R	New	1	Northeast	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1R, Turn (Right)		Install Minimum 200' in advance of Curve PC
25430212436.2	228th Street	44.08233	-98.53298	W13-1P	New	1	Northeast	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	25	
25430213256	228th Street	44.08267	-98.53223	W1-7	New	1	Southwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	9	County	W1-7, Two-Direction Large Arrow		
25430213256.2	228th Street	44.08267	-98.53223	Del8a	New	1	Southwest				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25430213551	228th Street	44.08257	-98.53215	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25430213551.2	228th Street	44.08257	-98.53215	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25430214518	228th Street	44.08168	-98.53609	W1-2L	D/R	1	West				Yellow		Disc	1		County	W1-2L, Curve (Left)		
2543021557	228th Street	44.08208	-98.53318	W2-5	New	1	Southwest	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-5, Y-Symbol		Install Minimum 175' in advance of Y intersection
2543021557.2	228th Street	44.08208	-98.53318	W13-1P	New	1	Northwest	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	25	
2545225237	228th Street	44.08227	-98.41254	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545225237.2	228th Street	44.08227	-98.41254	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254523817	228th Street	44.08268	-98.35216	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254523817.2	228th Street	44.08268	-98.35216	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254523848	228th Street	44.08276	-98.35190	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254523848.2	228th Street	44.08276	-98.35190	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25610221703	228th Street	44.08229	-98.42236	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	10	County	D3-1, Street Name	228 St	
26225113714	228th Street	44.08175	-98.54067	Del7	New	5					White	1.12 lb/ft Post	New	5	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		C… S…
26225114346	228th Street	44.08188	-98.54211	Del7	New	2					White	1.12 lb/ft Post	New	2	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		A…
2633143650	228th Street	44.08192	-98.54252	W1-2L	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2L, Curve (Left)		Inst…
2633143954	228th Street	44.08190	-98.53873	W1-2R	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2R, Curve (Right)		Inst…
2633144352	228th Street	44.08175	-98.53484	Del7	New	2					White	1.12 lb/ft Post	New	2	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advan…
2633144425	228th Street	44.08171	-98.53915	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advan…

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	77	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
252279419	229th Street	44.06723	-98.55215	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	229 St	
252279419.2	229th Street	44.06723	-98.55215	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	383 Ave	
252279754	229th Street	44.06727	-98.53417	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
252279754.2	229th Street	44.06727	-98.53417	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
252289038	229th Street	44.06637	-98.66935	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	229 St	
252289038.2	229th Street	44.06637	-98.66935	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	376 Ave	
2522891408	229th Street	44.06637	-98.65012	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2522891408.2	229th Street	44.06637	-98.65012	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2522891530	229th Street	44.06638	-98.64968	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	229 St	
2522891530.2	229th Street	44.06638	-98.64968	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	377 Ave	
25311155903	229th Street	44.06633	-98.66979	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
25311155903.2	229th Street	44.06633	-98.66979	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2531116021	229th Street	44.06623	-98.66931	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2531116021.2	229th Street	44.06623	-98.66931	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2531192220	229th Street	44.08217	-98.42238	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
2531192220.2	229th Street	44.08217	-98.42238	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
2531292755	229th Street	44.06544	-98.74898	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Pleasant	R1-2, Yield		
2531292755.2	229th Street	44.06544	-98.74898	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
25320112707	229th Street	44.06451	-98.84739	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	229 St	
25320112707.2	229th Street	44.06451	-98.84739	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	367 Ave	
25325183728	229th Street	44.06493	-98.78899	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25325183728.2	229th Street	44.06493	-98.78899	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25325183932	229th Street	44.06575	-98.72892	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25325183932.2	229th Street	44.06575	-98.72892	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25325183957	229th Street	44.06583	-98.72865	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25325183957.2	229th Street	44.06583	-98.72865	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2532518420	229th Street	44.06713	-98.55209	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2532518420.2	229th Street	44.06713	-98.55209	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2532518443	229th Street	44.06720	-98.55256	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2532518443.2	229th Street	44.06720	-98.55256	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2534103926	229th Street	44.06805	-98.37179	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Franklin	W70-1, Minimum Maintenance		
2534103926.2	229th Street	44.06805	-98.37179	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W70-3, Travel At Your Own Risk		
2534103926.3	229th Street	44.06805	-98.37179	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	25	
2534104337	229th Street	44.06802	-98.37208	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
2534104337.2	229th Street	44.06802	-98.37208	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
2534104428	229th Street	44.06809	-98.37193	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
2534104428.2	229th Street	44.06809	-98.37193	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
2534104523	229th Street	44.06812	-98.37194	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	229 St	
2534104523.2	229th Street	44.06812	-98.37194	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	392 Ave	
253411054	229th Street	44.06823	-98.35227	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Franklin	W70-1, Minimum Maintenance		
253411054.2	229th Street	44.06823	-98.35227	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W70-3, Travel At Your Own Risk		
253411054.3	229th Street	44.06823	-98.35227	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	25	
253411257	229th Street	44.06820	-98.35166	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Franklin	W70-1, Minimum Maintenance		
253411257.2	229th Street	44.06820	-98.35166	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W70-3, Travel At Your Own Risk		
253411257.3	229th Street	44.06820	-98.35166	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	25	
253411432	229th Street	44.06829	-98.35182	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	229 St	
253411432.2	229th Street	44.06829	-98.35182	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	393 Ave	
2534125250	229th Street	44.06476	-98.79911	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
2534125250.2	229th Street	44.06476	-98.79911	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
2534125618	229th Street	44.06495	-98.78867	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
2534125618.2	229th Street	44.06495	-98.78867	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
2534125730	229th Street	44.06507	-98.78875	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	229 St	
2534125730.2	229th Street	44.06507	-98.78875	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	370 Ave	
2534131057	229th Street	44.06550	-98.74918	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
2534131057.2	229th Street	44.06550	-98.74918	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
2534131507	229th Street	44.06552	-98.74876	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Pleasant	R1-2, Yield		
2534131507.2	229th Street	44.06552	-98.74876	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
2534131602	229th Street	44.06556	-98.74876	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	229 St	
2534131602.2	229th Street	44.06556	-98.74876	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	372 Ave	
2534132851	229th Street	44.06589	-98.72864	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	229 St	
2534132851.2	229th Street	44.06589	-98.72864	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	373 Ave	
2534133546	229th Street	44.06581	-98.70895	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Pleasant	R1-2, Yield		
2534133546.2	229th Street	44.06581	-98.70895	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
2534133845	229th Street	44.06583	-98.70832	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
2534133845.2	229th Street	44.06583	-98.70832	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
2534134146	229th Street	44.06579	-98.70870	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	229 St	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	78	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2534134146.2	229th Street	44.06579	-98.70870	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	374 Ave	
253495401	229th Street	44.06786	-98.41213	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	229 St	
253495401.2	229th Street	44.06786	-98.41213	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	390 Ave	
2536113354	229th Street	44.06448	-98.88726	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	229 St	
2536113354.2	229th Street	44.06448	-98.88726	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	365 Ave	
2536114002	229th Street	44.06435	-98.86732	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	229 St	
2536114002.2	229th Street	44.06435	-98.86732	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	366 Ave	
253612206	229th Street	44.06454	-98.82740	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	10	County	D3-1, Street Name	229 St	
253612206.2	229th Street	44.06454	-98.82740	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	368 Ave	
25414212925	229th Street	44.06544	-98.74863	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
25414212925.2	229th Street	44.06544	-98.74863	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
25414212925.3	229th Street	44.06544	-98.74863	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
25414213157	229th Street	44.06590	-98.70909	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
25414213157.2	229th Street	44.06590	-98.70909	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
25414213157.3	229th Street	44.06590	-98.70909	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
25417164800	229th Street	44.06837	-98.33199	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Franklin	W70-1, Minimum Maintenance		
25417164800.2	229th Street	44.06837	-98.33199	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W70-3, Travel At Your Own Risk		
25417164800.3	229th Street	44.06837	-98.33199	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	25	
25426151046	229th Street	44.06777	-98.43552	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 44', 66', 132'
25426151104	229th Street	44.06773	-98.43585	Del7	New	6					White	1.12 lb/ft Post	New	6	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 100', Curve Spacing = 22'
25426151137	229th Street	44.06776	-98.43583	W1-6R	New	1	Southwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6R, One-Direction Large Arrow (Right)		
25426151137.2	229th Street	44.06776	-98.43583	Del8a	New	1	Southwest				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25426151202	229th Street	44.06774	-98.43588	W1-6L	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6L, One-Direction Large Arrow (Left)		
25426151202.2	229th Street	44.06774	-98.43588	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25426151348	229th Street	44.06787	-98.40654	Del7	New	4					White	1.12 lb/ft Post	New	4	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 125', Curve Spacing = 26'. Delineators omitted in conflict with approach
25426151504	229th Street	44.06789	-98.40678	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 52', 78', 156'
25426151714	229th Street	44.06780	-98.40784	W1-1R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Franklin	W1-1R, Turn (Right)		Install Minimum 275' in advance of Curve PC
25426151714.2	229th Street	44.06780	-98.40784	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	15	
25426152056	229th Street	44.06781	-98.40685	W3-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Franklin	W3-1, Stop Ahead		Install at curve PC, approximately 125' in advance of intersection.
25426152519	229th Street	44.06778	-98.43534	W3-1	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Franklin	W3-1, Stop Ahead		Install at curve PC, approximately 175' in advance of intersection.
25426152854	229th Street	44.06818	-98.38020	W1-1L	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Franklin	W1-1L, Turn (Left)		Install Minimum 275' in Advance of Curve PC.
25426152854.2	229th Street	44.06818	-98.38020	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	15	
25426152927	229th Street	44.06830	-98.38140	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 64', 96', 192'
25426152954	229th Street	44.06823	-98.38191	Del7	New	6					White	1.12 lb/ft Post	New	6	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 160', Curve Spacing = 32'. Delineators omitted in conflict with approach
25426153120	229th Street	44.06829	-98.38171	W1-6L	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6L, One-Direction Large Arrow (Left)		
25426153120.2	229th Street	44.06829	-98.38171	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25426153204	229th Street	44.06818	-98.38202	W1-6R	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6R, One-Direction Large Arrow (Right)		
25426153204.2	229th Street	44.06818	-98.38202	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
2542615943	229th Street	44.06776	-98.43447	W1-1L	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Franklin	W1-1L, Turn (Left)		Install Minimum 275' in Advance of Curve PC.
2542615943.2	229th Street	44.06776	-98.43447	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	15	
2545211621	229th Street	44.06449	-98.82742	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545211621.2	229th Street	44.06449	-98.82742	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2545211655	229th Street	44.06441	-98.82764	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545211655.2	229th Street	44.06441	-98.82764	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254521931	229th Street	44.06442	-98.88728	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254521931.2	229th Street	44.06442	-98.88728	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2545225357	229th Street	44.06776	-98.41232	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545225357.2	229th Street	44.06776	-98.41232	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2545225421	229th Street	44.06784	-98.41212	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545225421.2	229th Street	44.06784	-98.41212	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2545231009	229th Street	44.06817	-98.35207	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545231009.2	229th Street	44.06817	-98.35207	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254523941	229th Street	44.06824	-98.35185	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254523941.2	229th Street	44.06824	-98.35185	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2551221857	229th Street	44.06784	-98.40635	W1-6R	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6R, One-Direction Large Arrow (Right)		
2551221857.2	229th Street	44.06784	-98.40635	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
2551221946	229th Street	44.06781	-98.40633	W1-6L	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6L, One-Direction Large Arrow (Left)		
2551221946.2	229th Street	44.06781	-98.40633	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
26225114900	229th Street	44.06799	-98.37927	Del7	New	2					White	1.12 lb/ft Post	New	2	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 1040', Curve Spacing = 95'
26225115127	229th Street	44.06802	-98.37969	Del7	New	1					White	1.12 lb/ft Post	New	1	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 190'
26225115239	229th Street	44.06797	-98.37886	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 190', 285', 300'
2622792756	229th Street	44.06575	-98.72845	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
2622792756.2	229th Street	44.06575	-98.72845	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
2622792756.3	229th Street	44.06575	-98.72845	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
2622793042	229th Street	44.06573	-98.73520	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
2622793042.2	229th Street	44.06573	-98.73520	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		



FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	79	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2622793042.3	229th Street	44.06573	-98.73520	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
2633141113	229th Street	44.06807	-98.38009	W1-2L	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Franklin	W1-2L, Curve (Left)		Install Minimum 100' in advance of Curve PC
2633141113.2	229th Street	44.06807	-98.38009	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	50	
2633145924	229th Street	44.06439	-98.80724	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Pleasant	W70-2, No Maintenance		
2633145924.2	229th Street	44.06439	-98.80724	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
263314928	229th Street	44.06808	-98.37847	W1-2R	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Franklin	W1-2R, Curve (Right)		Install Minimum 100' in advance of Curve PC
263314928.2	229th Street	44.06808	-98.37847	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	50	
263315800	229th Street	44.06455	-98.80733	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	10	County	D3-1, Street Name	229 St	
263315800.2	229th Street	44.06455	-98.80733	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	369 Ave	
251136011	230th Street	44.05194	-98.64960	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	230 St	
251136011.2	230th Street	44.05194	-98.64960	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	377 Ave	
2522791117	230th Street	44.05271	-98.55217	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2522791117.2	230th Street	44.05271	-98.55217	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2522791244	230th Street	44.05274	-98.55218	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	230 St	
2522791244.2	230th Street	44.05274	-98.55218	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	383 Ave	
2522792017	230th Street	44.05285	-98.53207	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	230 St	
2522792017.2	230th Street	44.05285	-98.53207	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	384 Ave	
2522792332	230th Street	44.05288	-98.51200	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	230 St	
2522792332.2	230th Street	44.05288	-98.51200	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	385 Ave	
2522793337	230th Street	44.05282	-98.49547	Other	D/R	1	West				Yellow		Disc	1		County	Other, Other Sign	Slow Danger	
2522793736	230th Street	44.05281	-98.49220	R1-2	D/R	1	West				Red		Disc	1		County	R1-2, Yield		
2522793828	230th Street	44.05294	-98.49184	R1-2	D/R	1	East				Red		Disc	1		County	R1-2, Yield		
2522793914	230th Street	44.05285	-98.49214	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2522793914.2	230th Street	44.05285	-98.49214	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2522794012	230th Street	44.05294	-98.49181	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2522794012.2	230th Street	44.05294	-98.49181	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2522794416	230th Street	44.05304	-98.49184	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	230 St	
2522794416.2	230th Street	44.05304	-98.49184	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	386 Ave	
2522795433	230th Street	44.05313	-98.47176	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	230 St	
2522795433.2	230th Street	44.05313	-98.47176	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	387 Ave	
25228104025	230th Street	44.05238	-98.61010	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25228104025.2	230th Street	44.05238	-98.61010	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25228104144	230th Street	44.05243	-98.61002	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	230 St	
25228104144.2	230th Street	44.05243	-98.61002	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	379 Ave	
25228104527	230th Street	44.05241	-98.60249	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25228105035	230th Street	44.05234	-98.60249	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25228115412	230th Street	44.05240	-98.59067	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25228115412.2	230th Street	44.05240	-98.59067	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25228115802	230th Street	44.05254	-98.59049	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	230 St	
25228115802.2	230th Street	44.05254	-98.59049	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	380 Ave	
2522891952	230th Street	44.05180	-98.68869	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	230 St	
2522891952.2	230th Street	44.05180	-98.68869	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	375 Ave	
2522892154	230th Street	44.05176	-98.66958	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2522892154.2	230th Street	44.05176	-98.66958	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2522892301	230th Street	44.05186	-98.66933	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2522892301.2	230th Street	44.05186	-98.66933	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2522892353	230th Street	44.05194	-98.66933	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	230 St	
2522892353.2	230th Street	44.05194	-98.66933	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	376 Ave	
2522892624	230th Street	44.05178	-98.65038	Other	D/S	1	West				Yellow		Disc	1		County	Other, Other Sign	Slow Children At Play	Salvage sign back to Jerauld County
25311103742	230th Street	44.05324	-98.41564	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311103820	230th Street	44.05331	-98.41564	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311104238	230th Street	44.05328	-98.40963	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311104322	230th Street	44.05334	-98.40964	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311105219	230th Street	44.05321	-98.44604	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311105237	230th Street	44.05313	-98.44604	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311111113	230th Street	44.05347	-98.38541	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311111141	230th Street	44.05355	-98.38541	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311111736	230th Street	44.05360	-98.38009	Del7	D/R	1	East & West				White		Disc	1		Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		
25311111841	230th Street	44.05349	-98.38004	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311111915	230th Street	44.05359	-98.38004	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311112019	230th Street	44.05352	-98.37584	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311112053	230th Street	44.05362	-98.37584	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531111332	230th Street	44.05333	-98.40324	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311114100	230th Street	44.05367	-98.35324	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311114148	230th Street	44.05377	-98.35324	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	80	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2531111415	230th Street	44.05340	-98.40325	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311114518	230th Street	44.05368	-98.34860	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311114555	230th Street	44.05380	-98.34859	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311114733	230th Street	44.05373	-98.34261	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311114810	230th Street	44.05383	-98.34261	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531111545	230th Street	44.05336	-98.39904	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531111634	230th Street	44.05348	-98.39902	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531111818	230th Street	44.05338	-98.39761	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531111849	230th Street	44.05345	-98.39761	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531185827	230th Street	44.05292	-98.48083	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531185845	230th Street	44.05299	-98.48032	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531202845	230th Street	44.05333	-98.43222	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	230 St	
2531202845.2	230th Street	44.05333	-98.43222	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	389 Ave	
2531203226	230th Street	44.05330	-98.41946	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2531203927	230th Street	44.05320	-98.41946	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2531204739	230th Street	44.05317	-98.41212	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	230 St	
2531204739.2	230th Street	44.05317	-98.41212	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
2531214128	230th Street	44.05368	-98.37192	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	230 St	
2531214128.2	230th Street	44.05368	-98.37192	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	392 Ave	
253121833	230th Street	44.05356	-98.39197	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	230 St	
253121833.2	230th Street	44.05356	-98.39197	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	391 Ave	
25325181913	230th Street	44.05144	-98.70850	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Pleasant	R1-2, Yield		
25325181913.2	230th Street	44.05144	-98.70850	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
25325183611	230th Street	44.05055	-98.78867	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25325183611.2	230th Street	44.05055	-98.78867	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25325183623	230th Street	44.05046	-98.78890	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25325183623.2	230th Street	44.05046	-98.78890	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25325183856	230th Street	44.05122	-98.72874	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25325183856.2	230th Street	44.05122	-98.72874	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2534135257	230th Street	44.05021	-98.80730	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	230 St	
2534135257.2	230th Street	44.05021	-98.80730	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	369 Ave	
2534145030	230th Street	44.05061	-98.78868	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	230 St	
2534145030.2	230th Street	44.05061	-98.78868	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	370 Ave	
2534155808	230th Street	44.05091	-98.74891	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Pleasant	R1-2, Yield		
2534155808.2	230th Street	44.05091	-98.74891	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
2534155953	230th Street	44.05099	-98.74870	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Pleasant	R1-2, Yield		
2534155953.2	230th Street	44.05099	-98.74870	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
2534161817	230th Street	44.05123	-98.72842	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
2534161817.2	230th Street	44.05123	-98.72842	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
2534162143	230th Street	44.05135	-98.72848	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	230 St	
2534162143.2	230th Street	44.05135	-98.72848	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	373 Ave	
2534163750	230th Street	44.05141	-98.70889	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
2534163750.2	230th Street	44.05141	-98.70889	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
2534165206	230th Street	44.05151	-98.70849	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	230 St	
2534165206.2	230th Street	44.05151	-98.70849	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	374 Ave	
253416622	230th Street	44.05104	-98.74870	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	230 St	
253416622.2	230th Street	44.05104	-98.74870	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	372 Ave	
253483029	230th Street	44.05383	-98.35165	R1-2	D/R	1	East				Red		Disc	1		County	R1-2, Yield		
253483226	230th Street	44.05379	-98.35167	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
253483226.2	230th Street	44.05379	-98.35167	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
253483723	230th Street	44.05386	-98.35170	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	230 St	
253483723.2	230th Street	44.05386	-98.35170	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	393 Ave	
253484213	230th Street	44.05393	-98.33241	R2-1 (55)	R/R	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
253484653	230th Street	44.05393	-98.33209	Other	D/S	1	East				White					County	Other, Other Sign	Jerauld County Zoned	Sign attached to R2-1. Salvage sign back to Jerauld County.
2536141334	230th Street	44.05002	-98.86728	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	230 St	
2536141334.2	230th Street	44.05002	-98.86728	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	366 Ave	
253614711	230th Street	44.05012	-98.88718	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	230 St	
253614711.2	230th Street	44.05012	-98.88718	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	365 Ave	
253693747	230th Street	44.05130	-98.70857	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	Pleasant	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253694118	230th Street	44.05146	-98.70880	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	Pleasant	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253713221	230th Street	44.05020	-98.82727	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	230 St	
253713221.2	230th Street	44.05020	-98.82727	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	368 Ave	
25410121255	230th Street	44.05261	-98.55241	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25410121255.2	230th Street	44.05261	-98.55241	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25410121835	230th Street	44.05264	-98.54858	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	81	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25410121835.2	230th Street	44.05264	-98.54858	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541012747	230th Street	44.05292	-98.48032	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2541012840	230th Street	44.05300	-98.48083	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
25413145744	230th Street	44.05178	-98.65121	W1-1L	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1L, Turn (Left)		Install Minimum 275' in Advance of Curve PC.
25413145744.2	230th Street	44.05178	-98.65121	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	10	
25413145914	230th Street	44.05190	-98.64957	W1-6L	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	9	County	W1-6L, One-Direction Large Arrow (Left)		
25413145914.2	230th Street	44.05190	-98.64957	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541315153	230th Street	44.05179	-98.65002	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60, 120'
2541315251	230th Street	44.05192	-98.64960	Del7	New	4					White	1.12 lb/ft Post	New	4	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 75', Curve Spacing = 20'. Delineators omitted in conflict with approaches
25413161845	230th Street	44.05276	-98.54682	W1-10bR	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-10bR, Combination Horizontal Alignment/Intersection		Install Minimum 125' in Advance of Curve PC.
25413161845.2	230th Street	44.05276	-98.54682	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	40	
25413165735	230th Street	44.05264	-98.54771	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 214', 300', 300'
25413201404	230th Street	44.05521	-98.55218	W1-8	New	26	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	14	8	County	W1-8, Chevron Alignment		Curve Radius = 1300', Curve Spacing = 120'. Chevrons do not extend north of intersection of 383 Ave & Curve. Do not post Chevrons on west side of 383 Ave. All Chevrons will be posted along curve south and east of this point.
25413223917	230th Street	44.05009	-98.84727	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	230 St	
25413223917.2	230th Street	44.05009	-98.84727	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	367 Ave	
25414214303	230th Street	44.05145	-98.70766	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Pleasant	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25414214419	230th Street	44.05133	-98.70786	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Pleasant	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25414215002	230th Street	44.05184	-98.68756	W2-2L	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-2, Side Road (Left)		Install Minimum 325' in Advance of Intersection
25414215242	230th Street	44.05165	-98.69005	W2-2R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Pleasant	W2-2, Side Road (Right)		Install Minimum 325' in Advance of Intersection
25414215324	230th Street	44.05169	-98.68938	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Pleasant	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25414215413	230th Street	44.05179	-98.68938	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Pleasant	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25414225250	230th Street	44.05170	-98.68343	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25414225335	230th Street	44.05183	-98.68353	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25414225824	230th Street	44.05233	-98.59274	W2-4	D/R	1	West				Yellow		Disc	1		County	W2-4, T-Symbol		
25415155739	230th Street	44.05303	-98.47990	R12-5a	R/R	1	East	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R12-5a (New), Bridge Weight Limit	SINGLE UNIT 18 COMBINATIONS 30	
25415155843	230th Street	44.05289	-98.48112	R12-5a	R/R	1	West	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R12-5a (New), Bridge Weight Limit	SINGLE UNIT 18 COMBINATIONS 30	
2541516018	230th Street	44.05308	-98.47237	R12-5a	R/R	1	East	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R12-5a (New), Bridge Weight Limit	SINGLE UNIT 18 COMBINATIONS 30	
2541516018.2	230th Street	44.05308	-98.47237	W16-3AP	R/R	1	East	30" x 12"	2.5		White	2" X 2" Perforated Tube Post	Repl			County	W16-3AP, XX Miles (1-Line Plaque)	1/2 MILE	Mount below R12-5a
2541516201	230th Street	44.05281	-98.49148	R12-5a	R/R	1	West	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R12-5a (New), Bridge Weight Limit	SINGLE UNIT 18 COMBINATIONS 30	
2541516201.2	230th Street	44.05281	-98.49148	W16-3AP	R/R	1	West	30" x 12"	2.5		White	2" X 2" Perforated Tube Post	Repl			County	W16-3AP, XX Miles (1-Line Plaque)	1/2 MILE	Mount below R12-5a
25417102028	230th Street	44.05329	-98.45143	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	230 St	
25417102028.2	230th Street	44.05329	-98.45143	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	US 281	
25417143059	230th Street	44.05357	-98.37064	OM3-LS	R/R	1	East				Yellow		Repl	1		County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure
25417155714	230th Street	44.05333	-98.41197	R1-2	New	1	Northwest	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
25417155714.2	230th Street	44.05333	-98.41197	Del8a	New	1	Northwest				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25418214613	230th Street	44.05368	-98.35134	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25424221335	230th Street	44.05362	-98.37065	OM3-RS	R/R	1	East				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure
25424221350	230th Street	44.05362	-98.37077	OM3-LS	R/R	1	West				Yellow		Repl	1		County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure
25424221406	230th Street	44.05357	-98.37077	OM3-RS	R/R	1	West				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure
25425143221	230th Street	44.04998	-98.88747	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25425143221.2	230th Street	44.04998	-98.88747	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2545132940	230th Street	44.05356	-98.36841	S3-1	New	1	West	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	10	Franklin	S3-1, School Bus Stop Ahead (Symbol)		Install Minimum 325'
2545133010	230th Street	44.05366	-98.36598	S3-1	New	1	East	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	10	Franklin	S3-1, School Bus Stop Ahead (Symbol)		Install Minimum
2545133057	230th Street	44.05358	-98.36376	S3-1	New	1	West	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	10	Franklin	S3-1, School Bus Stop Ahead (Symbol)		Install Minim
2545133128	230th Street	44.05372	-98.36079	S3-1	New	1	East	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	10	Franklin	S3-1, School Bus Stop Ahead (Symbol)		Install Mi
2545135338	230th Street	44.05376	-98.33682	Other	D/R	1	West				Yellow		Disc	1		County	Other, Other Sign	HIDDEN DRIVEWAY	
2545135338.2	230th Street	44.05376	-98.33682	W16-9P	D/R	1	West				Yellow		Disc			County	W16-9P, Ahead (Plaque)		
2545211206	230th Street	44.05008	-98.88718	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2545211206.2	230th Street	44.05008	-98.88718	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2545211822	230th Street	44.05011	-98.82731	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2545211822.2	230th Street	44.05011	-98.82731	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2545211916	230th Street	44.05001	-98.82758	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2545211916.2	230th Street	44.05001	-98.82758	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2545214516	230th Street	44.05371	-98.35205	R1-2	D/R	1	West				Red		Disc	1		County	R1-2, Yield		

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	82	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2545214603	230th Street	44.05367	-98.35204	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545214603.2	230th Street	44.05367	-98.35204	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2545225824	230th Street	44.05333	-98.41213	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2545225824.2	230th Street	44.05333	-98.41213	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2545225848	230th Street	44.05323	-98.41240	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2545225848.2	230th Street	44.05323	-98.41240	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2547221323	230th Street	44.05360	-98.37057	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2547221346	230th Street	44.05359	-98.37084	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
254816216	230th Street	44.05292	-98.50515	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	Repl	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
254816309	230th Street	44.05276	-98.50515	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	Repl	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2548202953	230th Street	44.05025	-98.91273	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548203024	230th Street	44.05018	-98.91296	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548203103	230th Street	44.05019	-98.91272	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2548203232	230th Street	44.05025	-98.91296	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2557155257	230th Street	44.05365	-98.36948	W5-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W5-2, Narrow Bridge		Install Minimum 325' in Advance of Bridge
2557155308	230th Street	44.05354	-98.37177	W5-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W5-2, Narrow Bridge		Install Minimum 275' in Advance of Bridge, east of 392 Ave
25618122418	230th Street	44.05375	-98.33718	W2-2R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-2, Side Road (Right)		Install 500' in Advance of Intersecting Road
25618122418.2	230th Street	44.05375	-98.33718	W16-2aP	New	1	West	24" x 12"		2	Yellow	2" X 2" Perforated Tube Post	New			County	W16-2aP, XX Ft (Plaque)	500 FT	Mount below W2-2R
2622792716	230th Street	44.05179	-98.68888	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
2622792716.2	230th Street	44.05179	-98.68888	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
2622792716.3	230th Street	44.05179	-98.68888	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
2622792735	230th Street	44.05135	-98.70835	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
2622792735.2	230th Street	44.05135	-98.70835	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
2622792735.3	230th Street	44.05135	-98.70835	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
2622792833	230th Street	44.05009	-98.80714	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
2622792833.2	230th Street	44.05009	-98.80714	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
2622792833.3	230th Street	44.05009	-98.80714	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
2622792911	230th Street	44.05057	-98.78911	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
2622792911.2	230th Street	44.05057	-98.78911	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
2622792911.3	230th Street	44.05057	-98.78911	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
2622792926	230th Street	44.05047	-98.78848	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
2622792926.2	230th Street	44.05047	-98.78848	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
2622792926.3	230th Street	44.05047	-98.78848	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
2622793105	230th Street	44.05091	-98.74850	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
2622793105.2	230th Street	44.05091	-98.74850	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
2622793105.3	230th Street	44.05091	-98.74850	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
2622793129	230th Street	44.05099	-98.74910	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
2622793129.2	230th Street	44.05099	-98.74910	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
2622793129.3	230th Street	44.05099	-98.74910	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
2622793147	230th Street	44.05130	-98.72894	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
2622793147.2	230th Street	44.05130	-98.72894	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
2622793147.3	230th Street	44.05130	-98.72894	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
25113113036	231st Street	44.03856	-98.47044	W1-1R	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1R, Turn (Right)		Install Minimum 275' in Advance of Curve PC.
25113113036.2	231st Street	44.03856	-98.47044	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	10	
25113113922	231st Street	44.03858	-98.47170	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	231 St	
25113113922.2	231st Street	44.03858	-98.47170	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	387 Ave	
2511584356	231st Street	44.03851	-98.47190	W1-6R	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	9	County	W1-6R, One-Direction Large Arrow (Right)		
2511584356.2	231st Street	44.03851	-98.47190	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2512111003	231st Street	44.03729	-98.68846	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	231 St	
2512111003.2	231st Street	44.03729	-98.68846	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	375 Ave	
25227101030	231st Street	44.03823	-98.55196	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	231 St	
25227101030.2	231st Street	44.03823	-98.55196	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	383 Ave	
2522710852	231st Street	44.03813	-98.55173	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2522710852.2	231st Street	44.03813	-98.55173	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
25228101141	231st Street	44.03777	-98.61029	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25228101141.2	231st Street	44.03777	-98.61029	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25228101245	231st Street	44.03790	-98.60986	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25228101245.2	231st Street	44.03790	-98.60986	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25228101700	231st Street	44.03775	-98.61153	W3-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	83	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25228101815	231st Street	44.03788	-98.60863	W3-1	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2522810231	231st Street	44.03769	-98.62988	W1-7	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W1-7, Two-Direction Large Arrow		
2522810231.2	231st Street	44.03769	-98.62988	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25228102722	231st Street	44.03789	-98.59232	W2-4	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-4, T-Symbol		Install Minimum 325' in Advance of Intersection
25228103143	231st Street	44.03799	-98.59090	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	231 St	
25228103143.2	231st Street	44.03799	-98.59090	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	380 Ave	
2522810620	231st Street	44.03769	-98.62974	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	231 St	
2522810620.2	231st Street	44.03769	-98.62974	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	378 Ave	
2522810945	231st Street	44.03773	-98.61026	R1-2	D/R	1	East				Red		Disc	1		County	R1-2, Yield		
2522894531	231st Street	44.03720	-98.67169	W1-1L	D/R	1	West				Yellow		Disc	1		County	W1-1L, Turn (Left)		
2522894846	231st Street	44.03746	-98.66919	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	231 St	
2522894846.2	231st Street	44.03746	-98.66919	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	376 Ave	
2522895148	231st Street	44.03736	-98.65623	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2522895241	231st Street	44.03744	-98.65624	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2522895855	231st Street	44.03753	-98.63456	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2522895930	231st Street	44.03762	-98.63456	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25311161034	231st Street	44.03745	-98.64933	Del8	D/R	1	East & West				White		Disc	2		County	Del8, 4" Tubular White Delineator w/Post		
25311161146	231st Street	44.03745	-98.64944	Del8	D/R	1	East & West				White		Disc	2		County	Del8, 4" Tubular White Delineator w/Post		
25311161311	231st Street	44.03741	-98.64941	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311161340	231st Street	44.03747	-98.64941	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531294313	231st Street	44.03673	-98.73134	Other	D/S	1	East & West				White		Disc	1		Pleasant	Other, Other Sign		Salvage White PVC tube to Pleasant Township
25325172759	231st Street	44.03610	-98.78841	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	231 St	
25325172759.2	231st Street	44.03610	-98.78841	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	370 Ave	
25325174200	231st Street	44.03570	-98.84740	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	231 St	
25325174200.2	231st Street	44.03570	-98.84740	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	367 Ave	
25325183805	231st Street	44.03667	-98.72868	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25325183805.2	231st Street	44.03667	-98.72868	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2534165905	231st Street	44.03605	-98.78844	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2534165905.2	231st Street	44.03605	-98.78844	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2534171035	231st Street	44.03650	-98.74851	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Pleasant	R1-2, Yield		
2534171035.2	231st Street	44.03650	-98.74851	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
2534171253	231st Street	44.03657	-98.74847	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	231 St	
2534171253.2	231st Street	44.03657	-98.74847	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	372 Ave	
2534171921	231st Street	44.03677	-98.72843	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	231 St	
2534171921.2	231st Street	44.03677	-98.72843	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	373 Ave	
253417811	231st Street	44.03642	-98.74874	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Pleasant	R1-2, Yield		
253417811.2	231st Street	44.03642	-98.74874	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
253484942	231st Street	44.03866	-98.43228	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
253484942.2	231st Street	44.03866	-98.43228	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
253485040	231st Street	44.03872	-98.43208	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
253485040.2	231st Street	44.03872	-98.43208	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
253485148	231st Street	44.03878	-98.43208	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	10	County	D3-1, Street Name	231 St	
253485148.2	231st Street	44.03878	-98.43208	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	389 Ave	
253485321	231st Street	44.03867	-98.43189	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Franklin	W70-1, Minimum Maintenance		
253485321.2	231st Street	44.03867	-98.43189	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W70-3, Travel At Your Own Risk		
253485321.3	231st Street	44.03867	-98.43189	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	25	
253485813	231st Street	44.03883	-98.41236	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Franklin	W70-1, Minimum Maintenance		
253485813.2	231st Street	44.03883	-98.41236	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W70-3, Travel At Your Own Risk		
253485813.3	231st Street	44.03883	-98.41236	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	25	
253485954	231st Street	44.03892	-98.41196	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	231 St	
253485954.2	231st Street	44.03892	-98.41196	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
253491724	231st Street	44.03911	-98.36327	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253491820	231st Street	44.03918	-98.36327	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253492245	231st Street	44.03922	-98.35155	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Franklin	W70-1, Minimum Maintenance		
253492245.2	231st Street	44.03922	-98.35155	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W70-3, Travel At Your Own Risk		
253492245.3	231st Street	44.03922	-98.35155	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	25	
253492422	231st Street	44.03934	-98.35176	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	231 St	
253492422.2	231st Street	44.03934	-98.35176	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	393 Ave	
25349544	231st Street	44.03906	-98.39199	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	231 St	
25349544.2	231st Street	44.03906	-98.39199	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	391 Ave	
25349844	231st Street	44.03902	-98.37202	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
25349844.2	231st Street	44.03902	-98.37202	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25349938	231st Street	44.03909	-98.37186	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
25349938.2	231st Street	44.03909	-98.37186	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	84	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2537135144	231st Street	44.03576	-98.82725	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	231 St	
2537135144.2	231st Street	44.03576	-98.82725	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	368 Ave	
25413151650	231st Street	44.03749	-98.68639	W1-1L	D/R	1	East				Yellow		Disc	1		County	W1-1L, Turn (Left)		
25413152057	231st Street	44.03728	-98.68820	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 50', 75', 150'
25413152118	231st Street	44.03714	-98.68869	Del7	New	7					White	1.12 lb/ft Post	New	7	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 115', Curve Spacing = 25'. Delineator omitted in conflict with approach
25414202418	231st Street	44.03864	-98.89037	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	231 St	
25414202418.2	231st Street	44.03864	-98.89037	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	365 Ave	
25414231133	231st Street	44.03770	-98.62860	W2-2L	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-2, Side Road (Left)		Install Minimum 325' in Advance of Intersection
2541423825	231st Street	44.03741	-98.66918	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-2, Yield		
2541423825.2	231st Street	44.03741	-98.66918	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2541423912	231st Street	44.03729	-98.66951	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
2541423912.2	231st Street	44.03729	-98.66951	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25417102410	231st Street	44.03877	-98.45136	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	231 St	
25417102410.2	231st Street	44.03877	-98.45136	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	US 281	
2541884647	231st Street	44.03934	-98.33202	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Franklin	W70-1, Minimum Maintenance		
2541884647.2	231st Street	44.03934	-98.33202	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W70-3, Travel At Your Own Risk		
2541884647.3	231st Street	44.03934	-98.33202	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	25	
2541884938	231st Street	44.03929	-98.33197	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
2541884938.2	231st Street	44.03929	-98.33197	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25423231130	231st Street	44.03785	-98.60100	Del7	New	4					White	1.12 lb/ft Post	New	4	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 75' spacing south side of road
25424145806	231st Street	44.03892	-98.38834	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
25424145846	231st Street	44.03910	-98.37729	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
25425141958	231st Street	44.03914	-98.37185	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	231 St	
25425141958.2	231st Street	44.03914	-98.37185	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	392 Ave	
25426132446	231st Street	44.03851	-98.47186	Del7	New	6					White	1.12 lb/ft Post	New	6	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 70', Curve Spacing = 20'. Delineator omitted in conflict with approach
25426132559	231st Street	44.03843	-98.47147	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
2545212014	231st Street	44.03562	-98.82748	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545212014.2	231st Street	44.03562	-98.82748	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2545225941	231st Street	44.03885	-98.41199	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545225941.2	231st Street	44.03885	-98.41199	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254523027	231st Street	44.03876	-98.41217	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254523027.2	231st Street	44.03876	-98.41217	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2545231127	231st Street	44.03919	-98.35199	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545231127.2	231st Street	44.03919	-98.35199	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2545231213	231st Street	44.03929	-98.35174	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545231213.2	231st Street	44.03929	-98.35174	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25618122535	231st Street	44.03775	-98.60966	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
25618122535.2	231st Street	44.03775	-98.60966	W16-3P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W16-3P, XX Miles (2-Line Plaque)	1 MILE	Mount below W70-2
2622793242	231st Street	44.03642	-98.74831	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
2622793242.2	231st Street	44.03642	-98.74831	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
2622793242.3	231st Street	44.03642	-98.74831	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
2622793258	231st Street	44.03676	-98.72884	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
2622793258.2	231st Street	44.03676	-98.72884	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
2622793258.3	231st Street	44.03676	-98.72884	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
2633152300	231st Street	44.03730	-98.68716	SP-9L	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	SP-9L, Turn (Left) w/ Side Road Right		Install Minimum 275' in advance of Curve PC
2633152300.2	231st Street	44.03730	-98.68716	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	15	
25113104209	232nd Street	44.02284	-98.68854	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	232 St	
25113104209.2	232nd Street	44.02284	-98.68854	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	375 Ave	
251293738	232nd Street	44.02419	-98.45134	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	232 St	
251293738.2	232nd Street	44.02419	-98.45134	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	US 281	
25210141530	232nd Street	44.02430	-98.43210	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	232 St	
25210141530.2	232nd Street	44.02430	-98.43210	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	389 Ave	
25210141817	232nd Street	44.02428	-98.41539	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Blaine	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of sign(s) or structure
25210142156	232nd Street	44.02435	-98.41539	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Blaine	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of sign(s) or structure
25210142735	232nd Street	44.02441	-98.41196	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	232 St	
25210142735.2	232nd Street	44.02441	-98.41196	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
25210145201	232nd Street	44.02452	-98.39193	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	232 St	
25210145201.2	232nd Street	44.02452	-98.39193	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	391 Ave	
25210155056	232nd Street	44.02455	-98.37191	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
25210155056.2	232nd Street	44.02455	-98.37191	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
25210155310	232nd Street	44.02465	-98.37173	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	232 St	
25210155310.2	232nd Street	44.02465	-98.37173	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	392 Ave	
25210161805	232nd Street	44.02483	-98.35170	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	232 St	
25210161805.2	232nd Street	44.02483	-98.35170	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	393 Ave	
25218121604	232nd Street	44.02124	-98.82737	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25218121604.2	232nd Street	44.02124	-98.82737	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	85	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25218121728	232nd Street	44.02132	-98.82719	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25218121728.2	232nd Street	44.02132	-98.82719	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25218121835	232nd Street	44.02137	-98.82716	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	232 St	
25218121835.2	232nd Street	44.02137	-98.82716	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	368 Ave	
2521885506	232nd Street	44.02221	-98.72847	R1-2	D/R	1	East				Red		Disc	1		County	R1-2, Yield		
2521885606	232nd Street	44.02224	-98.72841	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521885606.2	232nd Street	44.02224	-98.72841	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521885733	232nd Street	44.02214	-98.72865	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2521885733.2	232nd Street	44.02214	-98.72865	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2521885913	232nd Street	44.02214	-98.72796	R2-1 (55)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
252189701	232nd Street	44.02228	-98.72836	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	232 St	
252189701.2	232nd Street	44.02228	-98.72836	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	373 Ave	
2524112601	232nd Street	44.02379	-98.55135	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	10	County	D3-1, Street Name	232 St	
2524112601.2	232nd Street	44.02379	-98.55135	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	383 Ave	
2524113440	232nd Street	44.02375	-98.55133	R1-2	D/R	1	East				Red		Disc	1		County	R1-2, Yield		
2524113557	232nd Street	44.02375	-98.55133	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2524113557.2	232nd Street	44.02375	-98.55133	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
252412752	232nd Street	44.02381	-98.53152	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	232 St	
252412752.2	232nd Street	44.02381	-98.53152	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	384 Ave	
2527121349	232nd Street	44.02367	-98.54546	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527121407	232nd Street	44.02375	-98.54539	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2531184211	232nd Street	44.02403	-98.49158	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	232 St	
2531184211.2	232nd Street	44.02403	-98.49158	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	386 Ave	
25312101208	232nd Street	44.02155	-98.78828	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	232 St	
25312101208.2	232nd Street	44.02155	-98.78828	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	370 Ave	
25312102211	232nd Street	44.02135	-98.80714	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	232 St	
25312102211.2	232nd Street	44.02135	-98.80714	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	369 Ave	
2531210907	232nd Street	44.02141	-98.78854	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2531210907.2	232nd Street	44.02141	-98.78854	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2531285906	232nd Street	44.02289	-98.66954	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2531285906.2	232nd Street	44.02289	-98.66954	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2531295909	232nd Street	44.02203	-98.74821	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	232 St	
2531295909.2	232nd Street	44.02203	-98.74821	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	372 Ave	
25325182116	232nd Street	44.02198	-98.74863	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
25325182116.2	232nd Street	44.02198	-98.74863	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
253611448	232nd Street	44.02258	-98.70839	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	232 St	
253611448.2	232nd Street	44.02258	-98.70839	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	374 Ave	
25413152802	232nd Street	44.02259	-98.68980	W1-1L	D/R	1	West				Yellow		Disc	1		County	W1-1L, Turn (Left)		
25413153915	232nd Street	44.02268	-98.68853	W1-6L	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6L, One-Direction Large Arrow (Left)		
25413153915.2	232nd Street	44.02268	-98.68853	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25413154130	232nd Street	44.02271	-98.68819	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
25413154130.2	232nd Street	44.02271	-98.68819	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
25413154213	232nd Street	44.02266	-98.68913	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 50', 75', 150'
25413154600	232nd Street	44.02279	-98.68868	Del7	New	5					White	1.12 lb/ft Post	New	5	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 115', Curve Spacing = 25'. Delineators omitted in conflict with approach
25414221755	232nd Street	44.02254	-98.70592	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25414221847	232nd Street	44.02244	-98.70600	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2541422715	232nd Street	44.02143	-98.78815	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
2541422715.2	232nd Street	44.02143	-98.78815	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
2541621459	232nd Street	44.02378	-98.51625	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
25417103057	232nd Street	44.02384	-98.51584	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25417103142	232nd Street	44.02378	-98.51585	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25417103839	232nd Street	44.02384	-98.49194	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25417103839.2	232nd Street	44.02384	-98.49194	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25417103937	232nd Street	44.02396	-98.49160	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25417103937.2	232nd Street	44.02396	-98.49160	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25417104652	232nd Street	44.02394	-98.47551	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25417104736	232nd Street	44.02401	-98.47552	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2541783455	232nd Street	44.02295	-98.66925	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	232 St	
2541783455.2	232nd Street	44.02295	-98.66925	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	376 Ave	
2542284228	232nd Street	44.02427	-98.41223	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2542284228.2	232nd Street	44.02427	-98.41223	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2542284338	232nd Street	44.02438	-98.41195	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2542284338.2	232nd Street	44.02438	-98.41195	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25424201444	232nd Street	44.02470	-98.35192	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		



STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	86	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25424201444.2	232nd Street	44.02470	-98.35192	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2545224224	232nd Street	44.02393	-98.51164	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	232 St	
2545224224.2	232nd Street	44.02393	-98.51164	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	385 Ave	
2546111343	232nd Street	44.02455	-98.37173	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
2546163109	232nd Street	44.02463	-98.37173	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
2546163109.2	232nd Street	44.02463	-98.37173	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
254616509	232nd Street	44.02427	-98.43206	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
254616509.2	232nd Street	44.02427	-98.43206	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
254616614	232nd Street	44.02415	-98.43236	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
254616614.2	232nd Street	44.02415	-98.43236	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
2548211130	232nd Street	44.02218	-98.72613	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548211236	232nd Street	44.02225	-98.72599	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548211401	232nd Street	44.02219	-98.72599	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2548211505	232nd Street	44.02226	-98.72613	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
25725162155	232nd Street	44.02197	-98.74824	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Pleasant	R1-2, Yield		
25725162155.2	232nd Street	44.02197	-98.74824	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
25725162253	232nd Street	44.02200	-98.74824	R1-1	D/R	1	East				Red		Disc	1		Pleasant	R1-1, Stop		
2622483441	232nd Street	44.02132	-98.80711	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2622793335	232nd Street	44.02223	-98.72878	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
2622793335.2	232nd Street	44.02223	-98.72878	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
2622793335.3	232nd Street	44.02223	-98.72878	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
2625125404	232nd Street	44.02187	-98.74820	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
2625125404.2	232nd Street	44.02187	-98.74820	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
2625125404.3	232nd Street	44.02187	-98.74820	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
2633152325	232nd Street	44.02266	-98.69017	SP-9L	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	SP-9L, Turn (Left) w/ Side Road Right		Install Minimum 275' in Advance of Curve PC.
2633152325.2	232nd Street	44.02266	-98.69017	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	15	
26339931	232nd Street	44.02187	-98.74852	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Pleasant	R1-2, Yield		
26339931.2	232nd Street	44.02187	-98.74852	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
25122134440	233rd Street	44.00922	-98.51234	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	11	Viola	R1-2, Yield		
25122134440.2	233rd Street	44.00922	-98.51234	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
25128143135	233rd Street	44.00929	-98.51189	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	11	Viola	R1-2, Yield		
25128143135.2	233rd Street	44.00929	-98.51189	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
25128143225	233rd Street	44.00924	-98.51179	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
25128143225.2	233rd Street	44.00924	-98.51179	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
25128143225.3	233rd Street	44.00924	-98.51179	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
2512931436	233rd Street	44.00965	-98.45126	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	233 St	
2512931436.2	233rd Street	44.00965	-98.45126	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	US 281	
2512952005	233rd Street	44.00927	-98.49208	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
2512952005.2	233rd Street	44.00927	-98.49208	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
2512952005.3	233rd Street	44.00927	-98.49208	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
2512952309	233rd Street	44.00922	-98.49152	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
2512952309.2	233rd Street	44.00922	-98.49152	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
2512952528	233rd Street	44.00930	-98.49171	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	233 St	
2512952528.2	233rd Street	44.00930	-98.49171	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	386 Ave	
25210195100	233rd Street	44.00954	-98.43199	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
25210195100.2	233rd Street	44.00954	-98.43199	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
25210195432	233rd Street	44.00959	-98.43201	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	10	County	D3-1, Street Name	233 St	
25210195432.2	233rd Street	44.00959	-98.43201	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	389 Ave	
2521113209	233rd Street	44.00977	-98.41196	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	233 St	
2521113209.2	233rd Street	44.00977	-98.41196	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
2521113730	233rd Street	44.00990	-98.39183	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	233 St	
2521113730.2	233rd Street	44.00990	-98.39183	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	391 Ave	
2521114442	233rd Street	44.01003	-98.37177	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	233 St	
2521114442.2	233rd Street	44.01003	-98.37177	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	392 Ave	
2521114651	233rd Street	44.01002	-98.35201	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2521114651.2	233rd Street	44.01002	-98.35201	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2521114801	233rd Street	44.01014	-98.35165	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2521114801.2	233rd Street	44.01014	-98.35165	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2521114913	233rd Street	44.01021	-98.35164	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	10	County	D3-1, Street Name	233 St	
2521114913.2	233rd Street	44.01021	-98.35164	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	393 Ave	
25217114232	233rd Street	44.00695	-98.82723	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	233 St	
25217114232.2	233rd Street	44.00695	-98.82723	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	368 Ave	
25217114729	233rd Street	44.00766	-98.74818	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	233 St	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	87	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25217114729.2	233rd Street	44.00766	-98.74818	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	372 Ave	
25217114955	233rd Street	44.00764	-98.72871	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25217114955.2	233rd Street	44.00764	-98.72871	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25217115056	233rd Street	44.00772	-98.72849	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25217115056.2	233rd Street	44.00772	-98.72849	Del8a	R/R	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25217115217	233rd Street	44.00775	-98.72850	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	233 St	
25217115217.2	233rd Street	44.00775	-98.72850	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	373 Ave	
25217115423	233rd Street	44.00799	-98.70844	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	233 St	
25217115423.2	233rd Street	44.00799	-98.70844	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	374 Ave	
2521783536	233rd Street	44.00833	-98.66987	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	233 St	
2521783536.2	233rd Street	44.00833	-98.66987	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	376 Ave	
2521783748	233rd Street	44.00840	-98.65005	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	233 St	
2521783748.2	233rd Street	44.00840	-98.65005	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	377 Ave	
2521784441	233rd Street	44.00843	-98.64727	W1-1L	D/R	1	West				Yellow		Disc	1		County	W1-1L, Turn (Left)		
2521784853	233rd Street	44.00858	-98.63017	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	233 St	
2521784853.2	233rd Street	44.00858	-98.63017	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	378 Ave	
25218122538	233rd Street	44.00702	-98.84721	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	233 St	
25218122538.2	233rd Street	44.00702	-98.84721	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	367 Ave	
2527121416	233rd Street	44.00916	-98.56356	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2527121434	233rd Street	44.00907	-98.56356	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2527121446	233rd Street	44.00907	-98.55639	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2527121455	233rd Street	44.00914	-98.55640	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
252783220	233rd Street	44.00959	-98.45212	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
252783220.2	233rd Street	44.00959	-98.45212	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
25325172642	233rd Street	44.00932	-98.51187	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	233 St	
25325172642.2	233rd Street	44.00932	-98.51187	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	385 Ave	
25325172720	233rd Street	44.00925	-98.53191	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	233 St	
25325172720.2	233rd Street	44.00925	-98.53191	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	384 Ave	
2541141354	233rd Street	44.00923	-98.55194	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	233 St	
2541141354.2	233rd Street	44.00923	-98.55194	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	383 Ave	
25413141541	233rd Street	44.00823	-98.61810	W1-2L	D/R	1	West				Yellow		Disc	1		County	W1-2L, Curve (Left)		
25413141725	233rd Street	44.00849	-98.61618	W1-2L	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2L, Curve (Left)		Install Minimum 100' in Advance of Curve PC.
25413141725.2	233rd Street	44.00849	-98.61618	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	50	
25413142204	233rd Street	44.00858	-98.61564	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 190', 285', 300'
25413142230	233rd Street	44.00890	-98.61351	Del7	New	11					White	1.12 lb/ft Post	New	11	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 1050', Curve Spacing = 95'
25413155505	233rd Street	44.00898	-98.57021	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25413155635	233rd Street	44.00912	-98.57033	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2541316311	233rd Street	44.00913	-98.56894	W1-1L	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Viola	W1-1L, Turn (Left)		Install Minimum 275' in Advance of Curve PC.
2541316311.2	233rd Street	44.00913	-98.56894	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	15	
2541316353	233rd Street	44.00921	-98.56972	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	233 St	
2541316353.2	233rd Street	44.00921	-98.56972	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	382 Ave	
2541316720	233rd Street	44.00913	-98.57018	W1-6L	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W1-6L, One-Direction Large Arrow (Left)		
2541316720.2	233rd Street	44.00913	-98.57018	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
2541316947	233rd Street	44.00904	-98.57045	Del7	New	7					White	1.12 lb/ft Post	New	7	5	Viola	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 155', Curve Spacing = 31'. Delineator omitted in conflict with approach
25418202311	233rd Street	44.00917	-98.55222	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
25418204733	233rd Street	44.00962	-98.41222	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25418204733.2	233rd Street	44.00962	-98.41222	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25418205724	233rd Street	44.01021	-98.34190	OM3-RS	New	1	West				Yellow					Blaine	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure
25418205806	233rd Street	44.01027	-98.34188	OM3-LS	New	1	West				Yellow					Blaine	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure
25418205816	233rd Street	44.01027	-98.34180	OM3-RS	R/R	1	East				Yellow		Repl	1		Blaine	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure
25418205825	233rd Street	44.01021	-98.34178	OM3-LS	R/R	1	East				Yellow		Repl	1		Blaine	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure
2541821733	233rd Street	44.01041	-98.33163	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	233 St	
2541821733.2	233rd Street	44.01041	-98.33163	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	394 Ave	
2542284533	233rd Street	44.00999	-98.37065	W2-1	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Blaine	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
2542284833	233rd Street	44.01016	-98.34307	W5-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Blaine	W5-2, Narrow Bridge		Install Minimum 325' in Advance of Bridge
2542284922	233rd Street	44.01027	-98.34061	W5-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Blaine	W5-2, Narrow Bridge		Install Minimum 325' in Advance of Bridge
2545222018	233rd Street	44.00917	-98.55184	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545222018.2	233rd Street	44.00917	-98.55184	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2545222108	233rd Street	44.00919	-98.55196	R1-2	D/R	1	East				Red		Disc	1		County	R1-2, Yield		
2545222628	233rd Street	44.00903	-98.55232	R1-2	D/R	1	West				Red		Disc	1		County	R1-2, Yield		
254523251	233rd Street	44.00971	-98.41197	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254523251.2	233rd Street	44.00971	-98.41197	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
26224102935	233rd Street	44.00772	-98.72881	W14-1	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	W14-1, Dead End		
26224103058	233rd Street	44.00771	-98.73328	OM4-3	New	3	East				Red	1.12 lb/ft Post	New	3	7	Crow Lake	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road
262513000	233rd Street	44.00723	-98.78854	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
262513000.2	233rd Street	44.00723	-98.78854	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	88	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2626114609	233rd Street	44.00790	-98.70847	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
2626114609.2	233rd Street	44.00790	-98.70847	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		
2626114858	233rd Street	44.00795	-98.70869	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
2626114858.2	233rd Street	44.00795	-98.70869	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		
2626121047	233rd Street	44.00764	-98.72838	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
2626121047.2	233rd Street	44.00764	-98.72838	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		
2626133038	233rd Street	44.00756	-98.74818	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
2626133038.2	233rd Street	44.00756	-98.74818	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		
2626133323	233rd Street	44.00763	-98.74845	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
2626133323.2	233rd Street	44.00763	-98.74845	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		
251110115123	234th Street	43.99339	-98.70865	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	11	Crow Lake	R1-2, Yield		
251110115123.2	234th Street	43.99339	-98.70865	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Crow Lake	Del8a, 4" Tubular White Delineator (no post)		
251110115143	234th Street	43.99348	-98.70839	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	11	Crow Lake	R1-2, Yield		
251110115143.2	234th Street	43.99348	-98.70839	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Crow Lake	Del8a, 4" Tubular White Delineator (no post)		
251110115607	234th Street	43.99337	-98.70976	W3-2	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	W3-2, Yield Ahead		Install Minimum 325' in Advance of Intersection
25112174014	234th Street	43.99413	-98.63010	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	234 St	
25112174014.2	234th Street	43.99413	-98.63010	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	378 Ave	
25121145018	234th Street	43.99498	-98.46308	W1-5L	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Viola	W1-5L, Winding Road (Left)		Install Minimum 225' in Advance of Curve PC.
25121145018.2	234th Street	43.99498	-98.46308	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	15	
25121151410	234th Street	43.99451	-98.46527	W1-6R	New	1	Northeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W1-6R, One-Direction Large Arrow (Right)		
25121151410.2	234th Street	43.99451	-98.46527	Del8a	New	1	Northeast				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
25121151547	234th Street	43.99450	-98.46507	W1-6L	New	1	Northwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W1-6L, One-Direction Large Arrow (Left)		
25121151547.2	234th Street	43.99450	-98.46507	Del8a	New	1	Northwest				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
2512116448	234th Street	43.99477	-98.47536	W1-6R	New	1	Northeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W1-6R, One-Direction Large Arrow (Right)		
2512116448.2	234th Street	43.99477	-98.47536	Del8a	New	1	Northeast				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
25122141048	234th Street	43.99462	-98.55231	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25122141048.2	234th Street	43.99462	-98.55231	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25122145255	234th Street	43.99472	-98.51215	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Viola	R1-2, Yield		
25122145255.2	234th Street	43.99472	-98.51215	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
25123111442	234th Street	43.99487	-98.49160	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	234 St	
25123111442.2	234th Street	43.99487	-98.49160	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	386 Ave	
25123111711	234th Street	43.99486	-98.49149	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25123111711.2	234th Street	43.99486	-98.49149	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25128151117	234th Street	43.99474	-98.55196	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	234 St	
25128151117.2	234th Street	43.99474	-98.55196	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	383 Ave	
2512815345	234th Street	43.99484	-98.49200	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W70-2, No Maintenance		
2512815345.2	234th Street	43.99484	-98.49200	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
2512815857	234th Street	43.99474	-98.51171	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W70-2, No Maintenance		
2512815857.2	234th Street	43.99474	-98.51171	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
2512815950	234th Street	43.99464	-98.55186	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
2512815950.2	234th Street	43.99464	-98.55186	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
25129165656	234th Street	43.99472	-98.55270	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2512931713	234th Street	43.99510	-98.45132	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	234 St	
2512931713.2	234th Street	43.99510	-98.45132	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	US 281	
251295742	234th Street	43.99463	-98.54231	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
251295742.2	234th Street	43.99463	-98.54231	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
2521122649	234th Street	43.99507	-98.43202	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	234 St	
2521122649.2	234th Street	43.99507	-98.43202	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	389 Ave	
2521122757	234th Street	43.99510	-98.41216	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521122757.2	234th Street	43.99510	-98.41216	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521122902	234th Street	43.99517	-98.41193	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521122902.2	234th Street	43.99517	-98.41193	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521123017	234th Street	43.99523	-98.41193	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	234 St	
2521123017.2	234th Street	43.99523	-98.41193	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
2521124047	234th Street	43.99542	-98.37200	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521124047.2	234th Street	43.99542	-98.37200	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521124152	234th Street	43.99548	-98.37180	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521124152.2	234th Street	43.99548	-98.37180	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521124256	234th Street	43.99553	-98.37178	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	234 St	
2521124256.2	234th Street	43.99553	-98.37178	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	392 Ave	
2521124947	234th Street	43.99566	-98.35157	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521124947.2	234th Street	43.99566	-98.35157	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521125138	234th Street	43.99555	-98.35183	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2521125138.2	234th Street	43.99555	-98.35183	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2521125254	234th Street	43.99574	-98.35160	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	234 St	
2521125254.2	234th Street	43.99574	-98.35160	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	393 Ave	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	89	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2521125736	234th Street	43.99575	-98.34185	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2521125815	234th Street	43.99566	-98.34186	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25217115607	234th Street	43.99321	-98.74813	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	234 St	
25217115607.2	234th Street	43.99321	-98.74813	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	372 Ave	
25217121407	234th Street	43.99251	-98.80726	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	234 St	
25217121407.2	234th Street	43.99251	-98.80726	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	369 Ave	
2521712211	234th Street	43.99241	-98.82727	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2521712211.2	234th Street	43.99241	-98.82727	Del8a	R/R	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25217122740	234th Street	43.99284	-98.78883	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25217122848	234th Street	43.99273	-98.78767	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25217122952	234th Street	43.99287	-98.78815	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	234 St	
25217122952.2	234th Street	43.99287	-98.78815	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	370 Ave	
2521712331	234th Street	43.99231	-98.82748	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521712331.2	234th Street	43.99231	-98.82748	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25217125022	234th Street	43.99303	-98.76819	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	234 St	
25217125022.2	234th Street	43.99303	-98.76819	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	371 Ave	
2521712719	234th Street	43.99229	-98.82681	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2521712807	234th Street	43.99245	-98.82727	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	234 St	
2521712807.2	234th Street	43.99245	-98.82727	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	368 Ave	
25217131724	234th Street	43.99319	-98.72866	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25217131724.2	234th Street	43.99319	-98.72866	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25217131845	234th Street	43.99328	-98.72836	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25217131845.2	234th Street	43.99328	-98.72836	Del8a	R/R	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25217132711	234th Street	43.99331	-98.72913	R2-1 (55)	R/R	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25217133838	234th Street	43.99349	-98.70842	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	234 St	
25217133838.2	234th Street	43.99349	-98.70842	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	374 Ave	
2521791037	234th Street	43.99439	-98.59064	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	234 St	
2521791037.2	234th Street	43.99439	-98.59064	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	380 Ave	
2521791159	234th Street	43.99436	-98.59077	W1-7	R/R	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	Repl	2	11	County	W1-7, Two-Direction Large Arrow		
2521791159.2	234th Street	43.99436	-98.59077	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2521791437	234th Street	43.99445	-98.57720	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2521791522	234th Street	43.99453	-98.57720	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
252179542	234th Street	43.99409	-98.62883	W1-1R	R/R	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	County	W1-1R, Turn (Right)		Install Minimum 275' in Advance of Curve PC.
252179542.2	234th Street	43.99409	-98.62883	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	Repl			County	W13-1P, Advisory Speed (Plaque)	10	
25218122923	234th Street	43.99280	-98.90718	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	234 St	
25218122923.2	234th Street	43.99280	-98.90718	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	364 Ave	
25218123055	234th Street	43.99268	-98.88714	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	234 St	
25218123055.2	234th Street	43.99268	-98.88714	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	365 Ave	
25218123229	234th Street	43.99260	-98.86713	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	234 St	
25218123229.2	234th Street	43.99260	-98.86713	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	366 Ave	
25218123424	234th Street	43.99252	-98.84715	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	234 St	
25218123424.2	234th Street	43.99252	-98.84715	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	367 Ave	
25220132336	234th Street	43.99423	-98.59200	W2-2R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-2, Side Road (Right)		Install Minimum 325' in Advance of Intersection
25220133003	234th Street	43.99436	-98.58952	W2-2L	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-2, Side Road (Left)		Install Minimum 325' in Advance of Intersection
25220133327	234th Street	43.99424	-98.59521	Other	D/R	1	West				Yellow		Disc	1		County	Other, Other Sign	Dangerous Intersection	
25220133424	234th Street	43.99439	-98.58883	Other	D/R	1	East				Yellow		Disc	1		County	Other, Other Sign	Dangerous Intersection	
25220134647	234th Street	43.99435	-98.59393	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Fence Post
25220134800	234th Street	43.99433	-98.59235	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Fence Post
252791051	234th Street	43.99488	-98.47763	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25279550	234th Street	43.99482	-98.47765	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25325172533	234th Street	43.99482	-98.51185	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	234 St	
25325172533.2	234th Street	43.99482	-98.51185	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	385 Ave	
25325172559	234th Street	43.99469	-98.53178	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	234 St	
25325172559.2	234th Street	43.99469	-98.53178	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	384 Ave	
25412145650	234th Street	43.99483	-98.47417	W1-3R	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Viola	W1-3R, Reverse Turn (Right)		Install Minimum 225' in Advance of Curve PC.
25412145650.2	234th Street	43.99483	-98.47417	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	20	
25412145907	234th Street	43.99494	-98.47608	W1-6L	New	1	Southeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W1-6L, One-Direction Large Arrow (Left)		
25412145907.2	234th Street	43.99494	-98.47608	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
25412151057	234th Street	43.99493	-98.46407	W1-6R	New	1	Southwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W1-6R, One-Direction Large Arrow (Right)		
25412151057.2	234th Street	43.99493	-98.46407	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
25412151127	234th Street	43.99492	-98.46418	W1-6L	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W1-6L, One-Direction Large Arrow (Left)		
25412151127.2	234th Street	43.99492	-98.46418	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
2541215115	234th Street	43.99493	-98.47591	W1-6R	New	1	Southwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W1-6R, One-Direction Large Arrow (Right)		
2541215115.2	234th Street	43.99493	-98.47591	Del8a	New	1	Southwest				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
25412151206	234th Street	43.99495	-98.46630	W1-6L	New	1	Southeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W1-6L, One-Direction Large Arrow (Left)		
25412151206.2	234th Street	43.99495	-98.46630	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	90	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25412151236	234th Street	43.99491	-98.46611	W1-6R	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W1-6R, One-Direction Large Arrow (Right)		
25412151236.2	234th Street	43.99491	-98.46611	Del8a	New	1	Southwest				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
2541215801	234th Street	43.99480	-98.47723	W1-3R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	11	Viola	W1-3R, Reverse Turn (Right)		Install Minimum 225' in Advance of Curve PC.
2541215801.2	234th Street	43.99480	-98.47723	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	20	
25413141006	234th Street	43.99406	-98.63043	W1-6R	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6R, One-Direction Large Arrow (Right)		
25413141006.2	234th Street	43.99406	-98.63043	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25413141042	234th Street	43.99396	-98.62988	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
25413141116	234th Street	43.99414	-98.63044	Del7	New	6					White	1.12 lb/ft Post	New	6	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 85', Curve Spacing = 20'. Delineators omitted in conflict with approach
2541314657	234th Street	43.99412	-98.62827	W1-1R	D/R	1	East				Yellow		Disc	1		County	W1-1R, Turn (Right)		
25415203403	234th Street	43.99503	-98.46627	R12-5	D/R	1	East				White		Disc	1		Viola	R12-5 (Old Symbol), Bridge Weight Limit	Weight Limit 3T 3T 3T	
25415203701	234th Street	43.99483	-98.46758	W1-5R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Viola	W1-5R, Winding Road (Right)		Install Minimum 245' in Advance of Curve PC.
25415203701.2	234th Street	43.99483	-98.46758	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	15	
25415204545	234th Street	43.99473	-98.49131	R12-5a	New	1	West	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	Viola	R12-5a (New), Bridge Weight Limit	SINGLE UNIT 3 COMBINATIONS 3	
25415204545.2	234th Street	43.99473	-98.49131	W16-3AP	New	1	West	30" x 12"	2.5		White	2" X 2" Perforated Tube Post	New			Viola	W16-3AP, XX Miles (1-Line Plaque)	1 1/4 MILES	Mount below R12-5a
25415204945	234th Street	43.99505	-98.45208	R12-5a	New	1	East	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	Viola	R12-5a (New), Bridge Weight Limit	SINGLE UNIT 3 COMBINATIONS 3	
25415204945.2	234th Street	43.99505	-98.45208	W16-3AP	New	1	East	30" x 12"	2.5		White	2" X 2" Perforated Tube Post	New			Viola	W16-3AP, XX Miles (1-Line Plaque)	3/4 MILE	Mount below R12-5a
25415205555	234th Street	43.99485	-98.45867	W20-3	D/S	1	East				Yellow		Disc	1		Viola	W20-3, Road Closed Ahead	Road Closed When Wet	Salvage sign back to Viola Township
25415205902	234th Street	43.99486	-98.47616	W20-3	D/S	1	West				Yellow		Disc	1		Viola	W20-3, Road Closed Ahead	Road Closed When Wet	Salvage sign back to Viola Township
25415211015	234th Street	43.99487	-98.46746	Del7	New	8					White	1.12 lb/ft Post	New	8	5	Viola	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
25415211953	234th Street	43.99480	-98.46871	W5-3	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W5-3, One Lane Bridge		Install Minimum 325' in Advance of Bridge
25415212106	234th Street	43.99480	-98.46574	W5-3	New	1	Southeast	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W5-3, One Lane Bridge		Install Minimum 325' in Advance of Bridge
25415212544	234th Street	43.99481	-98.46786	R12-5a	New	1	West	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	Viola	R12-5a (New), Bridge Weight Limit	SINGLE UNIT 3 COMBINATIONS 3	
25415212607	234th Street	43.99493	-98.46684	R12-5a	New	1	East	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	Viola	R12-5a (New), Bridge Weight Limit	SINGLE UNIT 3 COMBINATIONS 3	
2541521529	234th Street	43.99484	-98.46725	OM3-LS	New	1	East				Yellow					Viola	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure
2541521658	234th Street	43.99489	-98.46725	OM3-RS	New	1	East				Yellow					Viola	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure
2541521712	234th Street	43.99484	-98.46741	OM3-RS	New	1	West				Yellow					Viola	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure
2541521733	234th Street	43.99489	-98.46741	OM3-LS	New	1	West				Yellow					Viola	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure
2541521909	234th Street	43.99487	-98.46719	Del7	New	8					White	1.12 lb/ft Post	New	8	5	Viola	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
25418213041	234th Street	43.99524	-98.39201	W1-7	New	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	Blaine	W1-7, Two-Direction Large Arrow		
25418213041.2	234th Street	43.99524	-98.39201	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
25418213601	234th Street	43.99555	-98.35118	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25418214515	234th Street	43.99585	-98.33223	R2-1 (55)	R/R	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25419183006	234th Street	43.99467	-98.57066	R1-2	D/R	1	North				Red		Disc	1		County	R1-2, Yield		
2541918407	234th Street	43.99470	-98.57047	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	234 St	
2541918407.2	234th Street	43.99470	-98.57047	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	382 Ave	
2542194137	234th Street	43.99466	-98.53178	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Viola	R1-2, Yield		
2542194137.2	234th Street	43.99466	-98.53178	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
2542415501	234th Street	43.99435	-98.59345	Del7	New	4					White	1.12 lb/ft Post	New	4	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = North Side, Del7s evenly spaced between the 2 Object Markers.
25424201016	234th Street	43.99591	-98.33152	D3-1	In Place	2	North & South				Green	2" X 2" Perforated Tube Post	In Place				D3-1, Street Name	234 St	Owned by Sanborn County
25424201016.2	234th Street	43.99591	-98.33152	D3-1	In Place	2	East & West				Green	2" X 2" Perforated Tube Post	In Place				D3-1, Street Name	394 Ave	Owned by Sanborn [illegible]
25424204636	234th Street	43.99459	-98.53206	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Viola	R1-2, Yield		
25424204636.2	234th Street	43.99459	-98.53206	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
25430172826	234th Street	43.99539	-98.39184	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	234 St	
25430172826.2	234th Street	43.99539	-98.39184	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	391 Ave	
2545111530	234th Street	43.99487	-98.47618	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
2545111530.2	234th Street	43.99487	-98.47618	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
2545111530.3	234th Street	43.99487	-98.47618	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
2545114054	234th Street	43.99475	-98.47516	W1-6L	New	1	Northwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W1-6L, One-Direction Large Arrow (Left)		
2545114054.2	234th Street	43.99475	-98.47516	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
2545115407	234th Street	43.99500	-98.45860	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
2545115407.2	234th Street	43.99500	-98.45860	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
2545115407.3	234th Street	43.99500	-98.45860	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
2545214902	234th Street	43.99457	-98.55226	R1-2	D/R	1	West				Red		Disc	1		County	R1-2, Yield		
2548212055	234th Street	43.99324	-98.73817	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker [illegible]
2548212153	234th Street	43.99317	-98.73831	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548212258	234th Street	43.99317	-98.73817	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2548212410	234th Street	43.99324	-98.73830	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	91	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25610215548	234th Street	43.99560	-98.34465	W11-5	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W11-5, Farm Vehicles		Install Minimum 325' in Advance of Intersecting Road
25610215606	234th Street	43.99542	-98.34721	W11-5	D/R	1	West				Yellow		Disc	1		County	W11-5, Farm Vehicles		
2561022118	234th Street	43.99577	-98.34029	W11-5	R/R	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	County	W11-5, Farm Vehicles		Install Minimum 325' in Advance of Intersecting Road
25610223041	234th Street	43.99466	-98.53223	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
25610223041.2	234th Street	43.99466	-98.53223	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
25610223041.3	234th Street	43.99466	-98.53223	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
26224112920	234th Street	43.99327	-98.72833	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
26224114955	234th Street	43.99343	-98.70113	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
26224115032	234th Street	43.99359	-98.70110	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
26224115207	234th Street	43.99359	-98.69435	OM4-3	New	3	West				Red	1.12 lb/ft Post	New	3	7	Crow Lake	OM4-3, End of Road Marker		
26224115523	234th Street	43.99337	-98.70831	W14-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	W14-1, Dead End		
26224115741	234th Street	43.99351	-98.69731	W20-3	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Crow Lake	W20-3, Road Closed Ahead		
26225153955	234th Street	43.99320	-98.72833	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25111092212	235th Street	43.97831	-98.78828	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	R1-2, Yield		
25111092212.2	235th Street	43.97831	-98.78828	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Crow Lake	Del8a, 4" Tubular White Delineator (no post)		
25111092608	235th Street	43.97870	-98.74805	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	R1-2, Yield		
25111092608.2	235th Street	43.97870	-98.74805	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Crow Lake	Del8a, 4" Tubular White Delineator (no post)		
25111092934	235th Street	43.97868	-98.74828	W1-7	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W1-7, Two-Direction Large Arrow		
25111092934.2	235th Street	43.97868	-98.74828	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Crow Lake	Del8a, 4" Tubular White Delineator (no post)		
25123115530	235th Street	43.98007	-98.55228	R1-2	D/R	1	West				Red		Disc	1		County	R1-2, Yield		
25123115805	235th Street	43.98020	-98.55194	R1-2	D/R	1	East				Red		Disc	1		County	R1-2, Yield		
25123125518	235th Street	43.98018	-98.55267	W14-1	R/R	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Viola	W14-1, Dead End		
25125153646	235th Street	43.98019	-98.55189	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25125153646.2	235th Street	43.98019	-98.55189	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2512515403	235th Street	43.98010	-98.55224	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2512515403.2	235th Street	43.98010	-98.55224	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2512881144	235th Street	43.98007	-98.53187	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2512881144.2	235th Street	43.98007	-98.53187	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2512881918	235th Street	43.98016	-98.51177	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2512881918.2	235th Street	43.98016	-98.51177	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2512882050	235th Street	43.98036	-98.51195	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2512882050.2	235th Street	43.98036	-98.51195	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2512882204	235th Street	43.98038	-98.51173	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	10	County	D3-1, Street Name	235 St	
2512882204.2	235th Street	43.98038	-98.51173	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	385 Ave	
2512883344	235th Street	43.98021	-98.49194	R1-2	D/R	1	West				Red		Disc	1		County	R1-2, Yield		
2512883448	235th Street	43.98034	-98.49160	R1-2	D/R	1	East				Red		Disc	1		County	R1-2, Yield		
2512883644	235th Street	43.98020	-98.49191	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2512883644.2	235th Street	43.98020	-98.49191	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2512883822	235th Street	43.98031	-98.49158	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2512883822.2	235th Street	43.98031	-98.49158	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2512884102	235th Street	43.98037	-98.49162	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	235 St	
2512884102.2	235th Street	43.98037	-98.49162	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	386 Ave	
2512885531	235th Street	43.98025	-98.47165	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2512885531.2	235th Street	43.98025	-98.47165	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
251288814	235th Street	43.98026	-98.53188	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	235 St	
251288814.2	235th Street	43.98026	-98.53188	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	384 Ave	
25129102039	235th Street	43.98008	-98.55150	R2-1 (55)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25129123825	235th Street	43.98030	-98.49233	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25129124023	235th Street	43.98019	-98.49117	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2512931948	235th Street	43.98061	-98.45145	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	235 St	
2512931948.2	235th Street	43.98061	-98.45145	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	US 281	
2512955827	235th Street	43.98013	-98.55740	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
2512955827.2	235th Street	43.98013	-98.55740	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
2512955827.3	235th Street	43.98013	-98.55740	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
251296232	235th Street	43.98015	-98.57044	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	235 St	
251296232.2	235th Street	43.98015	-98.57044	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	382 Ave	
2513082550	235th Street	43.98059	-98.45211	R2-1 (55)	R/R	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2521131633	235th Street	43.98061	-98.43182	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	235 St	
2521131633.2	235th Street	43.98061	-98.43182	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	389 Ave	
2521132347	235th Street	43.98079	-98.41178	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	235 St	
2521132347.2	235th Street	43.98079	-98.41178	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
2521132849	235th Street	43.98087	-98.39176	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	235 St	
2521132849.2	235th Street	43.98087	-98.39176	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	391 Ave	
2521133603	235th Street	43.98105	-98.37166	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	235 St	

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	92	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2521133603.2	235th Street	43.98105	-98.37166	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	392 Ave	
2521134421	235th Street	43.98117	-98.35170	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	235 St	
2521134421.2	235th Street	43.98117	-98.35170	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	393 Ave	
2521310317	235th Street	43.98087	-98.39187	W1-7	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	Blaine	W1-7, Two-Direction Large Arrow		
2521310317.2	235th Street	43.98087	-98.39187	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
25217134140	235th Street	43.97800	-98.82734	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	235 St	
25217134140.2	235th Street	43.97800	-98.82734	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	368 Ave	
25217134405	235th Street	43.97843	-98.78806	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	235 St	
25217134405.2	235th Street	43.97843	-98.78806	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	370 Ave	
25217134619	235th Street	43.97873	-98.74809	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	235 St	
25217134619.2	235th Street	43.97873	-98.74809	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	372 Ave	
25217134854	235th Street	43.97884	-98.72826	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25217134854.2	235th Street	43.97884	-98.72826	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25217135311	235th Street	43.97895	-98.72829	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	235 St	
25217135311.2	235th Street	43.97895	-98.72829	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	373 Ave	
25217135651	235th Street	43.97873	-98.72785	R2-1 (55)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2521714909	235th Street	43.97916	-98.70824	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	235 St	
2521714909.2	235th Street	43.97916	-98.70824	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	374 Ave	
2521792456	235th Street	43.97926	-98.68822	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	235 St	
2521792456.2	235th Street	43.97926	-98.68822	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	375 Ave	
2521792727	235th Street	43.97939	-98.66969	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	235 St	
2521792727.2	235th Street	43.97939	-98.66969	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	376 Ave	
2521793009	235th Street	43.97932	-98.65333	W1-1L	D/R	1	West				Yellow		Disc	1		County	W1-1L, Turn (Left)		
2521793110	235th Street	43.97947	-98.64969	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	235 St	
2521793110.2	235th Street	43.97947	-98.64969	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	377 Ave	
2521895359	235th Street	43.97885	-98.72704	W3-1	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2521895454	235th Street	43.97887	-98.72551	W2-4	D/R	1	East				Yellow		Disc	1		County	W2-4, T-Symbol		
25220115541	235th Street	43.97840	-98.90701	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	235 St	
25220115541.2	235th Street	43.97840	-98.90701	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	364 Ave	
2522012013	235th Street	43.97831	-98.86716	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	235 St	
2522012013.2	235th Street	43.97831	-98.86716	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	366 Ave	
2522819603	235th Street	43.98042	-98.47160	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	10	County	D3-1, Street Name	235 St	
2522819603.2	235th Street	43.98042	-98.47160	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	387 Ave	
252385556	235th Street	43.98040	-98.47172	W1-7	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-7, Two-Direction Large Arrow		
252385556.2	235th Street	43.98040	-98.47172	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
252664638	235th Street	43.98025	-98.47364	W2-2R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-2, Side Road (Right)		Install at Top of Hill or Minimum 325' in Advance of Intersection, whichever is farther away.
25311125051	235th Street	43.98108	-98.35939	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Blaine	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311125131	235th Street	43.98102	-98.35929	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Blaine	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311125335	235th Street	43.98111	-98.35614	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Blaine	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311125402	235th Street	43.98104	-98.35606	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Blaine	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2532431044	235th Street	43.97824	-98.88734	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	235 St	
2532431044.2	235th Street	43.97824	-98.88734	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	365 Ave	
25410125850	235th Street	43.98047	-98.45982	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25410125942	235th Street	43.98041	-98.46004	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2541013024	235th Street	43.98040	-98.45982	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2541013104	235th Street	43.98047	-98.46007	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
25418215705	235th Street	43.98026	-98.55187	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	235 St	
25418215705.2	235th Street	43.98026	-98.55187	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	383 Ave	
25424203340	235th Street	43.97822	-98.88734	D3-1	D/R	3	North & South				Green	2" X 2" Perforated Tube Post	In Place			County	D3-1, Street Name	235 St, 367 Ave	D3-1 Signs installed on a Post with a Road Closed sign attached to it. Discard/Remove D3-1 Signs. Leave Post and Road Closed Sign in Place.
25424203608	235th Street	43.97816	-98.84727	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	235 St	
25424203608.2	235th Street	43.97816	-98.84727	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	367 Ave	
2543011454	235th Street	43.98083	-98.36235	W5-2	D/R	1	West				Yellow		Disc	1		Blaine	W5-2, Narrow Bridge		
2545232315	235th Street	43.98104	-98.35196	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545232315.2	235th Street	43.98104	-98.35196	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254523414	235th Street	43.98065	-98.41204	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
254523414.2	235th Street	43.98065	-98.41204	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
254523443	235th Street	43.98073	-98.41175	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254523443.2	235th Street	43.98073	-98.41175	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254523507	235th Street	43.98072	-98.41172	R1-2	D/R	1	East				Red		Disc	1		County	R1-2, Yield		
2585161830	235th Street	43.97943	-98.64965	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
2585161830.2	235th Street	43.97943	-98.64965	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2585161915	235th Street	43.97930	-98.65007	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	93	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2585161915.2	235th Street	43.97930	-98.65007	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
26215221326	235th Street	43.97861	-98.74398	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Crow Lake	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 90', 135', 270'
26224152710	235th Street	43.97860	-98.74806	W14-2	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	W14-2, No Outlet		
2622592801	235th Street	43.97859	-98.74503	W1-1L	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	W1-1L, Turn (Left)		Install Minimum 275' in Advance of Curve PC
2622592801.2	235th Street	43.97859	-98.74503	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W13-1P, Advisory Speed (Plaque)	15	
2622593106	235th Street	43.97901	-98.74316	W1-1R	New	1	Northeast	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	W1-1R, Turn (Right)		Install Minimum 100' in Advance of Curve PC
2622593106.2	235th Street	43.97901	-98.74316	W13-1P	New	1	Northeast	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W13-1P, Advisory Speed (Plaque)	15	
2622593217	235th Street	43.97867	-98.74355	W1-6L	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Crow Lake	W1-6L, One-Direction Large Arrow (Left)		
2622593217.2	235th Street	43.97867	-98.74355	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Crow Lake	Del8a, 4" Tubular White Delineator (no post)		
2622593421	235th Street	43.97861	-98.74376	W1-6R	New	1	Northeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	9	Crow Lake	W1-6R, One-Direction Large Arrow (Right)		
2622593421.2	235th Street	43.97861	-98.74376	Del8a	New	1	Northeast				White	2" X 2" Perforated Tube Post	New			Crow Lake	Del8a, 4" Tubular White Delineator (no post)		
2622593606	235th Street	43.97864	-98.74362	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Crow Lake	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 275', Curve Spacing = 45'. Delineators omitted in conflict with approach.
2622593931	235th Street	43.97875	-98.74338	Del7	New	2					White	1.12 lb/ft Post	New	2	5	Crow Lake	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 90', 135'
2626133921	235th Street	43.97832	-98.78804	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
2626133921.2	235th Street	43.97832	-98.78804	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		
2626142329	235th Street	43.97820	-98.79845	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
2626142329.2	235th Street	43.97820	-98.79845	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		
2511716432	236th Street	43.96528	-98.61012	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	236 St	
2511716432.2	236th Street	43.96528	-98.61012	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	379 Ave	
2512791305	236th Street	43.96557	-98.55212	R1-2	D/R	1	West				Red		Disc	1		County	R1-2, Yield		
2512791637	236th Street	43.96558	-98.55215	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2512791637.2	236th Street	43.96558	-98.55215	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2512791755	236th Street	43.96568	-98.55172	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2512791755.2	236th Street	43.96568	-98.55172	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2512816155	236th Street	43.96582	-98.47144	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
2512816155.2	236th Street	43.96582	-98.47144	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
2512816315	236th Street	43.96589	-98.47157	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	10	County	D3-1, Street Name	236 St	
2512816315.2	236th Street	43.96589	-98.47157	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	387 Ave	
2512816338	236th Street	43.96587	-98.47157	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Viola	R1-2, Yield		
2512816338.2	236th Street	43.96587	-98.47157	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
2512891649	236th Street	43.96591	-98.49152	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	10	County	D3-1, Street Name	236 St	
2512891649.2	236th Street	43.96591	-98.49152	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	386 Ave	
2512892250	236th Street	43.96576	-98.49184	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2512892250.2	236th Street	43.96576	-98.49184	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2512894154	236th Street	43.96579	-98.47173	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Viola	R1-2, Yield		
2512894154.2	236th Street	43.96579	-98.47173	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
251289431	236th Street	43.96585	-98.51165	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	10	County	D3-1, Street Name	236 St	
251289431.2	236th Street	43.96585	-98.51165	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	385 Ave	
25129104342	236th Street	43.96568	-98.55251	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2512932203	236th Street	43.96607	-98.45128	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	236 St	
2512932203.2	236th Street	43.96607	-98.45128	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	US 281	
251294056	236th Street	43.96597	-98.45202	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
251294056.2	236th Street	43.96597	-98.45202	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
25212141846	236th Street	43.96614	-98.43183	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	236 St	
25212141846.2	236th Street	43.96614	-98.43183	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	389 Ave	
2521344816	236th Street	43.96631	-98.41179	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	236 St	
2521344816.2	236th Street	43.96631	-98.41179	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
2521351114	236th Street	43.96661	-98.37169	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	236 St	
2521351114.2	236th Street	43.96661	-98.37169	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	392 Ave	
2521352034	236th Street	43.96648	-98.36515	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2521352109	236th Street	43.96657	-98.36516	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2521352213	236th Street	43.96655	-98.35189	R1-2	D/R	1	West				Red		Disc	1		County	R1-2, Yield		
2521352305	236th Street	43.96655	-98.35186	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521352305.2	236th Street	43.96655	-98.35186	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521352412	236th Street	43.96666	-98.35159	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2521352412.2	236th Street	43.96666	-98.35159	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2521352536	236th Street	43.96675	-98.35156	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	236 St	
2521352536.2	236th Street	43.96675	-98.35156	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	393 Ave	
252135539	236th Street	43.96643	-98.39175	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	236 St	
252135539.2	236th Street	43.96643	-98.39175	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	391 Ave	
25217141149	236th Street	43.96356	-98.82752	W1-7	R/R	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	Repl	2	11	County	W1-7, Two-Direction Large Arrow		
25217141149.2	236th Street	43.96356	-98.82752	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25217141459	236th Street	43.96373	-98.82732	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	236 St	
25217141459.2	236th Street	43.96373	-98.82732	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	368 Ave	
25217141725	236th Street	43.96371	-98.82801	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25217142016	236th Street	43.96357	-98.82689	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	94	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25217142616	236th Street	43.96356	-98.80996	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25217142654	236th Street	43.96367	-98.80997	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25217142835	236th Street	43.96368	-98.79958	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25217142910	236th Street	43.96377	-98.79958	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25217143346	236th Street	43.96401	-98.78793	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	236 St	
25217143346.2	236th Street	43.96401	-98.78793	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	370 Ave	
25217143931	236th Street	43.96408	-98.76807	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	236 St	
25217143931.2	236th Street	43.96408	-98.76807	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	371 Ave	
25217144954	236th Street	43.96419	-98.74802	W1-7	R/R	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	Repl	2	11	County	W1-7, Two-Direction Large Arrow		
25217144954.2	236th Street	43.96419	-98.74802	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25217145235	236th Street	43.96434	-98.74786	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	236 St	
25217145235.2	236th Street	43.96434	-98.74786	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	372 Ave	
25217145541	236th Street	43.96425	-98.73817	R1-2	D/R	1	West				Red		Disc	1		County	R1-2, Yield		
25217145643	236th Street	43.96423	-98.73827	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25217145643.2	236th Street	43.96423	-98.73827	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25217145900	236th Street	43.96434	-98.73883	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25217151540	236th Street	43.96437	-98.73801	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	236 St	
25217151540.2	236th Street	43.96437	-98.73801	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	373 Ave	
2521793512	236th Street	43.96492	-98.66949	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	236 St	
2521793512.2	236th Street	43.96492	-98.66949	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	375 Ave	
2521794014	236th Street	43.96527	-98.59246	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2521794049	236th Street	43.96535	-98.59247	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2521794145	236th Street	43.96539	-98.59071	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
2521794242	236th Street	43.96545	-98.59043	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	236 St	
2521794242.2	236th Street	43.96545	-98.59043	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	380 Ave	
25218101020	236th Street	43.96421	-98.74113	W2-4	D/R	1	West				Yellow		Disc	1		County	W2-4, T-Symbol		
2521810902	236th Street	43.96421	-98.73950	W3-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
25218114948	236th Street	43.96390	-98.88712	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	236 St	
25218114948.2	236th Street	43.96390	-98.88712	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	365 Ave	
25218115147	236th Street	43.96393	-98.88513	W1-1L	D/R	1	East				Yellow		Disc	1		County	W1-1L, Turn (Left)		
25218115414	236th Street	43.96377	-98.86727	W1-7	New	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W1-7, Two-Direction Large Arrow		
25218115414.2	236th Street	43.96377	-98.86727	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25218115542	236th Street	43.96392	-98.86715	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	236 St	
25218115542.2	236th Street	43.96392	-98.86715	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	366 Ave	
25218115733	236th Street	43.96375	-98.85937	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25218115909	236th Street	43.96384	-98.85940	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2521812407	236th Street	43.96383	-98.84711	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	236 St	
2521812407.2	236th Street	43.96383	-98.84711	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	367 Ave	
25311131813	236th Street	43.96587	-98.45091	R2-1 (55)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25311131813.2	236th Street	43.96587	-98.45091	R2-2P	R/R	1	West	24" x 24"	4		White	2" X 2" Perforated Tube Post	Repl			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25311132233	236th Street	43.96614	-98.41137	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25311132233.2	236th Street	43.96614	-98.41137	R2-2P	New	1	West	24" x 24"	4		White	2" X 2" Perforated Tube Post	New			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25311132412	236th Street	43.96624	-98.41251	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25311132412.2	236th Street	43.96624	-98.41251	R2-2P	New	1	East	24" x 24"	4		White	2" X 2" Perforated Tube Post	New			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25311135111	236th Street	43.96679	-98.33224	R2-1 (55)	R/R	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25311135111.2	236th Street	43.96679	-98.33224	R2-2P	R/R	1	West	24" x 24"	4		White	2" X 2" Perforated Tube Post	Repl			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25312122757	236th Street	43.96665	-98.35229	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25312122757.2	236th Street	43.96665	-98.35229	R2-2P	New	1	East	24" x 24"	4		White	2" X 2" Perforated Tube Post	New			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25312123054	236th Street	43.96656	-98.35115	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25312123054.2	236th Street	43.96656	-98.35115	R2-2P	New	1	West	24" x 24"	4		White	2" X 2" Perforated Tube Post	New			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
2532431337	236th Street	43.93545	-98.72828	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2532431337.2	236th Street	43.93545	-98.72828	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
253243142	236th Street	43.96380	-98.88734	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
253243142.2	236th Street	43.96380	-98.88734	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
253243300	236th Street	43.96387	-98.88708	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
253243300.2	236th Street	43.96387	-98.88708	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541314218	236th Street	43.96525	-98.61040	W1-6L	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6L, One-Direction Large Arrow (Left)		
2541314218.2	236th Street	43.96525	-98.61040	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541314247	236th Street	43.96529	-98.60970	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 50', 75, 150'
2541314412	236th Street	43.96517	-98.61040	Del7	New	6					White	1.12 lb/ft Post	New	6	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 115', Curve Spacing = 25'. Delineators omitted in conflict with approach.
25417121101	236th Street	43.96672	-98.34631	Other	D/R	1	East				Yellow		Disc	1		County	Other, Other Sign	SLOW	
2541712807	236th Street	43.96654	-98.34962	Other	D/R	1	West				Yellow		Disc	1		County	Other, Other Sign	SLOW	
25419185820	236th Street	43.96563	-98.57043	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	236 St	
25419185820.2	236th Street	43.96563	-98.57043	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	382 Ave	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	95	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
254199212	236th Street	43.96579	-98.55168	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	236 St	
254199212.2	236th Street	43.96579	-98.55168	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	383 Ave	
2541992518	236th Street	43.96584	-98.49200	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W70-1, Minimum Maintenance		
2541992518.2	236th Street	43.96584	-98.49200	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
2541992518.3	236th Street	43.96584	-98.49200	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
2541995135	236th Street	43.96669	-98.35049	W3-1	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2541995300	236th Street	43.96673	-98.34837	W3-1	D/R	1	East				Yellow		Disc	1		County	W3-1, Stop Ahead		
254199839	236th Street	43.96562	-98.54044	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
254199955	236th Street	43.96563	-98.53829	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
254199955.2	236th Street	43.96563	-98.53829	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
254199955.3	236th Street	43.96563	-98.53829	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
25421101440	236th Street	43.96584	-98.47518	OM4-3	New	3	East				Red	1.12 lb/ft Post	New	3	7	Viola	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
25421101638	236th Street	43.96586	-98.47181	W14-2	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Viola	W14-2, No Outlet		
25421101909	236th Street	43.96586	-98.47234	W20-3	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W20-3, Road Closed Ahead		
25424204829	236th Street	43.96687	-98.33154	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	236 St	
25424204829.2	236th Street	43.96687	-98.33154	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	394 Ave	
25424205032	236th Street	43.96579	-98.49137	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
25424205032.2	236th Street	43.96579	-98.49137	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
2542483553	236th Street	43.96667	-98.33214	SP-2	R/R	1	West	24" x 30"	5		Brown	2" X 2" Perforated Tube Post	Repl	1	10	County	SP-2, Park and Boat Ramp	PARK AND BOAT RAMP (ARROW RIGHT)	
2545215842	236th Street	43.96572	-98.55177	R1-2	D/R	1	East				Red		Disc	1		County	R1-2, Yield		
2548212648	236th Street	43.96426	-98.74925	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548212747	236th Street	43.96419	-98.74940	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548212839	236th Street	43.96420	-98.74924	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2548213025	236th Street	43.96426	-98.74940	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2633152349	236th Street	43.96529	-98.60867	SP-9L	R/R	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	Repl	2	10	County	SP-9L, Turn (Left) w/ Side Road Right		Install Minimum 275' in Advance of Curve PC
2633152349.2	236th Street	43.96529	-98.60867	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	Repl			County	W13-1P, Advisory Speed (Plaque)	15	
251110101329	237th Street	43.95336	-98.76308	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
251110101610	237th Street	43.95329	-98.76308	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
251110102117	237th Street	43.95331	-98.76717	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
251110102159	237th Street	43.95324	-98.76716	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
251110103139	237th Street	43.95351	-98.76891	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25111095708	237th Street	43.95341	-98.75701	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25111095738	237th Street	43.95334	-98.75701	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25128103311	237th Street	43.95109	-98.55196	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25128103311.2	237th Street	43.95109	-98.55196	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25128103455	237th Street	43.95118	-98.55173	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	10	County	D3-1, Street Name	237 St	
25128103455.2	237th Street	43.95118	-98.55173	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	383 Ave	
25128104712	237th Street	43.95130	-98.51150	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	10	County	D3-1, Street Name	237 St	
25128104712.2	237th Street	43.95130	-98.51150	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	385 Ave	
25128111153	237th Street	43.95137	-98.49154	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25128111153.2	237th Street	43.95137	-98.49154	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25128111224	237th Street	43.95124	-98.49187	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25128111224.2	237th Street	43.95124	-98.49187	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25128111401	237th Street	43.95140	-98.49152	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	10	County	D3-1, Street Name	237 St	
25128111401.2	237th Street	43.95140	-98.49152	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	386 Ave	
25128112809	237th Street	43.95140	-98.47155	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	10	County	D3-1, Street Name	237 St	
25128112809.2	237th Street	43.95140	-98.47155	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	387 Ave	
25128113728	237th Street	43.95115	-98.51170	W1-7	New	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W1-7, Two-Direction Large Arrow		
25128113728.2	237th Street	43.95115	-98.51170	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
25128161142	237th Street	43.95116	-98.55208	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
25128161142.2	237th Street	43.95116	-98.55208	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
25128161142.3	237th Street	43.95116	-98.55208	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
25128163732	237th Street	43.95128	-98.49135	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
25128163732.2	237th Street	43.95128	-98.49135	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
25128163732.3	237th Street	43.95128	-98.49135	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
2512932552	237th Street	43.95152	-98.45148	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	237 St	
2512932552.2	237th Street	43.95152	-98.45148	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	US 281	
2512954551	237th Street	43.95111	-98.57037	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	237 St	
2512954551.2	237th Street	43.95111	-98.57037	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	382 Ave	

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	96	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2512954755	237th Street	43.95107	-98.57037	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Viola	R1-2, Yield		
2512954755.2	237th Street	43.95107	-98.57037	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
2512954931	237th Street	43.95102	-98.57018	W70-1	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
2512954931.2	237th Street	43.95102	-98.57018	W70-3	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
2512954931.3	237th Street	43.95102	-98.57018	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
2521355636	237th Street	43.95160	-98.43161	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	237 St	
2521355636.2	237th Street	43.95160	-98.43161	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	389 Ave	
252136044	237th Street	43.95177	-98.41163	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	237 St	
252136044.2	237th Street	43.95177	-98.41163	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
2521362054	237th Street	43.95206	-98.37157	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	237 St	
2521362054.2	237th Street	43.95206	-98.37157	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	392 Ave	
2521363027	237th Street	43.95208	-98.35175	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521363027.2	237th Street	43.95208	-98.35175	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521363300	237th Street	43.95224	-98.35149	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	237 St	
2521363300.2	237th Street	43.95224	-98.35149	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	393 Ave	
25217101721	237th Street	43.95089	-98.59036	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	237 St	
25217101721.2	237th Street	43.95089	-98.59036	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	380 Ave	
25217102751	237th Street	43.95078	-98.61093	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2521710350	237th Street	43.95082	-98.60995	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
2521710815	237th Street	43.95087	-98.60985	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	237 St	
2521710815.2	237th Street	43.95087	-98.60985	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	379 Ave	
2521710959	237th Street	43.95070	-98.61230	W2-4	D/R	1	West				Yellow		Disc	1		County	W2-4, T-Symbol		
25217111614	237th Street	43.95053	-98.65007	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25217111732	237th Street	43.95044	-98.64892	R2-1 (55)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25217151938	237th Street	43.95364	-98.73792	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	237 St	
25217151938.2	237th Street	43.95364	-98.73792	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	373 Ave	
25217152338	237th Street	43.95354	-98.73544	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25217152338.2	237th Street	43.95354	-98.73544	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25217153256	237th Street	43.95004	-98.72805	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25217153256.2	237th Street	43.95004	-98.72805	Del8a	R/R	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25217153427	237th Street	43.94992	-98.72768	R2-1 (55)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25217153550	237th Street	43.95009	-98.72812	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	237 St	
25217153550.2	237th Street	43.95009	-98.72812	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	373 Ave	
25217153937	237th Street	43.95010	-98.72639	W2-4	D/R	1	East				Yellow		Disc	1		County	W2-4, T-Symbol		
25217154101	237th Street	43.95004	-98.72681	W3-1	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2521794516	237th Street	43.95033	-98.68801	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	237 St	
2521794516.2	237th Street	43.95033	-98.68801	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	375 Ave	
2521794848	237th Street	43.95047	-98.66917	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	237 St	
2521794848.2	237th Street	43.95047	-98.66917	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	376 Ave	
2521795529	237th Street	43.95058	-98.64938	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	237 St	
2521795529.2	237th Street	43.95058	-98.64938	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	377 Ave	
2521795824	237th Street	43.95055	-98.63565	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2521795907	237th Street	43.95063	-98.63570	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25218105037	237th Street	43.94951	-98.92658	R2-1 (55)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2521811059	237th Street	43.94962	-98.90714	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	237 St	
2521811059.2	237th Street	43.94962	-98.90714	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	364 Ave	
25218111403	237th Street	43.94957	-98.88717	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	237 St	
25218111403.2	237th Street	43.94957	-98.88717	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	365 Ave	
2521811551	237th Street	43.94953	-98.88785	R2-1 (55)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2521811753	237th Street	43.94943	-98.88737	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521811753.2	237th Street	43.94943	-98.88737	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521811841	237th Street	43.94943	-98.88861	W3-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2521811955	237th Street	43.94941	-98.88876	W2-4	D/R	1	West				Yellow		Disc	1		County	W2-4, T-Symbol		
2522585402	237th Street	43.94953	-98.92704	Other	D/S	1	West				White					County	Other, Other Sign	Jerauld County Zoned	Sign attached to R2-1. Salvage sign back to Jerauld County.
25325172429	237th Street	43.95192	-98.39156	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	237 St	
25325172429.2	237th Street	43.95192	-98.39156	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	391 Ave	
2541883133	237th Street	43.95131	-98.46457	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2541883420	237th Street	43.95140	-98.46458	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25423214016	237th Street	43.95221	-98.34090	OM4-3	New	3	West				Red	1.12 lb/ft Post	New	3	7	Blaine	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
25423214245	237th Street	43.95214	-98.34374	W20-3	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Blaine	W20-3, Road Closed Ahead		
25423214417	237th Street	43.95208	-98.35139	W14-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Blaine	W14-1, Dead End		
25424204221	237th Street	43.95000	-98.72832	W1-7	R/R	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	Repl	2	11	County	W1-7, Two-Direction Large Arrow		
25424204221.2	237th Street	43.95000	-98.72832	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2545213433	237th Street	43.95145	-98.45203	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
2545213433.2	237th Street	43.95145	-98.45203	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
2545213433.3	237th Street	43.95145	-98.45203	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	97	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2545232513	237th Street	43.95217	-98.35153	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545232513.2	237th Street	43.95217	-98.35153	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254523606	237th Street	43.95173	-98.41164	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254523606.2	237th Street	43.95173	-98.41164	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254523624	237th Street	43.95164	-98.41188	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254523624.2	237th Street	43.95164	-98.41188	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25610214801	237th Street	43.95070	-98.61160	W2-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
25610223507	237th Street	43.95110	-98.55159	W70-2	New	1	West	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
25610223507.2	237th Street	43.95110	-98.55159	W70-4	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
25610223935	237th Street	43.95123	-98.51206	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
25610223935.2	237th Street	43.95123	-98.51206	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
256249204	237th Street	43.95134	-98.49205	W70-1	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
256249204.2	237th Street	43.95134	-98.49205	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
256249204.3	237th Street	43.95134	-98.49205	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
26224162659	237th Street	43.95359	-98.73833	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
26224162659.2	237th Street	43.95359	-98.73833	W16-3P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W16-3P, XX Miles (2-Line Plaque)	1 1/2 MILES	Mount below W70-2
2622511028	237th Street	43.95320	-98.76706	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Crow Lake	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 154', 231', 300'
2622585456	237th Street	43.95347	-98.76896	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2622591137	237th Street	43.95018	-98.70815	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	10	County	D3-1, Street Name	237 St	
2622591137.2	237th Street	43.95018	-98.70815	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	374 Ave	
26314222959	237th Street	43.95322	-98.76751	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Crow Lake	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 700', Curve Spacing = 77'
2633135419	237th Street	43.95335	-98.76665	W1-2R	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	W1-2R, Curve (Right)		Install Minimum 100' in advance of Curve PC
2633135604	237th Street	43.95334	-98.76838	W1-2L	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	W1-2L, Curve (Left)		Install Minimum 100' in advance of Curve PC
263391103	237th Street	43.95328	-98.76797	Del7	New	2					White	1.12 lb/ft Post	New	2	5	Crow Lake	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 154', 231'
25128114101	238th Street	43.93673	-98.53081	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	10	County	D3-1, Street Name	238 St	
25128114101.2	238th Street	43.93673	-98.53081	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	384 Ave	
25128155104	238th Street	43.93532	-98.76778	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	238 St	
25128155104.2	238th Street	43.93532	-98.76778	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	371 Ave	
2512911736	238th Street	43.93671	-98.55067	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2512911736.2	238th Street	43.93671	-98.55067	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2512911845	238th Street	43.93677	-98.55069	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	238 St	
2512911845.2	238th Street	43.93677	-98.55069	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	383 Ave	
25129132828	238th Street	43.93687	-98.49092	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25129132828.2	238th Street	43.93687	-98.49092	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25129132911	238th Street	43.93691	-98.49094	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	238 St	
25129132911.2	238th Street	43.93691	-98.49094	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	386 Ave	
2512932825	238th Street	43.93703	-98.45129	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	238 St	
2512932825.2	238th Street	43.93703	-98.45129	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	US 281	
2512935931	238th Street	43.93686	-98.49146	W70-1	R/R	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
2512935931.2	238th Street	43.93686	-98.49146	W70-3	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
2512935931.3	238th Street	43.93686	-98.49146	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
2513012430	238th Street	43.93660	-98.55096	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2513012430.2	238th Street	43.93660	-98.55096	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2521364001	238th Street	43.93697	-98.43193	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521364001.2	238th Street	43.93697	-98.43193	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521364331	238th Street	43.93704	-98.43176	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521364331.2	238th Street	43.93704	-98.43176	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521364430	238th Street	43.93707	-98.43176	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	238 St	
2521364430.2	238th Street	43.93707	-98.43176	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	389 Ave	
2521364912	238th Street	43.93723	-98.41161	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	238 St	
2521364912.2	238th Street	43.93723	-98.41161	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
252137542	238th Street	43.93771	-98.35149	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	238 St	
252137542.2	238th Street	43.93771	-98.35149	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	393 Ave	
2521385318	238th Street	43.93673	-98.45106	W70-1	D/R	1	West				Yellow		Disc	1		Blaine	W70-1, Minimum Maintenance		
2521385450	238th Street	43.93714	-98.43214	W70-1	D/R	1	East				Yellow		Disc	1		Blaine	W70-1, Minimum Maintenance		
2521394916	238th Street	43.93675	-98.43410	W2-4	D/R	1	West				Yellow		Disc	1		Blaine	W2-4, T-Symbol		
25217104259	238th Street	43.93612	-98.64914	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	238 St	
25217104259.2	238th Street	43.93612	-98.64914	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	377 Ave	
25217105023	238th Street	43.93634	-98.60966	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25217105023.2	238th Street	43.93634	-98.60966	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25217105139	238th Street	43.93634	-98.60973	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	238 St	
25217105139.2	238th Street	43.93634	-98.60973	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	379 Ave	
25217105923	238th Street	43.93659	-98.57037	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	238 St	
25217105923.2	238th Street	43.93659	-98.57037	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	382 Ave	
25218103521	238th Street	43.93554	-98.72804	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	238 St	
25218103521.2	238th Street	43.93554	-98.72804	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	373 Ave	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	98	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	
25220121338	238th Street	43.93508	-98.84717	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	238 St	
25220121338.2	238th Street	43.93508	-98.84717	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	367 Ave	
2522012646	238th Street	43.93512	-98.88700	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2522012646.2	238th Street	43.93512	-98.88700	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2522012754	238th Street	43.93516	-98.88704	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	238 St	
2522012754.2	238th Street	43.93516	-98.88704	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	365 Ave	
25228191206	238th Street	43.93737	-98.39168	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	238 St	
2522819120 6.2	238th Street	43.93737	-98.39168	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	391 Ave	
2532431232	238th Street	43.93552	-98.72807	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2532431232.2	238th Street	43.93552	-98.72807	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2541882442	238th Street	43.93679	-98.49120	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2541882442.2	238th Street	43.93679	-98.49120	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25422212011	238th Street	43.93650	-98.53211	Other	D/R	1	West				Yellow		Disc	1		Viola	Other, Other Sign		Discard/Remove blank supplemental sign. Primary sign missing.
25422212351	238th Street	43.93667	-98.53108	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Viola	R1-2, Yield		
25422212351.2	238th Street	43.93667	-98.53108	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
25422214246	238th Street	43.93697	-98.43317	W3-2	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Blaine	W3-2, Yield Ahead		Install Minimum 325' in Advance of Intersection
2542221531	238th Street	43.93665	-98.54249	OM2-2Va	R/R	2	East & West				Yellow	1.12 lb/ft Post	Repl	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25422215329	238th Street	43.93713	-98.41185	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25422215329.2	238th Street	43.93713	-98.41185	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25422215442	238th Street	43.93720	-98.41163	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25422215442.2	238th Street	43.93720	-98.41163	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2542221617	238th Street	43.93672	-98.54248	OM2-2Va	New	2	East & West				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2542221728	238th Street	43.93662	-98.53925	POST									Disc	1		Viola	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Broken Post
25423215343	238th Street	43.93686	-98.49185	W14-2	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Viola	W14-2, No Outlet		
25424152525	238th Street	43.93674	-98.53207	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
25224104140	363rd Avenue	44.13744	-98.92618	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Marlar	W70-2, No Maintenance		
25224104140.2	363rd Avenue	44.13744	-98.92618	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Marlar	W70-4, No Travel Advised		
2522410250	364th Avenue	44.16614	-98.90823	W1-7	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W1-7, Two-Direction Large Arrow		
2522410250.2	364th Avenue	44.16614	-98.90823	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25224132932	364th Avenue	44.14589	-98.90831	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25224133017	364th Avenue	44.14589	-98.90820	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2522485919	364th Avenue	44.18056	-98.90806	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2522485919.2	364th Avenue	44.18056	-98.90806	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
252249226	364th Avenue	44.18027	-98.90823	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25320114017	364th Avenue	44.09327	-98.90774	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25320114017.2	364th Avenue	44.09327	-98.90774	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2537135924	364th Avenue	44.07931	-98.90748	R2-1 (55)	R/R	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25427194723	364th Avenue	44.19625	-98.90818	Del7	In Place	3					White		In Place			Marlar	Del7, 4"x4" White Delineator Back to Back w/Post		
25427194834	364th Avenue	44.19548	-98.90804	W1-1R	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Marlar	W1-1R, Turn (Right)		Install Minimum 275' in Advance of Curve PC.
25427194834.2	364th Avenue	44.19548	-98.90804	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Marlar	W13-1P, Advisory Speed (Plaque)	10	
2545203716	364th Avenue	44.18076	-98.90823	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545203716.2	364th Avenue	44.18076	-98.90823	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25218111255	365th Avenue	43.94948	-98.88713	W1-7	R/R	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	Repl	1	11	County	W1-7, Two-Direction Large Arrow		
25218111255.2	365th Avenue	43.94948	-98.88713	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25218111603	365th Avenue	43.94906	-98.88732	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25218111841	365th Avenue	43.94989	-98.88721	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25218113407	365th Avenue	43.95786	-98.88732	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25218113437	365th Avenue	43.95786	-98.88721	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25218114208	365th Avenue	43.96214	-98.88725	W1-1R	D/R	1	South				Yellow		Disc	1		County	W1-1R, Turn (Right)		
2522012537	365th Avenue	43.93549	-98.88709	R2-1 (55)	R/R	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25224103025	365th Avenue	44.14821	-98.88805	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Marlar	W70-2, No Maintenance		
25224103025.2	365th Avenue	44.14821	-98.88805	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Marlar	W70-4, No Travel Advised		
2522410849	365th Avenue	44.16592	-98.88814	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Marlar	W70-2, No Maintenance		
2522410849.2	365th Avenue	44.16592	-98.88814	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Marlar	W70-4, No Travel Advised		
2536155605	365th Avenue	44.05092	-98.88742	W2-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
2537141039	365th Avenue	44.07822	-98.88760	R2-1 (55)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2537141201	365th Avenue	44.05384	-98.88740	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2537141242	365th Avenue	44.05384	-98.88726	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25430221053	365th Avenue	44.12253	-98.88807	W1-6L	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	9	Marlar	W1-6L, One-Direction Large Arrow (Left)		
25430221053.2	365th Avenue	44.12253	-98.88807	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Marlar	Del8a, 4" Tubular White Delineator (no post)		
25430221540	365th Avenue	44.12246	-98.88808	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Marlar	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
25430222010	365th Avenue	44.12156	-98.88807	W1-1L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Marlar	W1-1L, Turn (Left)		Install Minimum 325' in advance of Curve PC
25430222010.2	365th Avenue	44.12156	-98.88807	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Marlar	W13-1P, Advisory Speed (Plaque)	5	
2548205002	365th Avenue	43.94812	-98.88720	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	99	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2548205134	365th Avenue	43.94825	-98.88730	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548205329	365th Avenue	43.94826	-98.88720	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2548205542	365th Avenue	43.94812	-98.88730	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2556104628	365th Avenue	43.95676	-98.88706	Other	D/R	1	South				Yellow		Disc	1		County	Other, Other Sign	WARNING BLIND DRIVE	
2556105123	365th Avenue	43.96141	-98.88731	Other	D/R	1	North				Yellow		Disc	1		County	Other, Other Sign	WARNING BLIND DRIVE	
2556105249	365th Avenue	43.96021	-98.88737	W7-6	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W7-6, Hill Blocks View		Install Minimum 325' in Advance of Hill
2556105323	365th Avenue	43.95816	-98.88718	W7-6	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W7-6, Hill Blocks View		Install Minimum 325' in Advance of Hill
25610211435	365th Avenue	43.95277	-98.88733	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25610211456	365th Avenue	43.95273	-98.88721	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25218115308	366th Avenue	43.96390	-98.86738	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25218115308.2	366th Avenue	43.96390	-98.86738	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25224121842	366th Avenue	44.19602	-98.86805	R2-1 (55)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2522412642	366th Avenue	44.19494	-98.86774	W1-1L	D/R	1	South				Yellow		Disc	2		County	W1-1L, Turn (Left)		
2522412642.2	366th Avenue	44.19494	-98.86774	W13-1P	D/R	1	South				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	10	
2522412954	366th Avenue	44.19635	-98.86790	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2522412954.2	366th Avenue	44.19635	-98.86790	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2522413210	366th Avenue	44.19624	-98.86813	Other	D/S	1	North				White					County	Other, Other Sign	Jerauld County Zoned	Sign attached to R2-1. Salvage sign back to Jerauld County.
2522491853	366th Avenue	44.18089	-98.86790	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2522492431	366th Avenue	44.17950	-98.86794	W3-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Marlar	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2541681108	366th Avenue	44.18058	-98.86808	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2541681108.2	366th Avenue	44.18058	-98.86808	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25430222848	366th Avenue	44.16598	-98.86799	W1-6R	New	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Marlar	W1-6R, One-Direction Large Arrow (Right)		
25430222848.2	366th Avenue	44.16598	-98.86799	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Marlar	Del8a, 4" Tubular White Delineator (no post)		
25430223338	366th Avenue	44.16613	-98.86794	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Marlar	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
25430224041	366th Avenue	44.16703	-98.86804	W1-1R	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Marlar	W1-1R, Turn (Right)		Install Minimum 325' in advance of Curve PC
25430224041.2	366th Avenue	44.16703	-98.86804	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Marlar	W13-1P, Advisory Speed (Plaque)	5	
2545203901	366th Avenue	44.18039	-98.86793	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545203901.2	366th Avenue	44.18039	-98.86793	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2548203644	366th Avenue	44.05872	-98.86736	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548203726	366th Avenue	44.05882	-98.86745	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548203857	366th Avenue	44.05871	-98.86745	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2548204033	366th Avenue	44.05882	-98.86735	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2521812122	367th Avenue	43.96368	-98.84713	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521812122.2	367th Avenue	43.96368	-98.84713	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521812238	367th Avenue	43.96381	-98.84732	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521812238.2	367th Avenue	43.96381	-98.84732	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2522413641	367th Avenue	44.19632	-98.84779	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	Marlar	R1-1, Stop		
2522413641.2	367th Avenue	44.19632	-98.84779	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Marlar	Del8a, 4" Tubular White Delineator (no post)		
25415153337	367th Avenue	43.93515	-98.84718	R12-5a	R/R	1	South	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R12-5a (New), Bridge Weight Limit	SINGLE UNIT 22 COMBINATIONS 36	
25415153337.2	367th Avenue	43.93515	-98.84718	W16-3AP	R/R	1	South	30" x 12"	2.5		White	2" X 2" Perforated Tube Post	Repl			County	W16-3AP, XX Miles (1-Line Plaque)	3/4 MILE	Mount below R12-5a
25415154456	367th Avenue	43.94924	-98.84733	R12-5a	R/R	1	North	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R12-5a (New), Bridge Weight Limit	SINGLE UNIT 22 COMBINATIONS 36	
25415154456.2	367th Avenue	43.94924	-98.84733	W16-3AP	R/R	1	North	30" x 12"	2.5		White	2" X 2" Perforated Tube Post	Repl			County	W16-3AP, XX Miles (1-Line Plaque)	1/4 MILE	Mount below R12-5a
25415155130	367th Avenue	43.94491	-98.84715	R12-5a	R/R	1	South	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R12-5a (New), Bridge Weight Limit	SINGLE UNIT 22 COMBINATIONS 36	
25415155306	367th Avenue	43.94532	-98.84731	R12-5a	R/R	1	North	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R12-5a (New), Bridge Weight Limit	SINGLE UNIT 22 COMBINATIONS 36	
2548205944	367th Avenue	43.94501	-98.84718	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Ma
254821209	367th Avenue	43.94514	-98.84729	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object
254821525	367th Avenue	43.94516	-98.84718	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back structure, spaced 50' apa ure
254821704	367th Avenue	43.94501	-98.84731	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-ba structure, spaced 50' ap ure
25121112325	368th Avenue	44.19632	-98.82738	R1-2	New	1	Southwest	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Marlar	R1-2, Yield		
25121112325.2	368th Avenue	44.19632	-98.82738	Del8a	New	1	Southwest				White	2" X 2" Perforated Tube Post	New			Marlar	Del8a, 4" Tubular White Delineator (no post)		
25121112657	368th Avenue	44.19633	-98.82776	R1-2	New	1	Southeast	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Marlar	R1-2, Yield		
25121112657.2	368th Avenue	44.19633	-98.82776	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	New			Marlar	Del8a, 4" Tubular White Delineator (no post)		
2521712456	368th Avenue	43.99194	-98.82745	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	100	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2521712615	368th Avenue	43.99276	-98.82732	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25217141259	368th Avenue	43.96373	-98.82755	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25217141259.2	368th Avenue	43.96373	-98.82755	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25217141900	368th Avenue	43.96408	-98.82736	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25217142332	368th Avenue	43.96507	-98.82743	W2-4	D/R	1	South				Yellow		Disc	1		County	W2-4, T-Symbol		
25217154727	368th Avenue	44.01974	-98.82734	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25217154820	368th Avenue	44.01974	-98.82725	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25217154920	368th Avenue	44.01645	-98.82725	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25217154953	368th Avenue	44.01645	-98.82736	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25217155206	368th Avenue	44.00146	-98.82742	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25217155234	368th Avenue	44.00146	-98.82731	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25224112055	368th Avenue	44.10798	-98.82769	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25224112148	368th Avenue	44.10787	-98.82787	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25224112719	368th Avenue	44.12892	-98.82764	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25224134004	368th Avenue	44.12334	-98.82778	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25224134039	368th Avenue	44.12334	-98.82767	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25224135225	368th Avenue	44.11546	-98.82915	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25224135318	368th Avenue	44.11546	-98.82905	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2522494402	368th Avenue	44.17995	-98.82773	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2522494822	368th Avenue	44.17947	-98.82759	W3-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2522495305	368th Avenue	44.17913	-98.82755	W2-1	D/R	1	South				Yellow		Disc	1		County	W2-1, Cross Road		
25228191426	368th Avenue	44.12812	-98.82780	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
252692753	368th Avenue	44.18023	-98.82756	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
252692753.2	368th Avenue	44.18023	-98.82756	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
252693422	368th Avenue	44.18047	-98.82771	R1-2	D/R	1	North				Red		Disc	1		County	R1-2, Yield		
252693749	368th Avenue	44.18042	-98.82774	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
252693749.2	368th Avenue	44.18042	-98.82774	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2537125736	368th Avenue	44.05097	-98.82754	W2-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
2537143615	368th Avenue	44.07985	-98.82776	W3-1	R/R	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2537143824	368th Avenue	44.07925	-98.82758	R2-1 (55)	R/R	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2537144007	368th Avenue	44.07833	-98.82780	R2-1 (55)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2537145442	368th Avenue	44.03303	-98.82738	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2537145519	368th Avenue	44.03303	-98.82727	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25412164503	368th Avenue	44.19641	-98.82762	W1-7	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	Marlar	W1-7, Two-Direction Large Arrow		
25412164503.2	368th Avenue	44.19641	-98.82762	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Marlar	Del8a, 4" Tubular White Delineator (no post)		
25413222649	368th Avenue	44.10813	-98.82769	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25413222754	368th Avenue	44.10818	-98.82784	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25413224039	368th Avenue	44.05026	-98.82735	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
25413224401	368th Avenue	44.04990	-98.82737	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25413224559	368th Avenue	44.04993	-98.82751	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2542614030	368th Avenue	44.19627	-98.82748	Del8	New	6					White	1.12 lb/ft Post	New	6	5	Marlar	Del8, 4" Tubular White Delineator w/Post		Evenly spaced with a maximum space of 20'
2542614322	368th Avenue	44.19623	-98.82780	Del8	New	10					White	1.12 lb/ft Post	New	10	5	Marlar	Del8, 4" Tubular White Delineator w/Post		Evenly spaced with a maximum space of 20'
25427195801	368th Avenue	44.19528	-98.82748	W3-2	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Marlar	W3-2, Yield Ahead		Install Minimum 325' in Advance of Intersection
25427201203	368th Avenue	44.10867	-98.82767	W1-4L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-4L, Reverse Curve (Left)		Install Minimum 125' in Advance of Curve PC
25427201203.2	368th Avenue	44.10867	-98.82767	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	35	
25427201328	368th Avenue	44.11244	-98.82913	W1-4L	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-4L, Reverse Curve (Left)		Install Minimum
25427201328.2	368th Avenue	44.11244	-98.82913	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	35	
25427201654	368th Avenue	44.11147	-98.82904	W1-8	New	4	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	3	8	County	W1-8, Chevron Alignment		Curve
25427201816	368th Avenue	44.10944	-98.82772	W1-8	New	4	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	3	8	County	W1-8, Chevron Alignment		Curv
25427202103	368th Avenue	44.10903	-98.82768	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Adva
25427202204	368th Avenue	44.10985	-98.82787	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		
25427202242	368th Avenue	44.11105	-98.82881	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		
25427202323	368th Avenue	44.11189	-98.82912	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Adv
25427203155	368th Avenue	44.11714	-98.82878	W1-4L	D/R	1	South				Yellow		Disc	1		County	W1-4L, Reverse Curve (Left)		
25427203732	368th Avenue	44.12414	-98.82779	W1-4R	D/R	1	North				Yellow		Disc	1		County	W1-4R, Reverse Curve (Right)		
25427203935	368th Avenue	44.11762	-98.82909	W1-5L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-5L, Winding Road (Left)		Insta
25427203935.2	368th Avenue	44.11762	-98.82909	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	40	
25427204022	368th Avenue	44.12348	-98.82782	W1-5R	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-5R, Winding Road (Right)		Install Mini

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	101	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25427204022.2	368th Avenue	44.12348	-98.82782	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	40	
25427204434	368th Avenue	44.11847	-98.82915	W1-8	New	4	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	3	8	County	W1-8, Chevron Alignment		Curve Radius = 1200', Curve Spacing = 120'
25427205109	368th Avenue	44.12255	-98.82786	W1-8	New	6	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	4	8	County	W1-8, Chevron Alignment		Curve Radius = 600', Curve Spacing = 120'
25427205447	368th Avenue	44.12067	-98.82977	W1-8	New	14	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	8	8	County	W1-8, Chevron Alignment		Curve Radius = 860', Curve Spacing = 120,'
25427205510	368th Avenue	44.11798	-98.82909	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 204', 300', 300'
25427205558	368th Avenue	44.11891	-98.82928	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 204'
25427205629	368th Avenue	44.11941	-98.82971	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 172'
25427205654	368th Avenue	44.12175	-98.82896	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 172'
25427205732	368th Avenue	44.12202	-98.82838	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 142'
25427205826	368th Avenue	44.12313	-98.82764	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 142', 213', 300'
2542720649	368th Avenue	44.10839	-98.82755	W1-4L	D/R	1	South				Yellow		Disc	1		County	W1-4L, Reverse Curve (Left)		
2542720827	368th Avenue	44.11364	-98.82929	W1-4L	D/R	1	North				Yellow		Disc	1		County	W1-4L, Reverse Curve (Left)		
2545204300	368th Avenue	44.18128	-98.82771	W3-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Marlar	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2547142059	368th Avenue	44.12856	-98.82784	W1-7	R/R	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	Repl	2	11	County	W1-7, Two-Direction Large Arrow		
2547142059.2	368th Avenue	44.12856	-98.82784	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2547214843	368th Avenue	44.07693	-98.82753	Del8	D/R	1	North & South				White		Disc	1		County	Del8, 4" Tubular White Delineator w/Post		
2547214942	368th Avenue	44.07710	-98.82775	Del8	D/R	1	North & South				White		Disc	1		County	Del8, 4" Tubular White Delineator w/Post		
2548204252	368th Avenue	44.07697	-98.82760	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548204341	368th Avenue	44.07707	-98.82772	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548204446	368th Avenue	44.07707	-98.82759	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2548204615	368th Avenue	44.07696	-98.82772	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
241227191336	369th Avenue	44.15147	-98.80005	W1-6L	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6L, One-Direction Large Arrow (Left)		
241227191336.2	369th Avenue	44.15147	-98.80005	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
25210122323	369th Avenue	44.17617	-98.80768	OM4-3	New	3	North				Red	1.12 lb/ft Post	New	3	7	Harmony	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
25217121148	369th Avenue	43.99247	-98.80746	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25217121148.2	369th Avenue	43.99247	-98.80746	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25224141837	369th Avenue	44.18020	-98.80764	W14-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W14-1, Dead End		
25224164436	369th Avenue	44.18754	-98.80771	OM4-3	New	3	South				Red	1.12 lb/ft Post	New	3	7	Marlar	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
25312101633	369th Avenue	44.02139	-98.80723	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
25312101633.2	369th Avenue	44.02139	-98.80723	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
253412600	369th Avenue	44.07863	-98.80763	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
253412600.2	369th Avenue	44.07863	-98.80763	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
2534134709	369th Avenue	44.05006	-98.80731	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Pleasant	R1-2, Yield		
2534134709.2	369th Avenue	44.05006	-98.80731	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
2537131422	369th Avenue	44.04856	-98.80746	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
2537131422.2	369th Avenue	44.04856	-98.80746	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
2541022548	369th Avenue	44.12788	-98.80772	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2541022548.2	369th Avenue	44.12788	-98.80772	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25412152210	369th Avenue	44.15058	-98.79996	W1-1R	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	12	Harmony	W1-1R, Turn (Right)		Install Minimum 275' in Advance of Curve PC
25412152210.2	369th Avenue	44.15058	-98.79996	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	10	
25412152312	369th Avenue	44.15134	-98.80003	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
25412155833	369th Avenue	44.13721	-98.80006	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
25412161950	369th Avenue	44.13507	-98.80773	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 52', 78', 156'
2541216541	369th Avenue	44.13445	-98.80760	W1-5R	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W1-5R, Winding Road (Right)		Install Minimum 225' in Advance of Curve PC.
2541216541.2	369th Avenue	44.13445	-98.80760	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	15	
2541691228	369th Avenue	44.13523	-98.80772	W1-6L	New	1	Northeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6L, One-Direction Large Arrow (Left)		
2541691228.2	369th Avenue	44.13523	-98.80772	Del8a	New	1	Northeast				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2541692146	369th Avenue	44.13703	-98.80004	W1-6L	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6L, One-Direction Large Arrow (Left)		
2541692146.2	369th Avenue	44.13703	-98.80004	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
254169937	369th Avenue	44.18052	-98.80755	W14-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Marlar	W14-1, Dead End		
254179709	369th Avenue	44.18549	-98.80762	W20-3	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Marlar	W20-3, Road Closed Ahead		
2545204538	369th Avenue	44.17995	-98.80764	W70-1	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W70-1, Minimum Maintenance		
2545204538.2	369th Avenue	44.17995	-98.80764	W70-3	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W70-3, Travel At Your Own Risk		
2545204538.3	369th Avenue	44.17995	-98.80764	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	25	
2545204710	369th Avenue	44.18029	-98.80750	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545204710.2	369th Avenue	44.18029	-98.80750	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2545204739	369th Avenue	44.18043	-98.80766	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545204739.2	369th Avenue	44.18043	-98.80766	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25610205659	369th Avenue	44.14217	-98.80005	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25610205815	369th Avenue	44.14226	-98.80014	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2633145639	369th Avenue	44.06458	-98.80742	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Pleasant	W70-2, No Maintenance		
2633145639.2	369th Avenue	44.06458	-98.80742	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
263315040	369th Avenue	44.06438	-98.80759	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Pleasant	W70-2, No Maintenance		

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	102	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
263315040.2	369th Avenue	44.06438	-98.80759	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
2633152431	369th Avenue	44.13797	-98.80019	SP-9R	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	SP-9R, Turn (Right) w/ Side Road Up		Install Minimum 275' in Advance of Curve PC.
2633152431.2	369th Avenue	44.13797	-98.80019	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	10	
25210102602	370th Avenue	44.19421	-98.79025	W1-1L	D/R	1	South				Yellow		Disc	1		County	W1-1L, Turn (Left)		
25210102602.2	370th Avenue	44.19421	-98.79025	W13-1P	D/R	1	South				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)		
25210103459	370th Avenue	44.16962	-98.79021	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25210103541	370th Avenue	44.16965	-98.79012	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25210103715	370th Avenue	44.16271	-98.79017	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25210103802	370th Avenue	44.16271	-98.79008	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25210104547	370th Avenue	44.12171	-98.78979	W3-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
25210104716	370th Avenue	44.12031	-98.78979	W2-4	D/R	1	South				Yellow		Disc	1		Harmony	W2-4, T-Symbol		
2521092946	370th Avenue	44.12260	-98.78979	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521092946.2	370th Avenue	44.12260	-98.78979	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25217122339	370th Avenue	43.99286	-98.78834	R1-1	R/R	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25217122339.2	370th Avenue	43.99286	-98.78834	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25217122445	370th Avenue	43.99270	-98.78819	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25217122445.2	370th Avenue	43.99270	-98.78819	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25217122618	370th Avenue	43.99321	-98.78820	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25217143237	370th Avenue	43.96397	-98.78811	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25217143237.2	370th Avenue	43.96397	-98.78811	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2526102421	370th Avenue	44.17980	-98.79015	W3-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2526102620	370th Avenue	44.17988	-98.79015	W2-1	D/R	1	South				Yellow		Disc	1		Harmony	W2-1, Cross Road		
252610336	370th Avenue	44.18069	-98.79017	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
252610336.2	370th Avenue	44.18069	-98.79017	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
252610439	370th Avenue	44.18086	-98.79031	R1-1	R/R	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
252610439.2	370th Avenue	44.18086	-98.79031	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2527125227	370th Avenue	44.16626	-98.79021	W1-7	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W1-7, Two-Direction Large Arrow		
2527125227.2	370th Avenue	44.16626	-98.79021	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2534142941	370th Avenue	44.05118	-98.78899	Other	D/R	1	North				Yellow		Disc	1		County	Other, Other Sign	Slow Danger	
2534144623	370th Avenue	44.05145	-98.78889	W2-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
2536104851	370th Avenue	44.09217	-98.78916	W1-5R	D/R	1	South				Yellow		Disc	1		Pleasant	W1-5R, Winding Road (Right)		
253684347	370th Avenue	44.07909	-98.78915	R2-1 (55)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
253684609	370th Avenue	44.06070	-98.78892	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
253684740	370th Avenue	44.06070	-98.78880	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
253684907	370th Avenue	44.05468	-98.78889	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
253684935	370th Avenue	44.05468	-98.78877	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
253685216	370th Avenue	44.03236	-98.78857	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
253685244	370th Avenue	44.03236	-98.78847	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25412145022	370th Avenue	44.09389	-98.78917	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Pleasant	R1-2, Yield		
25412145022.2	370th Avenue	44.09389	-98.78917	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
25412163241	370th Avenue	44.19595	-98.79041	R2-1 (55)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25412163404	370th Avenue	44.19618	-98.79025	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 64', 96', 192'
25412163521	370th Avenue	44.19556	-98.79025	W1-1L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1L, Turn (Left)		Install Minimum 225' in Advance of Curve PC.
25412163521.2	370th Avenue	44.19556	-98.79025	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	20	
25412163722	370th Avenue	44.19645	-98.79025	W1-6L	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6L, One-Direction Large Arrow (Left)		
25412163722.2	370th Avenue	44.19645	-98.79025	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25412163903	370th Avenue	44.19648	-98.79035	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 160', Curve Spacing = 32'. Del[illegible] conflict with approach.
25413144655	370th Avenue	44.15213	-98.79009	W1-6R	New	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6R, One-Direction Large Arrow (Right)		
25413144655.2	370th Avenue	44.15213	-98.79009	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
25413145228	370th Avenue	44.15237	-98.79000	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Advanc[illegible]
25413222949	370th Avenue	44.10798	-98.78985	W70-1	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
25413222949.2	370th Avenue	44.10798	-98.78985	W70-3	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
25413222949.3	370th Avenue	44.10798	-98.78985	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
25425142215	370th Avenue	44.09263	-98.78909	POST									Disc	1		Pleasant	POST, Post Only - No Sign Involved		Post [illegible]
2542719122	370th Avenue	44.10203	-98.78965	W1-5R	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Pleasant	W1-5R, Winding Road (Right)		Ins[illegible]
2542719122.2	370th Avenue	44.10203	-98.78965	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	20	
2542719221	370th Avenue	44.10168	-98.78962	W1-5L	D/R	1	North				Yellow		Disc	1		Pleasant	W1-5L, Winding Road (Left)		
2542722024	370th Avenue	44.09539	-98.79222	W1-6L	New	1	Northeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Pleasant	W1-6L, One-Direction Large Arrow (Left)		
2542722024.2	370th Avenue	44.09539	-98.79222	Del8a	New	1	Northeast				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
25427221119	370th Avenue	44.09909	-98.79070	W1-6L	New	1	Northeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Pleasant	W1-6L, One-Direction Large Arrow (Left)		

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	103	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25427221119.2	370th Avenue	44.09909	-98.79070	Del8a	New	1	Northeast				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
25427221450	370th Avenue	44.10129	-98.78949	W1-6L	New	1	Southwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Pleasant	W1-6L, One-Direction Large Arrow (Left)		
25427221450.2	370th Avenue	44.10129	-98.78949	Del8a	New	1	Southwest				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
25427221817	370th Avenue	44.10112	-98.78954	W1-6R	New	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Pleasant	W1-6R, One-Direction Large Arrow (Right)		
25427221817.2	370th Avenue	44.10112	-98.78954	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
2542722220	370th Avenue	44.09533	-98.79224	W1-6R	New	1	Southeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Pleasant	W1-6R, One-Direction Large Arrow (Right)		
2542722220.2	370th Avenue	44.09533	-98.79224	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
2542722502	370th Avenue	44.09711	-98.79012	W1-6R	New	1	Northwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Pleasant	W1-6R, One-Direction Large Arrow (Right)		
2542722502.2	370th Avenue	44.09711	-98.79012	Del8a	New	1	Northwest				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
2542722637	370th Avenue	44.09705	-98.79015	W1-6L	New	1	Southwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Pleasant	W1-6L, One-Direction Large Arrow (Left)		
2542722637.2	370th Avenue	44.09705	-98.79015	Del8a	New	1	Southwest				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
2542722846	370th Avenue	44.09928	-98.79069	W1-6R	New	1	Southeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Pleasant	W1-6R, One-Direction Large Arrow (Right)		
2542722846.2	370th Avenue	44.09928	-98.79069	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	New			Pleasant	Del8a, 4" Tubular White Delineator (no post)		
2551215407	370th Avenue	44.10221	-98.78954	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	Pleasant	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2551215630	370th Avenue	44.10222	-98.78964	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Pleasant	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25725162929	370th Avenue	44.09264	-98.78920	W3-2	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Pleasant	W3-2, Yield Ahead		Install at Top of Hill or Minimum 325' in Advance of Intersection, whichever is farther away.
2622792814	370th Avenue	44.07976	-98.78903	W70-1	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-1, Minimum Maintenance		
2622792814.2	370th Avenue	44.07976	-98.78903	W70-3	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-3, Travel At Your Own Risk		
2622792814.3	370th Avenue	44.07976	-98.78903	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W13-1P, Advisory Speed (Plaque)	25	
262514737	370th Avenue	43.96382	-98.78810	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
262514737.2	370th Avenue	43.96382	-98.78810	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		
2633151855	370th Avenue	44.15313	-98.79015	SP-11R	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	SP-11R, Turn (Right) w/ Side Road 45* Up/Left		Install Minimum 275' in Advance of Curve PC.
2633151855.2	370th Avenue	44.15313	-98.79015	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	10	
241227193517	371st Avenue	44.15210	-98.77013	W1-6R	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6R, One-Direction Large Arrow (Right)		
241227193517.2	371st Avenue	44.15210	-98.77013	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
25111011604	371st Avenue	43.99303	-98.76844	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25111011604.2	371st Avenue	43.99303	-98.76844	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25210122940	371st Avenue	44.16667	-98.77000	W14-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W14-1, Dead End		
25210123124	371st Avenue	44.17255	-98.77013	OM4-3	New	3	South				Red	1.12 lb/ft Post	New	3	7	Harmony	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
25210123910	371st Avenue	44.12284	-98.76980	W14-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W14-1, Dead End		
25210124149	371st Avenue	44.11381	-98.76967	OM4-3	New	3	North				Red	1.12 lb/ft Post	New	3	7	Harmony	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
25224144807	371st Avenue	44.13735	-98.76991	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W70-2, No Maintenance		
25224144807.2	371st Avenue	44.13735	-98.76991	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W70-4, No Travel Advised		
2527152928	371st Avenue	44.12292	-98.76965	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2527152928.2	371st Avenue	44.12292	-98.76965	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2527153234	371st Avenue	44.12319	-98.76968	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W70-2, No Maintenance		
2527153234.2	371st Avenue	44.12319	-98.76968	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W70-4, No Travel Advised		
2531292033	371st Avenue	44.07993	-98.76888	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Pleasant	W70-2, No Maintenance		
2531292033.2	371st Avenue	44.07993	-98.76888	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
25410225031	371st Avenue	44.16666	-98.77013	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	Harmony	R1-1, Stop		
25410225031.2	371st Avenue	44.16666	-98.77013	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2545205720	371st Avenue	44.12257	-98.76979	W70-1	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W70-1, Minimum Maintenance		
2545205720.2	371st Avenue	44.12257	-98.76979	W70-3	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W70-3, Travel At Your Own Risk		
2545205720.3	371st Avenue	44.12257	-98.76979	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	25	
254594220	371st Avenue	44.16694	-98.76999	W70-1	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W70-1, Minimum Maintenance		
254594220.2	371st Avenue	44.16694	-98.76999	W70-3	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W70-3, Travel At Your Own Risk		
254594220.3	371st Avenue	44.16694	-98.76999	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	25	
2556231755	371st Avenue	44.13859	-98.76987	W1-1L	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W1-1L, Turn (Left)		Install Minimum 275' in advance of Curve PC
2556231755.2	371st Avenue	44.13859	-98.76987	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W13-1P, Advisory Speed (Plaque)	10	
255623533	371st Avenue	44.13757	-98.76983	W1-6L	New	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W1-6L, One-Direction Large Arrow (Left)		
255623533.2	371st Avenue	44.13757	-98.76983	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
26225154200	371st Avenue	43.99397	-98.76841	W3-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
26225154252	371st Avenue	43.96410	-98.76812	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
26225154252.2	371st Avenue	43.96410	-98.76812	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		
262259234	371st Avenue	43.95362	-98.76971	W70-2	New	1	East	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
262259234.2	371st Avenue	43.95362	-98.76971	W70-4	New	1	East	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		
2625153913	371st Avenue	43.93536	-98.76780	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
2625153913.2	371st Avenue	43.93536	-98.76780	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		
2626125155	371st Avenue	43.99924	-98.76830	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
2626125155.2	371st Avenue	43.99924	-98.76830	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		
262916625	371st Avenue	43.99268	-98.76847	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
262916625.2	371st Avenue	43.99268	-98.76847	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		
251110113711	372nd Avenue	43.99875	-98.74832	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
251110113914	372nd Avenue	43.99876	-98.74823	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	104	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
251110114258	372nd Avenue	43.96786	-98.74773	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
251110114338	372nd Avenue	43.96785	-98.74782	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2521713003	372nd Avenue	43.99308	-98.74815	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521713003.2	372nd Avenue	43.99308	-98.74815	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521713157	372nd Avenue	43.99320	-98.74834	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521713157.2	372nd Avenue	43.99320	-98.74834	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25217145123	372nd Avenue	43.96431	-98.74810	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25217145123.2	372nd Avenue	43.96431	-98.74810	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2526104103	372nd Avenue	44.18137	-98.74985	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2526104103.2	372nd Avenue	44.18137	-98.74985	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2526104412	372nd Avenue	44.17981	-98.74982	W2-4	D/R	1	South				Yellow		Disc	1		Harmony	W2-4, T-Symbol		
2527141512	372nd Avenue	44.15240	-98.74983	W1-7	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W1-7, Two-Direction Large Arrow		
2527141512.2	372nd Avenue	44.15240	-98.74983	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2528201039	372nd Avenue	44.12348	-98.74976	R1-1	R/R	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2528201039.2	372nd Avenue	44.12348	-98.74976	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2528202001	372nd Avenue	44.12324	-98.74961	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2528202001.2	372nd Avenue	44.12324	-98.74961	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2528203101	372nd Avenue	44.12250	-98.74939	W2-1	D/R	1	South				Yellow		Disc	1		County	W2-1, Cross Road		
2534123110	372nd Avenue	44.08041	-98.74888	R2-1 (55)	R/R	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
253610926	372nd Avenue	44.10758	-98.74951	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253610956	372nd Avenue	44.10758	-98.74941	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253685550	372nd Avenue	44.05759	-98.74889	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Pleasant	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
253685753	372nd Avenue	44.05289	-98.74886	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Pleasant	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
253685822	372nd Avenue	44.05289	-98.74877	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Pleasant	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25410221506	372nd Avenue	44.18049	-98.74979	W3-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
25410222540	372nd Avenue	44.12234	-98.74956	W3-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2542294659	372nd Avenue	44.14551	-98.74970	Del7	New	4					White	1.12 lb/ft Post	New	4	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 150' spacing west side of road, 150' spacing east side (75' staggered spacing)
2542294844	372nd Avenue	44.14638	-98.74982	Del7	New	4					White	1.12 lb/ft Post	New	4	5	Harmony	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 150' spacing west side of road, 150' spacing east side (75' staggered spacing)
254610619	372nd Avenue	44.05759	-98.74879	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Pleasant	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
254610947	372nd Avenue	44.11725	-98.74955	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
254610956	372nd Avenue	44.11725	-98.74965	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2621521439	372nd Avenue	43.96701	-98.74774	W1-2R	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	W1-2R, Curve (Right)		Install Minimum 200' in Advance of Curve PC.
2621521439.2	372nd Avenue	43.96701	-98.74774	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W13-1P, Advisory Speed (Plaque)	35	
2622491342	372nd Avenue	44.00850	-98.74828	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
2622491808	372nd Avenue	44.02158	-98.74847	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2622491928	372nd Avenue	44.02158	-98.74834	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
26225102951	372nd Avenue	43.97158	-98.74789	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Crow Lake	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 204', 300', 300'
26225103829	372nd Avenue	43.97122	-98.74786	W1-4L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	W1-4L, Reverse Curve (Left)		Install Minimum 125' in Advance of Curve PC.
26225103829.2	372nd Avenue	43.97122	-98.74786	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W13-1P, Advisory Speed (Plaque)	45	
26225104025	372nd Avenue	43.97250	-98.74826	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Crow Lake	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 204', 300', 300'
26225104533	372nd Avenue	43.97285	-98.74826	W1-4L	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	W1-4L, Reverse Curve (Left)		Install Minimum 125' in Advance of Curve PC.
26225104533.2	372nd Avenue	43.97285	-98.74826	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W13-1P, Advisory Speed (Plaque)	45	
2622594847	372nd Avenue	43.96602	-98.74754	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Crow Lake	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 142', 213', 300'
2622595028	372nd Avenue	43.96646	-98.74752	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Crow Lake	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 142', 213', 300'
2622595724	372nd Avenue	43.96544	-98.74768	W1-2L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	W1-2L, Curve (Left)		Install Minimum 200' in Advance of Curve PC.
2622595724.2	372nd Avenue	43.96544	-98.74768	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W13-1P, Advisory Speed (Plaque)	35	
26227121803	372nd Avenue	43.96626	-98.74751	W1-8	New	4	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	3	8	Crow Lake	W1-8, Chevron Alignment		Curve Radius = 600', Curve Spacing = 120'
26227121829	372nd Avenue	43.97176	-98.74792	W1-8	New	4	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	3	8	Crow Lake	W1-8, Chevron Alignment		Curve Radius = 1200', Curve Spacing = 120'
26227121846	372nd Avenue	43.97229	-98.74823	W1-8	New	4	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	3	8	Crow Lake	W1-8, Chevron Alignment		Curve Radius = 1200', Curve Spacing = 120'
2622794250	372nd Avenue	43.96562	-98.74775	W2-4	D/R	1	North				Yellow		Disc	1		Crow Lake	W2-4, T-Symbol		
25111094220	373rd Avenue	43.95364	-98.73813	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	R1-2, Yield		
25111094220.2	373rd Avenue	43.95364	-98.73813	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Crow Lake	Del8a, 4" Tubular White Delineator (no post)		
25210105957	373rd Avenue	44.15347	-98.72965	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2521011036	373rd Avenue	44.15347	-98.72957	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25210111232	373rd Avenue	44.14637	-98.72962	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25210111318	373rd Avenue	44.14637	-98.72953	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25210111509	373rd Avenue	44.14445	-98.72961	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25210111540	373rd Avenue	44.14445	-98.72952	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	105	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25210111712	373rd Avenue	44.13589	-98.72955	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25210111803	373rd Avenue	44.13589	-98.72946	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25217135907	373rd Avenue	43.97837	-98.72849	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25217152506	373rd Avenue	43.95517	-98.73801	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25217152506.2	373rd Avenue	43.95517	-98.73801	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25218101406	373rd Avenue	43.95640	-98.73813	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25218101456	373rd Avenue	43.95641	-98.73800	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25218102847	373rd Avenue	43.93559	-98.72811	Other	D/S	1	South				White					County	Other, Other Sign	Jerauld County Zoned	Sign attached to R2-1. Salvage sign back to Jerauld County.
2521891031	373rd Avenue	44.02129	-98.72845	W2-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
2521894427	373rd Avenue	43.97968	-98.72852	W2-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
2521894959	373rd Avenue	43.98153	-98.72852	Other	D/R	1	North				Yellow		Disc	1		County	Other, Other Sign	Dangerous Intersection	
2521895046	373rd Avenue	44.01948	-98.72837	Other	D/R	1	South				Yellow		Disc	1		County	Other, Other Sign	Dangerous Intersection	
2526104827	373rd Avenue	44.18173	-98.72958	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2526104827.2	373rd Avenue	44.18173	-98.72958	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2526105107	373rd Avenue	44.18188	-98.72975	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2526105107.2	373rd Avenue	44.18188	-98.72975	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2527142054	373rd Avenue	44.15273	-98.72955	W1-7	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W1-7, Two-Direction Large Arrow		
2527142054.2	373rd Avenue	44.15273	-98.72955	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2528203444	373rd Avenue	44.12375	-98.72953	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2528203444.2	373rd Avenue	44.12375	-98.72953	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2528203634	373rd Avenue	44.12466	-98.72953	W3-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2532323000	373rd Avenue	43.93694	-98.72803	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323231106	373rd Avenue	43.94765	-98.72834	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323231147	373rd Avenue	43.96074	-98.73799	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323231238	373rd Avenue	43.96105	-98.73829	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532323149	373rd Avenue	43.93909	-98.72804	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323231839	373rd Avenue	43.98683	-98.72861	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323232135	373rd Avenue	43.98288	-98.72826	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323232334	373rd Avenue	44.02124	-98.72874	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323232504	373rd Avenue	44.02108	-98.72836	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323232622	373rd Avenue	44.01619	-98.72873	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323232713	373rd Avenue	44.01398	-98.72874	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323232959	373rd Avenue	44.01119	-98.72874	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323233058	373rd Avenue	44.00805	-98.72868	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323233155	373rd Avenue	44.00626	-98.72876	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323233331	373rd Avenue	44.00288	-98.72872	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323233430	373rd Avenue	44.00204	-98.72864	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323233521	373rd Avenue	44.00015	-98.72843	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323233710	373rd Avenue	43.99216	-98.72833	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323233812	373rd Avenue	43.99146	-98.72831	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323233905	373rd Avenue	43.99036	-98.72864	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323234002	373rd Avenue	43.99001	-98.72863	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323234107	373rd Avenue	43.98771	-98.72829	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
25323234226	373rd Avenue	43.98454	-98.72863	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532323539	373rd Avenue	43.94471	-98.72806	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532323733	373rd Avenue	43.94725	-98.72807	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532414336	373rd Avenue	43.98006	-98.72859	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532414448	373rd Avenue	43.97921	-98.72852	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532414616	373rd Avenue	43.97630	-98.72862	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532414650	373rd Avenue	43.97604	-98.72827	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532414912	373rd Avenue	43.97325	-98.72826	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532415028	373rd Avenue	43.96853	-98.73804	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532415242	373rd Avenue	43.96392	-98.73830	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532415532	373rd Avenue	43.95865	-98.73824	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532415609	373rd Avenue	43.95800	-98.73824	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532415718	373rd Avenue	43.95596	-98.73788	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532415917	373rd Avenue	43.95221	-98.72874	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
253242050	373rd Avenue	43.94966	-98.72808	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
253242122	373rd Avenue	43.94971	-98.72838	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532421226	373rd Avenue	43.93743	-98.72834	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
253242333	373rd Avenue	43.94477	-98.72834	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
253242436	373rd Avenue	43.94180	-98.72833	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
253242507	373rd Avenue	43.94136	-98.72803	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
253242611	373rd Avenue	43.94016	-98.72832	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line.
2532431938	373rd Avenue	43.93596	-98.72811	R2-1 (55)	R/R	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2532432155	373rd Avenue	43.93556	-98.72810	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	106	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2532432404	373rd Avenue	43.94968	-98.72834	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2532432758	373rd Avenue	43.95023	-98.72824	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2532433240	373rd Avenue	43.95679	-98.73798	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2534123511	373rd Avenue	44.08060	-98.72896	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
2534123511.2	373rd Avenue	44.08060	-98.72896	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
253691149	373rd Avenue	44.05505	-98.72872	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253691231	373rd Avenue	44.05505	-98.72859	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253691344	373rd Avenue	44.04984	-98.72868	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
253691421	373rd Avenue	44.04984	-98.72854	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25369713	373rd Avenue	44.07926	-98.72890	W3-1	R/R	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
25369845	373rd Avenue	44.07380	-98.72896	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25369915	373rd Avenue	44.07380	-98.72883	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2541585625	373rd Avenue	44.07797	-98.72924	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541585914	373rd Avenue	44.07239	-98.72902	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
254159053	373rd Avenue	44.06898	-98.72869	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541591015	373rd Avenue	44.05138	-98.72852	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541591117	373rd Avenue	44.04862	-98.72878	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541591203	373rd Avenue	44.04792	-98.72845	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541591317	373rd Avenue	44.04552	-98.72843	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541591430	373rd Avenue	44.02450	-98.72874	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
254159233	373rd Avenue	44.06469	-98.72894	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
254159340	373rd Avenue	44.06212	-98.72888	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
254159503	373rd Avenue	44.06108	-98.72855	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
254159614	373rd Avenue	44.06067	-98.72892	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
254159732	373rd Avenue	44.05879	-98.72884	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
254159842	373rd Avenue	44.05571	-98.72842	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
25416115155	373rd Avenue	44.02205	-98.72857	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
25416121548	373rd Avenue	43.99284	-98.72850	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
25416122200	373rd Avenue	43.99353	-98.72843	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
25416122604	373rd Avenue	43.97852	-98.72849	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
25416122824	373rd Avenue	43.97933	-98.72835	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
25416123316	373rd Avenue	43.96403	-98.73823	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
25416123450	373rd Avenue	43.96453	-98.73801	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
25422115401	373rd Avenue	43.99347	-98.72842	R12-4x	New	1	South	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
25422115515	373rd Avenue	43.99304	-98.72859	R12-4x	New	1	North	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
25422115722	373rd Avenue	43.97905	-98.72834	R12-4x	New	1	South	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
2542214031	373rd Avenue	44.08009	-98.72912	R12-4x	New	1	North	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
25424215832	373rd Avenue	44.07980	-98.72910	R2-1 (55)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25424222746	373rd Avenue	43.99278	-98.72858	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25424222821	373rd Avenue	43.99372	-98.72844	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25424223606	373rd Avenue	43.96451	-98.73808	R12-4x	New	1	South	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
25424223653	373rd Avenue	43.96408	-98.73823	R12-4x	New	1	North	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
25427131152	373rd Avenue	43.95374	-98.73208	W1-2R	D/R	1	East				Yellow		Disc	1		County	W1-2R, Curve (Right)		
25427131152.2	373rd Avenue	43.95374	-98.73208	W13-1P	D/R	1	East				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	45	
25427131315	373rd Avenue	43.95790	-98.73826	W1-2L	D/R	1	North				Yellow		Disc	1		County	W1-2L, Curve (Left)		
25427131315.2	373rd Avenue	43.95790	-98.73826	W13-1P	D/R	1	North				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	45	
25427131511	373rd Avenue	43.95363	-98.73463	W1-2R	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2R, Curve (Right)		Install Minimum 125' in Advance of Curve PC.
25427131511.2	373rd Avenue	43.95363	-98.73463	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	45	
25427131625	373rd Avenue	43.95599	-98.73816	W1-2L	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2L, Curve (Left)		Install Minimum 125' in advance of Curve PC
25427131625.2	373rd Avenue	43.95599	-98.73816	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	45	
25427131820	373rd Avenue	43.95415	-98.73716	W1-8	New	20	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	11	8	County	W1-8, Chevron Alignment		Curve Radius = 825', Curve Spacing = 120'
25427132018	373rd Avenue	43.95345	-98.73508	Del7	New	2					White	1.12 lb/ft Post	New	2	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 168', 252'
25427132101	373rd Avenue	43.95565	-98.73817	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 168', 252', 300'
25427132247	373rd Avenue	43.95340	-98.73424	W1-2R	D/R	1	West				Yellow		Disc	1		County	W1-2R, Curve (Right)		
25427132247.2	373rd Avenue	43.95340	-98.73424	W13-1P	D/R	1	West				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	45	
25427132402	373rd Avenue	43.94930	-98.72799	W1-2L	D/R	1	South				Yellow		Disc	1		County	W1-2L, Curve (Left)		
25427132402.2	373rd Avenue	43.94930	-98.72799	W13-1P	D/R	1	South				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	45	
25427133009	373rd Avenue	43.95354	-98.73185	W1-2R	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2R, Curve (Right)		Install Minimum 125' in Advance of Curve PC.
25427133009.2	373rd Avenue	43.95354	-98.73185	W13-1P	New	1	West	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	45	
25427133058	373rd Avenue	43.95111	-98.72816	W1-2L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2L, Curve (Left)		Install Minimum 125' in Advance of Curve PC.

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	107	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25427133058.2	373rd Avenue	43.95111	-98.72816	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	45	
25427133212	373rd Avenue	43.95317	-98.72926	W1-8	New	22	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	12	8	County	W1-8, Chevron Alignment		Curve Radius = 825', Curve Spacing = 120'
25427133253	373rd Avenue	43.95145	-98.72816	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 168', 252', 300'
25427133312	373rd Avenue	43.95370	-98.73139	Del7	New	2					White	1.12 lb/ft Post	New	2	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 168', 252'
25427134117	373rd Avenue	43.96542	-98.73808	W1-2R	D/R	1	South				Yellow		Disc	1		County	W1-2R, Curve (Right)		
25427134117.2	373rd Avenue	43.96542	-98.73808	W13-1P	D/R	1	South				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	45	
25427134217	373rd Avenue	43.97634	-98.72846	W1-2R	D/R	1	North				Yellow		Disc	1		County	W1-2R, Curve (Right)		
25427134217.2	373rd Avenue	43.97634	-98.72846	W13-1P	D/R	1	North				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	45	
25427134304	373rd Avenue	43.97150	-98.73234	W1-2L	D/R	1	West				Yellow		Disc	1		County	W1-2L, Curve (Left)		
25427134304.2	373rd Avenue	43.97150	-98.73234	W13-1P	D/R	1	West				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	45	
25427134357	373rd Avenue	43.97164	-98.73267	W1-2L	D/R	1	East				Yellow		Disc	1		County	W1-2L, Curve (Left)		
25427134357.2	373rd Avenue	43.97164	-98.73267	W13-1P	D/R	1	East				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	45	
25427134501	373rd Avenue	43.96972	-98.73666	W1-2R	D/R	1	Southwest				Yellow		Disc	1		County	W1-2R, Curve (Right)		
25427134501.2	373rd Avenue	43.96972	-98.73666	W13-1P	D/R	1	Southwest				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	45	
25427134708	373rd Avenue	43.97081	-98.73567	W1-2L	D/R	1	Northeast				Yellow		Disc	1		County	W1-2L, Curve (Left)		
25427134708.2	373rd Avenue	43.97081	-98.73567	W13-1P	D/R	1	Northeast				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	45	
25427135147	373rd Avenue	43.96721	-98.73812	W1-5R	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-5R, Winding Road (Right)		Install M
25427135147.2	373rd Avenue	43.96721	-98.73812	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	40	
25427135241	373rd Avenue	43.97432	-98.72849	W1-5R	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-5R, Winding Road (Right)		Install Minimum 1
25427135241.2	373rd Avenue	43.97432	-98.72849	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	40	
25427135439	373rd Avenue	43.96756	-98.73829	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 204', 300', 300'
25427135528	373rd Avenue	43.96980	-98.73696	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 204'
25427135617	373rd Avenue	43.97079	-98.73548	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 204'
25427135745	373rd Avenue	43.96882	-98.73793	W1-8	New	16	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	9	8	County	W1-8, Chevron Alignment		Curve Radius = 1200', Curve Spacing = 120'
25427135810	373rd Avenue	43.97136	-98.73431	W1-8	New	14	East & West	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	8	8	County	W1-8, Chevron Alignment		Curve Radius = 1200', Curve Spacing = 120'
25427135904	373rd Avenue	43.97165	-98.73257	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 204'
25427135929	373rd Avenue	43.97145	-98.73138	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 238'
2542714335	373rd Avenue	43.97222	-98.72909	W1-8	New	22	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	12	8	County	W1-8, Chevron Alignment		Curve Radius = 1600', Curve Spacing = 120'
2542714523	373rd Avenue	43.97393	-98.72830	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 238', 300', 300'
255281448	373rd Avenue	44.01684	-98.72850	OM2-3	New	1	South				Yellow					County	OM2-3, Guardrail Terminal End Object Marker(16"x16")		Install End Terminal Object Marker as shown on Plate 632.40
255281603	373rd Avenue	44.01685	-98.72864	OM2-3	New	1	South				Yellow					County	OM2-3, Guardrail Terminal End Object Marker(16"x16")		Install End Terminal Object Marker as shown on Plate 632.40
255281639	373rd Avenue	44.01758	-98.72850	OM2-3	New	1	North				Yellow					County	OM2-3, Guardrail Terminal End Object Marker(16"x16")		Install End Terminal Object Marker as shown on Plate 632.40
255282057	373rd Avenue	44.01718	-98.72895	OM3-L	D/R	1	North & South				Yellow	Other	In Place			County	OM3-L, Type 3 Object Marker (Left)		Detach and D/R Object Marker from guardrail end terminal
255282221	373rd Avenue	44.01692	-98.72820	Del8	D/R	4	North & South				White		Disc	4		County	Del8, 4" Tubular White Delineator w/Post		
255282327	373rd Avenue	44.01699	-98.72857	Del9	New	8					White					County	Del9, Guardrail Delineator		Install Guardrail Delineation as shown on Plate 632.40
255282838	373rd Avenue	44.01743	-98.72857	Del9	New	8					White					County	Del9, Guardrail Delineator		Install Guardrail Delineation as shown on Plate 632.40
255283312	373rd Avenue	44.00260	-98.72838	Del8	D/R	9	North & South				White		Disc	9		County	Del8, 4" Tubular White Delineator w/Post		
255283418	373rd Avenue	44.00230	-98.72855	Del7	New	12					White	1.12 lb/ft Post	New	12	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 100' spacing west side of road, 100' spacing east side (50' staggered spacing)
255283734	373rd Avenue	43.99678	-98.72840	Del8	D/R	8	North & South				White		Disc	8		County	Del8, 4" Tubular White Delineator w/Post		
255291900	373rd Avenue	43.99657	-98.72854	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 100' spacing west side of road, 100' spacing east side (50' staggered spacing)
255292127	373rd Avenue	44.02584	-98.72846	Del7	D/R	1	North & South				White		Disc	1		County	Del7, 4"x4" White Delineator Back to Back w/Post		
255292145	373rd Avenue	44.02581	-98.72847	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
255292221	373rd Avenue	44.02596	-98.72857	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
255610332	373rd Avenue	43.97858	-98.72851	R12-4x	New	1	North	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
255610633	373rd Avenue	43.97926	-98.72836	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
255694433	373rd Avenue	43.93569	-98.72810	R12-4x	New	1	South	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
255695055	373rd Avenue	43.94977	-98.72833	R12-4x	New	1	North	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
255695233	373rd Avenue	43.94951	-98.72831	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
255695412	373rd Avenue	43.95020	-98.72816	R12-4x	New	1	South	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
255695700	373rd Avenue	43.95040	-98.72816	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
255695826	373rd Avenue	43.96479	-98.73804	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
255695942	373rd Avenue	43.96381	-98.73821	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2557153105	373rd Avenue	44.02267	-98.72845	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2557153119	373rd Avenue	44.02167	-98.72858	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2557153202	373rd Avenue	44.02230	-98.72849	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2557153243	373rd Avenue	44.02240	-98.72845	R12-4x	New	1	South	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
2557153848	373rd Avenue	44.02196	-98.72860	R12-4x	New	1	North	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
2557155950	373rd Avenue	44.01716	-98.72822	OM3-R	D/R	2	North & South				Yellow	Other	In Place			County	OM3-R, Type 3 Object Marker (Right)		Detach and D/R Object Marker from guardrail end terminal
2557155959	373rd Avenue	44.01759	-98.72864	OM2-3	New	1	North				Yellow					County	OM2-3, Guardrail Terminal End Object Marker(16"x16")		Install End Terminal Object Marker as shown on Plate 632.40
25610212340	373rd Avenue	44.03400	-98.72858	W11-5	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W11-5, Farm Vehicles		Install Minimum 325' in Advance of Intersecting Road

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	108	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25610212402	373rd Avenue	44.02680	-98.72843	W11-5	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W11-5, Farm Vehicles		Install Minimum 325' in Advance of Intersecting Road
25610212441	373rd Avenue	44.02548	-98.72842	W11-5	D/R	1	South				Yellow		Disc	1		County	W11-5, Farm Vehicles		
25610212549	373rd Avenue	44.03455	-98.72858	W11-5	D/R	1	North				Yellow		Disc	1		County	W11-5, Farm Vehicles		
26225121739	373rd Avenue	43.95226	-98.72832	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	11	County	R1-1, Stop		
26225121739.2	373rd Avenue	43.95226	-98.72832	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
26225154720	373rd Avenue	43.96429	-98.73804	W1-7	R/R	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	Repl	2	11	County	W1-7, Two-Direction Large Arrow		
26225154720.2	373rd Avenue	43.96429	-98.73804	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2625155844	373rd Avenue	43.95214	-98.72816	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
2625155844.2	373rd Avenue	43.95214	-98.72816	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		
26319105545	373rd Avenue	44.18279	-98.72976	W3-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
251110123120	374th Avenue	43.97204	-98.70840	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
251110123323	374th Avenue	43.97205	-98.70831	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2521714632	374th Avenue	43.97908	-98.70848	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521714632.2	374th Avenue	43.97908	-98.70848	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521714730	374th Avenue	43.97894	-98.70831	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521714730.2	374th Avenue	43.97894	-98.70831	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2526111107	374th Avenue	44.18216	-98.70978	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2526111107.2	374th Avenue	44.18216	-98.70978	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
252611938	374th Avenue	44.18198	-98.70956	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
252611938.2	374th Avenue	44.18198	-98.70956	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2531293447	374th Avenue	44.04461	-98.70876	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Pleasant	W70-2, No Maintenance		
2531293447.2	374th Avenue	44.04461	-98.70876	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Pleasant	W70-4, No Travel Advised		
25325181741	374th Avenue	44.05123	-98.70880	W14-2	R/R	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	Pleasant	W14-2, No Outlet		
2534124125	374th Avenue	44.08120	-98.70882	R2-1 (55)	R/R	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
253610633	374th Avenue	44.09064	-98.70906	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253610711	374th Avenue	44.09056	-98.70890	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253693205	374th Avenue	44.06852	-98.70887	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	Pleasant	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253693434	374th Avenue	44.06852	-98.70876	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	Pleasant	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25412162728	374th Avenue	44.19481	-98.70966	W1-2R	R/R	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	County	W1-2R, Curve (Right)		Install Minimum 200' in Advance of Curve PC.
25412162728.2	374th Avenue	44.19481	-98.70966	W13-1P	R/R	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	Repl			County	W13-1P, Advisory Speed (Plaque)	35	
25412162757	374th Avenue	44.19500	-98.70990	R2-1 (55)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25412162818	374th Avenue	44.19638	-98.70924	W1-8	New	12	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	7	8	County	W1-8, Chevron Alignment		Curve Radius = 520', Curve Spacing = 120'
25412163057	374th Avenue	44.19536	-98.70986	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 132', 198', 300'
25414221528	374th Avenue	44.02238	-98.70844	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25414221528.2	374th Avenue	44.02238	-98.70844	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25416114327	374th Avenue	44.06286	-98.70874	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Pleasant	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25416114427	374th Avenue	44.06294	-98.70885	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Pleasant	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2541694835	374th Avenue	44.18013	-98.70956	Other	D/R	1	South				Yellow		Disc	1		County	Other, Other Sign	Dangerous Intersection	
2541695057	374th Avenue	44.18110	-98.70956	W3-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2541695401	374th Avenue	44.18304	-98.70980	W3-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
2541695718	374th Avenue	44.18423	-98.70978	Other	D/R	1	North				Yellow		Disc	1		County	Other, Other Sign	Dangerous Intersection	
26224114434	374th Avenue	43.99256	-98.70841	W2-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
26224154607	374th Avenue	43.97997	-98.70846	W3-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Crow Lake	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
26224161234	374th Avenue	43.96645	-98.70839	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
26224161333	374th Avenue	43.96638	-98.70827	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
26224161536	374th Avenue	43.96766	-98.70822	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Crow Lake	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
2625164540	374th Avenue	43.96381	-98.70847	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
2625164540.2	374th Avenue	43.96381	-98.70847	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		
262611505	374th Avenue	43.95021	-98.70821	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Crow Lake	W70-2, No Maintenance		
262611505.2	374th Avenue	43.95021	-98.70821	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Crow Lake	W70-4, No Travel Advised		
25128141539	375th Avenue	44.01417	-98.68861	W20-3	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Crow Lake	W20-3, Road Closed Ahead		
25210134115	375th Avenue	44.13870	-98.68925	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Harmony	R1-2, Yield		
25210134115.2	375th Avenue	44.13870	-98.68925	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
25210134550	375th Avenue	44.13898	-98.68926	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W70-2, No Maintenance		
25210134550.2	375th Avenue	44.13898	-98.68926	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W70-4, No Travel Advised		
25210135434	375th Avenue	44.12419	-98.68914	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Harmony	R1-2, Yield		
25210135434.2	375th Avenue	44.12419	-98.68914	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
25210135649	375th Avenue	44.12433	-98.68925	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Harmony	R1-2, Yield		
25210135649.2	375th Avenue	44.12433	-98.68925	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Harmony	Del8a, 4" Tubular White Delineator (no post)		
2521792140	375th Avenue	43.97913	-98.68824	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521792140.2	375th Avenue	43.97913	-98.68824	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521792311	375th Avenue	43.97924	-98.68839	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521792311.2	375th Avenue	43.97924	-98.68839	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25220154847	375th Avenue	44.16769	-98.68945	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Harmony	W70-2, No Maintenance		
25220154847.2	375th Avenue	44.16769	-98.68945	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Harmony	W70-4, No Travel Advised		

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	109	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2522882908	375th Avenue	44.09442	-98.68897	W2-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
2522883051	375th Avenue	44.09552	-98.68897	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2522883051.2	375th Avenue	44.09552	-98.68897	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2531282245	375th Avenue	44.05162	-98.68880	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2531282245.2	375th Avenue	44.05162	-98.68880	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2531283347	375th Avenue	44.03731	-98.68865	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2531283347.2	375th Avenue	44.03731	-98.68865	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2534124957	375th Avenue	44.08047	-98.68896	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2534124957.2	375th Avenue	44.08047	-98.68896	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
25413151303	375th Avenue	44.03693	-98.68863	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25413151353	375th Avenue	44.03694	-98.68877	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25413151451	375th Avenue	44.03558	-98.68839	W1-1R	D/R	1	South				Yellow		Disc	1		County	W1-1R, Turn (Right)		
25413152039	375th Avenue	44.03680	-98.68878	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 50', 75', 150'
25413152310	375th Avenue	44.03728	-98.68861	W1-6R	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	9	County	W1-6R, One-Direction Large Arrow (Right)		
25413152310.2	375th Avenue	44.03728	-98.68861	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25413152413	375th Avenue	44.03721	-98.68871	W1-6L	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6L, One-Direction Large Arrow (Left)		
25413152413.2	375th Avenue	44.03721	-98.68871	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25413152656	375th Avenue	44.02439	-98.68883	W1-1R	D/R	1	North				Yellow		Disc	1		County	W1-1R, Turn (Right)		
25413154031	375th Avenue	44.02262	-98.68855	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
25413154031.2	375th Avenue	44.02262	-98.68855	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25413154108	375th Avenue	44.02266	-98.68872	W1-6R	New	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W1-6R, One-Direction Large Arrow (Right)		
25413154108.2	375th Avenue	44.02266	-98.68872	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25413154228	375th Avenue	44.02306	-98.68855	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 50', 75', 150'
2541784252	375th Avenue	44.12410	-98.68928	W14-1	R/R	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Harmony	W14-1, Dead End		
2541784857	375th Avenue	44.11762	-98.68919	OM4-3	New	3	North				Red	1.12 lb/ft Post	New	3	7	Harmony	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
2541785021	375th Avenue	44.11969	-98.68922	W20-3	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Harmony	W20-3, Road Closed Ahead		
2542294324	375th Avenue	44.12845	-98.68926	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Harmony	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
26224103343	375th Avenue	44.01151	-98.68856	OM4-3	New	3	North				Red	1.12 lb/ft Post	New	3	7	Crow Lake	OM4-3, End of Road Marker		
2622485400	375th Avenue	44.02254	-98.68865	W14-1	R/R	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	Crow Lake	W14-1, Dead End		
26314221401	375th Avenue	44.03605	-98.68863	SP-9R	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	SP-9R, Turn (Right) w/ Side Road Up		Install Minimum 275' in advance of Curve PC
26314221401.2	375th Avenue	44.03605	-98.68863	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	15	
2633152556	375th Avenue	44.02382	-98.68870	SP-9R	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	SP-9R, Turn (Right) w/ Side Road Up		Install Minimum 275' in Advance of Curve PC.
2633152556.2	375th Avenue	44.02382	-98.68870	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	15	
25213105352	376th Avenue	44.18062	-98.67205	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25213105352.2	376th Avenue	44.18062	-98.67205	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25213154028	376th Avenue	44.14590	-98.67194	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25213154100	376th Avenue	44.14590	-98.67184	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25213164555	376th Avenue	44.18059	-98.67226	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2522016022	376th Avenue	44.16785	-98.67180	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2522016105	376th Avenue	44.16785	-98.67170	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2522016336	376th Avenue	44.16794	-98.67168	W1-7	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W1-7, Two-Direction Large Arrow		
2522016336.2	376th Avenue	44.16794	-98.67168	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25228121049	376th Avenue	44.08301	-98.66976	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25228121119	376th Avenue	44.08301	-98.66966	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25228121329	376th Avenue	44.05215	-98.66962	OM2-2Vb	D/R	1	North				Yellow		Disc	1		County	OM2-2Vb, Type 2 Object Marker Single Sided (6"x12")		
25228121454	376th Avenue	44.04953	-98.66924	OM2-2Vb	D/R	1	South				Yellow		Disc	1		County	OM2-2Vb, Type 2 Object Marker Single Sided (6"x12")		
2522812612	376th Avenue	44.10789	-98.66978	Other	D/S	1	South				Yellow		Disc	1		County	Other, Other Sign	Slow Children	Salvage sign back to Jerauld County
2522812734	376th Avenue	44.09892	-98.66987	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2522812813	376th Avenue	44.09892	-98.66976	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2522894242	376th Avenue	44.03641	-98.66928	W2-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
2522894728	376th Avenue	44.03833	-98.66946	W2-1	R/R	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	County	W2-1, Cross Road		Install Minimum 325'
25311155559	376th Avenue	44.08026	-98.66979	R2-1 (55)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25311155714	376th Avenue	44.08111	-98.66962	R2-1 (55)	R/R	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2541782130	376th Avenue	43.97921	-98.66968	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2541782130.2	376th Avenue	43.97921	-98.66968	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254178925	376th Avenue	43.95044	-98.66940	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254178925.2	376th Avenue	43.95044	-98.66940	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25423231450	376th Avenue	44.02435	-98.66928	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
25217103720	377th Avenue	43.93648	-98.64916	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25217103912	377th Avenue	43.93616	-98.64929	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker [illegible] ching
25217103953	377th Avenue	43.93616	-98.64918	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker [illegible] oaching
25217111459	377th Avenue	43.95008	-98.64954	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	110	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25217112058	377th Avenue	43.94702	-98.64948	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25217112131	377th Avenue	43.94703	-98.64937	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2521711320	377th Avenue	44.00635	-98.64999	W1-1R	D/R	1	South				Yellow		Disc	1		County	W1-1R, Turn (Right)		
2521795427	377th Avenue	43.95034	-98.64939	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2521795427.2	377th Avenue	43.95034	-98.64939	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25220143350	377th Avenue	43.93623	-98.64915	Other	D/S	1	South				White					County	Other, Other Sign	Jerauld County Zoned	Sign attached to R2-1. Salvage sign back to Jerauld County.
2522415104	377th Avenue	44.18227	-98.65218	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2522415104.2	377th Avenue	44.18227	-98.65218	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2522415250	377th Avenue	44.18243	-98.65234	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2522415250.2	377th Avenue	44.18243	-98.65234	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25228122647	377th Avenue	44.09394	-98.65005	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25228122740	377th Avenue	44.09394	-98.64996	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25228122939	377th Avenue	44.08564	-98.64999	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25228123025	377th Avenue	44.08563	-98.64989	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25228123307	377th Avenue	44.05413	-98.64982	Other	D/S	1	North				Yellow		Disc	1		County	Other, Other Sign	Slow Children At Play	Salvage sign back to Jerauld County
2522884508	377th Avenue	44.09551	-98.64997	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2522884508.2	377th Avenue	44.09551	-98.64997	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
25311144550	377th Avenue	43.99963	-98.65019	Del7	New	9					White	1.12 lb/ft Post	New	9	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 200' spacing west side of road, 200' spacing east side (100' staggered spacing). Start here head South.
25311145014	377th Avenue	43.99508	-98.65003	Del7	New	9					White	1.12 lb/ft Post	New	9	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 200' spacing west side of road, 200' spacing east side (100' staggered spacing). Start here, head North.
25311145933	377th Avenue	44.11002	-98.65014	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
25311145933.2	377th Avenue	44.11002	-98.65014	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2531116526	377th Avenue	44.05174	-98.64973	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2531116526.2	377th Avenue	44.05174	-98.64973	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
25413145834	377th Avenue	44.05280	-98.64959	W1-1R	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1R, Turn (Right)		Install Minimum 275' in Advance of Curve PC.
25413145834.2	377th Avenue	44.05280	-98.64959	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	10	
2541315029	377th Avenue	44.05180	-98.64976	W1-6R	New	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	9	County	W1-6R, One-Direction Large Arrow (Right)		
2541315029.2	377th Avenue	44.05180	-98.64976	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541315226	377th Avenue	44.05211	-98.64962	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
2541782851	377th Avenue	44.00817	-98.65001	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
2541782851.2	377th Avenue	44.00817	-98.65001	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541782944	377th Avenue	44.00840	-98.65022	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
2541782944.2	377th Avenue	44.00840	-98.65022	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2555214110	377th Avenue	44.09522	-98.64995	W1-6L	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6L, One-Direction Large Arrow (Left)		
2555214110.2	377th Avenue	44.09522	-98.64995	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2555214703	377th Avenue	44.09518	-98.64993	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
255522439	377th Avenue	44.09444	-98.64995	W1-1L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1L, Turn (Left)		Install Minimum 275' in advance of Curve PC
255522439.2	377th Avenue	44.09444	-98.64995	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	10	
25610213438	377th Avenue	43.94655	-98.64935	Del7	New	4					White	1.12 lb/ft Post	New	4	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 50' spacing east side of road
25213161011	378th Avenue	44.12498	-98.63116	W1-7	R/R	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W1-7, Two-Direction Large Arrow		
25213161011.2	378th Avenue	44.12498	-98.63116	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25213161155	378th Avenue	44.12482	-98.63104	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25213161155.2	378th Avenue	44.12482	-98.63104	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521784717	378th Avenue	44.00837	-98.63020	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2521784717.2	378th Avenue	44.00837	-98.63020	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2521785029	378th Avenue	44.00854	-98.63042	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521785029.2	378th Avenue	44.00854	-98.63042	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521785504	378th Avenue	44.00712	-98.63022	W2-1	D/R	1	South				Yellow		Disc	1		County	W2-1, Cross Road		
2521785932	378th Avenue	44.00782	-98.63039	POST									Disc	2		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved [illegible] Post
252179611	378th Avenue	43.99507	-98.63045	W1-1L	R/R	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	County	W1-1L, Turn (Left)		Install Minimum [illegible]
252179611.2	378th Avenue	43.99507	-98.63045	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	Repl			County	W13-1P, Advisory Speed (Plaque)	10	
2522415808	378th Avenue	44.18281	-98.63197	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2522415808.2	378th Avenue	44.18281	-98.63197	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2522415940	378th Avenue	44.18294	-98.63212	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2522415940.2	378th Avenue	44.18294	-98.63212	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2522614002	378th Avenue	44.11097	-98.63042	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
2522810129	378th Avenue	44.03754	-98.62978	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2522810129.2	378th Avenue	44.03754	-98.62978	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2522810406	378th Avenue	44.03664	-98.62980	W3-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install [illegible]
25413141102	378th Avenue	43.99433	-98.63043	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advan[illegible]
2541314750	378th Avenue	43.99487	-98.63046	W1-1L	D/R	1	North				Yellow		Disc	1		County	W1-1L, Turn (Left)		
25424204023	378th Avenue	44.00747	-98.63023	W3-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minim[illegible]

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	111	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25424204142	378th Avenue	43.99396	-98.63027	W1-6L	New	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6L, One-Direction Large Arrow (Left)		
25424204142.2	378th Avenue	43.99396	-98.63027	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25213131646	379th Avenue	44.18317	-98.61144	R1-2	D/R	1	South				Red		Disc	1		County	R1-2, Yield		
25213131741	379th Avenue	44.18322	-98.61147	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25213131741.2	379th Avenue	44.18322	-98.61147	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25213142134	379th Avenue	44.16155	-98.61131	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25213142215	379th Avenue	44.16155	-98.61122	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25213142407	379th Avenue	44.16137	-98.61131	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25213142523	379th Avenue	44.16137	-98.61122	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2521314535	379th Avenue	44.16892	-98.61140	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2521314642	379th Avenue	44.16892	-98.61132	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25213163238	379th Avenue	44.18293	-98.61162	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25213163602	379th Avenue	44.18341	-98.61164	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25213163602.2	379th Avenue	44.18341	-98.61164	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25217102914	379th Avenue	43.95036	-98.61015	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25217103058	379th Avenue	43.95118	-98.61003	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25217105339	379th Avenue	43.93674	-98.60975	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25217113225	379th Avenue	43.94596	-98.61007	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25217113304	379th Avenue	43.94596	-98.60998	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25220143951	379th Avenue	43.93650	-98.60969	Other	D/S	1	South				White					County	Other, Other Sign	Jerauld County Zoned	Sign attached to R2-1. Salvage sign back to Jerauld County.
25228102009	379th Avenue	44.03881	-98.61023	W2-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
2541314135	379th Avenue	43.96529	-98.61021	W1-6R	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6R, One-Direction Large Arrow (Right)		
2541314135.2	379th Avenue	43.96529	-98.61021	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25413141907	379th Avenue	44.01039	-98.61211	W1-2R	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2R, Curve (Right)		Install Minimum 100' in Advance of Curve PC.
25413141907.2	379th Avenue	44.01039	-98.61211	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	50	
25413142136	379th Avenue	44.01011	-98.61220	Del7	New	2					White	1.12 lb/ft Post	New	2	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 190', 285'
25413142413	379th Avenue	44.01505	-98.61073	W1-2R	D/R	1	North				Yellow		Disc	1		County	W1-2R, Curve (Right)		
25413142738	379th Avenue	44.01363	-98.61060	W1-2R	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2R, Curve (Right)		Install Minimum 125' in Advance of Curve PC.
25413142738.2	379th Avenue	44.01363	-98.61060	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	45	
25413142837	379th Avenue	44.01107	-98.61119	W1-2L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2L, Curve (Left)		Install Minimum 125' in Advance of Curve PC.
25413142837.2	379th Avenue	44.01107	-98.61119	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	45	
25413142907	379th Avenue	44.01236	-98.61052	W1-8	New	10	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	6	8	County	W1-8, Chevron Alignment		Curve Radius = 1300', Curve Spacing = 120'
2541314304	379th Avenue	43.96494	-98.61042	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 50', 75, 150'
25413143559	379th Avenue	44.01144	-98.61114	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 214'
25413143635	379th Avenue	44.01330	-98.61050	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 214', 300', 300'
25416102705	379th Avenue	44.17304	-98.61147	W5-2	D/S	1	North				Yellow		Disc	1		County	W5-2, Narrow Bridge		Salvage sign back to Jerauld County
25416102922	379th Avenue	44.17143	-98.61135	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25416103016	379th Avenue	44.17149	-98.61145	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25416103453	379th Avenue	44.16943	-98.61132	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25416103527	379th Avenue	44.16949	-98.61140	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25416103832	379th Avenue	44.16783	-98.61125	W5-2	D/S	1	South				Yellow		Disc	1		County	W5-2, Narrow Bridge		Salvage sign back to Jerauld County
25416104128	379th Avenue	44.15585	-98.61125	W1-1L	D/R	1	North				Yellow		Disc	1		County	W1-1L, Turn (Left)		
2541781231	379th Avenue	43.95066	-98.61003	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
2541781231.2	379th Avenue	43.95066	-98.61003	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541781324	379th Avenue	43.95094	-98.61026	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
2541781324.2	379th Avenue	43.95094	-98.61026	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
255122408	379th Avenue	44.17875	-98.61136	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
255122506	379th Avenue	44.17872	-98.61160	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
255122556	379th Avenue	44.17737	-98.61139	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
255122640	379th Avenue	44.17743	-98.61152	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25610214830	379th Avenue	43.95169	-98.61018	W3-2	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-2, Yield Ahead		Install Minimum 325' in Advance of Intersection
25610214905	379th Avenue	43.95189	-98.61021	W2-1	D/R	1	North				Yellow		Disc	1		County	W2-1, Cross Road		
2633152618	379th Avenue	43.96418	-98.61018	SP-9R	R/R	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	Repl	2	10	County	SP-9R, Turn (Right) w/ Side Road Up		Install Minimum 325' in Advance of Intersection
2633152618.2	379th Avenue	43.96418	-98.61018	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	Repl			County	W13-1P, Advisory Speed (Plaque)	15	
25220133527	380th Avenue	43.99422	-98.59067	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25220133527.2	380th Avenue	43.99422	-98.59067	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25228115252	380th Avenue	44.05222	-98.59085	W14-2	D/R	1	North				Yellow		Disc	1		County	W14-2, No Outlet		
25228115657	380th Avenue	44.05245	-98.59050	W1-7	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W1-7, Two-Direction Large Arrow		
25228115657.2	380th Avenue	44.05245	-98.59050	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25228125249	380th Avenue	44.06677	-98.59065	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	112	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25228125409	380th Avenue	44.06615	-98.59064	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25228125642	380th Avenue	44.06615	-98.59055	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25228125753	380th Avenue	44.06586	-98.59064	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25228125821	380th Avenue	44.06586	-98.59054	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2522813010	380th Avenue	44.04942	-98.59062	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2522813010.2	380th Avenue	44.04942	-98.59062	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
25414231749	380th Avenue	44.03793	-98.59071	W70-2	New	1	Southwest	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
25414231749.2	380th Avenue	44.03793	-98.59071	W70-4	New	1	Southwest	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
25414231749.3	380th Avenue	44.03793	-98.59071	W16-5P	New	1	West	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W16-5P, Supplemental Arrow (Plaque)		Arrow pointing left
25416105016	380th Avenue	44.14136	-98.59133	W1-1L	D/R	1	North				Yellow		Disc	1		County	W1-1L, Turn (Left)		
2541781511	380th Avenue	43.96543	-98.59068	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2541781511.2	380th Avenue	43.96543	-98.59068	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541781608	380th Avenue	43.96524	-98.59056	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2541781608.2	380th Avenue	43.96524	-98.59056	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2542323942	380th Avenue	44.05159	-98.59052	Del7	New	4					White	1.12 lb/ft Post	New	4	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 75' spacing east side of road
25427141428	380th Avenue	44.15239	-98.59111	W1-1L	D/R	1	South				Yellow		Disc	1		County	W1-1L, Turn (Left)		
25427141607	380th Avenue	44.15323	-98.59124	W1-1L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1L, Turn (Left)		Install Minimum 275' in Advance of Curve PC.
25427141607.2	380th Avenue	44.15323	-98.59124	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	15	
25427141920	380th Avenue	44.15399	-98.59126	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 52', 78', 156'
25427142017	380th Avenue	44.15436	-98.59143	W1-6L	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6L, One-Direction Large Arrow (Left)		
25427142017.2	380th Avenue	44.15436	-98.59143	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25427142233	380th Avenue	44.15384	-98.59127	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25427142316	380th Avenue	44.15387	-98.59139	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2512955521	382nd Avenue	43.95120	-98.57042	W70-1	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
2512955521.2	382nd Avenue	43.95120	-98.57042	W70-3	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
2512955521.3	382nd Avenue	43.95120	-98.57042	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
25213151828	382nd Avenue	44.13830	-98.57115	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25213151904	382nd Avenue	44.13830	-98.57103	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25228191807	382nd Avenue	44.19515	-98.57143	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25228191807.2	382nd Avenue	44.19515	-98.57143	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2523102210	382nd Avenue	44.18348	-98.57121	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2523102210.2	382nd Avenue	44.18348	-98.57121	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2523102343	382nd Avenue	44.18375	-98.57137	R1-1	R/R	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2523102343.2	382nd Avenue	44.18375	-98.57137	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2523104051	382nd Avenue	44.18322	-98.57136	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2523105209	382nd Avenue	44.18285	-98.57116	R1-2	D/R	1	North				Red		Disc	1		County	R1-2, Yield		
2524122652	382nd Avenue	44.18346	-98.56999	R1-1	R/R	1	Southwest	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2524122652.2	382nd Avenue	44.18346	-98.56999	Del8a	New	1	Southwest				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2524122707	382nd Avenue	44.18279	-98.57121	R1-1	New	1	Northeast	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2524122707.2	382nd Avenue	44.18279	-98.57121	Del8a	New	1	Northeast				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
252484031	382nd Avenue	44.12553	-98.57114	R1-2	D/R	1	West				Red		Disc	1		County	R1-2, Yield		
2527113137	382nd Avenue	44.17500	-98.57121	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527113245	382nd Avenue	44.17504	-98.57134	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527113433	382nd Avenue	44.17141	-98.57133	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527113534	382nd Avenue	44.14316	-98.57118	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2527113546	382nd Avenue	44.14315	-98.57107	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2527113624	382nd Avenue	44.12273	-98.57109	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527113640	382nd Avenue	44.12273	-98.57098	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527113704	382nd Avenue	44.12169	-98.57089	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
2527113713	382nd Avenue	44.12049	-98.57109	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527113735	382nd Avenue	44.12049	-98.57096	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Ma
2532585311	382nd Avenue	44.09293	-98.57079	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2532585311.2	382nd Avenue	44.09293	-98.57079	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
253259225	382nd Avenue	44.09550	-98.57098	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		
2539165420	382nd Avenue	44.18583	-98.57133	Other	D/S	1	South				White		Disc	1		County	Other, Other Sign	Larson Club Calves	
2539165936	382nd Avenue	44.19664	-98.57128	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2539165936.2	382nd Avenue	44.19664	-98.57128	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541316150	382nd Avenue	44.00760	-98.57050	W1-1R	D/R	1	South				Yellow		Disc	1		Viola	W1-1R, Turn (Right)		
2541316244	382nd Avenue	44.00797	-98.57058	W1-1R	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Viola	W1-1R, Turn (Right)		Insta
2541316244.2	382nd Avenue	44.00797	-98.57058	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	15	
2541316455	382nd Avenue	44.00932	-98.56997	W70-2	New	1	Southeast	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
2541316455.2	382nd Avenue	44.00932	-98.56997	W70-4	New	1	Southeast	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	113	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2541316802	382nd Avenue	44.00897	-98.57058	W1-6R	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W1-6R, One-Direction Large Arrow (Right)		
2541316802.2	382nd Avenue	44.00897	-98.57058	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
2541316834	382nd Avenue	44.00913	-98.56998	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Viola	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 62', 93', 186'
2541316853	382nd Avenue	44.00873	-98.57069	Del7	New	3					White	1.12 lb/ft Post	New	7	5	Viola	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 62', 93', 186'
25413212433	382nd Avenue	44.18290	-98.57097	W3-1	New	1	Southwest	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
25413214028	382nd Avenue	44.18346	-98.57037	W3-1	New	1	Northeast	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
25414161901	382nd Avenue	44.09308	-98.57079	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541582643	382nd Avenue	44.09989	-98.57077	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541582708	382nd Avenue	44.10069	-98.57103	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541583137	382nd Avenue	44.10093	-98.57101	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2541583240	382nd Avenue	44.10093	-98.57087	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2541583433	382nd Avenue	44.10243	-98.57082	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541583729	382nd Avenue	44.11046	-98.57082	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541583940	382nd Avenue	44.11885	-98.57117	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541584028	382nd Avenue	44.11849	-98.57088	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541584121	382nd Avenue	44.12141	-98.57117	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541584448	382nd Avenue	44.16691	-98.57110	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541584559	382nd Avenue	44.16978	-98.57117	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541584702	382nd Avenue	44.17048	-98.57140	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541584823	382nd Avenue	44.17256	-98.57139	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541584941	382nd Avenue	44.18137	-98.57118	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541585036	382nd Avenue	44.18345	-98.57118	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
254158829	382nd Avenue	44.09805	-98.57115	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541611155	382nd Avenue	44.13982	-98.57129	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2541611343	382nd Avenue	44.15423	-98.57130	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2541611600	382nd Avenue	44.15486	-98.57111	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2541822847	382nd Avenue	43.98762	-98.57063	W70-1	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
2541822847.2	382nd Avenue	43.98762	-98.57063	W70-3	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
2541822847.3	382nd Avenue	43.98762	-98.57063	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
25419175519	382nd Avenue	44.00638	-98.57069	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25419175757	382nd Avenue	44.00638	-98.57059	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25419183441	382nd Avenue	43.99469	-98.57070	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25419183441.2	382nd Avenue	43.99469	-98.57070	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25419183557	382nd Avenue	43.99449	-98.57054	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25419183557.2	382nd Avenue	43.99449	-98.57054	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25419185109	382nd Avenue	43.99443	-98.57069	W14-2	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W14-2, No Outlet		
2541919008	382nd Avenue	43.96547	-98.57044	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2541919008.2	382nd Avenue	43.96547	-98.57044	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541919843	382nd Avenue	43.95105	-98.57052	W1-7	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W1-7, Two-Direction Large Arrow		
2541919843.2	382nd Avenue	43.95105	-98.57052	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
2541985914	382nd Avenue	43.96447	-98.57058	W70-1	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
2541985914.2	382nd Avenue	43.96447	-98.57058	W70-3	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
2541985914.3	382nd Avenue	43.96447	-98.57058	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
25422111139	382nd Avenue	44.15477	-98.57112	R12-4x	New	1	South	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	
25422111305	382nd Avenue	44.15435	-98.57126	R12-4x	New	1	North	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	
25422111751	382nd Avenue	44.14024	-98.57101	R12-4x	New	1	South	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
25422112018	382nd Avenue	44.13979	-98.57120	R12-4x	New	1	North	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
2542211933	382nd Avenue	44.18332	-98.57137	R12-4x	New	1	North	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
25422141808	382nd Avenue	44.09311	-98.57082	R12-4x	New	1	South	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
25424201841	382nd Avenue	44.16946	-98.57117	W8-1	D/S	1	South				Yellow		Disc	1		County	W8-1, Bump		Salvage sign back to Jerauld County
25424212013	382nd Avenue	44.18407	-98.57124	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25424212735	382nd Avenue	44.15504	-98.57112	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25424212920	382nd Avenue	44.15407	-98.57124	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25424214550	382nd Avenue	44.14055	-98.57102	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25424214617	382nd Avenue	44.13949	-98.57117	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25427151226	382nd Avenue	44.19444	-98.57127	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 170', 255', 300'
25427151338	382nd Avenue	44.19404	-98.57127	W1-2L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2L, Curve (Left)		Install Minimum 125' in advance of Curve PC
25427151338.2	382nd Avenue	44.19404	-98.57127	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	40	
2542715353	382nd Avenue	44.19294	-98.57116	W1-2L	D/R	1	South				Yellow		Disc	1		County	W1-2L, Curve (Left)		
2542715353.2	382nd Avenue	44.19294	-98.57116	W13-1P	D/R	1	South				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	35	
2542715925	382nd Avenue	44.19624	-98.57211	W1-8	R/R	20	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	Repl	11	8	County	W1-8, Chevron Alignment		Curve Radius = 835', Curve Spacing = 120'

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	114	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2543122023	382nd Avenue	44.17141	-98.57120	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
254721830	382nd Avenue	44.18140	-98.57140	R2-1 (55)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2548163512	382nd Avenue	44.17616	-98.57144	W8-1	D/R	1	North				Yellow		Disc	1		County	W8-1, Bump		
2548214147	382nd Avenue	44.18206	-98.57126	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548214258	382nd Avenue	44.18217	-98.57135	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548214354	382nd Avenue	44.18216	-98.57125	Del7	R/R	8					White	1.12 lb/ft Post	Repl	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2548214514	382nd Avenue	44.18206	-98.57134	Del7	R/R	8					White	1.12 lb/ft Post	Repl	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2551141731	382nd Avenue	44.18327	-98.57079	Del7	New	7					White	1.12 lb/ft Post	New	7	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 490', Curve Spacing = 63'. All Delineators will be posted along curve. Do not post Delineators west of 382 Ave or north of 221 St. Delineator omitted at Stop sign.
2551142234	382nd Avenue	44.18186	-98.57122	W2-3R	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-3R, Angle Side Road (Right)		Install Minimum 225' in Advance of Intersecting Road
2551142234.2	382nd Avenue	44.18186	-98.57122	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	25	
255694158	382nd Avenue	44.18380	-98.57123	R12-4x	New	1	South	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
25618122807	382nd Avenue	44.17138	-98.57121	W8-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W8-1, Bump		Install at beginning of bump on the side of approaching traffic
25618122807.2	382nd Avenue	44.17138	-98.57121	W16-7PL	New	1	South	24" x 12"		2	Yellow	2" X 2" Perforated Tube Post	New			County	W16-7PL, Diagonal Arrow (Plaque - Left)		Mount below W8-1
25618122853	382nd Avenue	44.17049	-98.57117	W8-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W8-1, Bump		Install Minimum 325' in Advance of Bump
25618122853.2	382nd Avenue	44.17049	-98.57117	W16-9P	New	1	South	24" x 12"		2	Yellow	2" X 2" Perforated Tube Post	New			County	W16-9P, Ahead (Plaque)		Mount below W8-1
25618122908	382nd Avenue	44.17230	-98.57135	W8-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W8-1, Bump		Install Minimum 325' in Advance of Bump
25618122908.2	382nd Avenue	44.17230	-98.57135	W16-9P	New	1	North	24" x 12"		2	Yellow	2" X 2" Perforated Tube Post	New			County	W16-9P, Ahead (Plaque)		Mount below W8-1
25618122946	382nd Avenue	44.17144	-98.57134	W8-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W8-1, Bump		Install at beginning of bump on the side of approaching traffic
25618122946.2	382nd Avenue	44.17144	-98.57134	W16-7PL	New	1	North	24" x 12"		2	Yellow	2" X 2" Perforated Tube Post	New			County	W16-7PL, Diagonal Arrow (Plaque - Left)		Mount below W8-1
2562485336	382nd Avenue	44.01363	-98.57065	W70-2	New	1	Northeast	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
2562485336.2	382nd Avenue	44.01363	-98.57065	W70-4	New	1	Northeast	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
2579101508	382nd Avenue	44.09392	-98.57083	R2-1 (55)	R/R	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2512312533	383rd Avenue	43.97994	-98.55215	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2512312638	383rd Avenue	43.98046	-98.55202	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2512792420	383rd Avenue	43.96587	-98.55183	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
25129104156	383rd Avenue	43.96524	-98.55200	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25130114333	383rd Avenue	44.15466	-98.55193	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25130114333.2	383rd Avenue	44.15466	-98.55193	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2513011544	383rd Avenue	44.16915	-98.55221	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2522511218	383rd Avenue	44.09616	-98.55212	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2522511218.2	383rd Avenue	44.09616	-98.55212	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25227114301	383rd Avenue	44.10407	-98.55195	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25227114345	383rd Avenue	44.10411	-98.55184	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25227115034	383rd Avenue	44.10122	-98.55201	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25227115126	383rd Avenue	44.10121	-98.55190	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25227115509	383rd Avenue	44.08714	-98.55215	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25227115556	383rd Avenue	44.08719	-98.55227	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25227115838	383rd Avenue	44.08629	-98.55230	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25227115918	383rd Avenue	44.08632	-98.55219	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25227121036	383rd Avenue	44.07038	-98.55225	W3-1	R/R	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	County	W3-1, Stop Ahead		Install Minimum 325' in Advance of Intersection
25227121436	383rd Avenue	44.06563	-98.55226	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25227121538	383rd Avenue	44.06563	-98.55237	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25227122500	383rd Avenue	44.04116	-98.55223	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
2522712403	383rd Avenue	44.07868	-98.55244	R2-1 (45)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 45mph		
2522712812	383rd Avenue	44.07230	-98.55225	R2-1 (45)	R/R	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 45mph		
2523112150	383rd Avenue	44.18359	-98.55254	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2523112150.2	383rd Avenue	44.18359	-98.55254	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2525133154	383rd Avenue	44.02370	-98.55161	W1-7	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-7, Two-Direction Large Arrow		
2525133154.2	383rd Avenue	44.02370	-98.55161	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2527115503	383rd Avenue	44.02299	-98.55162	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one O
2527115512	383rd Avenue	44.02298	-98.55150	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one O
2527115532	383rd Avenue	44.00208	-98.55222	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one O
2527115548	383rd Avenue	44.00208	-98.55207	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one O
2527115604	383rd Avenue	43.97872	-98.55215	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Ob
2527115612	383rd Avenue	43.97873	-98.55194	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Obje
2527115637	383rd Avenue	43.95750	-98.55197	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at th pproaching

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	115	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2527115645	383rd Avenue	43.95748	-98.55180	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
252712149	383rd Avenue	43.94021	-98.55101	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2531185003	383rd Avenue	44.04677	-98.55215	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531185100	383rd Avenue	44.04693	-98.55227	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25325133047	383rd Avenue	44.07940	-98.55226	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
25325133358	383rd Avenue	44.07957	-98.55228	R2-1 (45)	R/R	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 45mph		
25325133658	383rd Avenue	44.08118	-98.55239	R2-1 (45)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 45mph		
2537151427	383rd Avenue	44.18328	-98.55250	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2537151427.2	383rd Avenue	44.18328	-98.55250	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2537152109	383rd Avenue	44.16913	-98.55221	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2537152109.2	383rd Avenue	44.16913	-98.55221	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2537152754	383rd Avenue	44.15744	-98.55189	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2537152754.2	383rd Avenue	44.15744	-98.55189	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2537153135	383rd Avenue	44.15445	-98.55187	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2537153135.2	383rd Avenue	44.15445	-98.55187	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2537153710	383rd Avenue	44.12549	-98.55190	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2537153710.2	383rd Avenue	44.12549	-98.55190	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2537153848	383rd Avenue	44.12570	-98.55181	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2537153848.2	383rd Avenue	44.12570	-98.55181	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
25410124545	383rd Avenue	44.04688	-98.55214	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
25410124616	383rd Avenue	44.04683	-98.55228	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
25410124759	383rd Avenue	44.02691	-98.55158	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25410124823	383rd Avenue	44.02700	-98.55173	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25410124835	383rd Avenue	44.02701	-98.55160	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
25410124857	383rd Avenue	44.02691	-98.55173	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
25413165054	383rd Avenue	44.05667	-98.55239	W2-3L	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-3L, Angle Side Road (Left)		Install Minimum 325' in Advance of Intersecting Road
25413165054.2	383rd Avenue	44.05667	-98.55239	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	40	
25415214915	383rd Avenue	44.08147	-98.55225	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25415214915.2	383rd Avenue	44.08147	-98.55225	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25415214915.3	383rd Avenue	44.08147	-98.55225	R1-3P	New	1	South	18" x 6"		0.8	Red	2" X 2" Perforated Tube Post	New			County	R1-3P, All Way		Mount below R1-1
25415215030	383rd Avenue	44.08168	-98.55242	R1-1	R/R	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25415215030.2	383rd Avenue	44.08168	-98.55242	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25415215030.3	383rd Avenue	44.08168	-98.55242	R1-3P	New	1	North	18" x 6"		0.8	Red	2" X 2" Perforated Tube Post	Repl			County	R1-3P, All Way		Mount below R1-1
2541585235	383rd Avenue	44.07178	-98.55245	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541592245	383rd Avenue	44.08147	-98.55222	R1-2	D/R	1	South				Red		Disc	1		County	R1-2, Yield		
2541594735	383rd Avenue	44.07935	-98.55226	W1-7	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W1-7, Two-Direction Large Arrow		
2541594735.2	383rd Avenue	44.07935	-98.55226	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541594914	383rd Avenue	44.07943	-98.55226	D3-1	New	2	North & South	48" x 12"	4		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	Main St E	
2541594914.2	383rd Avenue	44.07943	-98.55226	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	383 Ave	
2541791059	383rd Avenue	44.10613	-98.55184	OM4-3	New	3	South				Red	1.12 lb/ft Post	New	3	7	County	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
2541791324	383rd Avenue	44.10402	-98.55182	W20-3	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W20-3, Road Closed Ahead		
2541791549	383rd Avenue	44.09622	-98.55196	Other	D/S	1	South				White		Disc	1		County	Other, Other Sign	NO THRU TRAFFIC	Salvage sign back to Jerauld County
2541791847	383rd Avenue	44.09615	-98.55196	W14-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W14-1, Dead End		
2541795015	383rd Avenue	44.07175	-98.55218	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541795305	383rd Avenue	44.08148	-98.55223	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541795338	383rd Avenue	44.08148	-98.55247	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2541795640	383rd Avenue	44.07122	-98.55245	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
25418202802	383rd Avenue	44.01334	-98.55186	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25418202840	383rd Avenue	44.01335	-98.55199	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2542193110	383rd Avenue	43.96651	-98.55205	W8-3	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W8-3, Pavement Ends	Pavement Ends	Install Minimum 325' in Advance of Intersection
2542193316	383rd Avenue	43.96336	-98.55179	W8-3	D/R	1	South				Yellow		Disc	1		County	W8-3, Pavement Ends	Pavement Begins	
2542193444	383rd Avenue	43.95128	-98.55159	W8-5p	D/R	1	West				Yellow		Disc	1		County	W8-5p, When Wet		
25422112923	383rd Avenue	43.99489	-98.55202	R12-4x	New	1	South	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
25422113043	383rd Avenue	43.99448	-98.55218	R12-4x	New	1	North	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
25422113605	383rd Avenue	43.98035	-98.55199	R12-4x	New	1	South	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
25422113744	383rd Avenue	43.98063	-98.55200	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25422113826	383rd Avenue	43.97994	-98.55214	R12-4x	New	1	North	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	116	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25422114214	383rd Avenue	43.96584	-98.55185	R12-4x	New	1	South	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
25422114722	383rd Avenue	43.96611	-98.55186	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25422114818	383rd Avenue	43.96543	-98.55202	R12-4x	New	1	North	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
25422205821	383rd Avenue	43.93680	-98.55074	R2-1 (55)	D/R	1	South				White		Disc	1		County	R2-1, Speed Limit 55mph		
25422205821.2	383rd Avenue	43.93680	-98.55074	Other	D/S	1	South				White		Disc			County	Other, Other Sign	Jerauld County Zoned	Salvage "Jerauld County Zoned" sign back to Jerauld County
2542221059	383rd Avenue	43.93707	-98.55076	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2542221232	383rd Avenue	43.94020	-98.55112	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
25424202022	383rd Avenue	44.09597	-98.55196	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25424202022.2	383rd Avenue	44.09597	-98.55196	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25424202642	383rd Avenue	44.05544	-98.55209	R1-1	R/R	1	Southeast	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		Install on curve between 383 Ave and 230 St
25424202642.2	383rd Avenue	44.05544	-98.55209	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25424202811	383rd Avenue	44.05454	-98.55164	W3-1	New	1	Southeast	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W3-1, Stop Ahead		Install on curve between 383 Ave and 230 St
25424224515	383rd Avenue	43.97966	-98.55215	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25424224612	383rd Avenue	43.99417	-98.55216	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25424224702	383rd Avenue	43.99519	-98.55203	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2552112743	383rd Avenue	44.07056	-98.55239	R2-1 (55)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2556114107	383rd Avenue	44.07108	-98.55217	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2556114634	383rd Avenue	44.06905	-98.55213	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2556114953	383rd Avenue	44.06563	-98.55247	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2556115342	383rd Avenue	44.06355	-98.55255	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2556115952	383rd Avenue	44.06237	-98.55210	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
255612121	383rd Avenue	44.06025	-98.55212	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2556121356	383rd Avenue	44.05362	-98.55215	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2556121505	383rd Avenue	44.05536	-98.55199	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2556122937	383rd Avenue	43.97804	-98.55177	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
255612311	383rd Avenue	44.05851	-98.55248	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2556123439	383rd Avenue	43.97591	-98.55228	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2556123601	383rd Avenue	43.97484	-98.55186	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2556123841	383rd Avenue	43.97317	-98.55183	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
255612424	383rd Avenue	44.05670	-98.55247	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
2556224651	383rd Avenue	44.19679	-98.55242	W1-6L	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6L, One-Direction Large Arrow (Left)		
2556224651.2	383rd Avenue	44.19679	-98.55242	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2556225222	383rd Avenue	44.19657	-98.55235	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
2556225656	383rd Avenue	44.19474	-98.55235	W1-1L	D/R	1	South				Yellow		Disc	1		County	W1-1L, Turn (Left)		
25610222312	383rd Avenue	44.01203	-98.55187	W11-5	R/R	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	County	W11-5, Farm Vehicles		Install Minimum 325' in Advance of Intersecting Road
25610222546	383rd Avenue	44.01653	-98.55191	W11-5	D/R	1	North				Yellow		Disc	1		County	W11-5, Farm Vehicles		
25610222648	383rd Avenue	44.01569	-98.55191	W11-5	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W11-5, Farm Vehicles		Install Minimum 325' in Advance of Intersecting Road
2633152234	383rd Avenue	44.19580	-98.55234	SP-9L	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	SP-9L, Turn (Left) w/ Side Road Right		Install Minimum 275' in advance of Curve PC
2633152234.2	383rd Avenue	44.19580	-98.55234	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	10	
25122113554	384th Avenue	44.00908	-98.53194	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	11	Viola	R1-2, Yield		
25122113554.2	384th Avenue	44.00908	-98.53194	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
2512212642	384th Avenue	44.00906	-98.55228	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2512212642.2	384th Avenue	44.00906	-98.55228	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25128151419	384th Avenue	43.98034	-98.53194	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
25128151419.2	384th Avenue	43.98034	-98.53194	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
2512944434	384th Avenue	43.97803	-98.53200	W70-1	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
2512944434.2	384th Avenue	43.97803	-98.53200	W70-3	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
2512944434.3	384th Avenue	43.97803	-98.53200	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
2512945915	384th Avenue	43.98980	-98.53199	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
2512945915.2	384th Avenue	43.98980	-98.53199	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
2512951137	384th Avenue	43.99448	-98.53201	W70-1	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
2512951137.2	384th Avenue	43.99448	-98.53201	W70-3	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
2512951137.3	384th Avenue	43.99448	-98.53201	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
2512953059	384th Avenue	44.01639	-98.53185	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
2512953059.2	384th Avenue	44.01639	-98.53185	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
2512953632	384th Avenue	44.02357	-98.53166	W70-1	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Viola	W70-1, Minimum Maintenance		
2512953632.2	384th Avenue	44.02357	-98.53166	W70-3	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
2512953632.3	384th Avenue	44.02357	-98.53166	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
25130121955	384th Avenue	44.15452	-98.53204	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25130121955.2	384th Avenue	44.15452	-98.53204	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25227123252	384th Avenue	44.10869	-98.53193	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
25227123503	384th Avenue	44.10830	-98.53183	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25227124600	384th Avenue	44.10226	-98.53201	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25227124615	384th Avenue	44.10227	-98.53191	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	117	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25227125557	384th Avenue	44.09185	-98.53219	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25227125649	384th Avenue	44.09186	-98.53208	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25227125758	384th Avenue	44.09467	-98.53214	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25227125820	384th Avenue	44.09467	-98.53204	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2522713408	384th Avenue	44.05299	-98.53217	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2522713408.2	384th Avenue	44.05299	-98.53217	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2523115827	384th Avenue	44.18352	-98.53247	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2523115827.2	384th Avenue	44.18352	-98.53247	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2524135716	384th Avenue	44.18285	-98.53248	W2-4	D/R	1	South				Yellow		Disc	1		County	W2-4, T-Symbol		
252414445	384th Avenue	44.15469	-98.53223	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
252414445.2	384th Avenue	44.15469	-98.53223	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2525135205	384th Avenue	44.00508	-98.53197	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2525135226	384th Avenue	44.00508	-98.53206	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2527113919	384th Avenue	44.16615	-98.53246	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527114013	384th Avenue	44.15699	-98.53223	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527114039	384th Avenue	44.14964	-98.53212	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2527114049	384th Avenue	44.14964	-98.53201	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2527114100	384th Avenue	44.14933	-98.53212	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527114109	384th Avenue	44.14933	-98.53201	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527114130	384th Avenue	44.11544	-98.53188	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527114139	384th Avenue	44.11544	-98.53178	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2531184513	384th Avenue	44.05258	-98.53228	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2531184513.2	384th Avenue	44.05258	-98.53228	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
253916325	384th Avenue	44.18323	-98.53265	R2-1 (55)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2539163958	384th Avenue	44.15504	-98.53208	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2539164235	384th Avenue	44.15420	-98.53220	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25417102852	384th Avenue	44.02369	-98.53156	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	Viola	R1-1, Stop		
25417102852.2	384th Avenue	44.02369	-98.53156	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
2542193715	384th Avenue	44.00884	-98.53195	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2542193814	384th Avenue	44.00884	-98.53205	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2542194519	384th Avenue	44.15699	-98.53214	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2542194644	384th Avenue	43.98002	-98.53204	W14-2	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Viola	W14-2, No Outlet		
2542194659	384th Avenue	44.16616	-98.53233	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
25423215051	384th Avenue	43.93692	-98.53072	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
25423215051.2	384th Avenue	43.93692	-98.53072	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
25430211328	384th Avenue	44.08287	-98.53226	W1-6R	New	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-6R, One-Direction Large Arrow (Right)		
25430211328.2	384th Avenue	44.08287	-98.53226	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2543021141	384th Avenue	44.08302	-98.53222	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 104', 156', 300'
25430214614	384th Avenue	44.08348	-98.53247	W1-2R	D/R	1	North				Yellow		Disc	1		County	W1-2R, Curve (Right)		
2548154221	384th Avenue	44.06703	-98.53225	W14-2	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	City of Wess. Springs	W14-2, No Outlet		
25610223158	384th Avenue	44.00937	-98.53195	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
25610223158.2	384th Avenue	44.00937	-98.53195	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
25610223325	384th Avenue	43.96553	-98.53186	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-2, No Maintenance		
25610223325.2	384th Avenue	43.96553	-98.53186	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-4, No Travel Advised		
26224113101	384th Avenue	44.10833	-98.53194	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2633151722	384th Avenue	44.08363	-98.53236	SP-10R	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	SP-10R, Turn (Right) w/ Side Road Left		Install Minimum 225' in advance of Curve PC
2633151722.2	384th Avenue	44.08363	-98.53236	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	25	
25128151643	385th Avenue	43.98009	-98.51194	W70-1	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
25128151643.2	385th Avenue	43.98009	-98.51194	W70-3	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
25128151643.3	385th Avenue	43.98009	-98.51194	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
2512891032	385th Avenue	43.96593	-98.51186	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Viola	R1-2, Yield		
2512891032.2	385th Avenue	43.96593	-98.51186	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
2512891103	385th Avenue	43.96568	-98.51172	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Viola	R1-2, Yield		
2512891103.2	385th Avenue	43.96568	-98.51172	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
25225112514	385th Avenue	44.09706	-98.51188	OM4-3	New	3	South				Red	1.12 lb/ft Post	New	3	7	County	OM4-3, End of Road Marker		Install (2) on the ri
25225113152	385th Avenue	44.09628	-98.51192	W1-7	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-7, Two-Direction Large Arrow		
25225113152.2	385th Avenue	44.09628	-98.51192	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25225113405	385th Avenue	44.09644	-98.51188	W14-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W14-1, Dead End		
25225114004	385th Avenue	44.09616	-98.51199	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
25225114004.2	385th Avenue	44.09616	-98.51199	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2522792234	385th Avenue	44.05275	-98.51205	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	118	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2522792234.2	385th Avenue	44.05275	-98.51205	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2522792502	385th Avenue	44.05296	-98.51205	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2522792502.2	385th Avenue	44.05296	-98.51205	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
2524141318	385th Avenue	44.15467	-98.51235	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2524141318.2	385th Avenue	44.15467	-98.51235	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2525135354	385th Avenue	44.01843	-98.51187	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
252712353	385th Avenue	44.01961	-98.51175	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
252712409	385th Avenue	44.01843	-98.51176	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
252712423	385th Avenue	44.01443	-98.51196	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
252712435	385th Avenue	44.01441	-98.51186	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
252712500	385th Avenue	44.00249	-98.51202	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
252712508	385th Avenue	44.00252	-98.51191	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2539163428	385th Avenue	44.15474	-98.51218	W14-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W14-1, Dead End		
2539163545	385th Avenue	44.16176	-98.51231	OM4-3	New	3	South				Red	1.12 lb/ft Post	New	3	7	County	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
25417101003	385th Avenue	44.05264	-98.51217	W14-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W14-1, Dead End		
25417101240	385th Avenue	44.04038	-98.51196	OM4-3	New	3	North				Red	1.12 lb/ft Post	New	3	7	County	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
25417101356	385th Avenue	44.04242	-98.51203	W20-3	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W20-3, Road Closed Ahead		
25417103351	385th Avenue	44.02371	-98.51163	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	Viola	R1-1, Stop		
25417103351.2	385th Avenue	44.02371	-98.51163	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
2541793634	385th Avenue	44.08192	-98.51218	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2541793634.2	385th Avenue	44.08192	-98.51218	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
254179417	385th Avenue	44.15971	-98.51230	W20-3	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W20-3, Road Closed Ahead		
25418203410	385th Avenue	44.01959	-98.51184	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
25418221538	385th Avenue	43.98693	-98.51199	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25418221635	385th Avenue	43.98692	-98.51183	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25418221716	385th Avenue	43.98912	-98.51187	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25418221729	385th Avenue	43.98912	-98.51200	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2542194956	385th Avenue	43.95130	-98.51180	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Viola	R1-2, Yield		
2542194956.2	385th Avenue	43.95130	-98.51180	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
2542195544	385th Avenue	43.97807	-98.51181	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2542195643	385th Avenue	43.97807	-98.51191	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25129123711	386th Avenue	43.98066	-98.49168	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25129124135	386th Avenue	43.97984	-98.49184	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2524142119	386th Avenue	44.18379	-98.49278	R1-1	R/R	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2524142119.2	386th Avenue	44.18379	-98.49278	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2524142722	386th Avenue	44.15461	-98.49206	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2524142722.2	386th Avenue	44.15461	-98.49206	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2527114500	386th Avenue	44.14867	-98.49199	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527114509	386th Avenue	44.14867	-98.49207	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527114522	386th Avenue	44.14312	-98.49203	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2527114531	386th Avenue	44.14313	-98.49194	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527121042	386th Avenue	43.95662	-98.49175	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527121207	386th Avenue	43.94231	-98.49136	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527121221	386th Avenue	43.94068	-98.49129	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2527121245	386th Avenue	43.93810	-98.49117	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2531114813	386th Avenue	43.97953	-98.49171	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531114918	386th Avenue	43.97947	-98.49181	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531173847	386th Avenue	44.06788	-98.49198	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531181533	386th Avenue	44.05682	-98.49203	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531182125	386th Avenue	44.04390	-98.49200	Other	D/S	1	North				Yellow		Disc	1		County	Other, Other Sign	Slow Children At Play	Salvage sign back to Jerauld County
2531182456	386th Avenue	44.04111	-98.49184	Other	D/S	1	South				Yellow		Disc	1		County	Other, Other Sign	Slow Children At Play	Salvage sign back to Jerauld County
2531183738	386th Avenue	44.03613	-98.49196	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531183835	386th Avenue	44.03005	-98.49180	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2531183920	386th Avenue	44.03007	-98.49193	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2539161934	386th Avenue	44.15453	-98.49220	W14-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W14-1, Dead End		
2539162122	386th Avenue	44.14190	-98.49202	OM4-3	New	3	North				Red	1.12 lb/ft Post	New	3	7	County	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
2539162409	386th Avenue	44.15405	-98.49217	W14-2	D/R	1	North				Yellow		Disc	1		County	W14-2, No Outlet		
253916710	386th Avenue	44.18343	-98.49278	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
253916710.2	386th Avenue	44.18343	-98.49278	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
25415224903	386th Avenue	44.08114	-98.49204	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marke[illegible]
25415225017	386th Avenue	44.08114	-98.49227	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker [illegible]
25415225227	386th Avenue	44.07934	-98.49203	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Ob[illegible]
25415225312	386th Avenue	44.07935	-98.49223	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Obj[illegible]
25415225632	386th Avenue	44.08181	-98.49210	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	County	R1-2, Yield		

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	119	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25415225632.2	386th Avenue	44.08181	-98.49210	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25415225851	386th Avenue	44.08183	-98.49140	R1-2	New	1	Southwest	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	County	R1-2, Yield		
25415225851.2	386th Avenue	44.08183	-98.49140	Del8a	New	1	Southwest				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541523116	386th Avenue	44.08183	-98.49272	R1-2	New	1	Southeast	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	County	R1-2, Yield		
2541523116.2	386th Avenue	44.08183	-98.49272	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25415231538	386th Avenue	44.08195	-98.49224	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	County	R1-2, Yield		
25415231538.2	386th Avenue	44.08195	-98.49224	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25416202249	386th Avenue	44.06696	-98.49207	R2-1 (55)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25417101802	386th Avenue	44.04345	-98.49187	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25417101853	386th Avenue	44.04345	-98.49200	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25417104433	386th Avenue	44.02399	-98.49185	OM2-2Va	R/R	1	North & South				Yellow	1.12 lb/ft Post	Repl	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25417104518	386th Avenue	44.02399	-98.49171	OM2-2Va	R/R	1	North & South				Yellow	1.12 lb/ft Post	Repl	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
254179128	386th Avenue	44.14396	-98.49191	W20-3	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W20-3, Road Closed Ahead		
2541793828	386th Avenue	44.08200	-98.49213	W70-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2541793828.2	386th Avenue	44.08200	-98.49213	W70-4	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
25418203812	386th Avenue	44.01455	-98.49192	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
25418203953	386th Avenue	44.01456	-98.49184	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
25418204123	386th Avenue	44.01793	-98.49183	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
25418222412	386th Avenue	43.98149	-98.49171	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
25419101016	386th Avenue	43.96152	-98.49166	OM3-RS	R/R	1	South				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure.
25419101045	386th Avenue	43.96156	-98.49176	OM3-RS	R/R	1	North				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure.
25419101117	386th Avenue	43.96156	-98.49166	OM3-LS	New	1	North				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure.
25419101211	386th Avenue	43.96151	-98.49175	OM3-LS	New	1	South				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure.
2541910858	386th Avenue	43.95661	-98.49165	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2541993243	386th Avenue	43.96688	-98.49167	OM3-LS	New	1	North				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure.
2541993335	386th Avenue	43.96684	-98.49167	OM3-RS	R/R	1	South				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure.
2541993343	386th Avenue	43.96687	-98.49176	OM3-RS	R/R	1	North				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure.
2541993355	386th Avenue	43.96684	-98.49176	OM3-LS	New	1	South				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure.
2541993547	386th Avenue	43.97330	-98.49169	OM3-RS	R/R	1	South				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure.
2541993642	386th Avenue	43.97334	-98.49168	OM3-LS	New	1	North				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure.
2541993715	386th Avenue	43.97329	-98.49178	OM3-LS	New	1	South				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure.
2542110005	386th Avenue	43.97790	-98.49166	W5-2	D/S	1	South				Yellow		Disc	1		County	W5-2, Narrow Bridge		Salvage sign back to Jerauld County
2542110126	386th Avenue	43.95490	-98.49175	OM2-2Va	R/R	1	North & South				Yellow	1.12 lb/ft Post	Repl	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2542110226	386th Avenue	43.95488	-98.49163	OM2-2Va	R/R	1	North & South				Yellow	1.12 lb/ft Post	Repl	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2542110406	386th Avenue	43.94642	-98.49153	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25421104155	386th Avenue	44.00921	-98.49194	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25421104155.2	386th Avenue	44.00921	-98.49194	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25421104412	386th Avenue	44.00921	-98.49178	OM2-2Va	R/R	1	North & South				Yellow	1.12 lb/ft Post	Repl	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25421104444	386th Avenue	44.00921	-98.49191	OM2-2Va	R/R	1	North & South				Yellow	1.12 lb/ft Post	Repl	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2542110459	386th Avenue	43.94642	-98.49142	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2542173002	386th Avenue	43.94781	-98.49158	OM3-RS	R/R	1	North				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure.
2542173033	386th Avenue	43.94778	-98.49149	OM3-RS	R/R	1	South				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure.
2542173043	386th Avenue	43.94782	-98.49148	OM3-LS	New	1	North				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure.
2542173115	386th Avenue	43.94777	-98.49158	OM3-LS	New	1	South				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure.
2542173428	386th Avenue	43.94231	-98.49125	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2542173616	386th Avenue	43.94068	-98.49119	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2542174000	386th Avenue	43.93810	-98.49108	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2542174343	386th Avenue	44.06372	-98.49194	OM3-LS	New	1	North				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure.
2542174505	386th Avenue	44.06365	-98.49203	OM3-LS	New	1	South				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure.
2542174630	386th Avenue	44.06364	-98.49193	OM3-RS	R/R	1	South				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure.
2542174639	386th Avenue	44.06373	-98.49203	OM3-RS	R/R	1	North				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure.
2542174847	386th Avenue	44.06080	-98.49193	OM3-RS	R/R	1	South				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure.
2542174914	386th Avenue	44.06084	-98.49201	OM3-RS	R/R	1	North				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure.
2542174946	386th Avenue	44.06085	-98.49191	OM3-LS	New	1	North				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure.
2542175016	386th Avenue	44.06079	-98.49201	OM3-LS	New	1	South				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure.
2542181200	386th Avenue	44.05822	-98.49193	OM3-RS	R/R	1	South				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure.
2542181309	386th Avenue	44.05827	-98.49202	OM3-RS	R/R	1	North				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure.
2542181331	386th Avenue	44.05827	-98.49192	OM3-LS	New	1	North				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure.
2542181403	386th Avenue	44.05822	-98.49202	OM3-LS	New	1	South				Yellow					County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure.
2542181554	386th Avenue	44.05683	-98.49193	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.



STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	120	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2542182101	386th Avenue	44.03614	-98.49184	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25422213409	386th Avenue	43.93724	-98.49101	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25422213451	386th Avenue	43.93700	-98.49099	R2-1 (55)	D/R	1	South				White		Disc	1		County	R2-1, Speed Limit 55mph		
25422213451.2	386th Avenue	43.93700	-98.49099	Other	D/R	1	South				White		Disc			County	Other, Other Sign		
25424204917	386th Avenue	43.98094	-98.49186	W5-2	D/S	1	North				Yellow		Disc	1		County	W5-2, Narrow Bridge		Salvage sign back to Jerauld County
25426135110	386th Avenue	44.08168	-98.49189	Del7	New	4					White	1.12 lb/ft Post	New	4	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 290', Curve Spacing = 47'. Delineator omitted at Yield sign.
25426135411	386th Avenue	44.08167	-98.49243	Del7	New	4					White	1.12 lb/ft Post	New	4	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 290', Curve Spacing = 47'. Delineator omitted at Yield sign.
25427191056	386th Avenue	44.19644	-98.49271	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'
25427191116	386th Avenue	44.19667	-98.49283	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 85', Curve Spacing = 20'
25427191629	386th Avenue	44.19677	-98.49278	W1-6L	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W1-6L, One-Direction Large Arrow (Left)		
25427191629.2	386th Avenue	44.19677	-98.49278	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25427191842	386th Avenue	44.19658	-98.49263	NS-6	In Place	1	North & South				White	2" X 2" Perforated Tube Post	In Place			County	NS-6, Think "Why Die"		
25427192235	386th Avenue	44.19555	-98.49273	W1-1L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1L, Turn (Left)		Install Minimum 275' in advance of Curve PC
25427192235.2	386th Avenue	44.19555	-98.49273	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	15	
2542719630	386th Avenue	44.19509	-98.49273	W1-2L	D/R	1	South				Yellow		Disc	1		County	W1-2L, Curve (Left)		
2546101248	386th Avenue	44.06788	-98.49206	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2546101850	386th Avenue	44.01794	-98.49192	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2546101918	386th Avenue	44.00008	-98.49174	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2546101924	386th Avenue	44.00017	-98.49187	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2546101939	386th Avenue	43.98868	-98.49170	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2546101947	386th Avenue	43.98869	-98.49181	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2546102004	386th Avenue	43.98149	-98.49181	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure.
2547221944	386th Avenue	44.00018	-98.49174	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure.
2547222154	386th Avenue	44.00008	-98.49186	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure.
2561022500	386th Avenue	43.97334	-98.49178	OM3-RS	R/R	1	North				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure.
25113113617	387th Avenue	44.03947	-98.47193	W1-1L	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-1L, Turn (Left)		Install Minimum 275' in Advance of Curve PC.
25113113617.2	387th Avenue	44.03947	-98.47193	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	10	
25114135922	387th Avenue	44.03847	-98.47186	W1-6L	New	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	9	County	W1-6L, One-Direction Large Arrow (Left)		
25114135922.2	387th Avenue	44.03847	-98.47186	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25128112640	387th Avenue	43.95142	-98.47174	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Viola	R1-2, Yield		
25128112640.2	387th Avenue	43.95142	-98.47174	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Viola	Del8a, 4" Tubular White Delineator (no post)		
25128151956	387th Avenue	43.98016	-98.47176	W70-1	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Viola	W70-1, Minimum Maintenance		
25128151956.2	387th Avenue	43.98016	-98.47176	W70-3	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W70-3, Travel At Your Own Risk		
25128151956.3	387th Avenue	43.98016	-98.47176	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Viola	W13-1P, Advisory Speed (Plaque)	25	
252391731	387th Avenue	44.15516	-98.47215	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2524144628	387th Avenue	44.15464	-98.47214	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2524144628.2	387th Avenue	44.15464	-98.47214	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2524144656	387th Avenue	44.15481	-98.47231	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2524144656.2	387th Avenue	44.15481	-98.47231	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
252482430	387th Avenue	44.18359	-98.47250	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
252482430.2	387th Avenue	44.18359	-98.47250	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
252482921	387th Avenue	44.18237	-98.47248	W2-4	D/R	1	South				Yellow		Disc	1		County	W2-4, T-Symbol		
252495153	387th Avenue	44.16925	-98.47234	W1-7	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-7, Two-Direction Large Arrow		
252495153.2	387th Avenue	44.16925	-98.47234	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2527114608	387th Avenue	44.17976	-98.47257	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2527114627	387th Avenue	44.17976	-98.47248	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2537161255	387th Avenue	44.11115	-98.47176	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
2537161255.2	387th Avenue	44.11115	-98.47176	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2539154511	387th Avenue	44.14012	-98.47209	W70-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W70-2, No Maintenance		
2539154511.2	387th Avenue	44.14012	-98.47209	W70-4	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			County	W70-4, No Travel Advised		
25419101828	387th Avenue	43.96227	-98.47161	OM3-RS	New	1	South				Yellow					Viola	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure.
25419101917	387th Avenue	43.96231	-98.47169	OM3-RS	New	1	North				Yellow					Viola	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure.
25419101957	387th Avenue	43.96231	-98.47162	OM3-LS	New	1	North				Yellow					Viola	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure.
25419102029	387th Avenue	43.96227	-98.47169	OM3-LS	New	1	North				Yellow					Viola	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure.
25421101015	387th Avenue	43.95316	-98.47172	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25421101148	387th Avenue	43.96115	-98.47170	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25421101225	387th Avenue	43.96115	-98.47162	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25421102839	387th Avenue	43.97248	-98.47173	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25421102927	387th Avenue	43.97248	-98.47163	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2542110943	387th Avenue	43.95317	-98.47163	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Viola	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25426132614	387th Avenue	44.03873	-98.47193	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 40', 60', 120'

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	121	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2585161428	387th Avenue	44.05288	-98.47180	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
2585161428.2	387th Avenue	44.05288	-98.47180	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2585161515	387th Avenue	44.05311	-98.47198	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
2585161515.2	387th Avenue	44.05311	-98.47198	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25111134208	389th Avenue	44.08218	-98.43246	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
25111134208.2	389th Avenue	44.08218	-98.43246	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25111135124	389th Avenue	44.08232	-98.43264	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
25111135124.2	389th Avenue	44.08232	-98.43264	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25111141921	389th Avenue	44.08107	-98.43245	W2-3L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Franklin	W2-3L, Angle Side Road (Left)		Install Minimum 225' in Advance of Curve PC.
25111141921.2	389th Avenue	44.08107	-98.43245	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	20	
2511114505	389th Avenue	44.08184	-98.43265	R1-2	New	1	Northwest	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
2511114505.2	389th Avenue	44.08184	-98.43265	Del8a	New	1	Northwest				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
2511114628	389th Avenue	44.08221	-98.43295	R1-2	New	1	Southeast	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
2511114628.2	389th Avenue	44.08221	-98.43295	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25117144100	389th Avenue	44.08539	-98.43262	W1-6L	New	1	Northeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6L, One-Direction Large Arrow (Left)		
25117144100.2	389th Avenue	44.08539	-98.43262	Del8a	New	1	Northeast				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
251915417	389th Avenue	44.08810	-98.43263	W1-5L	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Franklin	W1-5L, Winding Road (Left)		Install Minimum 225' in Advance of Curve PC.
251915417.2	389th Avenue	44.08810	-98.43263	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	20	
2521121556	389th Avenue	43.99494	-98.43205	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521121556.2	389th Avenue	43.99494	-98.43205	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521121714	389th Avenue	43.99504	-98.43217	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521121714.2	389th Avenue	43.99504	-98.43217	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521131505	389th Avenue	43.98058	-98.43201	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521131505.2	389th Avenue	43.98058	-98.43201	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521131611	389th Avenue	43.98044	-98.43188	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521131611.2	389th Avenue	43.98044	-98.43188	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521355425	389th Avenue	43.95141	-98.43169	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521355425.2	389th Avenue	43.95141	-98.43169	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521355529	389th Avenue	43.95157	-98.43183	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521355529.2	389th Avenue	43.95157	-98.43183	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521381701	389th Avenue	44.01210	-98.43220	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	Blaine	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Ma[illegible]
2521384043	389th Avenue	43.99954	-98.43217	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Blaine	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker a[illegible]ructure
2521384125	389th Avenue	43.99954	-98.43208	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Blaine	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2521384314	389th Avenue	43.97652	-98.43202	POST									Disc	1		Blaine	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
25214111833	389th Avenue	44.15499	-98.43322	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25214111833.2	389th Avenue	44.15499	-98.43322	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2531202622	389th Avenue	44.05328	-98.43246	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
2531202622.2	389th Avenue	44.05328	-98.43246	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
2531202729	389th Avenue	44.05314	-98.43230	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
2531202729.2	389th Avenue	44.05314	-98.43230	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
253493837	389th Avenue	44.04292	-98.43227	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253493920	389th Avenue	44.04292	-98.43218	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25414154111	389th Avenue	44.18406	-98.43343	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25414154111.2	389th Avenue	44.18406	-98.43343	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25417165254	389th Avenue	44.08165	-98.43248	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25417165332	389th Avenue	44.08165	-98.43259	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25418204632	389th Avenue	44.01211	-98.43205	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Blaine	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2542184937	389th Avenue	44.08009	-98.43247	OM3-RS	R/R	1	South				Yellow		Repl	1		Franklin	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure
2542185008	389th Avenue	44.08012	-98.43247	OM3-LS	New	1	North				Yellow					Franklin	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure
2542185038	389th Avenue	44.08008	-98.43255	OM3-LS	New	1	South				Yellow					Franklin	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure
25426153658	389th Avenue	44.08211	-98.43274	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 225', Curve Spacing = 40'. Delineator omitted at Yield sign.
25426154036	389th Avenue	44.08463	-98.43249	W1-5R	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Franklin	W1-5R, Winding Road (Right)		Install Minimum 225' in Advance of Curve PC.
25426154036.2	389th Avenue	44.08463	-98.43249	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	20	
25426154201	389th Avenue	44.08556	-98.43253	W1-6R	New	1	South	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6R, One-Direction Large Arrow (Right)		
25426154201.2	389th Avenue	44.08556	-98.43253	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25426154232	389th Avenue	44.08650	-98.43166	W1-6L	New	1	Southwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6L, One-Direction Large Arrow (Left)		
25426154232.2	389th Avenue	44.08650	-98.43166	Del8a	New	1	Southwest				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25426154350	389th Avenue	44.08672	-98.43175	W1-6R	New	1	Northwest	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6R, One-Direction Large Arrow (Right)		
25426154350.2	389th Avenue	44.08672	-98.43175	Del8a	New	1	Northwest				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25426154426	389th Avenue	44.08724	-98.43256	W1-6L	New	1	North	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6L, One-Direction Large Arrow (Left)		
25426154426.2	389th Avenue	44.08724	-98.43256	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25426154505	389th Avenue	44.08735	-98.43263	W1-6R	New	1	Southeast	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	Franklin	W1-6R, One-Direction Large Arrow (Right)		
25426154505.2	389th Avenue	44.08735	-98.43263	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25426154532	389th Avenue	44.08525	-98.43263	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 86', 129', 258'
25426154555	389th Avenue	44.08549	-98.43258	Del7	New	4					White	1.12 lb/ft Post	New	4	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 250', Curve Spacing = 43'
25426154631	389th Avenue	44.08567	-98.43244	Del7	New	1					White	1.12 lb/ft Post	New	1	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 86'

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	122	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25426154710	389th Avenue	44.08623	-98.43179	Del7	New	1					White	1.12 lb/ft Post	New	1	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 74'
25426154730	389th Avenue	44.08659	-98.43169	Del7	New	8					White	1.12 lb/ft Post	New	8	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 200', Curve Spacing = 37'
25426154806	389th Avenue	44.08693	-98.43198	Del7	New	1					White	1.12 lb/ft Post	New	1	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 74'
25426154827	389th Avenue	44.08710	-98.43243	Del7	New	1					White	1.12 lb/ft Post	New	1	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 74'
25426154913	389th Avenue	44.08732	-98.43261	Del7	New	5					White	1.12 lb/ft Post	New	5	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 200', Curve Spacing = 37'
25426154944	389th Avenue	44.08749	-98.43263	Del7	New	3					White	1.12 lb/ft Post	New	3	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 74', 111', 222'
254522105	389th Avenue	43.96613	-98.43209	R1-2	D/R	1	North				Red		Disc	1		County	R1-2, Yield		
254522158	389th Avenue	43.96608	-98.43208	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254522158.2	389th Avenue	43.96608	-98.43208	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254522231	389th Avenue	43.96589	-98.43194	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254522231.2	389th Avenue	43.96589	-98.43194	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254522312	389th Avenue	43.96587	-98.43192	R1-2	D/R	1	South				Red		Disc	1		County	R1-2, Yield		
2557155115	389th Avenue	44.01299	-98.43224	W5-2	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Blaine	W5-2, Narrow Bridge		Install Minimum 325' in Advance of Bridge
2557155127	389th Avenue	44.01121	-98.43209	W5-2	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Blaine	W5-2, Narrow Bridge		Install Minimum 325' in Advance of Bridge
25610222102	389th Avenue	44.08013	-98.43256	OM3-RS	R/R	1	North				Yellow		Repl	1		Franklin	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure
2521344450	390th Avenue	43.96632	-98.41200	R1-2	D/R	1	North				Red		Disc	1		County	R1-2, Yield		
2521344549	390th Avenue	43.96628	-98.41201	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2521344549.2	390th Avenue	43.96628	-98.41201	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521344701	390th Avenue	43.96608	-98.41186	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2521344701.2	390th Avenue	43.96608	-98.41186	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2521345203	390th Avenue	43.96634	-98.41187	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
252139820	390th Avenue	44.02109	-98.41204	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
252139922	390th Avenue	44.02109	-98.41216	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25214103351	390th Avenue	44.14017	-98.41286	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25214103612	390th Avenue	44.14100	-98.41271	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25214121955	390th Avenue	44.15550	-98.41280	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25214122133	390th Avenue	44.15470	-98.41296	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25214145708	390th Avenue	44.18428	-98.41293	R1-1	R/R	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25214145708.2	390th Avenue	44.18428	-98.41293	Del8a	R/R	1	North				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25214145823	390th Avenue	44.18399	-98.41278	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25214145823.2	390th Avenue	44.18399	-98.41278	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2521415039	390th Avenue	44.18372	-98.41291	R2-1 (55)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25214151051	390th Avenue	44.18455	-98.41277	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25214172637	390th Avenue	44.19655	-98.41284	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25214172637.2	390th Avenue	44.19655	-98.41284	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25216152031	390th Avenue	44.19463	-98.41283	W2-4	D/R	1	South				Yellow		Disc	1		County	W2-4, T-Symbol		
25216152802	390th Avenue	44.11962	-98.41240	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25216152831	390th Avenue	44.11962	-98.41252	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25311121104	390th Avenue	44.03004	-98.41203	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311121523	390th Avenue	44.02583	-98.41204	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25311124505	390th Avenue	43.99424	-98.41196	W2-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
25311132621	390th Avenue	43.96661	-98.41185	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25311132732	390th Avenue	43.96580	-98.41198	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2531184511	390th Avenue	44.09633	-98.41251	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
253494211	390th Avenue	44.11056	-98.41248	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253494244	390th Avenue	44.11055	-98.41236	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253494955	390th Avenue	44.06656	-98.41214	R2-1 (55)	R/R	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
253495531	390th Avenue	44.06565	-98.41228	R2-1 (55)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25417161021	390th Avenue	44.05941	-98.41221	OM2-2Va	R/R	1	North & South				Yellow	1.12 lb/ft Post	Repl	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25417161414	390th Avenue	44.06735	-98.41233	R1-2	New	1	Northwest	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
25417161414.2	390th Avenue	44.06735	-98.41233	Del8a	New	1	Northwest				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25417161459	390th Avenue	44.06774	-98.41263	R1-2	New	1	Southeast	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
25417161459.2	390th Avenue	44.06774	-98.41263	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2541716735	390th Avenue	44.05537	-98.41222	OM2-2Va	R/R	1	North & South				Yellow	1.12 lb/ft Post	Repl	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at [illegible]
2541716945	390th Avenue	44.05941	-98.41230	OM2-2Va	R/R	1	North & South				Yellow	1.12 lb/ft Post	Repl	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker [illegible]
25418201118	390th Avenue	44.02578	-98.41214	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one [illegible]
25418201236	390th Avenue	44.03012	-98.41213	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one [illegible]
25418223203	390th Avenue	43.99295	-98.41198	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one O[illegible]
25418223221	390th Avenue	43.99295	-98.41207	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Ob[illegible]
25422215510	390th Avenue	43.93757	-98.41167	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25422215618	390th Avenue	43.93734	-98.41163	R2-1 (55)	D/R	1	South				White		Disc	1		County	R2-1, Speed Limit 55mph		
25422215618.2	390th Avenue	43.93734	-98.41163	Other	D/R	1	South				White		Disc			County	Other, Other Sign		

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	123	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25424145011	390th Avenue	44.08594	-98.41227	Del7	New	6					White	1.12 lb/ft Post	New	6	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 150' spacing east side of road
25425143401	390th Avenue	44.05361	-98.41218	R1-2	New	1	Southeast	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-2, Yield		
25425143401.2	390th Avenue	44.05361	-98.41218	Del8a	New	1	Southeast				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2545143657	390th Avenue	44.09715	-98.41234	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2548215727	390th Avenue	44.15029	-98.41280	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548215818	390th Avenue	44.15046	-98.41290	OM2-2Va	R/R	2	North & South				Yellow	1.12 lb/ft Post	Repl	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548215901	390th Avenue	44.15045	-98.41279	Del7	R/R	8					White	1.12 lb/ft Post	Repl	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
254822000	390th Avenue	44.15029	-98.41290	Del7	R/R	8					White	1.12 lb/ft Post	Repl	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2561022635	390th Avenue	44.05537	-98.41231	OM2-2Va	R/R	1	North & South				Yellow	1.12 lb/ft Post	Repl	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2521113557	391st Avenue	44.00975	-98.39189	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521113557.2	391st Avenue	44.00975	-98.39189	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521132734	391st Avenue	43.98073	-98.39180	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521132734.2	391st Avenue	43.98073	-98.39180	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521133025	391st Avenue	43.97990	-98.39181	W2-4	D/R	1	South				Yellow		Disc	1		Blaine	W2-4, T-Symbol		
25213101020	391st Avenue	43.99524	-98.39198	POST									Disc	1		Blaine	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2521310542	391st Avenue	43.98091	-98.39187	W20-3	D/R	1	South				Yellow		Disc	1		Blaine	W20-3, Road Closed Ahead		
2521310842	391st Avenue	43.99522	-98.39201	W20-3	D/R	1	South				Yellow		Disc	2		Blaine	W20-3, Road Closed Ahead		
2521361104	391st Avenue	43.95173	-98.39163	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521361104.2	391st Avenue	43.95173	-98.39163	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521361201	391st Avenue	43.95188	-98.39176	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521361201.2	391st Avenue	43.95188	-98.39176	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2531185646	391st Avenue	44.09704	-98.39239	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2531185646.2	391st Avenue	44.09704	-98.39239	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
253121312	391st Avenue	44.05341	-98.39207	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
253121312.2	391st Avenue	44.05341	-98.39207	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
253121641	391st Avenue	44.05352	-98.39220	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
253121641.2	391st Avenue	44.05352	-98.39220	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
2534101134	391st Avenue	44.08780	-98.39236	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2534101213	391st Avenue	44.08780	-98.39227	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2534101545	391st Avenue	44.07339	-98.39214	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2534101625	391st Avenue	44.07342	-98.39225	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2534102219	391st Avenue	44.03238	-98.39211	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2534102254	391st Avenue	44.03238	-98.39205	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2534102401	391st Avenue	44.02980	-98.39208	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2534102439	391st Avenue	44.02980	-98.39203	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253410837	391st Avenue	44.10408	-98.39230	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
253410906	391st Avenue	44.10408	-98.39238	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25349346	391st Avenue	44.03893	-98.39205	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
25349346.2	391st Avenue	44.03893	-98.39205	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25349445	391st Avenue	44.03904	-98.39218	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
25349445.2	391st Avenue	44.03904	-98.39218	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25414155047	391st Avenue	44.18414	-98.39255	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25414155047.2	391st Avenue	44.18414	-98.39255	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25414155317	391st Avenue	44.18430	-98.39268	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25414155317.2	391st Avenue	44.18430	-98.39268	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25417171444	391st Avenue	44.14059	-98.39252	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25417171444.2	391st Avenue	44.14059	-98.39252	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25417171549	391st Avenue	44.14076	-98.39268	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
25417171549.2	391st Avenue	44.14076	-98.39268	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25424144209	391st Avenue	44.05109	-98.39219	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
25424144249	391st Avenue	44.04893	-98.39218	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
25424144321	391st Avenue	44.04647	-98.39220	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		
2545213944	391st Avenue	44.09689	-98.39221	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545213944.2	391st Avenue	44.09689	-98.39221	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2545221008	391st Avenue	43.96638	-98.37174	R1-2	D/R	1	South				Red		Disc	1		County	R1-2, Yield		
2545221050	391st Avenue	43.96638	-98.37174	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545221050.2	391st Avenue	43.96638	-98.37174	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	124	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
254522510	391st Avenue	43.96645	-98.39193	R1-2	D/R	1	North				Red		Disc	1		County	R1-2, Yield		
254522544	391st Avenue	43.96641	-98.39191	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254522544.2	391st Avenue	43.96641	-98.39191	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254522615	391st Avenue	43.96622	-98.39178	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254522615.2	391st Avenue	43.96622	-98.39178	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254522744	391st Avenue	43.96619	-98.39181	R1-2	D/R	1	South				Red		Disc	1		County	R1-2, Yield		
2546162835	391st Avenue	44.02451	-98.39206	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-1, Stop		
2546162835.2	391st Avenue	44.02451	-98.39206	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
254822322	391st Avenue	44.14709	-98.39254	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
254822409	391st Avenue	44.14727	-98.39265	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
254822519	391st Avenue	44.14709	-98.39268	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
254822609	391st Avenue	44.14727	-98.39253	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2519103356	392nd Avenue	44.13848	-98.37222	W1-7	R/R	1	East & West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-7, Two-Direction Large Arrow		
2519103356.2	392nd Avenue	44.13848	-98.37222	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521114223	392nd Avenue	44.00983	-98.37182	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521114223.2	392nd Avenue	44.00983	-98.37182	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521114338	392nd Avenue	44.01000	-98.37197	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521114338.2	392nd Avenue	44.01000	-98.37197	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521133449	392nd Avenue	43.98104	-98.37192	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521133449.2	392nd Avenue	43.98104	-98.37192	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521133546	392nd Avenue	43.98086	-98.37175	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521133546.2	392nd Avenue	43.98086	-98.37175	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521361649	392nd Avenue	43.95189	-98.37164	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521361649.2	392nd Avenue	43.95189	-98.37164	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521391242	392nd Avenue	43.98545	-98.37190	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Blaine	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2521391559	392nd Avenue	43.98545	-98.37180	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Blaine	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25216153406	392nd Avenue	44.18446	-98.37264	R1-1	R/R	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
25216153406.2	392nd Avenue	44.18446	-98.37264	Del8a	R/R	1	North				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25216153720	392nd Avenue	44.17623	-98.37238	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25216154130	392nd Avenue	44.17623	-98.37249	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25216155349	392nd Avenue	44.14537	-98.37238	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25216155549	392nd Avenue	44.15348	-98.37086	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253119449	392nd Avenue	44.09687	-98.37220	W70-1	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Franklin	W70-1, Minimum Maintenance		
253119449.2	392nd Avenue	44.09687	-98.37220	W70-3	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W70-3, Travel At Your Own Risk		
253119449.3	392nd Avenue	44.09687	-98.37220	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	25	
2531194838	392nd Avenue	44.08279	-98.37208	W70-1	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Franklin	W70-1, Minimum Maintenance		
2531194838.2	392nd Avenue	44.08279	-98.37208	W70-3	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W70-3, Travel At Your Own Risk		
2531194838.3	392nd Avenue	44.08279	-98.37208	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	25	
2531195215	392nd Avenue	44.08240	-98.37213	W70-1	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Franklin	W70-1, Minimum Maintenance		
2531195215.2	392nd Avenue	44.08240	-98.37213	W70-3	New	1	North	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W70-3, Travel At Your Own Risk		
2531195215.3	392nd Avenue	44.08240	-98.37213	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	25	
2531195652	392nd Avenue	44.08244	-98.37206	Del8	D/R	1	North & South				White		Disc	1		Franklin	Del8, 4" Tubular White Delineator w/Post		
2531213724	392nd Avenue	44.05352	-98.37196	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	10	Franklin	R1-2, Yield		
2531213724.2	392nd Avenue	44.05352	-98.37196	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			Franklin	Del8a, 4" Tubular White Delineator (no post)		
2531213832	392nd Avenue	44.05365	-98.37213	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	10	Franklin	R1-2, Yield		
2531213832.2	392nd Avenue	44.05365	-98.37213	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	Repl			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25317154728	392nd Avenue	44.17934	-98.37256	R1-1	R/R	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Alpena	R1-1, Stop		
25317154728.2	392nd Avenue	44.17934	-98.37256	R1-3P	New	1	North	18" x 6"		0.8	Red	2" X 2" Perforated Tube Post	Repl			City of Alpena	R1-3P, All Way		
2531793249	392nd Avenue	44.17858	-98.37237	R2-1 (20)	R/R	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	City of Alpena	R2-1, Speed Limit 20mph		
2531793407	392nd Avenue	44.17803	-98.37252	R2-1 (55)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	City of Alpena	R2-1, Speed Limit 55mph		
2534102810	392nd Avenue	44.10489	-98.37225	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2534103044	392nd Avenue	44.10489	-98.37216	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2534103115	392nd Avenue	44.10484	-98.37224	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2534103207	392nd Avenue	44.10484	-98.37216	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2534103338	392nd Avenue	44.10046	-98.37225	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2534103409	392nd Avenue	44.10047	-98.37214	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2534104124	392nd Avenue	44.06820	-98.37198	W70-1	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	11	Franklin	W70-1, Minimum Maintenance		
2534104124.2	392nd Avenue	44.06820	-98.37198	W70-3	New	1	South	24" x 18"		3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W70-3, Travel At Your Own Risk		
2534104124.3	392nd Avenue	44.06820	-98.37198	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			Franklin	W13-1P, Advisory Speed (Plaque)	25	
2534104827	392nd Avenue	44.05729	-98.37207	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	125	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2534104916	392nd Avenue	44.05729	-98.37199	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2534105206	392nd Avenue	44.03444	-98.37196	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2534105234	392nd Avenue	44.03444	-98.37188	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
253491105	392nd Avenue	44.03815	-98.37188	W2-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Franklin	W2-1, Cross Road		Install Minimum 325' in Advance of Intersection
25410213424	392nd Avenue	44.14073	-98.37247	W1-7	R/R	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	Repl	2	11	County	W1-7, Two-Direction Large Arrow		
25410213424.2	392nd Avenue	44.14073	-98.37247	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25414151709	392nd Avenue	44.19660	-98.37640	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
25414152446	392nd Avenue	44.19629	-98.37618	Del2	New	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
25414152806	392nd Avenue	44.19303	-98.37312	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
25414152851	392nd Avenue	44.19162	-98.37248	Del2	R/R	1					Yellow					County	Del2, No Passing Zone Reference Post (non-relective)		Install at Fence Line
25416215040	392nd Avenue	44.02556	-98.37187	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
25417105332	392nd Avenue	44.18481	-98.37241	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
25417163019	392nd Avenue	44.08252	-98.37209	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
25417163019.2	392nd Avenue	44.08252	-98.37209	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25417164435	392nd Avenue	44.08265	-98.37215	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Franklin	R1-2, Yield		
25417164435.2	392nd Avenue	44.08265	-98.37215	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			Franklin	Del8a, 4" Tubular White Delineator (no post)		
25417171135	392nd Avenue	44.14128	-98.37238	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25417171215	392nd Avenue	44.14128	-98.37225	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25417174047	392nd Avenue	44.17858	-98.37234	Other	D/S	1	South				Yellow		Disc	1		City of Alpena	Other, Other Sign	Slow Children At Play	Salvage "Slow Children At Play" (attached to R2-1) sign back to the City of Alpena. Discard nearby green post.
25417174047.2	392nd Avenue	44.17858	-98.37234	POST									Disc			City of Alpena	POST, Post Only - No Sign Involved		
25418223850	392nd Avenue	43.99050	-98.37191	Del7	New	4					White	1.12 lb/ft Post	New	4	5	Blaine	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 75' spacing west side of road
25422202627	392nd Avenue	43.94663	-98.37178	W20-3	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	Blaine	W20-3, Road Closed Ahead		
25422202705	392nd Avenue	43.94442	-98.37165	OM4-3	New	3	North				Red	1.12 lb/ft Post	New	3	7	Blaine	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road.
25422202744	392nd Avenue	43.95182	-98.37177	W14-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Blaine	W14-1, Dead End		
25422202952	392nd Avenue	43.96016	-98.37183	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Blaine	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25422203120	392nd Avenue	43.96016	-98.37173	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Blaine	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
25422204042	392nd Avenue	43.95292	-98.37181	W3-2	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	Blaine	W3-2, Yield Ahead		Install Minimum 325' in Advance of Intersection
25424144507	392nd Avenue	44.05181	-98.37192	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
25424144535	392nd Avenue	44.05075	-98.37193	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
25424144645	392nd Avenue	44.04413	-98.37189	Del7	New	5					White	1.12 lb/ft Post	New	5	5	Franklin	Del7, 4"x4" White Delineator Back to Back w/Post		Install Hazard Delineation = 125' spacing east side of road
25424145957	392nd Avenue	44.03475	-98.37187	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
25424204746	392nd Avenue	43.95203	-98.37177	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
25424204746.2	392nd Avenue	43.95203	-98.37177	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
25426161111	392nd Avenue	44.19582	-98.37627	W1-8	New	12	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	7	8	County	W1-8, Chevron Alignment		Curve Radius = 900', Curve Spacing = 120'
25426161423	392nd Avenue	44.19426	-98.37465	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 176'
25426161442	392nd Avenue	44.19424	-98.37419	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 180'
25426161507	392nd Avenue	44.19343	-98.37310	W1-8	New	12	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	7	8	County	W1-8, Chevron Alignment		Curve Radius = 950', Curve Spacing = 120'
25426161624	392nd Avenue	44.19194	-98.37245	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 180', 270, 300'
25426161737	392nd Avenue	44.19149	-98.37247	W1-4L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-4L, Reverse Curve (Left)		Install Minimum 125' in Advance of Curve PC.
25426161737.2	392nd Avenue	44.19149	-98.37247	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	40	
25426162156	392nd Avenue	44.19418	-98.37449	NS-6	R/S/R/R	2	North				White	2" X 2" Perforated Tube Post	New	2	10	County	NS-6, Think "Why Die"		Reset each sign on its own new post
25426162659	392nd Avenue	44.19056	-98.37235	W1-4L	D/R	1	South				Yellow		Disc	1		County	W1-4L, Reverse Curve (Left)		
25426162659.2	392nd Avenue	44.19056	-98.37235	W13-1P	D/R	1	South				Yellow		Disc			County	W13-1P, Advisory Speed (Plaque)	40	
25426164113	392nd Avenue	44.16013	-98.37247	W1-5L	D/R	1	North				Yellow		Disc	1		County	W1-5L, Winding Road (Left)		
25426164234	392nd Avenue	44.15928	-98.37238	W1-2L	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2L, Curve (Left)		Install Minimum 100' in Advance of Curve PC.
25426164234.2	392nd Avenue	44.15928	-98.37238	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	50	
25426164304	392nd Avenue	44.15900	-98.37239	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 204', 300', 300'
25426164417	392nd Avenue	44.15799	-98.37219	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 204'
25426164457	392nd Avenue	44.15852	-98.37238	Del7	New	4					White	1.12 lb/ft Post	New	4	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 1200', Curve Spacing = 102'
25426164631	392nd Avenue	44.15775	-98.37185	W1-2R	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2R, Curve (Right)		Install Minimum 100' in Ad... PC.
25426164631.2	392nd Avenue	44.15775	-98.37185	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	50	
25426164726	392nd Avenue	44.15641	-98.37144	W1-2R	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2R, Curve (Right)		Install Mini...
25426164726.2	392nd Avenue	44.15641	-98.37144	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	50	
25426164756	392nd Avenue	44.15619	-98.37106	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		A...
25426164859	392nd Avenue	44.15549	-98.37083	Del7	New	5					White	1.12 lb/ft Post	New	5	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Cu...
25426165005	392nd Avenue	44.15477	-98.37078	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		
25426165033	392nd Avenue	44.15450	-98.37084	W1-2L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2L, Curve (Left)		Ins...
25426165033.2	392nd Avenue	44.15450	-98.37084	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	50	
25426165112	392nd Avenue	44.15343	-98.37102	W1-2R	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2R, Curve (Right)		Ins...
25426165245	392nd Avenue	44.15200	-98.37115	W1-2L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2L, Curve (Left)		Insta...
25426165450	392nd Avenue	44.15315	-98.37083	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		A...
25426165513	392nd Avenue	44.15226	-98.37105	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Adv...
25426165535	392nd Avenue	44.15272	-98.37086	Del7	New	4					White	1.12 lb/ft Post	New	4	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radi...

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P.
STENSLAND
SOUTH DAKOTA
5/26/2026

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	126	142

FOR BIDDING PURPOSES ONLY

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25426165644	392nd Avenue	44.14762	-98.37217	W1-5R	D/R	1	South				Yellow		Disc	1		County	W1-5R, Winding Road (Right)		
25426165858	392nd Avenue	44.14994	-98.37213	W1-2L	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2L, Curve (Left)		Install Minimum 100' in Advance of Curve PC.
25426165914	392nd Avenue	44.14819	-98.37223	W1-2R	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2R, Curve (Right)		Install Minimum 100' in Advance of Curve PC.
25426165953	392nd Avenue	44.14969	-98.37218	Del7	New	1					White	1.12 lb/ft Post	New	1	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 238'
2542617058	392nd Avenue	44.14847	-98.37243	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 238', 300', 300'
2542617114	392nd Avenue	44.14911	-98.37246	Del7	New	4					White	1.12 lb/ft Post	New	4	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Curve Radius = 1600', Curve Spacing = 119'
2545214048	392nd Avenue	44.09700	-98.37212	R1-1	New	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545214048.2	392nd Avenue	44.09700	-98.37212	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2545214145	392nd Avenue	44.09714	-98.37228	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
2545214145.2	392nd Avenue	44.09714	-98.37228	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
254522905	392nd Avenue	43.96662	-98.37190	R1-2	D/R	1	North				Red		Disc	1		County	R1-2, Yield		
254522933	392nd Avenue	43.96660	-98.37187	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	County	R1-1, Stop		
254522933.2	392nd Avenue	43.96660	-98.37187	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2546101159	392nd Avenue	44.14537	-98.37225	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
254610900	392nd Avenue	44.15348	-98.37099	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548221019	392nd Avenue	44.13871	-98.37224	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548221149	392nd Avenue	44.13890	-98.37241	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2548221239	392nd Avenue	44.13891	-98.37225	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2548221331	392nd Avenue	44.13869	-98.37241	Del7	New	8					White	1.12 lb/ft Post	New	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2552105304	392nd Avenue	44.18485	-98.37244	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2552111224	392nd Avenue	44.19651	-98.37635	R12-4x	New	1	North	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
2552111317	392nd Avenue	44.19651	-98.37637	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
255211304	392nd Avenue	44.18459	-98.37245	R12-4x	New	1	South	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
25210162402	393rd Avenue	44.02474	-98.35169	W1-7	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	11	County	W1-7, Two-Direction Large Arrow		
25210162402.2	393rd Avenue	44.02474	-98.35169	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
2521362853	393rd Avenue	43.95224	-98.35169	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
2521391910	393rd Avenue	43.98202	-98.35186	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2521391943	393rd Avenue	43.98202	-98.35175	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2521392513	393rd Avenue	43.97598	-98.35184	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2521392555	393rd Avenue	43.97597	-98.35173	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2521392730	393rd Avenue	44.00709	-98.35173	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
25216161022	393rd Avenue	44.13672	-98.35204	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25216161058	393rd Avenue	44.13672	-98.35189	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
25312112343	393rd Avenue	44.09631	-98.35213	R2-2P	D/R	1	North				White		Disc	1		County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25312112619	393rd Avenue	44.09774	-98.35194	R2-2P	D/R	1	South				White		Disc	1		County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25312121956	393rd Avenue	44.05332	-98.35201	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25312121956.2	393rd Avenue	44.05332	-98.35201	R2-2P	New	1	North	24" x 24"	4		White	2" X 2" Perforated Tube Post	New			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25312122109	393rd Avenue	44.05414	-98.35182	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25312122109.2	393rd Avenue	44.05414	-98.35182	R2-2P	New	1	South	24" x 24"	4		White	2" X 2" Perforated Tube Post	New			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25312122311	393rd Avenue	43.99602	-98.35165	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25312122311.2	393rd Avenue	43.99602	-98.35165	R2-2P	New	1	South	24" x 24"	4		White	2" X 2" Perforated Tube Post	New			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25312122603	393rd Avenue	43.99520	-98.35180	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25312122603.2	393rd Avenue	43.99520	-98.35180	R2-2P	New	1	North	24" x 24"	4		White	2" X 2" Perforated Tube Post	New			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25312122944	393rd Avenue	43.96619	-98.35181	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25312122944.2	393rd Avenue	43.96619	-98.35181	R2-2P	New	1	North	24" x 24"	4		White	2" X 2" Perforated Tube Post	New			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25312123205	393rd Avenue	43.96701	-98.35165	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25312123205.2	393rd Avenue	43.96701	-98.35165	R2-2P	New	1	South	24" x 24"	4		White	2" X 2" Perforated Tube Post	New			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25312124038	393rd Avenue	44.06465	-98.35204	R2-1 (55)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
25312124038.2	393rd Avenue	44.06465	-98.35204	R2-2P	R/R	1	North	24" x 24"	4		White	2" X 2" Perforated Tube Post	Repl			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25312124244	393rd Avenue	44.09681	-98.35212	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25312124244.2	393rd Avenue	44.09681	-98.35212	R2-2P	New	1	North	24" x 24"	4		White	2" X 2" Perforated Tube Post	New			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25312124331	393rd Avenue	44.09764	-98.35194	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
25312124331.2	393rd Avenue	44.09764	-98.35194	R2-2P	New	1	South	24" x 24"	4		White	2" X 2" Perforated Tube Post	New			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
2531212931	393rd Avenue	44.06577	-98.35185	R2-1 (55)	R/R	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2531212931.2	393rd Avenue	44.06577	-98.35185	R2-2P	New	1	South	24" x 24"	4		White	2" X 2" Perforated Tube Post	Repl			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
2534111141	393rd Avenue	44.02657	-98.35184	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2534111220	393rd Avenue	44.02657	-98.35173	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2534111419	393rd Avenue	44.02523	-98.35184	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2534111500	393rd Avenue	44.02523	-98.35172	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	127	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2534111527	393rd Avenue	44.02517	-98.35184	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2534111553	393rd Avenue	44.02517	-98.35173	OM2-2Va	New	2	North & South				Yellow	1.12 lb/ft Post	New	2	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at each corner of pipe(s) or structure
2541717408	393rd Avenue	44.14128	-98.35182	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2541717408.2	393rd Avenue	44.14128	-98.35182	R2-2P	R/R	1	South	24" x 24"	4		White	2" X 2" Perforated Tube Post	New			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25417175343	393rd Avenue	44.17679	-98.35938	W1-4L	D/R	1	South				Yellow		Disc	1		County	W1-4L, Reverse Curve (Left)		
2541717705	393rd Avenue	44.14043	-98.35201	R2-1 (55)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2541717705.2	393rd Avenue	44.14043	-98.35201	R2-2P	R/R	1	North	24" x 24"	4		White	2" X 2" Perforated Tube Post	New			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
2541985112	393rd Avenue	43.98122	-98.35191	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	County	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Guy Wire
2542111128	393rd Avenue	44.17314	-98.35686	R2-1 (55)	R/R	1	Northwest	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 55mph		
2542111128.2	393rd Avenue	44.17314	-98.35686	R2-2P	R/R	1	Northwest	24" x 24"	4		White	2" X 2" Perforated Tube Post	Repl			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
25421122736	393rd Avenue	44.17262	-98.35619	W3-5	New	1	Southeast	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W3-5, Reduce Speed Limit Ahead (Symbol)	25	Install Minimum 225' in Advance of R2-1 (25 mph) Speed Limit Sign
25421122751	393rd Avenue	44.17321	-98.35662	R2-1 (25)	R/R	1	Southeast	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	County	R2-1, Speed Limit 25mph		
25422204633	393rd Avenue	43.95221	-98.35146	POST									Disc	1		County	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2542222447	393rd Avenue	43.93784	-98.35149	R2-1 (55)	D/R	1	South				White		Disc	1		County	R2-1, Speed Limit 55mph		
2542222447.2	393rd Avenue	43.93784	-98.35149	Other	D/S	1	South				White		Disc			County	Other, Other Sign		Salvage "Jerauld County Zoned" sign back to Jerauld County
2542222447.3	393rd Avenue	43.93784	-98.35149	R2-2P	D/R	1	South				White		Disc			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
2542222714	393rd Avenue	43.93805	-98.35156	R2-1 (55)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	County	R2-1, Speed Limit 55mph		
2542222714.2	393rd Avenue	43.93805	-98.35156	R2-2P	New	1	South	24" x 24"	4		White	2" X 2" Perforated Tube Post	New			County	R2-2P, Truck Speed Limit (Plaque)	TRUCKS 40	
2542322055	393rd Avenue	44.16980	-98.35428	W1-7	New	1	East	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W1-7, Two-Direction Large Arrow		
2542322055.2	393rd Avenue	44.16980	-98.35428	Del8a	New	1	East				White	2" X 2" Perforated Tube Post	New			County	Del8a, 4" Tubular White Delineator (no post)		
25426163022	393rd Avenue	44.16450	-98.35207	W1-2L	D/R	1	South				Yellow		Disc	1		County	W1-2L, Curve (Left)		
25426163122	393rd Avenue	44.16546	-98.35214	W1-2L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2L, Curve (Left)		Install Minimum 125' in Advance of Curve PC.
25426163122.2	393rd Avenue	44.16546	-98.35214	W13-1P	New	1	South	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	45	
25426163231	393rd Avenue	44.16969	-98.35425	W1-2R	D/R	1	North				Yellow		Disc	1		County	W1-2R, Curve (Right)		
25426163320	393rd Avenue	44.16865	-98.35344	W1-2R	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-2R, Curve (Right)		Install Minimum 125' in Advance of Curve PC.
25426163320.2	393rd Avenue	44.16865	-98.35344	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			County	W13-1P, Advisory Speed (Plaque)	45	
25426163350	393rd Avenue	44.16580	-98.35214	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 252', 300', 300'
25426163427	393rd Avenue	44.16833	-98.35323	Del7	New	3					White	1.12 lb/ft Post	New	3	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Advanced Delineator Spacing = 252', 300', 300'
25426163443	393rd Avenue	44.16695	-98.35223	W1-8	New	14	North & South	18" x 24"		3	Yellow	2" X 2" Perforated Tube Post	New	8	8	County	W1-8, Chevron Alignment		Curve Radius = 1800', Curve Spacing = 120'
2548222129	393rd Avenue	44.15449	-98.35202	OM3-LS	R/R	1	North				Yellow		Repl	1		County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure
2548222349	393rd Avenue	44.15416	-98.35212	OM3-LS	R/R	1	South				Yellow		Repl	1		County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Object Marker at each corner of pipe(s) or structure
2548222421	393rd Avenue	44.15405	-98.35207	Del7	R/R	8					White	1.12 lb/ft Post	Repl	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2548222500	393rd Avenue	44.15461	-98.35207	Del7	R/R	8					White	1.12 lb/ft Post	Repl	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-back delineators on each side of the roadway, both sides of the structure, spaced 50' apart, in a straight line beginning 200' from corner of the structure
2548222525	393rd Avenue	44.15416	-98.35201	OM3-RS	R/R	1	South				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure
2548222648	393rd Avenue	44.15450	-98.35213	OM3-RS	R/R	1	North				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object Marker at each corner of pipe(s) or structure
2552112811	393rd Avenue	44.07083	-98.55239	R12-4x	New	1	North	30" x 36"	7.5		White	2" X 2" Perforated Tube Post	New	1	10	County	R12-4x, Gross Weight Limit (Folding Sign)	GROSS WEIGHT LIMIT PER AXLE 13500 LBS	Foldable Sign
25619132758	393rd Avenue	44.16909	-98.35349	W10-3	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W10-3, Railroad Grade Crossing & Intersection Advance Warning		Install Minimum 325' in Advance of Intersection; RR Tracks on right side of sign
25619132846	393rd Avenue	44.17057	-98.35483	W10-3	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	County	W10-3, Railroad Grade Crossing & Intersection Advance Warning		Install Minimum 325' in Advance of Intersection; RR Tracks on left side of sign
2585151251	393rd Avenue	44.17713	-98.35966	W1-4L	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	County	W1-4L, Reverse Curve (Left)		Install Minimum 100' in advance of Curve PC
251212112559	394th Avenue	43.99589	-98.33175	R1-1	In Place	1	North				Red	2" X 2" Perforated Tube Post	In Place				R1-1, Stop		Owned by Sanborn County
251212112559.2	394th Avenue	43.99589	-98.33175	Del8a	In Place	1	North				White	2" X 2" Perforated Tube Post	In Place				Del8a, 4" Tubular White Delineator (no post)		Owned by Sanborn County
2521115412	394th Avenue	44.01025	-98.33167	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	10	Blaine	R1-2, Yield		
2521115412.2	394th Avenue	44.01025	-98.33167	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	New			Blaine	Del8a, 4" Tubular White Delineator (no post)		
2521354627	394th Avenue	43.96683	-98.33176	R1-1	R/R	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2521354627.2	394th Avenue	43.96683	-98.33176	Del8a	New	1	North				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
25424143127	394th Avenue	44.08806	-98.33195	OM2-2Va	New	1	North & South				Yellow	1.12 lb/ft Post	New	1	5	Franklin	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Tree
25424201043	394th Avenue	43.99569	-98.33160	R1-1	In Place	1	South				Red	2" X 2" Perforated Tube Post	In Place				R1-1, Stop		Owned by Sanborn County
25424201043.2	394th Avenue	43.99569	-98.33160	Del8a	In Place	1	South				White	2" X 2" Perforated Tube Post	In Place				Del8a, 4" Tubular White Delineator (no post)		Owned by Sanborn County
2545221254	394th Avenue	43.96662	-98.33158	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	County	R1-1, Stop		
2545221254.2	394th Avenue	43.96662	-98.33158	Del8a	New	1	South				White	2" X 2" Perforated Tube Post	Repl			County	Del8a, 4" Tubular White Delineator (no post)		
2548222916	394th Avenue	44.15318	-98.33193	OM3-RS	R/R	1	South				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one Object
2548223021	394th Avenue	44.15318	-98.33199	OM3-LS	R/R	1	South				Yellow		Repl	1		County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one Obj
2548223107	394th Avenue	44.15330	-98.33192	OM3-LS	R/R	1	North				Yellow		Repl	1		County	OM3-LS, Type 3 Flexible Object Marker (Left)		Install one O
2548223216	394th Avenue	44.15330	-98.33199	OM3-RS	R/R	1	North				Yellow		Repl	1		County	OM3-RS, Type 3 Flexible Object Marker (Right)		Install one
2548223256	394th Avenue	44.15312	-98.33197	Del7	R/R	8					White	1.12 lb/ft Post	Repl	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-ba structure, spaced 50' ap ucture
2548223341	394th Avenue	44.15337	-98.33195	Del7	R/R	8					White	1.12 lb/ft Post	Repl	8	5	County	Del7, 4"x4" White Delineator Back to Back w/Post		Install (4) back-to-bac structure, spaced 50' apar ucture
25317105127	City of Alpena	44.17936	-98.37241	POST									Disc	1		City of Alpena	POST, Post Only - No Sign Involved		Post Only -
2531711014	City of Alpena	44.18041	-98.37240	POST									Disc	1		City of Alpena	POST, Post Only - No Sign Involved		Post Only - No

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	128	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25317111116	City of Alpena	44.18141	-98.37240	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Alpena	R1-1, Stop		
25317111807	City of Alpena	44.18401	-98.37262	Other	D/S	1	North				Yellow					City of Alpena	Other, Other Sign	Slow Children At Play	Sign attached to R2-1. Salvage sign back to the City of Alpena.
25317112035	City of Alpena	44.18401	-98.37259	R2-1 (20)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	City of Alpena	R2-1, Speed Limit 20mph		
25317113532	City of Alpena	44.17927	-98.37107	R2-1 (20)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R2-1, Speed Limit 20mph		
25317114119	City of Alpena	44.17926	-98.36836	Other	D/S	2	East & West				Yellow					City of Alpena	Other, Other Sign	Slow Children At Play	2 "Slow Children At Play" signs on a power pole. Salvage signs back to the City of Alpena.
25317115540	City of Alpena	44.17922	-98.36562	W14-2	R/R	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	W14-2, No Outlet		
2531712215	City of Alpena	44.17926	-98.36486	W1-1L	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	City of Alpena	W1-1L, Turn (Left)		
25317131346	City of Alpena	44.18039	-98.36981	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R1-2, Yield		
2531713148	City of Alpena	44.18030	-98.37135	Other	D/S	1	West				Yellow	Pole	In Place			City of Alpena	Other, Other Sign	Caution Children At Play	Sign on Power Pole. Salvage sign back to the City of Alpena.
25317131528	City of Alpena	44.18029	-98.36968	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R1-2, Yield		
25317132430	City of Alpena	44.18024	-98.36689	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Alpena	R1-1, Stop		
25317132642	City of Alpena	44.18036	-98.36704	R1-1	R/R	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R1-1, Stop		
25317134810	City of Alpena	44.18127	-98.37128	Other	D/S	1	West				Yellow					City of Alpena	Other, Other Sign	Caution Children At Play	Sign attached to D3-1 sign post. Salvage sign back to City of Alpena.
25317135045	City of Alpena	44.18129	-98.37128	R2-1 (20)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R2-1, Speed Limit 20mph		
25317141642	City of Alpena	44.18145	-98.36565	R1-1	R/R	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Alpena	R1-1, Stop		Install using flush mount
25317142857	City of Alpena	44.18241	-98.37106	W14-2	R/R	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	W14-2, No Outlet		
25317143002	City of Alpena	44.18233	-98.37133	R2-1 (20)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R2-1, Speed Limit 20mph		
2531714354	City of Alpena	44.18140	-98.36981	R1-1	R/R	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R1-1, Stop		
25317144357	City of Alpena	44.18233	-98.36569	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R1-2, Yield		
25317144550	City of Alpena	44.18266	-98.36546	R1-2	R/R	1	Southeast	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R1-2, Yield		
25317145954	City of Alpena	44.18318	-98.36985	Other	D/S	1	North				Yellow		Disc	1		City of Alpena	Other, Other Sign	Caution Children At Play	Salvage sign back to the City of Alpena
2531714857	City of Alpena	44.18139	-98.36704	R1-1	R/R	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Alpena	R1-1, Stop		
25317151142	City of Alpena	44.18018	-98.36707	Other	D/S	1	North				Yellow	Pole	In Place			City of Alpena	Other, Other Sign	Caution Children At Play	Sign on Power Pole. Salvage sign back to the City of Alpena.
25317151438	City of Alpena	44.17956	-98.36710	Other	D/S	1	South				Yellow	Pole	In Place			City of Alpena	Other, Other Sign	Caution Children At Play	Sign on Power Pole. Salvage sign back to the City of Alpena.
25317151855	City of Alpena	44.18355	-98.36566	R2-1 (20)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	City of Alpena	R2-1, Speed Limit 20mph		
25317152054	City of Alpena	44.17992	-98.36551	R2-1 (20)	R/R	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R2-1, Speed Limit 20mph		
25317154949	City of Alpena	44.18342	-98.36981	R2-1 (20)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R2-1, Speed Limit 20mph		
25317155435	City of Alpena	44.18395	-98.36970	R2-1 (20)	D/R	1	North				White	Pole	In Place			City of Alpena	R2-1, Speed Limit 20mph		
25317231225	City of Alpena	44.18139	-98.37125	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Alpena	R1-2, Yield		Install on Power Pole
2531794157	City of Alpena	44.17937	-98.37244	M6-1	D/R	1	South				White	Pole	In Place			City of Alpena	M6-1, Horizontal Direction Arrow - Single Head		
25322111654	City of Alpena	44.17982	-98.36424	W1-1R	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	City of Alpena	W1-1R, Turn (Right)		
2542111730	City of Alpena	44.17749	-98.35991	R2-1 (20)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	City of Alpena	R2-1, Speed Limit 20mph		
25423221136	City of Alpena	44.17926	-98.36196	W11-2	New	1	South	30" x 30"		6.3	Yellow	Pole	In Place			City of Alpena	W11-2, Pedestrian Crossing		Install on Power Pole
25424201312	City of Alpena	44.18419	-98.36706	R2-1 (20)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R2-1, Speed Limit 20mph		
25430154232	City of Alpena	44.17935	-98.37233	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	R1-1, Stop		
25430154232.2	City of Alpena	44.17935	-98.37233	R1-3P	New	1	East	18" x 6"		0.8	Red	2" X 2" Perforated Tube Post	Repl			City of Alpena	R1-3P, All Way		
25430154232.3	City of Alpena	44.17935	-98.37233	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	5th St	
25430154232.4	City of Alpena	44.17935	-98.37233	D3-1	R/R	2	East & West	36" x 9"	2.3		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Willow Ave	
25430155242	City of Alpena	44.18042	-98.37240	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	4th St	
25430155242.2	City of Alpena	44.18042	-98.37240	D3-1	R/R	2	East & West	36" x 9"	2.3		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Willow Ave	
25430155550	City of Alpena	44.18125	-98.37237	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	Main St	
25430155550.2	City of Alpena	44.18125	-98.37237	D3-1	R/R	2	East & West	36" x 9"	2.3		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Willow Ave	
25430155854	City of Alpena	44.18242	-98.37240	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	3rd St	
25430155854.2	City of Alpena	44.18242	-98.37240	D3-1	R/R	2	East & West	36" x 9"	2.3		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Willow Ave	
2543016250	City of Alpena	44.17939	-98.36982	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	5th St	
2543016250.2	City of Alpena	44.17939	-98.36982	D3-1	R/R	2	East & West	36" x 9"	2.3		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Spruce Ave	
25430162820	City of Alpena	44.18128	-98.36969	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	R1-1, Stop		
25430162820.2	City of Alpena	44.18128	-98.36969	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Main St	
25430162820.3	City of Alpena	44.18128	-98.36969	D3-1	R/R	2	East & West	36" x 9"	2.3		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Spruce Ave	
25430163945	City of Alpena	44.18231	-98.36828	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	3rd St	
25430163945.2	City of Alpena	44.18231	-98.36828	D3-1	R/R	2	East & West	36" x 9"	2.3		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Maple Ave	
25430164355	City of Alpena	44.17937	-98.36707	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	5th St	
25430164355.2	City of Alpena	44.17937	-98.36707	D3-1	R/R	2	East & West	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Pine Ave	
25430164532	City of Alpena	44.18037	-98.36685	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	4th St	
25430164532.2	City of Alpena	44.18037	-98.36685	D3-1	R/R	2	East & West	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Pine Ave	
25430164828	City of Alpena	44.18124	-98.36687	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	R1-1, Stop		
25430164828.2	City of Alpena	44.18124	-98.36687	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Main St	
25430164828.3	City of Alpena	44.18124	-98.36687	D3-1	R/R	2	East & West	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Pine Ave	
25430165608	City of Alpena	44.17939	-98.36566	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	5th St	
25430165608.2	City of Alpena	44.17939	-98.36566	D3-1	R/R	2	East & West	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Oak Ave	
2543016611	City of Alpena	44.18037	-98.36965	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	4th St	
2543016611.2	City of Alpena	44.18037	-98.36965	D3-1	R/R	2	East & West	36" x 9"	2.3		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Spruce Ave	
2543017022	City of Alpena	44.18038	-98.36569	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	4th St	
2543017022.2	City of Alpena	44.18038	-98.36569	D3-1	R/R	2	East & West	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Oak Ave	
25430171243	City of Alpena	44.17937	-98.36410	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	5th St	
25430171243.2	City of Alpena	44.17937	-98.36410	D3-1	R/R	2	East & West	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Elm Ave	

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	129	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2543017233	City of Alpena	44.18124	-98.36548	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	R1-1, Stop		
2543017233.2	City of Alpena	44.18124	-98.36548	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Main St	
2543017233.3	City of Alpena	44.18124	-98.36548	D3-1	R/R	2	East & West	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Oak Ave	
2543017422	City of Alpena	44.18242	-98.36568	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	3rd St	
2543017422.2	City of Alpena	44.18242	-98.36568	D3-1	R/R	2	East & West	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Oak Ave	
2543017652	City of Alpena	44.18144	-98.36365	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	Main St	
2543017652.2	City of Alpena	44.18144	-98.36365	D3-1	R/R	2	East & West	36" x 9"	2.3		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Railway Ave	
2543017929	City of Alpena	44.18040	-98.36309	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	4th St	
2543017929.2	City of Alpena	44.18040	-98.36309	D3-1	R/R	2	East & West	36" x 9"	2.3		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Railway Ave	
2552113046	City of Alpena	44.18147	-98.36475	R2-1 (20)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	City of Alpena	R2-1, Speed Limit 20mph		
255292748	City of Alpena	44.18127	-98.37218	W15-1	New	1	West	30" x 30"		6.3	Yellow-Green	2" X 2" Perforated Tube Post	New	1	10	City of Alpena	W15-1, Playground		
255294204	City of Alpena	44.18026	-98.37134	R2-1 (20)	New	1	West	24" x 30"	5		White	Wood Pole	In Place			City of Alpena	R2-1, Speed Limit 20mph		
255294304	City of Alpena	44.18025	-98.37045	R2-1 (20)	D/R	1	West				White	Wood Pole	In Place			City of Alpena	R2-1, Speed Limit 20mph		
255294740	City of Alpena	44.18005	-98.36983	R2-1 (20)	D/R	1	South				White	Wood Pole	In Place			City of Alpena	R2-1, Speed Limit 20mph		
255295341	City of Alpena	44.18142	-98.36582	R2-1 (20)	D/R	1	East				White	2" X 2" Perforated Tube Post	In Place			City of Alpena	R2-1, Speed Limit 20mph		
255691944	City of Alpena	44.18129	-98.37119	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	Main St	
255691944.2	City of Alpena	44.18129	-98.37119	D3-1	R/R	2	East & West	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Ash Ave	
255692356	City of Alpena	44.18242	-98.37122	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	3rd St	
255692356.2	City of Alpena	44.18242	-98.37122	D3-1	R/R	2	East & West	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Ash Ave	
255693137	City of Alpena	44.18343	-98.36551	D3-1	New	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	New	1	11	City of Alpena	D3-1, Street Name	2nd St	
255693137.2	City of Alpena	44.18343	-98.36551	D3-1	New	2	East & West	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	New			City of Alpena	D3-1, Street Name	Oak Ave	
255715816	City of Alpena	44.18423	-98.37241	SP-3AR	R/R	1	West	30" x 30"	6.3		Brown	Wood Pole	In Place			City of Alpena	SP-3AR, Veterans Memorial (Right Arrow)	VETERANS MEMORIAL (ARROW RIGHT)	Mount signs back-to-back on same Power Pole
255715816.2	City of Alpena	44.18423	-98.37241	SP-3AL	R/R	1	East	30" x 30"	6.3		Brown	Wood Pole	In Place			City of Alpena	SP-3AL, Veterans Memorial (Left Arrow)	VETERANS MEMORIAL (ARROW LEFT)	Mount signs back-to-back on same Power Pole
2561023932	City of Alpena	44.18418	-98.36388	W14-2	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	City of Alpena	W14-2, No Outlet		
2561812418	City of Alpena	44.18138	-98.36743	SP-4	R/R	1	East	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Alpena	SP-4, Parallel Parking Only	PARALLEL PARKING ONLY $100 FINE MAXIMUM	
25731105420	City of Alpena	44.18230	-98.36989	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R1-2, Yield		
25731105625	City of Alpena	44.18241	-98.36964	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	R1-2, Yield		
25731105625.2	City of Alpena	44.18241	-98.36964	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	3rd St	
25731105625.3	City of Alpena	44.18241	-98.36964	D3-1	R/R	2	East & West	36" x 9"	2.3		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Spruce Ave	
25731111748	City of Alpena	44.18143	-98.36844	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R1-2, Yield		
25731111850	City of Alpena	44.18127	-98.36829	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	R1-2, Yield		
25731111850.2	City of Alpena	44.18127	-98.36829	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Main St	
25731111850.3	City of Alpena	44.18127	-98.36829	D3-1	R/R	2	East & West	36" x 9"	2.3		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Maple Ave	
25731112818	City of Alpena	44.18129	-98.36876	SP-4	R/R	1	West	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Alpena	SP-4, Parallel Parking Only	PARALLEL PARKING ONLY $100 FINE MAXIMUM	
25731113042	City of Alpena	44.18130	-98.36987	SP-4	R/R	1	West	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Alpena	SP-4, Parallel Parking Only	PARALLEL PARKING ONLY $100 FINE MAXIMUM	
25731113139	City of Alpena	44.18140	-98.36993	SP-4	R/R	1	East	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Alpena	SP-4, Parallel Parking Only	PARALLEL PARKING ONLY $100 FINE MAXIMUM	
25731113632	City of Alpena	44.18039	-98.36826	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	9	City of Alpena	D3-1, Street Name	4th St	
25731113632.2	City of Alpena	44.18039	-98.36826	D3-1	R/R	2	East & West	36" x 9"	2.3		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Maple Ave	
25731113930	City of Alpena	44.18037	-98.36824	R1-2	D/R	1	East				Red	Wood Pole	In Place			City of Alpena	R1-2, Yield		
25731114027	City of Alpena	44.18024	-98.36827	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R1-2, Yield		
25731114131	City of Alpena	44.18040	-98.36845	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R1-2, Yield		
25731114435	City of Alpena	44.17939	-98.36845	R1-2	New	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	R1-2, Yield		
25731114435.2	City of Alpena	44.17939	-98.36845	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	5th St	
25731114435.3	City of Alpena	44.17939	-98.36845	D3-1	R/R	2	East & West	36" x 9"	2.3		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Maple Ave	
25731115023	City of Alpena	44.18344	-98.36691	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	R1-2, Yield		
25731115023.2	City of Alpena	44.18344	-98.36691	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	2nd St	
25731115023.3	City of Alpena	44.18344	-98.36691	D3-1	R/R	2	East & West	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Pine Ave	
25731115817	City of Alpena	44.18243	-98.36631	R2-1 (20)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	City of Alpena	R2-1, Speed Limit 20mph		
2573112059	City of Alpena	44.18241	-98.36689	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	R1-2, Yield		
2573112059.2	City of Alpena	44.18241	-98.36689	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	3rd St	
2573112059.3	City of Alpena	44.18241	-98.36689	D3-1	R/R	2	East & West	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Pine Ave	
2573112059.4	City of Alpena	44.18241	-98.36689	R2-1 (20)	D/R	1	East				White	2" X 2" Perforated Tube Post	Repl			City of Alpena	R2-1, Speed Limit 20mph		
25731121130	City of Alpena	44.18038	-98.36350	R2-1 (20)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R2-1, Speed Limit 20mph		
25731121209	City of Alpena	44.18037	-98.36413	D3-1	R/R	2	North & South	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl	1	11	City of Alpena	D3-1, Street Name	4th St	
25731121209.2	City of Alpena	44.18037	-98.36413	D3-1	R/R	2	East & West	30" x 9"	1.9		Green	2" X 2" Perforated Tube Post	Repl			City of Alpena	D3-1, Street Name	Elm Ave	
25731121209.3	City of Alpena	44.18037	-98.36413	R2-1 (20)	D/R	1	East				White	2" X 2" Perforated Tube Post	Repl			City of Alpena	R2-1, Speed Limit 20mph		
2573112416	City of Alpena	44.18233	-98.36707	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R1-2, Yield		

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	130	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2573112619	City of Alpena	44.18332	-98.36568	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	City of Alpena	R1-2, Yield		
2577135957	City of Alpena	44.18231	-98.36553	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Alpena	R1-2, Yield		Yield Sign placed on left side of road (southeast corner of intersection)
2577142642	City of Alpena	44.17796	-98.37238	W3-5	New	1	South	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	City of Alpena	W3-5, Reduce Speed Limit Ahead (Symbol)	20	Install Minimum 225' in Advance of R2-1 (20 mph) Speed Limit Sign
257714628	City of Alpena	44.18392	-98.36375	R2-1 (20)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	City of Alpena	R2-1, Speed Limit 20mph		
2585133003	City of Alpena	44.17923	-98.37238	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Alpena	R1-1, Stop		
2585133003.2	City of Alpena	44.17923	-98.37238	R1-3P	New	1	South	18" x 6"		0.8	Red	2" X 2" Perforated Tube Post	Repl			City of Alpena	R1-3P, All Way		
2585152542	City of Alpena	44.17928	-98.36183	R2-1 (20)	D/R	1	South				White	Wood Pole	In Place			City of Alpena	R2-1, Speed Limit 20mph		
2622794534	City of Alpena	44.17926	-98.36225	Other	D/S	1	North				White		Disc	1		City of Alpena	Other, Other Sign	South Pit #4	Salvage South Pit #4 sign back to the City of Alpena
2622794534.2	City of Alpena	44.17926	-98.36225	Other	D/R	1	South				White		Disc			City of Alpena	Other, Other Sign	Danger Truck and Pedestrian Crossings	
25324101500	City of Wess. Springs	44.08966	-98.57102	R1-2	R/R	1	Northwest	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324101725	City of Wess. Springs	44.08878	-98.57233	Del3	D/R	1	West				Yellow		Disc	1		City of Wess. Springs	Del3, 4"x4" Amber Delineator w/Post		
25324101848	City of Wess. Springs	44.08879	-98.57240	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324102325	City of Wess. Springs	44.08879	-98.57102	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324102631	City of Wess. Springs	44.08775	-98.57240	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324103148	City of Wess. Springs	44.08775	-98.57101	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324104036	City of Wess. Springs	44.08669	-98.57243	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324104541	City of Wess. Springs	44.08680	-98.57220	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324104953	City of Wess. Springs	44.08669	-98.57104	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324105409	City of Wess. Springs	44.08675	-98.56941	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324105847	City of Wess. Springs	44.08556	-98.57436	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324111130	City of Wess. Springs	44.08551	-98.56815	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
2532411140	City of Wess. Springs	44.08555	-98.57242	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324112011	City of Wess. Springs	44.08450	-98.57240	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324112422	City of Wess. Springs	44.08451	-98.57103	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324113048	City of Wess. Springs	44.08463	-98.56936	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324113215	City of Wess. Springs	44.08450	-98.56820	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	R1-2, Yield		
25324113533	City of Wess. Springs	44.08360	-98.57406	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	R1-2, Yield		
25324113750	City of Wess. Springs	44.08347	-98.57245	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
2532411409	City of Wess. Springs	44.08555	-98.57103	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324114119	City of Wess. Springs	44.08346	-98.57098	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324114646	City of Wess. Springs	44.08358	-98.56934	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324114901	City of Wess. Springs	44.08347	-98.56818	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324115302	City of Wess. Springs	44.08242	-98.57243	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
2532411911	City of Wess. Springs	44.08563	-98.56940	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324121008	City of Wess. Springs	44.08036	-98.57385	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324121408	City of Wess. Springs	44.08036	-98.57246	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324121946	City of Wess. Springs	44.08035	-98.57098	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		Install using flush mount
25324123113	City of Wess. Springs	44.08035	-98.56960	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324123208	City of Wess. Springs	44.08046	-98.56932	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324123659	City of Wess. Springs	44.08035	-98.56818	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
2532412410	City of Wess. Springs	44.08152	-98.57433	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	R1-2, Yield		
2532412520	City of Wess. Springs	44.08136	-98.57368	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324125351	City of Wess. Springs	44.08049	-98.56660	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324125717	City of Wess. Springs	44.08046	-98.56521	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
2532412800	City of Wess. Springs	44.08136	-98.57239	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324131032	City of Wess. Springs	44.07946	-98.57383	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
2532413138	City of Wess. Springs	44.08034	-98.56227	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324131410	City of Wess. Springs	44.07930	-98.57101	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		Install using flush mount
25324131914	City of Wess. Springs	44.07925	-98.56936	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		Install using flush mount
25324132312	City of Wess. Springs	44.07927	-98.56795	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		Install using flush mount
2532413242	City of Wess. Springs	44.08046	-98.56242	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324132853	City of Wess. Springs	44.07926	-98.56645	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324133247	City of Wess. Springs	44.07944	-98.56522	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324133606	City of Wess. Springs	44.07931	-98.56367	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324133712	City of Wess. Springs	44.07943	-98.56384	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324133824	City of Wess. Springs	44.07931	-98.56227	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324133907	City of Wess. Springs	44.07944	-98.56244	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324134232	City of Wess. Springs	44.07929	-98.55991	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324134332	City of Wess. Springs	44.07943	-98.56007	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324134558	City of Wess. Springs	44.07830	-98.57385	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324134834	City of Wess. Springs	44.07830	-98.56812	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324135051	City of Wess. Springs	44.07843	-98.56662	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324135213	City of Wess. Springs	44.07829	-98.56650	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324135345	City of Wess. Springs	44.07842	-98.56524	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324135503	City of Wess. Springs	44.07828	-98.56506	R1-2	New	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	R1-2, Yield		

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	131	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2532413649	City of Wess. Springs	44.08034	-98.56007	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
2532413916	City of Wess. Springs	44.07930	-98.57367	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324141249	City of Wess. Springs	44.07728	-98.56936	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324141646	City of Wess. Springs	44.07729	-98.56809	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324142632	City of Wess. Springs	44.07626	-98.56812	R1-2	New	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	R1-2, Yield		
25324143026	City of Wess. Springs	44.07522	-98.57095	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-1, Stop		
25324143604	City of Wess. Springs	44.07486	-98.57072	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324144446	City of Wess. Springs	44.08185	-98.56815	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324144633	City of Wess. Springs	44.08199	-98.56794	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324145433	City of Wess. Springs	44.08188	-98.56003	R1-2	D/R	1	North				Red		Disc	1		City of Wess. Springs	R1-2, Yield		
25324145523	City of Wess. Springs	44.08186	-98.56001	R1-1	New	1	North	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	R1-1, Stop		
2532414948	City of Wess. Springs	44.07729	-98.57098	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324152450	City of Wess. Springs	44.08326	-98.57436	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25324153446	City of Wess. Springs	44.07944	-98.57528	W14-2	R/R	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	W14-2, No Outlet		
25324162533	City of Wess. Springs	44.07624	-98.57080	R2-1 (25)	D/R	1	South				White		Disc	1		City of Wess. Springs	R2-1, Speed Limit 25mph		
25324162533.2	City of Wess. Springs	44.07624	-98.57080	Other	D/R	1	South				Yellow		Disc			City of Wess. Springs	Other, Other Sign	SLOW	
25324163139	City of Wess. Springs	44.07412	-98.57074	W7-1	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	W7-1, Hill (Symbol)		
25324163744	City of Wess. Springs	44.07383	-98.57074	R2-1 (25)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	R2-1, Speed Limit 25mph		
25324165802	City of Wess. Springs	44.07800	-98.57095	Other	D/R	1	North				Yellow		Disc	1		City of Wess. Springs	Other, Other Sign	SLOW	
25324165802.2	City of Wess. Springs	44.07800	-98.57095	W13-1P	D/R	1	North				Yellow		Disc			City of Wess. Springs	W13-1P, Advisory Speed (Plaque)	25	
2532493504	City of Wess. Springs	44.09172	-98.57430	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	R1-2, Yield		
2532494353	City of Wess. Springs	44.08970	-98.57431	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
2532494951	City of Wess. Springs	44.08998	-98.57135	R1-2	R/R	1	Northwest	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25325104309	City of Wess. Springs	44.08389	-98.57433	W8-2	R/R	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	W8-2, Dip		
25325104339	City of Wess. Springs	44.08530	-98.57407	W8-2	R/R	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	W8-2, Dip		
25325104400	City of Wess. Springs	44.08598	-98.57431	W8-2	R/R	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	W8-2, Dip		
25325104455	City of Wess. Springs	44.08637	-98.56958	W8-2	R/R	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	W8-2, Dip		
25325111450	City of Wess. Springs	44.07638	-98.56922	W8-2	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	W8-2, Dip		
25325112615	City of Wess. Springs	44.07998	-98.56797	R8-3	R/R	1	South	24" x 24"	4		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R8-3, No Parking (Symbol)		
25325113236	City of Wess. Springs	44.08327	-98.56797	W8-1	R/R	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	W8-1, Bump		
25325113445	City of Wess. Springs	44.08374	-98.56809	W8-1	R/R	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	W8-1, Bump		
25325113721	City of Wess. Springs	44.08659	-98.56818	Other	D/S	1	North				Yellow	Pole	In Place			City of Wess. Springs	Other, Other Sign		Sign on Power Pole. Salvage sign back to the City of Wessington Springs.
25325115512	City of Wess. Springs	44.08178	-98.56364	Other	D/S	1	North				White		Disc	1		City of Wess. Springs	Other, Other Sign	Staff Parking	Salvage sign back to the City of Wessington Springs
2532511631	City of Wess. Springs	44.07638	-98.56920	Other	D/R	1	East				Yellow		Disc	1		City of Wess. Springs	Other, Other Sign	CAUTION	
25325121134	City of Wess. Springs	44.07625	-98.56984	W8-2	R/R	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	W8-2, Dip		
25325131421	City of Wess. Springs	44.07922	-98.55702	Del4	D/R	1	East & West				Yellow		Disc	1		City of Wess. Springs	Del4, 4"x4" Amber Delineator Back to Back w/Post		
25325131537	City of Wess. Springs	44.07949	-98.55682	Del4	D/R	1	East & West				Yellow		Disc	1		City of Wess. Springs	Del4, 4"x4" Amber Delineator Back to Back w/Post		
25325131752	City of Wess. Springs	44.07925	-98.55253	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	10	City of Wess. Springs	R1-1, Stop		
25325135118	City of Wess. Springs	44.08032	-98.56786	Other	D/S	1	West				Yellow		Disc	1		City of Wess. Springs	Other, Other Sign		Salvage sign back to the City of Wessington Springs
2532513814	City of Wess. Springs	44.07931	-98.55978	R2-1 (35)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	City of Wess. Springs	R2-1, Speed Limit 35mph		
2532513921	City of Wess. Springs	44.07942	-98.56018	R2-1 (25)	R/R	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	City of Wess. Springs	R2-1, Speed Limit 25mph		
25325143348	City of Wess. Springs	44.08187	-98.56181	R8-3	R/R	1	East	24" x 24"	4		White	Pole	In Place			City of Wess. Springs	R8-3, No Parking (Symbol)		Install on Power Pole
25325143558	City of Wess. Springs	44.08186	-98.56125	R8-3	R/R	1	East	24" x 24"	4		White	Pole	In Place			City of Wess. Springs	R8-3, No Parking (Symbol)		Install on Power Pole
25325143700	City of Wess. Springs	44.08185	-98.56068	R8-3	R/R	1	East	24" x 24"	4		White	Pole	In Place			City of Wess. Springs	R8-3, No Parking (Symbol)		Install on Power Pole
25325144626	City of Wess. Springs	44.08354	-98.56666	W14-1	D/R	1	West				Yellow		Disc	1		City of Wess. Springs	W14-1, Dead End		
25325144801	City of Wess. Springs	44.08360	-98.56676	OM4-3	New	3	West				Red	1.12 lb/ft Post	New	3	7	City of Wess. Springs	OM4-3, End of Road Marker		Install (2) on the right-hand side of road and (1) on the left-hand side of road
25325145149	City of Wess. Springs	44.08348	-98.56792	W14-1	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	W14-1, Dead End		
25325145819	City of Wess. Springs	44.08557	-98.57614	W70-2	D/S	1	East				Yellow		Disc	1		City of Wess. Springs	W70-2, No Maintenance		Salvage sign back to the City of Wessington Springs
2532581108	City of Wess. Springs	44.08315	-98.57080	W8-2	R/R	1	South	30" x 30"		6.3	Yellow	Pole	In Place			City of Wess. Springs	W8-2, Dip		Install on Power Pole
2532584214	City of Wess. Springs	44.08943	-98.57098	R2-1 (25)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	R2-1, Speed Limit 25mph		
2532584352	City of Wess. Springs	44.09032	-98.57082	POST									Disc	2		City of Wess. Springs	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2532711108	City of Wess. Springs	44.08200	-98.56935	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25327112657	City of Wess. Springs	44.08137	-98.57103	R1-1	R/R	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-1, Stop		
25327121046	City of Wess. Springs	44.08256	-98.57085	Other	D/S	1	South				Yellow	Pole	In Place			City of Wess. Springs	Other, Other Sign		Sign on Power Pole. Salvage sign back to the City of Wessington Springs.
25327121517	City of Wess. Springs	44.08277	-98.57098	POST									Disc	1		City of Wess. Springs	POST, Post Only - No Sign Involved		Post Only - No Sign Involved. Discard/Remove Post
2532712838	City of Wess. Springs	44.08242	-98.57103	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R1-2, Yield		
25327161054	City of Wess. Springs	44.08978	-98.57416	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	10th St NW	
25327161054.2	City of Wess. Springs	44.08978	-98.57416	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	College Ave N	
25327161247	City of Wess. Springs	44.09081	-98.57408	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	11th St NW	
25327161247.2	City of Wess. Springs	44.09081	-98.57408	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	College Ave N	
25328234133	City of Wess. Springs	44.08466	-98.57404	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	5th St NW	
25328234133.2	City of Wess. Springs	44.08466	-98.57404	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	College Ave N	
25328234756	City of Wess. Springs	44.08681	-98.57414	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	7th St NW	
25328234756.2	City of Wess. Springs	44.08681	-98.57414	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	College Ave N	
25328235058	City of Wess. Springs	44.08566	-98.57409	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	6th St NW	
25328235058.2	City of Wess. Springs	44.08566	-98.57409	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	College Ave N	

REGISTERED PROFESSIONAL ENGINEER
REG. NO.
9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	132	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25328235426	City of Wess. Springs	44.08345	-98.57406	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	4th St NW	
25328235426.2	City of Wess. Springs	44.08345	-98.57406	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	College Ave N	
253290735	City of Wess. Springs	44.08049	-98.57367	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	1st St NW	
253290735.2	City of Wess. Springs	44.08049	-98.57367	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	College Ave N	
25329101333	City of Wess. Springs	44.08359	-98.56799	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	4th St NE	
25329101333.2	City of Wess. Springs	44.08359	-98.56799	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Barrett Ave N	
25329102820	City of Wess. Springs	44.08045	-98.56798	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	1st St NE	
25329102820.2	City of Wess. Springs	44.08045	-98.56798	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Barrett Ave N	
25329103740	City of Wess. Springs	44.07841	-98.56796	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	1st St SE	
25329103740.2	City of Wess. Springs	44.07841	-98.56796	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Barrett Ave S	
25329105517	City of Wess. Springs	44.07638	-98.56794	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	Rockford Ave	
25329105517.2	City of Wess. Springs	44.07638	-98.56794	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Barrett Ave S	
25329105957	City of Wess. Springs	44.07536	-98.56784	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	Scott Ave S	
25329105957.2	City of Wess. Springs	44.07536	-98.56784	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Barrett Ave S	
2532911534	City of Wess. Springs	44.08979	-98.57223	D3-1	D/R	1	North & South				Blue	Pole	In Place			City of Wess. Springs	D3-1, Street Name	10th St NW	Discard/Remove leftover hardware from pole
2532911534.2	City of Wess. Springs	44.08979	-98.57223	D3-1	D/R	1	East & West				Blue	Pole	In Place			City of Wess. Springs	D3-1, Street Name	State Ave N	
2532911912	City of Wess. Springs	44.08889	-98.57224	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	9th St NW	
2532911912.2	City of Wess. Springs	44.08889	-98.57224	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	State Ave N	
2532912307	City of Wess. Springs	44.08788	-98.57223	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	8th St NW	
2532912307.2	City of Wess. Springs	44.08788	-98.57223	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	State Ave N	
2532913007	City of Wess. Springs	44.08563	-98.57226	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	6th St NW	
2532913007.2	City of Wess. Springs	44.08563	-98.57226	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	State Ave N	
2532913753	City of Wess. Springs	44.08366	-98.57223	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	4th ST NW	
2532913753.2	City of Wess. Springs	44.08366	-98.57223	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	State Ave N	
2532914134	City of Wess. Springs	44.08252	-98.57227	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	3rd St NW	
2532914134.2	City of Wess. Springs	44.08252	-98.57227	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	State Ave N	
2532914439	City of Wess. Springs	44.08152	-98.57224	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	2nd St NW	
2532914439.2	City of Wess. Springs	44.08152	-98.57224	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	State Ave N	
2532915648	City of Wess. Springs	44.08046	-98.57225	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	1st St NW	
2532915648.2	City of Wess. Springs	44.08046	-98.57225	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	State Ave N	
25329161701	City of Wess. Springs	44.08186	-98.56648	D3-1	D/R	1	North & South				Blue	Pole	In Place			City of Wess. Springs	D3-1, Street Name	2nd St NE	Discard/Remove leftover hardware from pole
25329161701.2	City of Wess. Springs	44.08186	-98.56648	D3-1	D/R	1	East & West				Blue	Pole	In Place			City of Wess. Springs	D3-1, Street Name	Blowers Ave N	
25329162956	City of Wess. Springs	44.08034	-98.56644	D3-1	D/R	1	North & South				Blue	Pole	In Place			City of Wess. Springs	D3-1, Street Name	1st St NE	Discard/Remove leftover hardware from pole
25329162956.2	City of Wess. Springs	44.08034	-98.56644	D3-1	D/R	1	East & West				Blue	Pole	In Place			City of Wess. Springs	D3-1, Street Name	Blowers Ave N	
25329164731	City of Wess. Springs	44.07831	-98.56663	D3-1	D/R	1	North & South				Blue	Pole	In Place			City of Wess. Springs	D3-1, Street Name	1st St SE	Discard/Remove leftover hardware from pole
25329164731.2	City of Wess. Springs	44.07831	-98.56663	D3-1	D/R	1	East & West				Blue	Pole	In Place			City of Wess. Springs	D3-1, Street Name	Blowers Ave S	
25329171448	City of Wess. Springs	44.07843	-98.56508	D3-1	D/R	1	North & South				Blue	Pole	In Place			City of Wess. Springs	D3-1, Street Name	1st St SE	Discard/Remove leftover hardware from pole
25329171448.2	City of Wess. Springs	44.07843	-98.56508	D3-1	D/R	1	East & West				Blue	Pole	In Place			City of Wess. Springs	D3-1, Street Name	Slocum Ave S	
25329172138	City of Wess. Springs	44.08032	-98.56364	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	1st St NE	
25329172138.2	City of Wess. Springs	44.08032	-98.56364	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Greene Ave N	
2532917958	City of Wess. Springs	44.07934	-98.56508	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	Main	
2532917958.2	City of Wess. Springs	44.07934	-98.56508	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Slocum Ave S	
25329183046	City of Wess. Springs	44.07533	-98.56998	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	D3-1, Street Name	4th St SE	
25329183046.2	City of Wess. Springs	44.07533	-98.56998	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Wilson Ave S	
25329183232	City of Wess. Springs	44.07533	-98.56863	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	D3-1, Street Name	4th St SE	
25329183232.2	City of Wess. Springs	44.07533	-98.56863	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Sullivan Ave S	
25329183727	City of Wess. Springs	44.07661	-98.56700	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	D3-1, Street Name	Rockford Ave	
25329183727.2	City of Wess. Springs	44.07661	-98.56700	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Reagan Dr	
253292109	City of Wess. Springs	44.07944	-98.57240	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	Main St	
253292109.2	City of Wess. Springs	44.07944	-98.57240	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	State Ave	
2532922149	City of Wess. Springs	44.08682	-98.57084	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	7th St	
2532922149.2	City of Wess. Springs	44.08682	-98.57084	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Dakota Ave N	
2532922506	City of Wess. Springs	44.08564	-98.57085	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	6th St	
2532922506.2	City of Wess. Springs	44.08564	-98.57085	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Dakota Ave N	
2532923004	City of Wess. Springs	44.08463	-98.57081	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	5th St	
2532923004.2	City of Wess. Springs	44.08463	-98.57081	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Dakota Ave N	
2532923345	City of Wess. Springs	44.08358	-98.57079	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	4th St	
2532923345.2	City of Wess. Springs	44.08358	-98.57079	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Dakota Ave N	
2532923719	City of Wess. Springs	44.08253	-98.57083	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	3rd St	
2532923719.2	City of Wess. Springs	44.08253	-98.57083	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Dakota Ave N	
2532924424	City of Wess. Springs	44.08145	-98.57084	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	2nd St	
2532924424.2	City of Wess. Springs	44.08145	-98.57084	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Dakota Ave N	
2532931623	City of Wess. Springs	44.07526	-98.57080	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	4th St SE	
2532931623.2	City of Wess. Springs	44.07526	-98.57080	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Dakota Ave S	
2532932557	City of Wess. Springs	44.08771	-98.56956	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	8th St NE	
2532932557.2	City of Wess. Springs	44.08771	-98.56956	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Wallace Ave N	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	133	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2532933154	City of Wess. Springs	44.08666	-98.56956	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	7th St NE	
2532933154.2	City of Wess. Springs	44.08666	-98.56956	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Wallace Ave N	
2532934945	City of Wess. Springs	44.08451	-98.56953	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	5th St NE	
2532934945.2	City of Wess. Springs	44.08451	-98.56953	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Wallace Ave N	
2532935421	City of Wess. Springs	44.08347	-98.56954	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	4th St NE	
2532935421.2	City of Wess. Springs	44.08347	-98.56954	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Wallace Ave N	
2532941446	City of Wess. Springs	44.07872	-98.56953	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	Burrett	
2532941446.2	City of Wess. Springs	44.07872	-98.56953	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Wallace Ave S	
2532942202	City of Wess. Springs	44.07737	-98.56949	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	2nd St SE	
2532942202.2	City of Wess. Springs	44.07737	-98.56949	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Wallace Ave S	
253294454	City of Wess. Springs	44.08136	-98.56956	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	2nd St NE	
253294454.2	City of Wess. Springs	44.08136	-98.56956	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Wallace Ave N	
2532994722	City of Wess. Springs	44.08562	-98.56796	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	6th St NE	
2532994722.2	City of Wess. Springs	44.08562	-98.56796	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Barrett Ave N	
2532995749	City of Wess. Springs	44.08465	-98.56794	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	5th St NE	
2532995749.2	City of Wess. Springs	44.08465	-98.56794	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Barrett Ave N	
2532995749.3	City of Wess. Springs	44.08465	-98.56794	Other	D/S	1	South				Yellow		Disc			City of Wess. Springs	Other, Other Sign	Slow Children	Salvage the "Slow Children" sign back to the City of Wessington Springs.
25331101047	City of Wess. Springs	44.07844	-98.56224	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	1st St SE	
25331101047.2	City of Wess. Springs	44.07844	-98.56224	D3-1	R/R	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Dunham Ave S	
2541510035	City of Wess. Springs	44.07836	-98.56228	W1-6L	New	1	West	48" x 24"		8	Yellow	2" X 2" Perforated Tube Post	New	2	10	City of Wess. Springs	W1-6L, One-Direction Large Arrow (Left)		
25415101720	City of Wess. Springs	44.08165	-98.56796	W11-1	R/R	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	W11-1, Bicycle		
2541510407	City of Wess. Springs	44.07829	-98.56284	W1-1L	New	1	West	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	City of Wess. Springs	W1-1L, Turn (Left)		
2541510624	City of Wess. Springs	44.07869	-98.56245	W1-1R	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	City of Wess. Springs	W1-1R, Turn (Right)		
25415112931	City of Wess. Springs	44.08333	-98.57098	S1-1	New	1	North	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	9	City of Wess. Springs	S1-1, School		
25415113045	City of Wess. Springs	44.08241	-98.57204	S1-1	New	1	West	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	9	City of Wess. Springs	S1-1, School		
25415113217	City of Wess. Springs	44.08335	-98.56956	S1-1	New	1	North	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	9	City of Wess. Springs	S1-1, School		
25415113353	City of Wess. Springs	44.08200	-98.56836	S1-1	New	1	East	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	9	City of Wess. Springs	S1-1, School		
25415113545	City of Wess. Springs	44.08060	-98.56936	S1-1	New	1	South	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	9	City of Wess. Springs	S1-1, School		
25415113834	City of Wess. Springs	44.08062	-98.57079	S1-1	New	1	South	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	9	City of Wess. Springs	S1-1, School		
25415114114	City of Wess. Springs	44.08136	-98.57208	S1-1	New	1	West	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	9	City of Wess. Springs	S1-1, School		
25415121550	City of Wess. Springs	44.08172	-98.55585	R2-1 (15)	R/R	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 15mph		
25415121550.2	City of Wess. Springs	44.08172	-98.55585	S4-3P	R/R	1	East	24" x 8"		1.3	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S4-3P, School (Plaque)		
25415121550.3	City of Wess. Springs	44.08172	-98.55585	S4-2P	New	1	East	24" x 10"	1.7		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S4-2P, When Children Are Present (Plaque)		Mount below R2-1
25415121740	City of Wess. Springs	44.08094	-98.55988	S1-1	New	1	South	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	9	City of Wess. Springs	S1-1, School		
2541512927	City of Wess. Springs	44.08170	-98.55531	S1-1	New	1	East	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	9	City of Wess. Springs	S1-1, School		
25415154211	City of Wess. Springs	44.08173	-98.56179	S1-1	New	1	West	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	9	City of Wess. Springs	S1-1, School		
25415154539	City of Wess. Springs	44.08200	-98.56874	R2-1 (15)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 15mph		Primary Sign, middle of assembly
25415154539.2	City of Wess. Springs	44.08200	-98.56874	S4-3P	New	1	East	24" x 8"		1.3	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S4-3P, School (Plaque)		Mount above R2-1
25415154539.3	City of Wess. Springs	44.08200	-98.56874	S4-2P	New	1	East	24" x 10"	1.7		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S4-2P, When Children Are Present (Plaque)		Mount below R2-1
25415163811	City of Wess. Springs	44.08180	-98.56503	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R1-2, Yield		
25415163811.2	City of Wess. Springs	44.08180	-98.56503	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	2nd St NE	Discard/Remove leftover hardware from pole
25415163811.3	City of Wess. Springs	44.08180	-98.56503	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Slocum Ave N	
25415215047	City of Wess. Springs	44.08154	-98.55255	R1-1	New	1	West	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	10	City of Wess. Springs	R1-1, Stop		
25415215047.2	City of Wess. Springs	44.08154	-98.55255	Del8a	New	1	West				White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	Del8a, 4" Tubular White Delineator (no post)		
25415215047.3	City of Wess. Springs	44.08154	-98.55255	R1-3P	New	1	West	18" x 6"		0.8	Red	2" X 2" Perforated Tube Post	New			City of Wess. Springs	R1-3P, All Way		Mount below R1-1
2541593340	City of Wess. Springs	44.08166	-98.55305	R2-1 (25)	R/R	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	City of Wess. Springs	R2-1, Speed Limit 25mph		
2541593935	City of Wess. Springs	44.08170	-98.55493	Del4	D/R	1	East & West				Yellow		Disc	1		City of Wess. Springs	Del4, 4"x4" Amber Delineator Back to Back w/Post		
2541594026	City of Wess. Springs	44.08159	-98.55505	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	City of Wess. Springs	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2541594124	City of Wess. Springs	44.08170	-98.55502	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	City of Wess. Springs	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2541594319	City of Wess. Springs	44.08179	-98.55542	S4-5	D/R	1	East				Yellow		Disc	1		City of Wess. Springs	S4-5, School Speed 15 Mph Ahead (Symbol)		
2541595325	City of Wess. Springs	44.07941	-98.55338	R2-1 (35)	R/R	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R2-1, Speed Limit 35mph		
2541595452	City of Wess. Springs	44.07929	-98.55702	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	City of Wess. Springs	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2541595544	City of Wess. Springs	44.07941	-98.55699	OM2-2Va	New	1	East & West				Yellow	1.12 lb/ft Post	New	1	5	City of Wess. Springs	OM2-2Va, Type 2 Object Marker Back-to-back (6"x12")		Install one Object Marker at the corner of pipe(s) or structure on the side of approaching traffic
2541595910	City of Wess. Springs	44.07837	-98.56227	W14-1	D/R	1	West				Yellow		Disc	1		City of Wess. Springs	W14-1, Dead End		
25418153855	City of Wess. Springs	44.08177	-98.56223	D3-1	D/R	1	North & South				Blue		Disc	1		City of Wess. Springs	D3-1, Street Name	2nd St NE	
25418153855.2	City of Wess. Springs	44.08177	-98.56223	D3-1	D/R	1	East & West				Blue		Disc			City of Wess. Springs	D3-1, Street Name	Dunham Ave N	
25421112541	City of Wess. Springs	44.08186	-98.57097	R7-1Xa	R/R	1	North	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R7-1Xa, No Parking - Here to Corner	P (No Parking) HERE TO CORNER	
25421113453	City of Wess. Springs	44.09167	-98.57098	W3-5	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	City of Wess. Springs	W3-5, Reduce Speed Limit Ahead (Symbol)	25	Install Minimum 225' in Advance of R2-1 (XX mph) Speed Limit Sign
25421114048	City of Wess. Springs	44.08287	-98.57082	R2-1 (25)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 25mph		
25421114048.2	City of Wess. Springs	44.08287	-98.57082	S5-2	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S5-2, End School Zone		Mount below R2-1
25421125729	City of Wess. Springs	44.08035	-98.57038	SP-7	R/R	1	West	18" x 24"	3		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	SP-7, Emergency Snow Route	EMERGENCY SNOW ROUTE	
25421135630	City of Wess. Springs	44.08044	-98.56260	SP-7	New	1	East	18" x 24"	3		White	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	SP-7, Emergency Snow Route	EMERGENCY SNOW ROUTE	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	134	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25421135822	City of Wess. Springs	44.08032	-98.56242	R7-1Xb	R/R	1	West	12" x 18"	1.5		White	Pole	In Place			City of Wess. Springs	R7-1Xb, No Parking - This Side of Street	P (No Parking) THIS SIDE OF STREET	Install on Power Pole
2542114223	City of Wess. Springs	44.08183	-98.56033	R8-3	R/R	1	East	24" x 24"	4		White	Pole	In Place			City of Wess. Springs	R8-3, No Parking (Symbol)		Install on Power Pole
25421154754	City of Wess. Springs	44.08613	-98.57083	R7-1Xb	R/R	1	South	12" x 18"	1.5		White	Pole	In Place			City of Wess. Springs	R7-1Xb, No Parking - This Side of Street	P (No Parking) THIS SIDE OF STREET	Install on Power Pole
25421162223	City of Wess. Springs	44.08009	-98.57080	R7-1Xb	New	1	South	12" x 18"	1.5		White	Pole	In Place			City of Wess. Springs	R7-1Xb, No Parking - This Side of Street	P (No Parking) THIS SIDE OF STREET	Install on Power Pole
25421162457	City of Wess. Springs	44.08190	-98.56961	R7-2Xa	R/R	1	East	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R7-2Xa, No Parking - In Alley	NO PARKING IN ALLEY	
25421163434	City of Wess. Springs	44.08200	-98.56926	R8-3	R/R	1	East	24" x 24"	4		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R8-3, No Parking (Symbol)		
25421163514	City of Wess. Springs	44.08199	-98.56819	R8-3	R/R	1	East	24" x 24"	4		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R8-3, No Parking (Symbol)		
25421163918	City of Wess. Springs	44.08034	-98.56873	R7-2Xb	R/R	1	West	12" x 18"	1.5		White	Pole	In Place			City of Wess. Springs	R7-2Xb, No Parking - 3:00 AM to 6:00 AM	P (No Parking) 3:00 AM TO 6:00 AM	Install on Power Pole
25421164126	City of Wess. Springs	44.08046	-98.56713	R7-2Xb	R/R	1	East	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	Repl	1	8	City of Wess. Springs	R7-2Xb, No Parking - 3:00 AM to 6:00 AM	P (No Parking) 3:00 AM TO 6:00 AM	
25421164254	City of Wess. Springs	44.08035	-98.56744	R7-1Xb	R/R	1	East	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	New	1	8	City of Wess. Springs	R7-1Xb, No Parking - This Side of Street	P (No Parking) THIS SIDE OF STREET	
25421164451	City of Wess. Springs	44.08046	-98.56606	R7-1Xb	R/R	1	East	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	Repl	1	8	City of Wess. Springs	R7-1Xb, No Parking - This Side of Street	P (No Parking) THIS SIDE OF STREET	
25421164725	City of Wess. Springs	44.08035	-98.56581	R7-1Xb	R/R	1	West	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	Repl	1	8	City of Wess. Springs	R7-1Xb, No Parking - This Side of Street	P (No Parking) THIS SIDE OF STREET	
25421164929	City of Wess. Springs	44.08034	-98.56447	R7-1Xb	R/R	1	West	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	Repl	1	8	City of Wess. Springs	R7-1Xb, No Parking - This Side of Street	P (No Parking) THIS SIDE OF STREET	
25421165342	City of Wess. Springs	44.08042	-98.56523	Other	D/S	2	East				Yellow		Disc	1		City of Wess. Springs	Other, Other Sign	Slow Children At Play	Salvage sign back to the City of Wessington Springs
25421165342.2	City of Wess. Springs	44.08042	-98.56523	R7-1Xb	D/S	1	East				White		Disc			City of Wess. Springs	R7-1Xb, No Parking - This Side of Street	P (No Parking) THIS SIDE OF STREET	Salvage sign back to the City of Wessington Springs
2542133749	City of Wess. Springs	44.09182	-98.57404	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R1-2, Yield		
2542133749.2	City of Wess. Springs	44.09182	-98.57404	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	12th St NW	Mount D3-1 above R1-2
2542133749.3	City of Wess. Springs	44.09182	-98.57404	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	College Ave N	Mount D3-1 above R1-2
2542133823	City of Wess. Springs	44.09081	-98.57406	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542133823.2	City of Wess. Springs	44.09081	-98.57406	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	11th St NW	Mount D3-1 above R1-2
2542133823.3	City of Wess. Springs	44.09081	-98.57406	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	College Ave N	Mount D3-1 above R1-2
2542133923	City of Wess. Springs	44.08983	-98.57407	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542133923.2	City of Wess. Springs	44.08983	-98.57407	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	10th St NW	Mount D3-1 above R1-2
2542133923.3	City of Wess. Springs	44.08983	-98.57407	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	College Ave N	Mount D3-1 above R1-2
2542134113	City of Wess. Springs	44.08790	-98.57409	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	8th St NW	
2542134113.2	City of Wess. Springs	44.08790	-98.57409	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	College Ave N	
2542134223	City of Wess. Springs	44.08681	-98.57409	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R1-2, Yield		
2542134223.2	City of Wess. Springs	44.08681	-98.57409	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	7th St NW	
2542134223.3	City of Wess. Springs	44.08681	-98.57409	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	College Ave N	
2542134250	City of Wess. Springs	44.08566	-98.57410	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542134250.2	City of Wess. Springs	44.08566	-98.57410	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	6th St NW	
2542134250.3	City of Wess. Springs	44.08566	-98.57410	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	College Ave N	
2542134451	City of Wess. Springs	44.08463	-98.57400	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542134451.2	City of Wess. Springs	44.08463	-98.57400	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	5th St NW	
2542134451.3	City of Wess. Springs	44.08463	-98.57400	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	College Ave N	
2542134619	City of Wess. Springs	44.08254	-98.57406	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	3rd St NW	
2542134619.2	City of Wess. Springs	44.08254	-98.57406	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	College Ave N	
2542134701	City of Wess. Springs	44.08890	-98.57408	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	9th St NW	
2542134701.2	City of Wess. Springs	44.08890	-98.57408	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	College Ave N	
2542134816	City of Wess. Springs	44.08150	-98.57402	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	2nd St NW	
2542134816.2	City of Wess. Springs	44.08150	-98.57402	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	College Ave N	
2542135016	City of Wess. Springs	44.08047	-98.57365	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542135016.2	City of Wess. Springs	44.08047	-98.57365	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	1st St NW	
2542135016.3	City of Wess. Springs	44.08047	-98.57365	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	College Ave N	
2542135416	City of Wess. Springs	44.07945	-98.57365	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	Main St W	
2542135416.2	City of Wess. Springs	44.07945	-98.57365	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	College Ave	
2542135459	City of Wess. Springs	44.07840	-98.57366	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	1st St SW	
2542135459.2	City of Wess. Springs	44.07840	-98.57366	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	College Ave S	
2542141032	City of Wess. Springs	44.08975	-98.57223	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542141032.2	City of Wess. Springs	44.08975	-98.57223	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	10th St NW	
2542141032.3	City of Wess. Springs	44.08975	-98.57223	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	State Ave N	
2542141113	City of Wess. Springs	44.08890	-98.57220	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542141113.2	City of Wess. Springs	44.08890	-98.57220	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	9th St NW	
2542141113.3	City of Wess. Springs	44.08890	-98.57220	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	State Ave N	
2542141232	City of Wess. Springs	44.08787	-98.57220	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542141232.2	City of Wess. Springs	44.08787	-98.57220	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	8th St NW	
2542141232.3	City of Wess. Springs	44.08787	-98.57220	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	State Ave N	
2542141309	City of Wess. Springs	44.08681	-98.57241	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	7th St NW	
2542141309.2	City of Wess. Springs	44.08681	-98.57241	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	State Ave N	
2542141438	City of Wess. Springs	44.08566	-98.57220	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	135	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2542141438.2	City of Wess. Springs	44.08566	-98.57220	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	6th St NW	
2542141438.3	City of Wess. Springs	44.08566	-98.57220	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	State Ave N	
2542141538	City of Wess. Springs	44.08462	-98.57221	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542141538.2	City of Wess. Springs	44.08462	-98.57221	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	5th St NW	
2542141538.3	City of Wess. Springs	44.08462	-98.57221	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	State Ave N	
2542141541	City of Wess. Springs	44.07530	-98.57068	R1-2	D/R	1	East				Red		Disc	1		City of Wess. Springs	R1-2, Yield		Do not remove wooden post
2542141628	City of Wess. Springs	44.08360	-98.57218	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542141628.2	City of Wess. Springs	44.08360	-98.57218	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	4th St NW	
2542141628.3	City of Wess. Springs	44.08360	-98.57218	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	State Ave N	
2542141719	City of Wess. Springs	44.08254	-98.57221	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542141719.2	City of Wess. Springs	44.08254	-98.57221	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	3rd St NW	
2542141719.3	City of Wess. Springs	44.08254	-98.57221	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	State Ave N	
2542141809	City of Wess. Springs	44.08148	-98.57218	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542141809.2	City of Wess. Springs	44.08148	-98.57218	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	2nd St NW	
2542141809.3	City of Wess. Springs	44.08148	-98.57218	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	State Ave N	
2542142023	City of Wess. Springs	44.08046	-98.57219	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542142023.2	City of Wess. Springs	44.08046	-98.57219	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	1st St NW	
2542142023.3	City of Wess. Springs	44.08046	-98.57219	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	State Ave N	
2542142806	City of Wess. Springs	44.08785	-98.57080	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542142806.2	City of Wess. Springs	44.08785	-98.57080	D3-1	R/R	2	North & South	30" x 9"	1.9		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	8th St	
2542142806.3	City of Wess. Springs	44.08785	-98.57080	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Dakota Ave N	
2542142837	City of Wess. Springs	44.08676	-98.57080	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542142837.2	City of Wess. Springs	44.08676	-98.57080	D3-1	New	2	North & South	30" x 9"	1.9		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	7th St	
2542142837.3	City of Wess. Springs	44.08676	-98.57080	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Dakota Ave N	
2542143029	City of Wess. Springs	44.08564	-98.57079	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542143029.2	City of Wess. Springs	44.08564	-98.57079	D3-1	New	2	North & South	30" x 9"	1.9		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	6th St	
2542143029.3	City of Wess. Springs	44.08564	-98.57079	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Dakota Ave N	
2542143244	City of Wess. Springs	44.08462	-98.57078	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542143244.2	City of Wess. Springs	44.08462	-98.57078	D3-1	New	2	North & South	30" x 9"	1.9		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	5th St	
2542143244.3	City of Wess. Springs	44.08462	-98.57078	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Dakota Ave N	
2542143340	City of Wess. Springs	44.08358	-98.57076	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542143340.2	City of Wess. Springs	44.08358	-98.57076	D3-1	New	2	North & South	30" x 9"	1.9		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	4th St	
2542143340.3	City of Wess. Springs	44.08358	-98.57076	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Dakota Ave N	
2542143619	City of Wess. Springs	44.08257	-98.57076	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542143619.2	City of Wess. Springs	44.08257	-98.57076	D3-1	New	2	North & South	30" x 9"	1.9		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	3rd St	
2542143619.3	City of Wess. Springs	44.08257	-98.57076	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Dakota Ave N	
2542144013	City of Wess. Springs	44.08148	-98.57076	R1-1	R/R	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-1, Stop		
2542144013.2	City of Wess. Springs	44.08148	-98.57076	D3-1	New	2	North & South	30" x 9"	1.9		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	2nd St	
2542144013.3	City of Wess. Springs	44.08148	-98.57076	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Dakota Ave N	
2542144114	City of Wess. Springs	44.08047	-98.57078	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542144114.2	City of Wess. Springs	44.08047	-98.57078	D3-1	R/R	2	North & South	30" x 9"	1.9		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	1st St	
2542144114.3	City of Wess. Springs	44.08047	-98.57078	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Dakota Ave N	
2542144921	City of Wess. Springs	44.07946	-98.57077	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		Install using flush mount
2542144921.2	City of Wess. Springs	44.07946	-98.57077	D3-1	R/R	2	North & South	30" x 9"	1.9		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Main St	
2542144921.3	City of Wess. Springs	44.07946	-98.57077	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Dakota Ave	
2542145157	City of Wess. Springs	44.07830	-98.57100	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542145157.2	City of Wess. Springs	44.07830	-98.57100	D3-1	New	2	North & South	30" x 9"	1.9		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	1st St	
2542145157.3	City of Wess. Springs	44.07830	-98.57100	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Dakota Ave S	
2542145427	City of Wess. Springs	44.07742	-98.57076	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542145427.2	City of Wess. Springs	44.07742	-98.57076	D3-1	New	2	North & South	30" x 9"	1.9		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	2nd St	
2542145427.3	City of Wess. Springs	44.07742	-98.57076	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Dakota Ave S	
2542145512	City of Wess. Springs	44.07636	-98.57075	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542145512.2	City of Wess. Springs	44.07636	-98.57075	D3-1	R/R	2	North & South	30" x 9"	1.9		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	3rd St	
2542145512.3	City of Wess. Springs	44.07636	-98.57075	D3-1	R/R	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Dakota Ave S	
2542145600	City of Wess. Springs	44.07533	-98.57068	R1-1	New	1	East	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R1-1, Stop		
2542145600.2	City of Wess. Springs	44.07533	-98.57068	D3-1	New	2	North & South	30" x 9"	1.9		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	4th St	
2542145600.3	City of Wess. Springs	44.07533	-98.57068	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Dakota Ave S	
2542145806	City of Wess. Springs	44.08774	-98.56960	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542145806.2	City of Wess. Springs	44.08774	-98.56960	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	8th St NE	
2542145806.3	City of Wess. Springs	44.08774	-98.56960	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Wallace Ave N	
2542145905	City of Wess. Springs	44.08667	-98.56961	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542145905.2	City of Wess. Springs	44.08667	-98.56961	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	7th St NE	
2542145905.3	City of Wess. Springs	44.08667	-98.56961	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Wallace Ave N	
2542151029	City of Wess. Springs	44.07870	-98.56960	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542151029.2	City of Wess. Springs	44.07870	-98.56960	D3-1	New	2	North & South	30" x 9"	1.9		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Burrett	
2542151029.3	City of Wess. Springs	44.07870	-98.56960	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Wallace Ave S	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	136	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2542151152	City of Wess. Springs	44.07830	-98.56931	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	1st St SE	
2542151152.2	City of Wess. Springs	44.07830	-98.56931	D3-1	R/R	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Wallace Ave S	
254215124	City of Wess. Springs	44.08552	-98.56957	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
254215124.2	City of Wess. Springs	44.08552	-98.56957	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	6th St NE	
254215124.3	City of Wess. Springs	44.08552	-98.56957	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Wallace Ave N	
2542151247	City of Wess. Springs	44.07742	-98.56952	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542151247.2	City of Wess. Springs	44.07742	-98.56952	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	2nd St SE	
2542151247.3	City of Wess. Springs	44.07742	-98.56952	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Wallace Ave S	
254215201	City of Wess. Springs	44.08450	-98.56961	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
254215201.2	City of Wess. Springs	44.08450	-98.56961	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	5th St NE	
254215201.3	City of Wess. Springs	44.08450	-98.56961	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Wallace Ave N	
2542152105	City of Wess. Springs	44.08672	-98.56805	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	7th St NE	
2542152105.2	City of Wess. Springs	44.08672	-98.56805	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Barrett Ave N	
2542152533	City of Wess. Springs	44.08558	-98.56798	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R1-2, Yield		
2542152533.2	City of Wess. Springs	44.08558	-98.56798	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	6th St NE	
2542152533.3	City of Wess. Springs	44.08558	-98.56798	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Barrett Ave N	
2542153520	City of Wess. Springs	44.08359	-98.56789	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542153520.2	City of Wess. Springs	44.08359	-98.56789	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	4th St NE	
2542153520.3	City of Wess. Springs	44.08359	-98.56789	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Barrett Ave N	
254215447	City of Wess. Springs	44.08346	-98.56963	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
254215447.2	City of Wess. Springs	44.08346	-98.56963	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	4th St NE	
254215447.3	City of Wess. Springs	44.08346	-98.56963	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Wallace Ave N	
2542154959	City of Wess. Springs	44.08183	-98.56794	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	2nd St NE	
2542154959.2	City of Wess. Springs	44.08183	-98.56794	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Barrett Ave N	
2542155326	City of Wess. Springs	44.08148	-98.57170	R2-1 (25)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 25mph		
2542155326.2	City of Wess. Springs	44.08148	-98.57170	S5-2	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S5-2, End School Zone		Mount below R2-1
2542155345	City of Wess. Springs	44.07842	-98.56789	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542155345.2	City of Wess. Springs	44.07842	-98.56789	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	1st St SE	
2542155345.3	City of Wess. Springs	44.07842	-98.56789	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Barrett Ave S	
2542155431	City of Wess. Springs	44.07740	-98.56812	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	2nd St SE	
2542155431.2	City of Wess. Springs	44.07740	-98.56812	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Barrett Ave S	
2542155506	City of Wess. Springs	44.07637	-98.56789	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542155506.2	City of Wess. Springs	44.07637	-98.56789	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Rockford Ave	
2542155506.3	City of Wess. Springs	44.07637	-98.56789	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Barrett Ave S	
254215554	City of Wess. Springs	44.08186	-98.56937	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	2nd St NE	
254215554.2	City of Wess. Springs	44.08186	-98.56937	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Wallace Ave N	
2542155658	City of Wess. Springs	44.08181	-98.56645	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542155658.2	City of Wess. Springs	44.08181	-98.56645	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	2nd St NE	
2542155658.3	City of Wess. Springs	44.08181	-98.56645	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Blowers Ave N	
2542155820	City of Wess. Springs	44.08136	-98.57170	R2-1 (15)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 15mph		Primary Sign, middle of assembly
2542155820.2	City of Wess. Springs	44.08136	-98.57170	S4-3P	New	1	West	24" x 8"		1.3	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S4-3P, School (Plaque)		Mount above R2-1
2542155820.3	City of Wess. Springs	44.08136	-98.57170	S4-2P	New	1	West	24" x 10"	1.7		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S4-2P, When Children Are Present (Plaque)		Mount below R2-1
2542155826	City of Wess. Springs	44.08034	-98.56644	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R1-2, Yield		
2542155826.2	City of Wess. Springs	44.08034	-98.56644	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	1st St NE	
2542155826.3	City of Wess. Springs	44.08034	-98.56644	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Blowers Ave N	
2542155916	City of Wess. Springs	44.07948	-98.56660	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2542155916.2	City of Wess. Springs	44.07948	-98.56660	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Main St E	
2542155916.3	City of Wess. Springs	44.07948	-98.56660	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Blowers Ave	
2542155948	City of Wess. Springs	44.07829	-98.56664	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	D3-1, Street Name	1st St SE	
2542155948.2	City of Wess. Springs	44.07829	-98.56664	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Blowers Ave S	
254215638	City of Wess. Springs	44.08135	-98.56960	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R1-2, Yield		
254215638.2	City of Wess. Springs	44.08135	-98.56960	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	2nd St NE	
254215638.3	City of Wess. Springs	44.08135	-98.56960	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Wallace Ave N	
254215852	City of Wess. Springs	44.07949	-98.56956	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		Install using flush mount
254215852.2	City of Wess. Springs	44.07949	-98.56956	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Main St E	
254215852.3	City of Wess. Springs	44.07949	-98.56956	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Wallace Ave	
2542161119	City of Wess. Springs	44.08306	-98.56939	R2-1 (25)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 25mph		
2542161119.2	City of Wess. Springs	44.08306	-98.56939	S5-2	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S5-2, End School Zone		Mount below R2-1
2542161200	City of Wess. Springs	44.08305	-98.56956	R2-1 (15)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 15mph		Primary Sign, middle of assembly
2542161200.2	City of Wess. Springs	44.08305	-98.56956	S4-3P	New	1	North	24" x 8"		1.3	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S4-3P, School (Plaque)		Mount above R2-1
2542161200.3	City of Wess. Springs	44.08305	-98.56956	S4-2P	New	1	North	24" x 10"	1.7		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S4-2P, When Children Are Present (Plaque)		Mount below R2-1
2542161528	City of Wess. Springs	44.08254	-98.57165	R2-1 (25)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 25mph		
2542161528.2	City of Wess. Springs	44.08254	-98.57165	S5-2	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S5-2, End School Zone		Mount below R2-1
2542161628	City of Wess. Springs	44.08242	-98.57166	R2-1 (15)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 15mph		Primary Sign, middle of assembly
2542161628.2	City of Wess. Springs	44.08242	-98.57166	S4-3P	New	1	West	24" x 8"		1.3	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S4-3P, School (Plaque)		Mount above R2-1
2542161628.3	City of Wess. Springs	44.08242	-98.57166	S4-2P	New	1	West	24" x 10"	1.7		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S4-2P, When Children Are Present (Plaque)		Mount below R2-1

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	137	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
254216225	City of Wess. Springs	44.08090	-98.57098	R2-1 (25)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 25mph		
254216225.2	City of Wess. Springs	44.08090	-98.57098	S5-2	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S5-2, End School Zone		Mount below R2-1
254216628	City of Wess. Springs	44.08091	-98.56937	R2-1 (15)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 15mph		Primary Sign, middle of assembly
254216628.2	City of Wess. Springs	44.08091	-98.56937	S4-3P	New	1	South	24" x 8"		1.3	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S4-3P, School (Plaque)		Mount above R2-1
254216628.3	City of Wess. Springs	44.08091	-98.56937	S4-2P	New	1	South	24" x 10"	1.7		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S4-2P, When Children Are Present (Plaque)		Mount below R2-1
254216854	City of Wess. Springs	44.08186	-98.56876	R2-1 (25)	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 25mph		
254216854.2	City of Wess. Springs	44.08186	-98.56876	S5-2	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S5-2, End School Zone		Mount below R2-1
25423223513	City of Wess. Springs	44.07532	-98.57098	SP-6	New	1	East	30" x 24"	5		White	2" X 2" Perforated Tube Post	New	1	10	City of Wess. Springs	SP-6, No Snowmobiles	NO SNOWMOBILES OR ANY TYPE OF UNLICENSED MOTOR VEHICLES	
2544101601	City of Wess. Springs	44.07843	-98.56503	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	D3-1, Street Name	1st St SE	
2544101601.2	City of Wess. Springs	44.07843	-98.56503	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Slocum Ave S	
2544101623	City of Wess. Springs	44.07930	-98.56509	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2544101623.2	City of Wess. Springs	44.07930	-98.56509	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Main St E	
2544101623.3	City of Wess. Springs	44.07930	-98.56509	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Slocum Ave	
2544101833	City of Wess. Springs	44.08034	-98.56505	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2544101833.2	City of Wess. Springs	44.08034	-98.56505	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	1st St NE	
2544101833.3	City of Wess. Springs	44.08034	-98.56505	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Slocum Ave N	
2544102256	City of Wess. Springs	44.08046	-98.56796	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2544102256.2	City of Wess. Springs	44.08046	-98.56796	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	1st St NE	
2544102256.3	City of Wess. Springs	44.08046	-98.56796	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Barrett Ave N	
2544104309	City of Wess. Springs	44.07948	-98.56811	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		Install using flush mount
2544104309.2	City of Wess. Springs	44.07948	-98.56811	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Main St E	
2544104309.3	City of Wess. Springs	44.07948	-98.56811	D3-1	R/R	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Barrett Ave	
2544114242	City of Wess. Springs	44.08979	-98.57438	W14-2	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	W14-2, No Outlet		
2544115455	City of Wess. Springs	44.08655	-98.57607	W70-2	D/S	1	North				Yellow		Disc	1		City of Wess. Springs	W70-2, No Maintenance		Salvage sign back to the City of Wessington Springs
2544115552	City of Wess. Springs	44.08562	-98.57614	W14-1	D/R	1	East				Yellow		Disc	1		City of Wess. Springs	W14-1, Dead End		
2544115951	City of Wess. Springs	44.08335	-98.57487	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	D3-1, Street Name	4th St NW	
2544115951.2	City of Wess. Springs	44.08335	-98.57487	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Alene Ave N	
254412125	City of Wess. Springs	44.08975	-98.57597	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	D3-1, Street Name	10th St NW	
254412125.2	City of Wess. Springs	44.08975	-98.57597	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Alene Ave N	
254412154	City of Wess. Springs	44.08563	-98.57524	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	D3-1, Street Name	6th St NW	
254412154.2	City of Wess. Springs	44.08563	-98.57524	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Alene Ave N	
2544141911	City of Wess. Springs	44.07841	-98.57490	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	D3-1, Street Name	1st St SW	
2544141911.2	City of Wess. Springs	44.07841	-98.57490	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Alene Ave S	
2544142258	City of Wess. Springs	44.07841	-98.57386	Del3	In Place	1					Yellow		In Place			City of Wess. Springs	Del3, 4"x4" Amber Delineator w/Post		
2544144722	City of Wess. Springs	44.07804	-98.57384	Other	D/S	1	North				White	Pole	In Place			City of Wess. Springs	Other, Other Sign	No Off Road Vehicles	Sign on Power Pole. Salvage sign back to the City of Wessington Springs.
2544144722.2	City of Wess. Springs	44.07804	-98.57384	R2-1 (10)	D/S	1	South				White	Pole	In Place			City of Wess. Springs	R2-1, Speed Limit 10mph		Sign on Power Pole. Salvage sign back to the City of Wessington Springs.
2544145504	City of Wess. Springs	44.07768	-98.57381	W15-1	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	W15-1, Playground		
2544145504.2	City of Wess. Springs	44.07768	-98.57381	W13-1P	New	1	North	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			City of Wess. Springs	W13-1P, Advisory Speed (Plaque)	10	
2544145922	City of Wess. Springs	44.07741	-98.57130	Other	D/S	1	Southeast				White	Pole	In Place			City of Wess. Springs	Other, Other Sign	No Off Road Vehicles Allowed	Sign on Power Pole. Salvage sign back to the City of Wessington Springs
2544145922.2	City of Wess. Springs	44.07741	-98.57130	R2-1 (10)	D/S	1	East				White	Pole	In Place			City of Wess. Springs	R2-1, Speed Limit 10mph		Sign on Power Pole. Salvage sign back to the City of Wessington Springs
254415206	City of Wess. Springs	44.07739	-98.57137	W15-1	New	1	East	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	W15-1, Playground		Install post south of wooden pole
254415206.2	City of Wess. Springs	44.07739	-98.57137	W13-1P	New	1	East	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			City of Wess. Springs	W13-1P, Advisory Speed (Plaque)	10	
2544152501	City of Wess. Springs	44.07550	-98.57128	R2-1 (10)	D/S	1	Southeast				White		Disc	1		City of Wess. Springs	R2-1, Speed Limit 10mph		Salvage sign back to the City of Wessington Springs
2544152501.2	City of Wess. Springs	44.07550	-98.57128	Other	D/S	1	Southeast				White		Disc			City of Wess. Springs	Other, Other Sign	No Off Road Vehicles Allowed	Salvage sign back to the City of Wessington Springs
2544152501.3	City of Wess. Springs	44.07550	-98.57128	Other	D/S	1	Southeast				White		Disc			City of Wess. Springs	Other, Other Sign	Commercial Vehicles Prohibited	Salvage sign back to the City of Wessington Springs
2544153315	City of Wess. Springs	44.07548	-98.57127	W15-1	New	1	Southeast	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	W15-1, Playground		
2544153315.2	City of Wess. Springs	44.07548	-98.57127	W13-1P	New	1	Southeast	18" x 18"		2.3	Yellow	2" X 2" Perforated Tube Post	New			City of Wess. Springs	W13-1P, Advisory Speed (Plaque)	10	
2544154244	City of Wess. Springs	44.08115	-98.55986	R2-1 (15)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 15mph		
2544154244.2	City of Wess. Springs	44.08115	-98.55986	S4-3P	New	1	South	24" x 8"		1.3	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S4-3P, School (Plaque)		
2544154244.3	City of Wess. Springs	44.08115	-98.55986	S4-2P	New	1	South	24" x 10"	1.7		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S4-2P, When Children Are Present (Plaque)		
2544161009	City of Wess. Springs	44.08192	-98.55923	Other	D/S	1	West				White	Pole	In Place			City of Wess. Springs	Other, Other Sign	Enter Only	Sign on Power Pole. Salvage sign back to the City of Wessington Springs
2544161154	City of Wess. Springs	44.08179	-98.55931	R8-3	R/R	1	East	24" x 24"	4		White	Pole	In Place			City of Wess. Springs	R8-3, No Parking (Symbol)		
2544161702	City of Wess. Springs	44.08178	-98.55889	R8-3	R/R	1	East	24" x 24"	4		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R8-3, No Parking (Symbol)		
2544161842	City of Wess. Springs	44.08178	-98.55834	R8-3	R/R	1	East	24" x 24"	4		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R8-3, No Parking (Symbol)		
254474834	City of Wess. Springs	44.08170	-98.55988	R1-1	R/R	1	South	30" x 30"		5.2	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-1, Stop		
254474834.2	City of Wess. Springs	44.08170	-98.55988	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	2nd St NE	
254474834.3	City of Wess. Springs	44.08170	-98.55988	D3-1	R/R	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Pershing Ave N	
254475145	City of Wess. Springs	44.08046	-98.55986	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	1st St NE	
254475145.2	City of Wess. Springs	44.08046	-98.55986	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Pershing Ave N	
254475233	City of Wess. Springs	44.07944	-98.55985	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	Main St E	
254475233.2	City of Wess. Springs	44.07944	-98.55985	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Pershing Ave	
254475453	City of Wess. Springs	44.08174	-98.56225	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
254475453.2	City of Wess. Springs	44.08174	-98.56225	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	2nd St NE	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	138	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
254475453.3	City of Wess. Springs	44.08174	-98.56225	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Dunham Ave N	
254475607	City of Wess. Springs	44.08046	-98.56226	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	1st St NE	
254475607.2	City of Wess. Springs	44.08046	-98.56226	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Dunham Ave N	
254475729	City of Wess. Springs	44.07943	-98.56225	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	Main St E	
254475729.2	City of Wess. Springs	44.07943	-98.56225	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Dunham Ave	
254485726	City of Wess. Springs	44.07841	-98.56366	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	1st St SE	
254485726.2	City of Wess. Springs	44.07841	-98.56366	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Greene Ave S	
25449134	City of Wess. Springs	44.07943	-98.56365	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	D3-1, Street Name	Main St E	
25449134.2	City of Wess. Springs	44.07943	-98.56365	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Greene Ave	
25449252	City of Wess. Springs	44.08034	-98.56366	R1-2	R/R	1	South	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
25449252.2	City of Wess. Springs	44.08034	-98.56366	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	1st St NE	
25449252.3	City of Wess. Springs	44.08034	-98.56366	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Greene Ave N	
2548104552	City of Wess. Springs	44.08148	-98.57050	D9-6	New	2	East & West	24" x 24"	4		Blue/White	2" X 2" Perforated Tube Post	New	1	10	City of Wess. Springs	D9-6, Intl Symbol of Accessibility		Install west of driveway
2548104552.2	City of Wess. Springs	44.08148	-98.57050	M6-2L	New	1	West	21" x 15"	2.2		Blue/White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	M6-2L, Directional 45 Degree Arrow (Left)		Arrow pointing down/left
2548104552.3	City of Wess. Springs	44.08148	-98.57050	M6-2R	New	1	East	21" x 15"	2.2		Blue/White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	M6-2R, Directional 45 Degree Arrow (Right)		Arrow pointing down/right
2548105044	City of Wess. Springs	44.08148	-98.56961	D9-6	R/S	1	East	24" x 24"	4		Blue/White	2" X 2" Perforated Tube Post	Repl	1	10	City of Wess. Springs	D9-6, Intl Symbol of Accessibility		Salvage sign back to the City of Wessington Springs.
2548105044.2	City of Wess. Springs	44.08148	-98.56961	M6-3	New	1	East	21" x 15"	2.2		Blue/White	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	M6-3, Verticle Directional Arrow Up		
2548105224	City of Wess. Springs	44.08158	-98.56961	D9-6	New	1	North	24" x 24"	4		Blue/White	2" X 2" Perforated Tube Post	New	1	10	City of Wess. Springs	D9-6, Intl Symbol of Accessibility		
2548105224.2	City of Wess. Springs	44.08158	-98.56961	M6-1	New	1	North	21" x 15"	2.2		Blue/White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	M6-1, Horizontal Direction Arrow - Single Head		Arrow pointing right
2548105451	City of Wess. Springs	44.08168	-98.56967	D9-6	D/S	1	East				Blue		Disc	1		City of Wess. Springs	D9-6, Intl Symbol of Accessibility		Salvage sign back to the City of Wessington Springs
2548111141	City of Wess. Springs	44.08148	-98.56998	R7-7	R/S	1	East	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R7-7, No Parking, Bus Stop, Arrow		Arrow pointing right. Sign should be set at an angle of 30-45 degrees with the line of traffic flow. Salvage sign back to the City of Wessington Springs.
2548111459	City of Wess. Springs	44.08093	-98.57079	W8-2	D/R	1	South				Yellow	Wood Pole	In Place			City of Wess. Springs	W8-2, Dip		
254811745	City of Wess. Springs	44.08148	-98.56982	R7-7	R/S	1	East	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R7-7, No Parking, Bus Stop, Arrow		Arrow pointing left. Sign should be set at an angle of 30-45 degrees with the line of traffic flow. Salvage sign back to the City of Wessington Springs.
2556221006	City of Wess. Springs	44.07822	-98.57384	SP-5L	R/R	1	South	48" x 18"	6		Brown	2" X 2" Perforated Tube Post	Repl	2	9	City of Wess. Springs	SP-5L, Nature and History Trail (Left Arrow)	(ARROW LEFT) NATURE & HISTORY TRAIL	Mount signs back-to-back on same posts
2556221006.2	City of Wess. Springs	44.07822	-98.57384	SP-5R	R/R	1	North	48" x 18"	6		Brown	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	SP-5R, Nature and History Trail (Right Arrow)	NATURE & HISTORY TRAIL (ARROW RIGHT)	Mount signs back-to-back on same posts
2556221315	City of Wess. Springs	44.07738	-98.57101	SP-6	New	1	East	30" x 24"	5		White	2" X 2" Perforated Tube Post	New	1	10	City of Wess. Springs	SP-6, No Snowmobiles	NO SNOWMOBILES OR ANY TYPE OF UNLICENSED MOTOR VEHICLES	
2556221505	City of Wess. Springs	44.08565	-98.57436	D1-1c	R/R	1	East	48" x 18"	6		Green	2" X 2" Perforated Tube Post	Repl	2	9	City of Wess. Springs	D1-1c, Shakespeare Garden (Up/Left Arrow)	Shakespeare Garden (right-angle ARROW UP then LEFT)	
255622246	City of Wess. Springs	44.07448	-98.57076	R16-X13A	New	1	South	36" x 42"	10.5		White	2" X 2" Perforated Tube Post	New	2	9	City of Wess. Springs	R16-X13A, Dynamic Engine Breaking Prohibited	DYNAMIC ENGINE BRAKING PROHIBITED BY CITY ORDINANCE	
255622444	City of Wess. Springs	44.09262	-98.57097	R16-X13A	R/R	1	North	36" x 42"	10.5		White	2" X 2" Perforated Tube Post	Repl	2	9	City of Wess. Springs	R16-X13A, Dynamic Engine Breaking Prohibited	DYNAMIC ENGINE BRAKING PROHIBITED BY CITY ORDINANCE	
2557151708	City of Wess. Springs	44.07867	-98.57076	SP-3BR	R/R	1	South	36" x 24"	6		Brown	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	SP-3BR, Veterans Memorial 1 Block (Right Arrow)	VETERANS MEMORIAL 1 BLOCK (ARROW RIGHT)	Mount signs back-to-back on same post
2557151708.2	City of Wess. Springs	44.07867	-98.57076	SP-3BL	R/R	1	North	36" x 24"	6		Brown	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	SP-3BL, Veterans Memorial 1 Block (Left Arrow)	VETERANS MEMORIAL 1 BLOCK (ARROW LEFT)	Mount signs back-to-back on same post
2557152324	City of Wess. Springs	44.07990	-98.57081	R6-2L	New	1	South	24" x 30"	5		White	Wood Pole	In Place			City of Wess. Springs	R6-2L, One Way (Left Arrow)	One Way (ARROW LEFT)	Mount back-to-back on Power Pole. One-way traffic in alley is westbound.
2557152324.2	City of Wess. Springs	44.07990	-98.57081	R6-2R	New	1	North	24" x 30"	5		White	Wood Pole	In Place			City of Wess. Springs	R6-2R, One Way (Right Arrow)	One Way (ARROW RIGHT)	Mount back-to-back on Power Pole. One-way traffic in alley is westbound.
2557152640	City of Wess. Springs	44.07990	-98.57069	Other	D/S	1	South				White	Pole	In Place			City of Wess. Springs	Other, Other Sign	One Way Do Not Enter	Sign on Power Pole. Salvage sign back to the City of Wessington Springs.
2561721513	City of Wess. Springs	44.08149	-98.57507	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	2nd St NW	
2561721513.2	City of Wess. Springs	44.08149	-98.57507	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Alene Ave N	
25617221045	City of Wess. Springs	44.07944	-98.57497	SP-5L	R/R	1	East	48" x 18"	6		Brown	2" X 2" Perforated Tube Post	Repl	2	9	City of Wess. Springs	SP-5L, Nature and History Trail (Left Arrow)	(ARROW LEFT) NATURE & HISTORY TRAIL	
25617222237	City of Wess. Springs	44.07626	-98.57000	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	3rd St SE	
25617222237.2	City of Wess. Springs	44.07626	-98.57000	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Wilson Ave S	
2561722227	City of Wess. Springs	44.07945	-98.57507	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	Main St W	
2561722227.2	City of Wess. Springs	44.07945	-98.57507	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Alene Ave	
25617223441	City of Wess. Springs	44.07638	-98.56952	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
25617223441.2	City of Wess. Springs	44.07638	-98.56952	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	3rd St SE	
25617223441.3	City of Wess. Springs	44.07638	-98.56952	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Wallace Ave S	
25617224457	City of Wess. Springs	44.08047	-98.57508	Other	D/S	2	North & South				Blue					City of Wess. Springs	Other, Other Sign	Tim Dean Ranch	Sign attached to D3-1 sig... ...ngs.
25617224709	City of Wess. Springs	44.08052	-98.57507	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	1st St NW	
25617224709.2	City of Wess. Springs	44.08052	-98.57507	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Alene Ave N	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	139	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25617231411	City of Wess. Springs	44.08247	-98.56955	R1-2	R/R	1	West	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
25617231411.2	City of Wess. Springs	44.08247	-98.56955	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	3rd St NE	
25617231411.3	City of Wess. Springs	44.08247	-98.56955	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Wallace Ave N	
25617231411.4	City of Wess. Springs	44.08247	-98.56955	W13-1P	D/R	1	North				Yellow	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	W13-1P, Advisory Speed (Plaque)	15	
2561723918	City of Wess. Springs	44.08243	-98.57092	R2-1 (15)	D/R	1	North				White		Disc	1		City of Wess. Springs	R2-1, Speed Limit 15mph	SCHOOL SPEED LIMIT 15 ON SCHOOL DAYS WHEN CHILDREN ARE PRESENT	
2561723918.2	City of Wess. Springs	44.08243	-98.57092	S1-1	D/R	1	North				Yellow		Disc			City of Wess. Springs	S1-1, School		
2561810051	City of Wess. Springs	44.08878	-98.57083	D3-1	D/R	1	North & South				Blue	Pole	In Place			City of Wess. Springs	D3-1, Street Name	9th St	Discard/Remove leftover hardware from pole
2561810051.2	City of Wess. Springs	44.08878	-98.57083	D3-1	D/R	1	East & West				Blue	Pole	In Place			City of Wess. Springs	D3-1, Street Name	DAKOTA AVE N	
25618101412	City of Wess. Springs	44.08426	-98.57098	Other	D/S	1	North				Yellow		Disc	1		City of Wess. Springs	Other, Other Sign	Slow Deaf Child	Salvage sign back to the City of Wessington Springs
25618101802	City of Wess. Springs	44.08169	-98.57098	W8-2	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	W8-2, Dip		
25618101825	City of Wess. Springs	44.08229	-98.57098	W8-2	D/R	1	North				Yellow		Disc	1		City of Wess. Springs	W8-2, Dip		
25618102114	City of Wess. Springs	44.08051	-98.57095	D9-2	R/R	1	North	24" x 24"	4		Blue/White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	D9-2, Hospital		
25618102114.2	City of Wess. Springs	44.08051	-98.57095	M6-1	R/R	1	North	21" x 15"	2.2		Blue/White	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	M6-1, Horizontal Direction Arrow - Single Head		Arrow pointing left
25618102114.3	City of Wess. Springs	44.08051	-98.57095	Other	D/R	1	North				Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	Other, Other Sign	Hospital	
25618102541	City of Wess. Springs	44.07383	-98.57092	R7-1Xb	R/R	1	North	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	R7-1Xb, No Parking - This Side of Street	P (No Parking) THIS SIDE OF STREET	Install using flush mount
25618103043	City of Wess. Springs	44.07740	-98.57098	W11-2	R/R	1	North	30" x 30"		6.3	Yellow-Green	2" X 2" Perforated Tube Post	Repl	1	10	City of Wess. Springs	W11-2, Pedestrian Crossing		
25618103043.2	City of Wess. Springs	44.07740	-98.57098	W16-7PL	R/R	1	North	24" x 12"		2	Yellow-Green	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	W16-7PL, Diagonal Arrow (Plaque - Left)		Mount below W11-2
25618103802	City of Wess. Springs	44.07728	-98.57075	W11-2	New	1	South	30" x 30"		6.3	Yellow-Green	2" X 2" Perforated Tube Post	New	1	10	City of Wess. Springs	W11-2, Pedestrian Crossing		
25618103802.2	City of Wess. Springs	44.07728	-98.57075	W16-7PL	New	1	South	24" x 12"		2	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	W16-7PL, Diagonal Arrow (Plaque - Left)		Mount below W11-2
25618103957	City of Wess. Springs	44.07745	-98.57078	W11-2	D/R	1	South				Yellow-Green		Disc	1		City of Wess. Springs	W11-2, Pedestrian Crossing		
25618103957.2	City of Wess. Springs	44.07745	-98.57078	W16-7PL	D/R	1	South				Yellow-Green		Disc			City of Wess. Springs	W16-7PL, Diagonal Arrow (Plaque - Left)		
25618104616	City of Wess. Springs	44.07700	-98.57076	W11-2	R/R	1	South	30" x 30"		6.3	Yellow-Green	2" X 2" Perforated Tube Post	Repl	1	10	City of Wess. Springs	W11-2, Pedestrian Crossing		
25618104616.2	City of Wess. Springs	44.07700	-98.57076	W16-9P	R/R	1	South	24" x 12"		2	Yellow-Green	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	W16-9P, Ahead (Plaque)		Mount below W11-2
25618104709	City of Wess. Springs	44.07767	-98.57098	W11-2	New	1	North	30" x 30"		6.3	Yellow-Green	2" X 2" Perforated Tube Post	New	1	10	City of Wess. Springs	W11-2, Pedestrian Crossing		
25618104709.2	City of Wess. Springs	44.07767	-98.57098	W16-9P	New	1	North	24" x 12"		2	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	W16-9P, Ahead (Plaque)		Mount below W11-2
25618104810	City of Wess. Springs	44.07786	-98.57098	W11-2	D/R	1	North				Yellow-Green		Disc	1		City of Wess. Springs	W11-2, Pedestrian Crossing		
25618104810.2	City of Wess. Springs	44.07786	-98.57098	W16-9P	D/R	1	North				Yellow-Green		Disc			City of Wess. Springs	W16-9P, Ahead (Plaque)		
25618105310	City of Wess. Springs	44.07823	-98.57098	R2-1 (25)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	R2-1, Speed Limit 25mph		
25618105355	City of Wess. Springs	44.07796	-98.57098	SP-5R	New	1	North	48" x 18"	6		Brown	2" X 2" Perforated Tube Post	New	2	9	City of Wess. Springs	SP-5R, Nature and History Trail (Right Arrow)	NATURE & HISTORY TRAIL (ARROW RIGHT)	
25618105615	City of Wess. Springs	44.07678	-98.57076	SP-5L	New	1	South	48" x 18"	6		Brown	2" X 2" Perforated Tube Post	New	2	9	City of Wess. Springs	SP-5L, Nature and History Trail (Left Arrow)	(ARROW LEFT) NATURE & HISTORY TRAIL	
25618105743	City of Wess. Springs	44.07719	-98.57072	Other	D/R	2	North & South				Brown		Disc	1		City of Wess. Springs	Other, Other Sign	NATURE & HISTORY TRAIL	
2561810613	City of Wess. Springs	44.09103	-98.57098	R2-1 (25)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	10	City of Wess. Springs	R2-1, Speed Limit 25mph		
2561810613.2	City of Wess. Springs	44.09103	-98.57098	Other	D/S	1	North				White	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	Other, Other Sign	Radar Patrolled	Salvage Radar Patrolled sign back to the City of Wessington Springs
25618111600	City of Wess. Springs	44.09188	-98.57288	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	12th St NW	
25618111600.2	City of Wess. Springs	44.09188	-98.57288	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	State St NW	
25618113403	City of Wess. Springs	44.08046	-98.56959	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	D3-1, Street Name	1st St NE	
25618113403.2	City of Wess. Springs	44.08046	-98.56959	D3-1	R/R	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Wallace Ave N	
25618113817	City of Wess. Springs	44.07638	-98.56866	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	D3-1, Street Name	3rd St SE	
25618113817.2	City of Wess. Springs	44.07638	-98.56866	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Sullivan Ave S	
25618114322	City of Wess. Springs	44.08461	-98.56795	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
25618114322.2	City of Wess. Springs	44.08461	-98.56795	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	5th St NE	
25618114322.3	City of Wess. Springs	44.08461	-98.56795	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Barrett Ave N	
2561811934	City of Wess. Springs	44.07945	-98.57241	R1-2	R/R	1	North	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R1-2, Yield		
2561811934.2	City of Wess. Springs	44.07945	-98.57241	D3-1	New	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	Main St W	
2561811934.3	City of Wess. Springs	44.07945	-98.57241	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	State Ave	
25618121055	City of Wess. Springs	44.07933	-98.56540	D9-2	R/R	1	West	24" x 24"	4		Blue/White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	D9-2, Hospital		
25618121055.2	City of Wess. Springs	44.07933	-98.56540	M6-1	R/R	1	West	21" x 15"	2.2		Blue/White	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	M6-1, Horizontal Direction Arrow - Single Head		Arrow pointing left
25618121055.3	City of Wess. Springs	44.07933	-98.56540	Other	D/R	1	West				Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	Other, Other Sign	Hospital	
25618123340	City of Wess. Springs	44.08186	-98.56139	R2-1 (25)	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 25mph		
25618123340.2	City of Wess. Springs	44.08186	-98.56139	S5-2	New	1	East	24" x 30"	5		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S5-2, End School Zone		
25618123558	City of Wess. Springs	44.08163	-98.55585	R2-1 (25)	R/R	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl	1	11	City of Wess. Springs	R2-1, Speed Limit 25mph		
25618123558.2	City of Wess. Springs	44.08163	-98.55585	S5-2	New	1	West	24" x 30"	5		White	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	S5-2, End School Zone		
25618123703	City of Wess. Springs	44.08115	-98.56005	R2-1 (25)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 25mph		
25618123703.2	City of Wess. Springs	44.08115	-98.56005	S5-2	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S5-2, End School Zone		
25618211546	City of Wess. Springs	44.08384	-98.57093	W8-2	New	1	North	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	Repl	1	10	City of Wess. Springs	W8-2, Dip		Post C
25618214000	City of Wess. Springs	44.09090	-98.57240	R1-2	R/R	1	Northwest	30" x 30"		2.7	Red	Pole	In Place			City of Wess. Springs	R1-2, Yield		
25618214421	City of Wess. Springs	44.09086	-98.57239	D3-1	R/R	2	North & South	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	D3-1, Street Name	11th St NW	
25618214421.2	City of Wess. Springs	44.09086	-98.57239	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	D3-1, Street Name	State Ave N	
25618214759	City of Wess. Springs	44.08090	-98.56956	R2-1 (25)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 25mph		
25618214759.2	City of Wess. Springs	44.08090	-98.56956	S5-2	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S5-2, End School Zone		

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	140	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
2561891128	City of Wess. Springs	44.08035	-98.57084	Other	D/R	1	South				Blue	Pole	In Place			City of Wess. Springs	Other, Other Sign	Our Saviors Lutheran Church 8 Blocks East 1 Block North	Discard/Remove Our Saviors Lutheran Church 8 Blocks East 1 Block North
2561891128.2	City of Wess. Springs	44.08035	-98.57084	D9-2	R/R	1	South	24" x 24"	4		Blue/White	Pole	In Place			City of Wess. Springs	D9-2, Hospital		Install on Power Pole; Remove/ Replace D9-2 "Hospital Symbol"
2561891128.3	City of Wess. Springs	44.08035	-98.57084	M6-1	R/R	1	South	21" x 15"	2.2		Blue/White	Pole	In Place			City of Wess. Springs	M6-1, Horizontal Direction Arrow - Single Head		Install on Power Pole; Remove/Replace M6-1 Directional Arrow. Arrow pointing right.
2561891128.4	City of Wess. Springs	44.08035	-98.57084	Other	D/R	1	South				Blue	Pole	In Place			City of Wess. Springs	Other, Other Sign	Hospital	Discard/Remove Other Sign "Hospital"
2561891128.5	City of Wess. Springs	44.08035	-98.57084	Other	D/R	1	South				White	Pole	In Place			City of Wess. Springs	Other, Other Sign	NO PARKING THIS SIDE	Discard/Remove NO PARKING THIS SIDE sign
256189152	City of Wess. Springs	44.07883	-98.57079	R1-2	R/R	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R1-2, Yield		
256189152.2	City of Wess. Springs	44.07883	-98.57079	D3-1	New	2	North & South	30" x 9"	1.9		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Burrett	Discard/Remove leftover hardware from pole
256189152.3	City of Wess. Springs	44.07883	-98.57079	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Dakota Ave S	
2561892020	City of Wess. Springs	44.08090	-98.57079	R2-1 (15)	New	1	South	24" x 30"	5		White	Pole	In Place			City of Wess. Springs	R2-1, Speed Limit 15mph		Install on Power Pole; Primary Sign, middle of assembly
2561892020.2	City of Wess. Springs	44.08090	-98.57079	S4-3P	New	1	South	24" x 8"		1.3	Yellow-Green	Pole	In Place			City of Wess. Springs	S4-3P, School (Plaque)		Install on Power Pole; Mount above R2-1
2561892020.3	City of Wess. Springs	44.08090	-98.57079	S4-2P	New	1	South	24" x 10"	1.7		White	Pole	In Place			City of Wess. Springs	S4-2P, When Children Are Present (Plaque)		Install on Power Pole; Mount below R2-1
2561892053	City of Wess. Springs	44.08091	-98.57082	Other	D/R	1	South				White	Pole	In Place			City of Wess. Springs	Other, Other Sign	NO PARKING THIS SIDE	
2561892418	City of Wess. Springs	44.08114	-98.57080	W8-2	New	1	South	30" x 30"		6.3	Yellow	2" X 2" Perforated Tube Post	New	1	10	City of Wess. Springs	W8-2, Dip		
2561892418.2	City of Wess. Springs	44.08114	-98.57080	R7-1Xb	New	1	South	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	R7-1Xb, No Parking - This Side of Street	P (No Parking) THIS SIDE OF STREET	Mount below W8-2
2561893346	City of Wess. Springs	44.08129	-98.57082	Other	D/R	1	South				Yellow		Disc	1		City of Wess. Springs	Other, Other Sign	-Logo- Grade School and Gym 7 Blocks East	
2561893346.2	City of Wess. Springs	44.08129	-98.57082	R2-1 (15)	D/R	1	South				White		Disc			City of Wess. Springs	R2-1, Speed Limit 15mph	SCHOOL SPEED LIMIT 15 ON SCHOOL DAYS WHEN CHILDREN ARE PRESENT	
2561893346.3	City of Wess. Springs	44.08129	-98.57082	R8-3	D/R	1	South				Yellow		Disc			City of Wess. Springs	R8-3, No Parking (Symbol)		
2561893607	City of Wess. Springs	44.08149	-98.57084	D9-6	D/S	2	East & West				Blue	Pole	In Place			City of Wess. Springs	D9-6, Intl Symbol of Accessibility		Salvage D9-6 signs back to the City of Wessington Springs
2561893607.2	City of Wess. Springs	44.08149	-98.57084	Other	D/R	1	South				White	Pole	In Place			City of Wess. Springs	Other, Other Sign	NO PARKING THIS SIDE	
2561893847	City of Wess. Springs	44.08207	-98.57081	R7-1Xb	New	1	South	12" x 18"	1.5		White	Pole	In Place			City of Wess. Springs	R7-1Xb, No Parking - This Side of Street	P (No Parking) THIS SIDE OF STREET	Install on Power Pole
2561894026	City of Wess. Springs	44.08257	-98.57080	R7-1Xb	R/R	1	South	12" x 18"	1.5		White	Pole	In Place			City of Wess. Springs	R7-1Xb, No Parking - This Side of Street	P (No Parking) THIS SIDE OF STREET	Install on Power Pole
2561894451	City of Wess. Springs	44.08409	-98.57080	R7-1Xb	R/R	1	South	12" x 18"	1.5		White	Pole	In Place			City of Wess. Springs	R7-1Xb, No Parking - This Side of Street	P (No Parking) THIS SIDE OF STREET	Install on Power Pole
2561894552	City of Wess. Springs	44.08360	-98.57080	R2-1 (25)	D/R	1	South				White	Pole	In Place			City of Wess. Springs	R2-1, Speed Limit 25mph		
2561894552.2	City of Wess. Springs	44.08360	-98.57080	R8-3	D/R	1	South				White	Pole	In Place			City of Wess. Springs	R8-3, No Parking (Symbol)		
2561894844	City of Wess. Springs	44.08467	-98.57079	SP-8	New	1	South	42" x 24"	7		Green	Wood Pole	In Place			City of Wess. Springs	SP-8, St. Joseph Catholic Church	St Joseph Catholic Church (ARROW RIGHT)	Install on Power Pole
2561894844.2	City of Wess. Springs	44.08467	-98.57079	Other	D/R	1	South				White	Wood Pole	In Place			City of Wess. Springs	Other, Other Sign	NO PARKING THIS SIDE	Install on Power Pole
2561895226	City of Wess. Springs	44.08512	-98.57082	R7-1Xb	New	1	South	12" x 18"	1.5		White	Pole	In Place			City of Wess. Springs	R7-1Xb, No Parking - This Side of Street	P (No Parking) THIS SIDE OF STREET	Install on Power Pole
2561895409	City of Wess. Springs	44.08726	-98.57082	R7-1Xb	New	1	South	12" x 18"	1.5		White	Pole	In Place			City of Wess. Springs	R7-1Xb, No Parking - This Side of Street	P (No Parking) THIS SIDE OF STREET	Install on Power Pole
2561895501	City of Wess. Springs	44.08823	-98.57082	R7-1Xb	R/R	1	South	12" x 18"	1.5		White	Pole	In Place			City of Wess. Springs	R7-1Xb, No Parking - This Side of Street	P (No Parking) THIS SIDE OF STREET	Install on Power Pole
2561895638	City of Wess. Springs	44.08892	-98.57079	R1-2	New	1	East	30" x 30"		2.7	Red	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R1-2, Yield		
2561895638.2	City of Wess. Springs	44.08892	-98.57079	D3-1	New	2	North & South	30" x 9"	1.9		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	9th St	
2561895638.3	City of Wess. Springs	44.08892	-98.57079	D3-1	New	2	East & West	36" x 9"	2.3		Blue	2" X 2" Perforated Tube Post	New			City of Wess. Springs	D3-1, Street Name	Dakota Ave N	
25619142110	City of Wess. Springs	44.08135	-98.57014	R7-1R	R/S	1	West	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	New	1	9	City of Wess. Springs	R7-1R, No Parking Anytime (Right Arrow)	NO PARKING ANY TIME (ARROW RIGHT)	Sign should be set at an angle of 30-45 degrees with the line of traffic flow. Sign post goes in the about the same place as the existing "no parking between signs" sign. Salvage existing sign back to the City of Wessington Springs.
25619142240	City of Wess. Springs	44.08134	-98.57026	R7-1L	R/S	1	West	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R7-1L, No Parking Anytime (Left Arrow)	NO PARKING ANY TIME (ARROW LEFT)	Sign should be set at an angle of 30-45 degrees with the line of traffic flow. Sign post goes in the about the same place as the existing "no parking between signs" sign. Salvage existing sign back to the City of Wessington Springs.
2579101841	City of Wess. Springs	44.09444	-98.57100	W3-5	New	1	North	36" x 36"		9	Yellow	2" X 2" Perforated Tube Post	New	2	10	City of Wess. Springs	W3-5, Reduce Speed Limit Ahead (Symbol)	40	Install Minimum 125' in Advance of R2-1 (40 mph) Speed Limit Sign
2579101901	City of Wess. Springs	44.09408	-98.57101	R2-1 (40)	R/R	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	City of Wess. Springs	R2-1, Speed Limit 40mph		
257911659	City of Wess. Springs	44.07987	-98.55988	R2-1 (25)	New	1	South	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	10	City of Wess. Springs	R2-1, Speed Limit 25mph		
257991440	City of Wess. Springs	44.08305	-98.57098	R2-1 (15)	New	1	North	24" x 30"	5		White	2" X 2" Perforated Tube Post	New	1	11	City of Wess. Springs	R2-1, Speed Limit 15mph		Primary Sign, middle
257991440.2	City of Wess. Springs	44.08305	-98.57098	S4-3P	New	1	North	24" x 8"		1.3	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S4-3P, School (Plaque)		Mo
257991440.3	City of Wess. Springs	44.08305	-98.57098	S4-2P	New	1	North	24" x 10"	1.7		White	2" X 2" Perforated Tube Post	New			City of Wess. Springs	S4-2P, When Children Are Present (Plaque)		
257992645	City of Wess. Springs	44.08168	-98.57079	D9-6	R/S	2	North & South	24" x 24"	4		Blue/White	2" X 2" Perforated Tube Post	Repl	1	10	City of Wess. Springs	D9-6, Intl Symbol of Accessibility		Salvage sig
257992645.2	City of Wess. Springs	44.08168	-98.57079	M6-2L	New	1	North	21" x 15"	2.2		Blue/White	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	M6-2L, Directional 45 Degree Arrow (Left)		
257992645.3	City of Wess. Springs	44.08168	-98.57079	M6-2R	New	1	South	21" x 15"	2.2		Blue/White	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	M6-2R, Directional 45 Degree Arrow (Right)		
257994009	City of Wess. Springs	44.07825	-98.56958	R7-8	R/R	1	East	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R7-8, Reserved Parking Handicapped, Arrow	(NO ARROW)	
257994009.2	City of Wess. Springs	44.07825	-98.56958	R7-8SD	New	1	East	12" x 9"	0.8		White	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	R7-8SD, South Dakota Supplemental ADA Plaque		
257995014	City of Wess. Springs	44.08451	-98.57443	R7-8	R/R	1	East	12" x 18"	1.5		White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	R7-8, Reserved Parking Handicapped, Arrow	(NO ARROW)	
257995014.2	City of Wess. Springs	44.08451	-98.57443	R7-8SD	New	1	East	12" x 9"	0.8		White	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	R7-8SD, South Dakota Supplemental ADA Plaque		
25799719	City of Wess. Springs	44.07944	-98.56491	D9-2	R/R	1	East	24" x 24"	4		Blue/White	2" X 2" Perforated Tube Post	Repl	1	9	City of Wess. Springs	D9-2, Hospital		
25799719.2	City of Wess. Springs	44.07944	-98.56491	M6-1	R/R	1	East	21" x 15"	2.2		Blue/White	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	M6-1, Horizontal Direction Arrow - Single Head		
25799719.3	City of Wess. Springs	44.07944	-98.56491	Other	D/R	1	East				Blue	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	Other, Other Sign	Hospital	
25826164804	City of Wess. Springs	44.07652	-98.57076	R2-1 (25)	R/R	1	South	24" x 30"	5		White	2.5" x 2.5" Perforated Tube Post	Repl	1	12	City of Wess. Springs	R2-1, Speed Limit 25mph		Inst

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	141	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25826164804.2	City of Wess. Springs	44.07652	-98.57076	Other	R/S/R/R	1	South					2.5" x 2.5" Perforated Tube Post	Repl			City of Wess. Springs	Other, Other Sign	Radar Feedback YOUR SPEED	Mount below R2-1, See Plan Note
25826164940	City of Wess. Springs	44.08172	-98.56139	R2-1 (15)	R/R	1	West	24" x 30"	5		White	2.5" x 2.5" Perforated Tube Post	New	1	14	City of Wess. Springs	R2-1, Speed Limit 15mph		Install using slip base anchor; Primary Sign, middle of assembly
25826164940.2	City of Wess. Springs	44.08172	-98.56139	S4-3P	R/R	1	West	24" x 8"		1.3	Yellow-Green	2.5" x 2.5" Perforated Tube Post	New			City of Wess. Springs	S4-3P, School (Plaque)		Mount above R2-1
25826164940.3	City of Wess. Springs	44.08172	-98.56139	S4-2P	New	1	West	24" x 10"	1.7		White	2.5" x 2.5" Perforated Tube Post	New			City of Wess. Springs	S4-2P, When Children Are Present (Plaque)		Mount below R2-1
25826164940.4	City of Wess. Springs	44.08172	-98.56139	Other	R/S/R/R	1	West				White	2.5" x 2.5" Perforated Tube Post	New			City of Wess. Springs	Other, Other Sign	Radar Feedback YOUR SPEED	Mount below S4-2P, See Plan Note
25826164940.5	City of Wess. Springs	44.08172	-98.56139	Other	D/S	1	West				White	2.5" x 2.5" Perforated Tube Post	New			City of Wess. Springs	Other, Other Sign	SPEED LIMIT STRICTLY ENFORCED	Salvage sign back to the City of Wessington Springs.
2622411120	City of Wess. Springs	44.08180	-98.55962	S1-1	R/R	1	East	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	Repl	2	10	City of Wess. Springs	S1-1, School		
2622411120.2	City of Wess. Springs	44.08180	-98.55962	W16-9P	R/R	1	East	24" x 12"		2	Yellow-Green	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	W16-9P, Ahead (Plaque)		Mount below S1-1
2622411252	City of Wess. Springs	44.08170	-98.56046	S1-1	R/R	1	West	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	Repl	2	10	City of Wess. Springs	S1-1, School		
2622411252.2	City of Wess. Springs	44.08170	-98.56046	W16-9P	R/R	1	West	24" x 12"		2	Yellow-Green	2" X 2" Perforated Tube Post	Repl			City of Wess. Springs	W16-9P, Ahead (Plaque)		Mount below S1-1
2622411320	City of Wess. Springs	44.08183	-98.56001	S1-1	New	1	East	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	10	City of Wess. Springs	S1-1, School		
2622411320.2	City of Wess. Springs	44.08183	-98.56001	W16-7PL	New	1	East	24" x 12"		2	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	W16-7PL, Diagonal Arrow (Plaque - Left)		Mount below S1-1
2622411340	City of Wess. Springs	44.08169	-98.56008	S1-1	R/R	1	West	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	10	City of Wess. Springs	S1-1, School		
2622411340.2	City of Wess. Springs	44.08169	-98.56008	W16-7PL	R/R	1	West	24" x 12"		2	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	W16-7PL, Diagonal Arrow (Plaque - Left)		Mount below S1-1
2622411512	City of Wess. Springs	44.08134	-98.57080	S1-1	New	1	South	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	10	City of Wess. Springs	S1-1, School		
2622411512.2	City of Wess. Springs	44.08134	-98.57080	W16-7PL	New	1	South	24" x 12"		2	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	W16-7PL, Diagonal Arrow (Plaque - Left)		Mount below S1-1
2622411536	City of Wess. Springs	44.08152	-98.57098	S1-1	New	1	North	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	10	City of Wess. Springs	S1-1, School		
2622411536.2	City of Wess. Springs	44.08152	-98.57098	W16-7PL	New	1	North	24" x 12"		2	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	W16-7PL, Diagonal Arrow (Plaque - Left)		Mount below S1-1
2622411635	City of Wess. Springs	44.08162	-98.56938	S1-1	R/R	1	South	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	10	City of Wess. Springs	S1-1, School		
2622411635.2	City of Wess. Springs	44.08162	-98.56938	W16-7PL	R/R	1	South	24" x 12"		2	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	W16-7PL, Diagonal Arrow (Plaque - Left)		Mount below S1-1
2622411700	City of Wess. Springs	44.08168	-98.56961	S1-1	R/R	1	North	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	10	City of Wess. Springs	S1-1, School		
2622411700.2	City of Wess. Springs	44.08168	-98.56961	W16-7PL	R/R	1	North	24" x 12"		2	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	W16-7PL, Diagonal Arrow (Plaque - Left)		Mount below S1-1
2622791015	City of Wess. Springs	44.08245	-98.57081	S1-1	New	1	South	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	10	City of Wess. Springs	S1-1, School		
2622791015.2	City of Wess. Springs	44.08245	-98.57081	W16-7PL	New	1	South	24" x 12"		2	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	W16-7PL, Diagonal Arrow (Plaque - Left)		Mount below S1-1
2622791034	City of Wess. Springs	44.08255	-98.57098	S1-1	New	1	North	36" x 36"		9	Yellow-Green	2" X 2" Perforated Tube Post	New	2	10	City of Wess. Springs	S1-1, School		
2622791034.2	City of Wess. Springs	44.08255	-98.57098	W16-7PL	New	1	North	24" x 12"		2	Yellow-Green	2" X 2" Perforated Tube Post	New			City of Wess. Springs	W16-7PL, Diagonal Arrow (Plaque - Left)		Mount below S1-1
255293503	South Dakota 224	44.18427	-98.36387	Other	D/S	1	North				White		Disc	1		City of Alpena	Other, Other Sign	Alpena Cemetery Road No Outlet	Non-standard sign attached to a D3-1 sign with extra post. Salvage sign back to the City of Alpena.
25610225358	South Dakota 224	44.18480	-98.33186	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 224	
25610225358.2	South Dakota 224	44.18480	-98.33186	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	394 Ave	
25610225431	South Dakota 224	44.18473	-98.35206	D3-1	R/R	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	10	County	D3-1, Street Name	SD 224	
25610225431.2	South Dakota 224	44.18473	-98.35206	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	393 Ave	
25610225431.3	South Dakota 224	44.18473	-98.35206	Other	D/S	1	East				White	2" X 2" Perforated Tube Post	Repl			County	Other, Other Sign		Unknown Sign Attached to D3-1. Discard/Salvage Sign back to Jerauld County
25610225817	South Dakota 224	44.18430	-98.36543	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	SD 224	
25610225817.2	South Dakota 224	44.18430	-98.36543	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	Oak Ave	
25610225845	South Dakota 224	44.18432	-98.36682	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	SD 224	
25610225845.2	South Dakota 224	44.18432	-98.36682	D3-1	New	2	East & West	42" x 12"	3.5		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	Pine Ave	
25610225909	South Dakota 224	44.18434	-98.36691	D3-1	D/R	2	East & West				Green	2" X 2" Perforated Tube Post	In Place			County	D3-1, Street Name	Pine Ave	D3-1 Sign attached to the SDDOT Stop Sign Post. Discard/Remove D3-1 Sign only.
25610225951	South Dakota 224	44.18430	-98.36961	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	SD 224	
25610225951.2	South Dakota 224	44.18430	-98.36961	D3-1	New	2	East & West	48" x 12"	4		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	Spruce Ave	
2561023009	South Dakota 224	44.18431	-98.36967	D3-1	D/R	2	East & West				Green	2" X 2" Perforated Tube Post	In Place			County	D3-1, Street Name	Spruce Ave	D3-1 Sign attached to the SDDOT Stop Sign Post. Discard/Remove D3-1 Sign only.
2561023102	South Dakota 224	44.18430	-98.37238	D3-1	New	1	North	42" x 12"	3.5		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	(ARROW LEFT) SD 224	"SD 224" signs back-to-back. "Willow Ave" signs back-to-back
2561023102.2	South Dakota 224	44.18430	-98.37238	D3-1	New	1	South	42" x 12"	3.5		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	SD 224 (ARROW RIGHT)	"SD 224" signs back-to-back. "Willow Ave" signs back-to-back
2561023102.3	South Dakota 224	44.18430	-98.37238	D3-1	New	1	East	54" x 12"	4.5		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	(ARROW LEFT) Willow Ave	"SD 224" signs back-to-back. "Willow Ave" signs back-to-back
2561023102.4	South Dakota 224	44.18430	-98.37238	D3-1	New	1	West	54" x 12"	4.5		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	Willow Ave (ARROW RIGHT)	"SD 224" signs back-to-back. "Willow Ave" signs back-to-back
2561023130	South Dakota 224	44.18430	-98.37242	D3-1	D/R	2	East & West				Green	2" X 2" Perforated Tube Post	In Place			County	D3-1, Street Name	Willow Ave	D3-1 Sign attached to the SDDOT Stop Sign Post. Discard/Remove D3-1 Sign only.
2561023218	South Dakota 224	44.18449	-98.37229	D3-1	R/R	1	South	42" x 12"	3.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	(ARROW LEFT) 221 St	"221 St" signs back-to-back. "392 Ave" signs back-to-back
2561023218.2	South Dakota 224	44.18449	-98.37229	D3-1	R/R	1	North	42" x 12"	3.5		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	221 St (ARROW RIGHT)	"221 St" signs back-to-back. "392 Ave" signs back-to-back
2561023218.3	South Dakota 224	44.18449	-98.37229	D3-1	R/R	1	East	42" x 12"	3.5		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	392 Ave (ARROW RIGHT)	"221 St" signs back-to-back. "392 Ave" signs back-to-back
2561023218.4	South Dakota 224	44.18449	-98.37229	D3-1	R/R	1	West	42" x 12"	3.5		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	(ARROW LEFT) 392 Ave	"221 St" signs back-to-back. "392 Ave" signs back-to-back
2561023817	South Dakota 224	44.18428	-98.36398	D3-1	New	2	North & South	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl	1	12	County	D3-1, Street Name	SD 224	
2561023817.2	South Dakota 224	44.18428	-98.36398	D3-1	R/R	2	East & West	54" x 12"	4.5		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	Cemetery Rd	
25320101045	South Dakota 34	44.08088	-98.66951	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
25320101045.2	South Dakota 34	44.08088	-98.66951	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	376 Ave	
25320101330	South Dakota 34	44.08098	-98.64972	D3-1	New	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	SD 34	
25320101330.2	South Dakota 34	44.08098	-98.64972	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	377 Ave	
25320101720	South Dakota 34	44.08107	-98.62996	D3-1	New	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
25320101720.2	South Dakota 34	44.08107	-98.62996	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	378 Ave	
25320101909	South Dakota 34	44.07785	-98.61024	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
25320101909.2	South Dakota 34	44.07785	-98.61024	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	379 Ave	
25320102136	South Dakota 34	44.07494	-98.59051	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
25320102136.2	South Dakota 34	44.07494	-98.59051	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	380 Ave	
2532010240	South Dakota 34	44.08043	-98.72889	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
2532010240.2	South Dakota 34	44.08043	-98.72889	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	373 Ave	
25320102647	South Dakota 34	44.07166	-98.55215	D3-1	New	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
25320102647.2	South Dakota 34	44.07166	-98.55215	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	383 Ave	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026

FOR BIDDING PURPOSES ONLY

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	PH 8037(02)	142	142

TABLE OF PERMANENT SIGNS - Jerauld County

ID	Route	Latitude	Longitude	Sign Code	Sign Action	Sign Quantity	Sign Facing	Sign Dimensions	Type IV Sheeting	Type XI Sheeting	Sheeting Color	Post Type	Post Action	# of Posts	Post Length	Owner	Sign Description	Sign Legend	Comments
25320103452	South Dakota 34	44.06742	-98.51196	D3-1	New	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	SD 34	
25320103452.2	South Dakota 34	44.06742	-98.51196	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	385 Ave	
25320103659	South Dakota 34	44.06751	-98.49183	D3-1	New	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
25320103659.2	South Dakota 34	44.06751	-98.49183	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	386 Ave	
25320103902	South Dakota 34	44.06765	-98.47173	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
25320103902.2	South Dakota 34	44.06765	-98.47173	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	387 Ave	
25320104204	South Dakota 34	44.06694	-98.43220	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
25320104204.2	South Dakota 34	44.06694	-98.43220	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	389 Ave	
25320104355	South Dakota 34	44.06623	-98.41206	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
25320104355.2	South Dakota 34	44.06623	-98.41206	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	390 Ave	
25320104614	South Dakota 34	44.06851	-98.39194	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
25320104614.2	South Dakota 34	44.06851	-98.39194	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	391 Ave	
25320104941	South Dakota 34	44.06775	-98.40617	D3-1	New	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	SD 34	
25320104941.2	South Dakota 34	44.06775	-98.40617	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	229 St	
25320105231	South Dakota 34	44.06697	-98.37186	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
25320105231.2	South Dakota 34	44.06697	-98.37186	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	392 Ave	
25320105428	South Dakota 34	44.06523	-98.35175	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
25320105428.2	South Dakota 34	44.06523	-98.35175	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	393 Ave	
25320105810	South Dakota 34	44.06256	-98.33170	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
25320105810.2	South Dakota 34	44.06256	-98.33170	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	394 Ave	
2532010613	South Dakota 34	44.08053	-98.70878	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
2532010613.2	South Dakota 34	44.08053	-98.70878	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	374 Ave	
2532010817	South Dakota 34	44.08094	-98.68877	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
2532010817.2	South Dakota 34	44.08094	-98.68877	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	375 Ave	
2532011216	South Dakota 34	44.07912	-98.80745	D3-1	New	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	SD 34	
2532011216.2	South Dakota 34	44.07912	-98.80745	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	369 Ave	
2532094259	South Dakota 34	44.07878	-98.88735	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
2532094259.2	South Dakota 34	44.07878	-98.88735	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	365 Ave	
2532094506	South Dakota 34	44.07902	-98.90742	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
2532094506.2	South Dakota 34	44.07902	-98.90742	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	364 Ave	
2532094613	South Dakota 34	44.07882	-98.86723	D3-1	New	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	SD 34	
2532094613.2	South Dakota 34	44.07882	-98.86723	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	366 Ave	
2532095001	South Dakota 34	44.07888	-98.84734	D3-1	New	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	SD 34	
2532095001.2	South Dakota 34	44.07888	-98.84734	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	367 Ave	
2532095306	South Dakota 34	44.07894	-98.82754	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
2532095306.2	South Dakota 34	44.07894	-98.82754	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	368 Ave	
2532095601	South Dakota 34	44.07964	-98.78895	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
2532095601.2	South Dakota 34	44.07964	-98.78895	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	370 Ave	
2532095758	South Dakota 34	44.08019	-98.74876	D3-1	New	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
2532095758.2	South Dakota 34	44.08019	-98.74876	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	372 Ave	
2532518335	South Dakota 34	44.06746	-98.53203	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
2532518335.2	South Dakota 34	44.06746	-98.53203	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	384 Ave	
25415102444	South Dakota 34	44.07341	-98.57050	D3-1	New	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	SD 34	
25415102444.2	South Dakota 34	44.07341	-98.57050	D3-1	New	2	East & West	54" x 12"	4.5		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	Dakota Ave S	
25416113010	South Dakota 34	44.07989	-98.76884	D3-1	New	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	SD 34	
25416113010.2	South Dakota 34	44.07989	-98.76884	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	371 Ave	
2541710641	South Dakota 34	44.06783	-98.45151	D3-1	R/R	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	Repl	1	11	County	D3-1, Street Name	SD 34	
2541710641.2	South Dakota 34	44.06783	-98.45151	D3-1	R/R	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	Repl			County	D3-1, Street Name	US 281	
25417162303	South Dakota 34	44.06585	-98.42929	D3-1	New	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	SD 34	
25417162303.2	South Dakota 34	44.06585	-98.42929	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	4th Ave	
25424201522	South Dakota 34	44.06773	-98.38203	D3-1	New	2	North & South	30" x 12"	2.5		Green	2" X 2" Perforated Tube Post	New	1	11	County	D3-1, Street Name	SD 34	
25424201522.2	South Dakota 34	44.06773	-98.38203	D3-1	New	2	East & West	36" x 12"	3		Green	2" X 2" Perforated Tube Post	New			County	D3-1, Street Name	229 St	

REGISTERED PROFESSIONAL ENGINEER
REG. NO. 9242
CHAD P. STENSLAND
SOUTH DAKOTA
5/26/2026