

STATE OF SOUTH DAKOTA
DEPARTMENT OF TRANSPORTATION
PLANS FOR PROPOSED

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	IM-P 0022(68)	1	20

Plotting Date: 07/17/2025
Revised 8/28/2025 MLG

PROJECT IM-P 0022(68)
INTERSTATE 29 & 90
SD HIGHWAYS 32 & 38
MINNEHAHA & MOODY
COUNTIES

PIPE WORK, CULVERT & DITCH CLEANOUT EROSION REPAIR


PCN 06EN

I29 SB			
<u>Design</u>	<u>Designation</u>	<u>Design</u>	<u>Designation</u>
ADT (2024)	10375	ADT (2024)	10375
ADT (2044)	15614	ADT (2044)	15614
DHV	1191	DHV	1191
D	50%	D	50%
T DHV	8.6%	T DHV	8.6%
T ADT	15.7%	T ADT	15.7%
V	80 MPH	V	80 MPH

SD32		SD38	
<u>Design Designation</u>		<u>Design Designation</u>	
ADT (2024)	2080	ADT (2024)	2914
ADT (2044)	2650	ADT (2044)	4514
DHV	185	DHV	249
D	51%	D	50%
T DHV	1.8%	T DHV	2.2%
T ADT	6.6%	T ADT	5.9%
V	65 MPH	V	65 MPH

I90 EB		I29 WB	
<u>Design</u>	<u>Designation</u>	<u>Design</u>	<u>Designation</u>
ADT (2024)	7955	ADT (2024)	9854
ADT (2044)	11972	ADT (2044)	12465
DHV	642	DHV	795
D	49%	D	51%
T DHV	9.2%	T DHV	8.6%
T ADT	20%	T ADT	21%
V	80 MPH	V	80 MPH

STORM WATER PERMIT
NOT REQUIRED



February 18, 2026

4

ESTIMATE OF QUANTITIES & ENVIRONMENTAL COMMITMENTS

ESTIMATE OF QUANTITIES

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
009E0010	Mobilization	Lump Sum	LS
009E4100	Construction Schedule, Category I	Lump Sum	LS
110E0135	Remove Delineator	10	Each
110E0500	Remove Pipe Culvert	32	Ft
110E0510	Remove Pipe End Section	15	Each
110E5451	Salvage Riprap	50.0	Ton
110E7500	Remove Pipe for Reset	120	Ft
110E7510	Remove Pipe End Section for Reset	21	Each
120E0010	Unclassified Excavation	155	CuYd
120E0600	Contractor Furnished Borrow	40	CuYd
450E0122	18" RCP Class 2, Furnish	24	Ft
450E0130	18" RCP, Install	24	Ft
450E0162	30" RCP Class 2, Furnish	8	Ft
450E0170	30" RCP, Install	8	Ft
450E2008	18" RCP Flared End, Furnish	4	Each
450E2009	18" RCP Flared End, Install	4	Each
450E2016	24" RCP Flared End, Furnish	4	Each
450E2017	24" RCP Flared End, Install	4	Each
450E2024	30" RCP Flared End, Furnish	2	Each
450E2025	30" RCP Flared End, Install	2	Each
450E2308	24" RCP Safety End, Furnish	1	Each
450E2311	24" RCP Safety End, Install	1	Each
450E5203	12" CMP Flared End, Furnish	4	Each
450E5204	12" CMP Flared End, Install	4	Each
* 450E8900	Cleanout Pipe Culvert	16	Each
450E9000	Reset Pipe	120	Ft
450E9001	Reset Pipe End Section	21	Each
632E2510	Type 2 Object Marker Back to Back	16	Each
632E2520	Type 2 Object Marker	10	Each
634E0010	Flagging	40.0	Hour
634E0110	Traffic Control Signs	626.0	SqFt
634E0120	Traffic Control, Miscellaneous	Lump Sum	LS
634E0275	Type 3 Barricade	4	Each
634E0420	Type C Advance Warning Arrow Board	2	Each
634E1215	Contractor Furnished Portable Changeable Message Sign	2	Each
700E0110	Class A Riprap	88.2	Ton
700E2010	Place Riprap	50.0	Ton
720E1015	Bank and Channel Protection Gabion	42.0	CuYd
734E0010	Erosion Control	Lump Sum	LS
734E0102	Type 2 Erosion Control Blanket	422	SqYd
734E0154	12" Diameter Erosion Control Wattle	320	Ft
831E0110	Type B Drainage Fabric	422	SqYd

ENVIRONMENTAL COMMITMENTS

The SDDOT is committed to protecting the environment and uses Environmental Commitments as a communication tool for the Engineer and Contractor to ensure that attention is given to avoid, minimize, and/or mitigate an environmental impact. Environmental commitments to various agencies and the public have been made to secure approval of this project. An agency with permitting authority can delay a project if identified environmental impacts have not been adequately addressed. Unless otherwise designated, the Contractor's primary contact regarding matters associated with these

commitments will be the Project Engineer. During construction, the Project Engineer will verify that the Contractor has met Environmental Commitment requirements. These environmental commitments are not subject to change without prior written approval from the SDDOT Environmental Office.

Additional guidance on SDDOT's Environmental Commitments can be accessed through the Environmental Procedures Manual found at: <https://dot.sd.gov/media/documents/EnvironmentalProceduresManual.pdf>

For questions regarding change orders in the field that may have an effect on an Environmental Commitment, the Project Engineer will contact the Environmental Engineer at 605-773-3180 or 605-773-4336 to determine whether an environmental analysis and/or resource agency coordination is necessary.

Once construction is complete, the Project Engineer will review all environmental commitments for the project and document their completion.

COMMITMENT A: AQUATIC RESOURCES

COMMITMENT A1: WETLANDS

All efforts to avoid and minimize wetland impacts from the project have resulted in approximately 0.02 acres of wetlands (includes temporary and permanent) becoming impacted. Refer to plans for location and boundaries of the impacted wetlands.

Table of Impacted Wetlands

Wetland No.	MRM	Perm. Impact Left (Acres)	Perm. Impact Right (Acres)	Temp. Impact Left (Acres)	Temp. Impact Right (Acres)	Total Impact (Acres)
1	96.00+0.48	0.00	0.00	0.001	0.00	0.001
2	99.00+0.7	0.00	0.00	0.00	0.003	0.003
3	115.00+0.5	0.00	0.00	0.00	0.001	0.001
4	353.00+0.1	0.00	0.00	0.001	0.001	0.002
5	353.00+0.85	0.00	0.00	0.001	0.001	0.002
6	409.00+0.2	0.00	0.00	0.003	0.003	0.006
7	410.00+0.1	0.00	0.00	0.003	0.003	0.006

Action Taken/Required:

Temporary impacts identified in the Table of Impacted Wetlands will not be mitigated as original contours and elevations will be re-established as designated in the plans. Prior to initiating temporary work in wetlands, the Contractor will submit a plan to the Project Engineer in accordance with Section 7.21 D of the Specifications.

The Contractor will notify the Project Engineer if additional easement is needed to complete work adjacent to any wetland. The Project Engineer will obtain an appropriate course of action from the Environmental Office before proceeding with construction activities that affect any wetlands beyond the work limits and easements shown in the plans.

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
IM-P 0022(68)	2	20	

Rev. 12/29/25 MR

COMMITMENT B: FEDERALLY THREATENED, ENDANGERED, AND PROTECTED SPECIES

COMMITMENT B5: NORTHERN LONG-EARED AND TRI-COLORED BAT

This project is within the range of suitable habitat for the Northern Long-Eared Bat (NLEB) and/or the Tri-Colored Bat (TCB) and project work will avoid conflicts with NLEB and/or TCB roosting habitat.

Action Taken/Required:

Ensure all operators, employees, and contractors are aware the project occurs adjacent to NLEB or TCB suitable habitat and tree trimming/clearing is limited to that designated in the plans.

If bats are observed roosting on trees or infrastructure within the project area prior to and/or during construction, the contractor will halt all on-site activities. The contractor will notify the Project Engineer and the Environmental Office (605-773-3309 or 605-773-5679) of the observed bat presence.

If project activities cannot be conducted outside of the seasonal restriction the Contractor will notify the Project Engineer and the Environmental Office (605-773-3309) to schedule a presence/absence survey.

If bats are observed roosting on trees or infrastructure within the project area prior to and/or during construction, the contractor will halt all on-site activities. The contractor will notify the Project Engineer and the Environmental Office (605-773-3309 or 605-773-5679) of the observed bat presence.

COMMITMENT C: WATER SOURCE

If a Contractor needs access to state waters for extraction, the Contractor must obtain a water right, through the application of a Temporary Permit to Use Public Waters before work begins.

The Contractor will not withdraw water with equipment previously used outside the State of South Dakota or previously used in aquatic invasive species (AIS) positive waters within South Dakota without prior approval from the SDDOT Environmental Office. To prevent and control the introduction and spread of invasive species into the project vicinity, all equipment will be power washed with hot water (≥ 140 °F) and completely dried for a minimum of 7 days prior to subsequent use. South Dakota administrative rule 41:10:04:02 forbids the possession and transport of AIS; therefore, all attached dirt, mud, debris and vegetation must be removed and all compartments and tanks capable of holding standing water must be drained. This includes, but is not limited to, all equipment, pumps, lines, hoses and holding tanks.

COMMITMENT D: WATER QUALITY STANDARDS

COMMITMENT D1: SURFACE WATER QUALITY

Site #4 is next to Bachelor Creek and is classified as a warm water fishery with a total suspended solids standard of less than 90 mg/L 30-day average, less than 158 mg/L daily maximum. It is classified as a warmwater propagation waters, limited contact recreation waters, fish and wildlife propagation, recreation and stock watering waters, and irrigation waters. Because of these beneficial uses, special construction measures may have to be taken to ensure that this water body is not impacted.

Action Taken/Required:

The Contractor is advised that the South Dakota Surface Water Quality Standards, administered by the South Dakota Department of Agriculture and Natural Resources (DANR), apply to this project. Special construction measures will be taken to ensure the above standard(s) of the surface waters are maintained and protected.

ENVIRONMENTAL COMMITMENTS (CONTINUED)

STATE OF SOUTH DAKOTA	PROJECT IM-P 0022(68)	SHEET 3	TOTAL SHEETS 20
-----------------------------	--------------------------	------------	-----------------------

Rev. 12/29/25 MR

COMMITMENT E: STORM WATER

Construction activities constitute less than 1 acre of disturbance.

Action Taken/Required:

At a minimum and regardless of project size, appropriate erosion and sediment control measures must be installed to control the discharge of pollutants from the construction site.

Action Taken/Required:

The DANR General Permit for Stormwater Discharges Associated with Construction Activities is required for construction activity disturbing one or more acres of earth and work in a waterway. The SDDOT is the owner of this permit and will submit the NOI to DANR 15 days prior to project start in order to obtain coverage under the General Permit. Work can begin once the DANR letter of approval is received.

The Contractor must adhere to the "Special Provision Regarding Storm Water Discharges to Waters of the State."

The Contractor will complete the DANR Contractor Certification Form prior to the pre-construction meeting. The form certifies under penalty of law that the Contractor understands and will comply with the terms and conditions of the permit for this project. Work may not begin on this project until this form is signed and submitted to DANR.

The form can be found at:

https://danr.sd.gov/OfficeOfWater/SurfaceWaterQuality/docs/DANR_CGPAppendixCCA2018Fillable.pdf

The Contractor is advised that permit coverage may also be required for off-site activities, such as borrow and staging areas, which are the responsibility of the Contractor.

COMMITMENT H: WASTE DISPOSAL SITE

The Contractor will furnish a site(s) for the disposal of construction and/or demolition debris generated by this project.

Action Taken/Required:

Construction and/or demolition debris may not be disposed of within the Public ROW.

The waste disposal site(s) will be managed and reclaimed in accordance with the following from the General Permit for Construction/Demolition Debris Disposal Under the South Dakota Waste Management Program issued by the Department of Agriculture and Natural Resources.

The waste disposal site(s) will not be located in a wetland, within 200 feet of surface water, or in an area that adversely affects wildlife, recreation, aesthetic value of an area, or any threatened or endangered species, as approved by the Environmental Office and the Project Engineer.

If the waste disposal site(s) is located such that it is within view of any ROW, the following additional requirements will apply:

1. Construction and/or demolition debris consisting of concrete, asphalt concrete, or other similar materials will be buried in a trench separate from wood debris. The final cover over the construction and/or demolition debris will consist of a minimum of 1 foot of soil capable of supporting vegetation. Waste disposal sites provided outside of the Public ROW will be seeded in accordance with Natural Resources Conservation Service recommendations. The seeding recommendations may be obtained through the appropriate County NRCS Office. The Contractor will control the access to waste disposal sites not within the Public ROW with fences, gates, and placement of a sign or signs at the entrance to the site stating, "No Dumping Allowed".
2. Concrete and asphalt concrete debris may be stockpiled within view of the ROW for a period not to exceed the duration of the project. Prior to project completion, the waste will be removed from view of the ROW or buried, and the waste disposal site reclaimed as noted above.

The above requirements will not apply to waste disposal sites that are covered by an individual solid waste permit as specified in SDCL 34A-6-58, SDCL 34A-6-1.13, and ARSD 74:27:10:06.

Failure to comply with the requirements stated above may result in civil penalties in accordance with South Dakota Solid Waste Law, SDCL 34A-6-1.31.

Cost associated with furnishing waste disposal site(s), disposing of waste, maintaining control of access (fence, gates and signs), and reclamation of the waste disposal site(s) will be incidental to the various contract items.

COMMITMENT I: HISTORIC PRESERVATION OFFICE CLEARANCES

The SDDOT has obtained concurrence with the State Historic Preservation Office (SHPO or THPO) for all work included within the project limits and all department designated sources and designated option material sources, stockpile sites, storage areas, and waste sites provided within the plans.

Action Taken/Required:

All earth disturbing activities not designated within the plans require a cultural resource review prior to scheduling the pre-construction meeting. This work includes but is not limited to: Contractor furnished material sources, material processing sites, stockpile sites, storage areas, plant sites, and waste areas.

The Contractor will arrange and pay for a record search and when necessary, a cultural resource survey. The Contractor has the option to contact the state Archaeological Research Center (ARC) at 605-394-1936 or another qualified archaeologist, to obtain either a records search or a cultural resources survey. A record search might be sufficient for review if the site was previously surveyed; however, a cultural resources survey may need to be conducted by a qualified archaeologist.

The Contractor will provide ARC with the following: a topographical map or aerial view in which the site is clearly outlined, site dimensions, project number, and PCN. If applicable, provide evidence that the site has been previously disturbed by farming, mining, or construction activities with a landowner statement that artifacts have not been found on the site.

The Contractor will submit the cultural resources survey report to SDDOT Environmental Office, 700 East Broadway Avenue, Pierre, SD 57501-2586. SDDOT will submit the information to the appropriate SHPO/THPO. Allow **30 Days** from the date this information is submitted to the Environmental Engineer for SHPO/THPO review.

In the event of an inadvertent discovery of human remains, funerary objects, or if evidence of cultural resources is identified during project construction activities, then such activities within 150 feet of the inadvertent discovery will immediately cease and the Project Engineer will be immediately notified. The Project Engineer will contact the SDDOT Environmental Office, who will contact the appropriate SHPO/THPO within 48 hours of the discovery to determine an appropriate course of action.

SHPO review does not relieve the Contractor of the responsibility for obtaining any additional permits and clearances for Contractor furnished material sources, material processing sites, stockpile sites, storage areas, plant sites, and waste areas that affect wetlands, threatened and endangered species, or waterways. The Contractor will not utilize a site known or suspected of having contaminated soil or water. The Contractor will provide the required permits and clearances to the Project Engineer at the preconstruction meeting.

COMMITMENT N: SECTION 404 PERMIT

The SDDOT has obtained a Section 404 Permit from the USACE for the permanent actions associated with this project.

Action Taken/Required:

The Contractor will comply with all requirements contained in the Section 404 Permit.

The Contractor will also be responsible for obtaining a Section 404 Permit for any dredge, excavation, or fill activities associated with material sources, storage areas, waste sites, and Contractor work sites outside the plan work limits that affect wetlands, floodplains, or waters of the United States.

UTILITIES

The Contractor will contact the involved utility companies through South Dakota One Call (1-800-781-7474) prior to starting work. It will be the responsibility of the Contractor to coordinate work with utility owners to avoid damage to existing facilities.

If utilities are identified near the improvement area through SD One Call Process as required by South Dakota Codified Law 49-7A and Administrative Rule Article 20:25, the Contractor will contact the Engineer to determine modifications that will be necessary to avoid utility impacts.

SCOPE OF WORK

The work required within this project includes, but is not limited to, the following items, not listed in order of execution:

1. Pipe culvert cleanout and repair.
2. Erosion repair.
3. Bridge berm erosion repair.
4. Erosion control and reseeding.

SEQUENCE OF OPERATIONS

The Contractor will submit a sequence of operations for approval two weeks prior to the preconstruction meeting. If changes to the sequence of operations are proposed during the project, these must be submitted for review a minimum of one week prior to potential implementation. Approval for changes to the sequence of operations will only be allowed when the proposed changes meet with the Department's intent for traffic control and sequencing of the work.

GENERAL MAINTENANCE OF TRAFFIC

Traffic will be always maintained at each work site. Traffic will be returned to normal travel lanes once work has been completed each day.

TRAFFIC CONTROL SIGNS

Traffic control signs have been included in a table for two sites. Payment will only be for those signs used on the two sites. No additional payment for signing will be made if traffic control is set up on more than two sites at once.

GENERAL TRAFFIC CONTROL

Existing guide, route, informational logo, regulatory, and warning signs will be temporarily reset and maintained during construction. Removing, relocating, covering, salvaging, and resetting of existing traffic control devices, including delineation, will be the responsibility of the Contractor. Cost for this work will be incidental to the contract unit prices for the various items unless otherwise specified in the plans. Any delineators and signs damaged or lost will be replaced by the Contractor at no cost to the State.

All temporary traffic control sign locations will be set in the field by the Contractor and verified by the Engineer prior to installation.

All temporary speed limit signs will have a minimum mounting height of 5 feet in rural locations, even when mounted on portable supports.

If there is a discrepancy between the traffic control plans, standard plates, and the MUTCD, whichever is more stringent will be used, as determined by the Engineer.

Unless otherwise stated in these plans, work will not be allowed during hours of darkness.

Fixed location signing placed more than 4 calendar days prior to the start of construction will be covered or laid down until the time of construction. The covers must be approved by the Engineer prior to installation. The cost of materials, labor, and equipment necessary to complete this work will be incidental to other contract items. No separate payment will be made.

All fixed location signs, signposts, and breakaway bases will be removed within 7 calendar days following project completion.

All haul trucks will be equipped with an additional flashing amber light that is visible from the backside of the haul truck. The costs for the flashing amber lights will be incidental to the various related contract items.

FLAGGING

Operations will be conducted so that the traveling public will not have to wait longer than 15 minutes at the flagger station.

Additional flagger warning signs and flagger hours have been included in the Estimate of Quantities for use on intersecting roads. These flaggers will be used as directed by the Engineer and will be used primarily during daytime hours.

It is required that the flaggers be able to communicate with one another. If an emergency vehicle needs to pass through the project, the Contractor will be required to expedite traffic movement. All costs associated with this will be incidental to the contract unit price per hour for "Flagging".

PRESS RELEASE ANNOUNCEMENTS

The SDDOT will prepare a press release to be released 5 days prior to any phase change or any other major change that affects traffic flow. The SDDOT will be responsible to keep law enforcement, emergency services, and the traveling public notified of changes in project access. The Contractor will provide the Engineer with pertinent information 7 days prior to any phase change or any other major change that affects traffic flow.

CONTRACTOR FURNISHED BORROW

The Contractor will provide a suitable site for Contractor Furnished Borrow Excavation material. The Contractor is responsible for obtaining all the required permits and clearances for the borrow site. The borrow material will be approved by the Engineer. Compaction of the fill material will be to the satisfaction of the Engineer. The plans quantity for Contractor Furnished Borrow Excavation will be the basis of payment for this item.

DITCH CLEANOUT

The Contractor will reshape the ditch to restore the drainage profile into and out of the pipe, as desired by the Engineer. This work will require removal of sediment and placement of material to restore the channel. Actual areas and amounts of ditch shaping will vary from each site and further erosion and sedimentation may occur after the preliminary inspection. Work will remain within the Right-Of-Way, unless otherwise shown in the plans.

Topsoil will be removed from affected areas prior to ditch reshaping. Topsoil will be spread evenly throughout all disturbed areas upon completion of the work. Topsoil will be free of debris and foreign material.

All costs associated with clearing and reshaping the existing ditch, including topsoil removal/replacement, labor, excavation, placing material, equipment, and incidentals will be incidental to the contract unit price per cubic yard for "Unclassified Excavation".

REINFORCED CONCRETE PIPE

The Contractor is responsible for verifying the size of each pipe or pipe end section prior to ordering.

All pipe or pipe end sections that are shown as being removed on the project will become property of the Contractor. The Contractor will be responsible for disposal of the removed pipe.

CONCRETE PIPE CONNECTIONS

When it is not possible to use a normal pipe joint (male-female ends), connections to existing pipe will be made by placing a 2' wide by 6" thick M6 concrete collar around the outside of the connection. The concrete collar will be reinforced with 6x6 W2.9 x W2.9 wire mesh.

All costs for constructing the concrete collars including materials and labor will be incidental to the contract unit price for the corresponding pipe contract item.

TIE BOLTS AND DRAINAGE FABRIC FOR RCP/RCP ARCH

Tie bolt connections are required for new or reset pipe and pipe end sections. Existing tie bolts that are removed with the pipe or pipe end sections will be replaced with new tie bolts prior to placing or resetting pipe or pipe end sections.

Prior to installing new pipe or resetting existing pipe, field drilling is required to install tie bolts on pipe or pipe end sections that have not been previously drilled.

The pipe joints for each new or reset pipe or pipe end section will be effectively protected against infiltration of backfill soil.

The cost to furnish/install tie bolts, joint drainage fabric, and drilling tie bolt holes will be incidental to the contract unit prices for the corresponding pipe contract item.

EROSION CONTROL WATTLES

Erosion control wattles will be used for restraining the flow of runoff and sediment. The Contractor will install erosion control wattles at inlet pipe end sections where dirt work has occurred and as designated by the Engineer.

The Contractor will provide certification that the erosion control wattles do not contain noxious weed seeds.

Erosion control wattles will remain on the project to decompose.

The erosion control wattle provided will be from the approved products list. The approved product list for erosion control wattles may be viewed at the following internet site:

<https://apps.sd.gov/HC60ApprovedProducts/main.aspx>

EROSION CONTROL

The estimated area requiring erosion control is 3,800 square feet. All costs for the erosion control work for furnishing, placing, and maintaining erosion control including equipment, labor, seeding, and mulching will be incidental to the contract lump sum price for "Erosion Control".

All areas disturbed during construction will be seeded then erosion control blanket will be placed. The limits of erosion control work will be determined by the Engineer during construction.

Permanent Seeding

Type G Permanent Seed Mixture will consist of the following:

Grass Species	Variety	Pure Live Seed (PLS) (Pounds/Acre)
Western Wheatgrass	Arriba, Flintlock, Rodan, Rosana, Walsh	7
Switchgrass	Dacotah, Forestburg, Nebraska 28, Pathfinder, Summer, Sunburst, Trailblazer	3
Indiangrass	Holt, Tomahawk, Chief, Nebraska 54	3
Big Bluestem	Bison, Bonilla, Champ, Sunnyview, Rountree, Bonanza	3
Oats or Spring Wheat: April through May; Winter Wheat: August through November		10
Total:		26

Mulching (Grass Hay or Straw) For Temporary Stabilization

Grass Hay or Straw Mulch may be used as temporary stabilization instead of erosion control blanket at locations determined by the Engineer during construction.

If the Contractor uses a no-till drill, mulch may be applied prior to seeding and the mulch can then be punched into the soil by the no-till drill. If the Contractor uses this process, the no-till drill seeding will be completed immediately following the mulch application and the mulch will be punched into the soil at a 3-inch depth.

Mycorrhizal Inoculum

Mycorrhizal inoculum will consist of mycorrhizal fungi spores and mycorrhizal fungi-infected root fragments in a solid carrier. The carrier may include organic materials, calcinated clay, or other materials consistent with application and good plant growth. The supplier will provide certification of the fungal species claimed and the live propagule count. The inoculum will include a minimum 25% the fungal species *Rhizophagus intraradices*. The remaining 75% may include other endomycorrhizal fungal species.

All seed will be inoculated by the seed supplier with a minimum of 100,000 live propagules of mycorrhizal fungi per acre.

The Mycorrhizal Inoculum provided will be from the approved product list. The approved product list may be viewed at the following internet site:

<https://apps.sd.gov/HC60ApprovedProducts/main.aspx>

ITEMIZED LIST FOR TRAFFIC CONTROL SIGNS

SIGN CODE	SIGN DESCRIPTION	CONVENTIONAL ROAD				EXPRESSWAY / INTERSTATE				
		NUMBER	SIGN SIZE	SQFT PER SIGN	SQFT	NUMBER	SIGN SIZE	SQFT PER SIGN	SQFT	
W4-2	LEFT or RIGHT LANE ENDS (symbol)		48" x 48"	16.0		4	48" x 48"	16.0	64.0	
W20-1	ROAD WORK AHEAD	4	48" x 48"	16.0	64.0	4	48" x 48"	16.0	64.0	
W20-4	ONE LANE ROAD AHEAD	4	48" x 48"	16.0	64.0		48" x 48"	16.0		
W20-5	LEFT or RIGHT LANE CLOSED AHEAD		48" x 48"	16.0		4	48" x 48"	16.0	64.0	
W20-7	FLAGGER (symbol)	4	48" x 48"	16.0	64.0		48" x 48"	16.0		
W21-5	SHOULDER WORK	4	48" x 48"	16.0	64.0		48" x 48"	16.0		
W21-5a	LEFT or RIGHT SHOULDER CLOSED		48" x 48"	16.0		4	48" x 48"	16.0	64.0	
W21-5b	LEFT or RIGHT SHOULDER CLOSED AHEAD		48" x 48"	16.0		4	48" x 48"	16.0	64.0	
G20-2	END ROAD WORK	4	36" x 18"	4.5	18.0	4	48" x 24"	8.0	32.0	
		CONVENTIONAL ROAD TRAFFIC CONTROL SIGNS SQFT				274.0	EXPRESSWAY / INTERSTATE TRAFFIC CONTROL SIGNS SQFT			

CULVERT TABLE

CULVERT DATA				EARTHWORK		PIPE REMOVAL				PIPE RESET		NEW PIPE END SECTIONS				PIPE CULVERT		MISC ITEMS						COMMENTS		
SITE #	MRM	Existing Culvert	Drainage Direction	Contractor Furnished Borrow	Unclassified Excavation	Remove Pipe End Section	Remove Pipe Culvert	Remove Pipe End Section for Reset	Remove Pipe For Reset	Reset Pipe End Section	Reset Pipe	12" CMP Flared End	18" RCP Flared End	24" RCP Flared End	24" RCP Safety End	30" RCP Flared End	18" RCP Class 2	30" RCP Class 2	Cleanout Pipe Culvert	Bank and Channel Protecti on	Type 2 Object Marker	Type 2 Object Marker Back to Back	Salvage Existing Rip Rap	Class A Rip Rap	Type B Drainage Fabric	
				CuYd	CuYd	Each	Ft	Each	Ft	Each	Ft	Each	Each	Each	Each	Each	Ft	Ft	Each	CuYd	Each	Each	Ton	Ton	SqYd	
I29																										
1	Exit 34	12" CMP & FE - Downspout Drop Inlet Drain	E	NB		10	1					1							1	4.5		1			15	Remove & Replace Outlet FE, Cleanout Pipe, Install Gabion Basket, Shape Ditch, Install Object Marker.
1	Exit 34	12" CMP & FE - Downspout Drop Inlet Drain	W	SB		10	1					1							1	4.5		1			15	Remove & Replace Outlet FE, Cleanout Pipe, Install Gabion Basket, Shape Ditch, Install Object Marker.
1	Exit 34	24" RCP & 2 FE's - 40'	E	NB off ramp				1	8	1	8								1							Remove & Reset Inlet FE & 1 Pipe Section, Cleanout pipe.
1	Exit 34	24" RCP & 2 FE's - 287'	E	--	5				2	32	2	32							1			2				Crosspipe near S bridge abutment - Remove & Reset Both FE's, Remove & Reset 2 Pipe Sections on Both Sides, Cleanout pipe, Install 2 Object Markers.
1	Exit 34	24" RCP & 2 FE's - 293'	E	--	5				2	16	2	16							1			2				Crosspipe near N bridge abutment - Remove & Reset Both FE's, Remove & Reset 1 Pipe Section on Both Sides, Cleanout pipe, Install 2 Object Markers.
1	Exit 34	30" RCP & 2 FE's - 90'	E	NB on ramp		1	8	1	8	1	8						1	8	1						Remove & Reset FE & 1 Pipe Section on Inlet, Remove & Replace Outlet FE & 1 Pipe Section on Outlet, Pipe Cleanout.	
1	Exit 34	24" RCP & 2 FE's - 86'	E	SB off ramp			2			16		16		2							2					Remove & Replace Both FE's + 1 Pipe Section, Cleanout Pipe, Install 2 Object Markers.
2	96.48	18" RCP & 2 FE's - 94'	S	SB				2		2									1	1	1					Remove & Reset Both FE's, Cleanout pipe, Install 2 Object Markers.
2	96.48	18" CMP & 2 FE's - 128'	S	NB															1	1	1					Cleanout Pipe, Install 2 Object Markers.
3	99.7	48" RCP & 2 Safety Ends w/ Bars	E	--	5	5		1	16	1	16								2							Remove & Reset Outlet End & 2 pipe sections, Repair Erosion Around Outlet, Shape Ditch, Install 2 Object Markers.
4	106.7	54" Arch RCP & 2 FE's	E	--	10	5		2		2									2							Remove & Reset Both FE's, Repair Erosion Around Inlet, Shape Ditch, Install 2 Object Markers.
5	114.82	30" RCP & 2 FE's - 105'	S	NB		5		2		2									1	1						Remove & Reset Both FE's, Repair Erosion Around Outlet, Cleanout Pipe, Shape Ditch, Install 2 Object markers.
5	114.82	30" RCP & 2 FE's - 122'	S	SB				2		2									1	1	1					Remove & Reset Both FE's, Cleanout Pipe, Install 2 Object Markers.
6	115.5	18" RCP & 2 FE's - 79'	E	NB		5	1	1		1		1		1					1							Remove & Reset Outside FE, Remove & Replace Median FE, Repair Erosion Issues, Shape Ditch, Cleanout Pipe.
SD32																										
7	414.18	12" CMP & FE - Downspout Drop Inlet Drain	S	EB		10	1					1							1	4.5		1			15	Pipe Cleanout, Repair Erosion Around Outlet, Install Gabion Basket, Shape Ditch, Install Object Marker.
7	414.18	12" CMP & FE - Downspout Drop Inlet Drain	N	WB		10	1					1							1	4.5		1			15	Pipe Cleanout, Repair Erosion Around Outlet, Install Gabion Basket, Shape Ditch, Install Object Marker.
8	416.5	24" RCP & 2 FE's - 136'	S	--															1							Pipe Cleanout.
9	419.7	30" RCP & 2 FE's - 136'	N	--	5	1		8		8								1			2				Remove & Replace Outlet FE & 1 Pipe Section, Install 2 Object Markers, Shape Ditch, Repair Erosion Concerns.	
10	419.9	18" CMP & 2 FE's - 85'	S	--															1		2					Pipe Cleanout, Install 2 Object Markers.
SD38																										
11	352.56	18" RCP & 2 FE's - 70'	S	--		15	1	8				1						8							Remove & Replace South Outlet FE & 1 Pipe Section, Regrade Outlet for Flow, Shape Ditch.	
12	353.01	18" RCP & 2 FE's - 96'	S	--		25	2	16				2						16		1					Remove & Replace Both FE's, Remove & Replace 2 pipe sections on North Inlet Side, Regrade Around Inlet & Outlet for Flow, Shape Ditch.	
13	353.85	24" RCP & 2 FE's - 80'	S	--		2						2						1							Remove & Replace Both FE's, Pipe Cleanout.	
I90																										
14	409.2	4" RCP & 2 Safety Ends w/ Bars	S	--	5		1		1	16	1	16					1							Remove & Replace Inlet End Section, Remove & Reset Outlet End Section, Remove & Reset 1 Pipe Section Both Sides.		
15	410.1	Quad 36" RCP & Safety Ends w/ Bars - 257'	S	--	10	50		4		4								24			50	88.2	362		Remove & Reset Outlet FE's, Install Gabion Baskets, Install Class A Rip Rap & Drainage Fabric (See Riprap Detail Sheet), Shape Ditch.	
TOTALS				40	155	15	32	21	120	21	120	4	4	4	1	2	24	8	16	42	10	16	50	88.2	422	






Riprap Detail

I-90 MRM 410.1

STATE OF SOUTH DAKOTA	PROJECT IM-P 0022(68)	8	20
-----------------------------	--------------------------	---	----

Plotting Date: 03/14/2025






Dia. (in.)	Approx. Wt. of Section (lbs.)	Approx. Slope (X to Y)	T (in.)	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)	G (in.)	R (in.)
12	530	2.4: 1	2	4	24	48 7/8	72 7/8	24	2	1 1/2
15	740	2.4: 1	2 1/4	6	27	46	73	30	2 1/4	1 1/2
18	990	2.3: 1	2 1/2	9	27	46	73	36	2 1/2	1 1/2
21	1280	2.4: 1	2 3/4	9	36	37 1/2	73 1/2	42	2 3/4	1 1/2
24	1520	2.5: 1	3	9 1/2	43 1/2	30	73 1/2	48	3	1 1/2
27	1930	2.5: 1	3 1/4	10 1/2	49 1/2	24	73 1/2	54	3 1/4	1 1/2
30	2190	2.5: 1	3 1/2	12	54	19 3/4	73 3/4	60	3 1/2	1 1/2
36	4100	2.5: 1	4	15	63	34 3/4	97 3/4	72	4	1 1/2
42	5380	2.5: 1	4 1/2	21	63	35	98	78	4 1/2	1 1/2
48	6550	2.5: 1	5	24	72	26	98	84	5	1 1/2
54	8240	2: 1	5 1/2	27	65	33 1/4	98 1/4	90	5 1/2	1 1/2
60	8730	1.9: 1	6	35	60	39	99	96	5	1 1/2
66	10710	1.7: 1	6 1/2	30	72	27	99	102	5 1/2	1 1/2
72	12520	1.8: 1	7	36	78	21	99	108	6	1 1/2
78	14770	1.8: 1	7 1/2	36	90	21	111	114	6 1/2	1 1/2
84	18160	1.6: 1	8	36	90 1/2	21	111 1/2	120	6 1/2	1 1/2
90	20900	1.5: 1	8 1/2	41	87 1/2	24	111 1/2	132	6 1/2	6

June 26, 2015

Published Date: 2026		R. C. P. FLARED ENDS				PLATE NUMBER 450.10		Sheet 1 of 1	
S	D	D	O	T					






* Size (in.)	Approximate Weight of Section (lbs.)	Rise (in.)	Span (in.)	Slope (X:Y)	T (in.)	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)	R (in.)
18	1100	13 1/2	22	3: 1	2 1/2	7	27	45	72	36	2
24	1750	18	28 1/2	3: 1	3 1/2	8 1/2	39	33	72	48	3
30	3300	22 1/2	36 1/4	3: 1	4	9 1/2	50	46	96	60	3
36	4350	26 5/8	43 3/4	3: 1	4 1/2	1 1 1/8	60	36	96	72	6
42	5250	31 5/16	51 1/8	3: 1	4 1/2	15 13/16	60	36	96	78	6
48	6400	36	58 1/2	3: 1	5	21	60	36	96	84	6
54	7850	40	65	3: 1	5 1/2	25 1/2	60	36	96	90	6
60	9500	45	73 1/2	3: 1	6	31	60	36	96	96	6
72	13550	54	88	2: 1	7	31	60	39	99	120	6
84	17950	62	102	2: 1	8	28 1/2	83	19	102	144	6

*Equivalent Diameter of Circular R. C. P.

Published Date: 2026		R. C. P. ARCH FLARED ENDS				PLATE NUMBER 450.11		Sheet 1 of 1	
S	D	D	O	T					

June 26, 2015





TYPE 2 OBJECT MARKER POST LENGTHS									
OFFSET (*)	1'	2'	3'	4'	5'	6'	7'	8'	Greater Than 8'
SLOPE 1:1	8'-6"	8'-9"	9'-3"	9'-6"	9'-9"	10'-3"	10'-6"	10'-9"	8'-0"
4:1	8'-6"	8'-9"	9'-0"	9'-3"	9'-9"	9'-9"	10'-0"	10'-3"	8'-0"
5:1	8'-3"	8'-6"	8'-9"	9'-0"	9'-3"	9'-3"	9'-6"	9'-9"	8'-0"
6:1	8'-3"	8'-6"	8'-9"	8'-9"	9'-0"	9'-3"	9'-3"	9'-6"	8'-0"

GENERAL NOTES:

*** The type 2 object marker may be installed back to back when specified in the plans.

Post Length L was calculated based on a shoulder width of 6 feet at a crossslope of 4 percent and L was rounded up to the nearest 3 inches.



** Dimension A is 4 feet when the Offset * is 8 feet and less. Dimension B is 4 feet when Offset * is greater than 8 feet.

The type 2 object marker and the 1.12 lb/ft flanged channel steel post will be in conformance with Specifications Section 982.2 J.

Payment for the type 2 object marker will be in conformance with Specification Section 632.5 B.

December 23, 2019

Published Date: 2026	S D D O T	TYPE 2 OBJECT MARKER (DIRECT DRIVE)	PLATE NUMBER 632.01
		Sheet 1 of 1	



**GENERAL NOTES:**


This standard plate will be used in conjunction with standard plate 632.01.

* The type 2 object markers will be installed at the locations shown above. The type 2 object markers, single faced or back to back, will be as specified in the plans.

December 23, 2019

Published Date: 2026	S D D O T	TYPE 2 OBJECT MARKER AT PIPE CULVERTS, BOX CULVERTS, AND CATTLE PASSES (Less than 60" Overall Width)	PLATE NUMBER 632.03
		Sheet 1 of 1	





Published Date: 2026

S
D
D
O
T

WORK ON SHOULDERS

PLATE NUMBER
634.03
Sheet 1 of 1

Posted Speed Prior to Work (M.P.H.)	Spacing of Advance Warning Signs (Feet) (A)	Spacing of Channelizing Devices (Feet) (G)
0 - 30	200	25
35 - 40	350	25
45	500	25
50	500	50
55	750	50
60 - 65	1000	50

- Flagger
- Channelizing Device

For low-volume traffic situations with short work zones on straight roadways where the flagger is visible to road users approaching from both directions, a single flagger may be used.

The ROAD WORK AHEAD and the END ROAD WORK signs may be omitted for short duration operations (1 hour or less).

For tack and/or flush seal operations, when flaggers are not being used, the FRESH OIL sign (W21-2) will be displayed in advance of the liquid asphalt areas.

Flashing warning lights and/or flags may be used to call attention to the advance warning signs.


The channelizing devices will be drums or 42" cones.

Channelizing devices are not required along the centerline adjacent to work area when pilot cars are utilized for escorting traffic through the work area.

Channelizing devices and flaggers will be used at intersecting roads to control intersecting road traffic as required.

The buffer space should be extended so that the two-way traffic taper is placed before a horizontal or vertical curve to provide adequate sight distance for the flagger and queue of stopped vehicles.

The length of A may be adjusted to fit field conditions.







Published Date: 2026

S
D
D
O
T

LANE CLOSURE WITH FLAGGER PROVIDED

PLATE NUMBER
634.23
Sheet 1 of 1



**RURAL DISTRICT****RURAL DISTRICT WITH SUPPLEMENTAL PLATE****URBAN DISTRICT****RURAL DISTRICT 3 DAY MAXIMUM**

(Not applicable to regulatory signs)

* If the bottom of supplemental plate is mounted lower than 7 feet above a pedestrian walkway, the supplemental plate should not project more than 4" into the pedestrian facility.



January 22, 2021

Published Date: 2026

**S
D
D
O
T**

CRASHWORTHY SIGN SUPPORTS
(Typical Construction Signing)

PLATE NUMBER
634.85
Sheet 1 of 1

**GENERAL NOTES:**

The top of anchor posts and slip bases WILL NOT extend above a 60" chord line within a 120" diameter circle around the post with ends 4" above the ground.

At locations where there is curb and gutter adjacent to the breakaway sign support, the stub height will be a maximum of 4" above the ground line at the localized area adjacent to the breakaway support stub.

The 4" stub height clearance is not necessary for U-channel lap splices where the support is designed to yield (bend) at the base.


January 22, 2021

Published Date: 2026

**S
D
D
O
T**

BREAKAWAY SUPPORT STUB CLEARANCE

PLATE NUMBER
634.99
Sheet 1 of 1



GABION DETAILS

STANDARD SIZES					
SIZE	LENGTH	WIDTH	HEIGHT	NUMBER OF CELLS	CAPACITY (Cu. Yd.)
A	6'-0"	3'-0"	3'-0"	2	2.0
B	9'-0"	3'-0"	3'-0"	3	3.0
C	12'-0"	3'-0"	3'-0"	4	4.0
D	6'-0"	3'-0"	1'-6"	2	1.0
E	9'-0"	3'-0"	1'-6"	3	1.5
F	12'-0"	3'-0"	1'-6"	4	2.0
G	6'-0"	3'-0"	1'-0"	2	0.7
H	9'-0"	3'-0"	1'-0"	3	1.0
I	12'-0"	3'-0"	1'-0"	4	1.3

GENERAL NOTES:

Above dimensions subject to mill tolerances.

Lacing and internal connecting wire will be 0.0866 inch diameter steel wire ASTM A641, Class 3 soft temper measured after galvanizing and for PVC coated gabions will be 0.0866 inch diameter steel wire measured after galvanizing but before PVC coating.

The lacing procedure is as follows:

1. Cut a length of lacing wire approximately 1 1/2 times the distance to be laced but not exceeding 5 feet.
2. Secure the wire terminal at the corner by looping and twisting.
3. Proceed lacing with alternating single and double loops at a spacing not to exceed 6 inches.
4. Securely fasten the other lacing wire terminal.

Wire lacing or interlocking type fasteners will be used for gabion assembly and final construction of gabion structures. Interlocking fasteners for galvanized gabions will be high tensile 0.120 inch diameter galvanized steel wire measured after galvanizing. The galvanizing will conform to ASTM A641-92, Class 3 coating. Fasteners will also be in accordance with ASTM A764, Class II, Type III.

Interlocking fasteners for PVC coated gabions will be high tensile 0.120 inch diameter stainless steel wire conforming to ASTM A313, Type 302, Class 1. The spacing of the interlocking fasteners during all phases of assembly and construction will not exceed 6 inches.

All fasteners will be placed where the mesh weaves around the selvage wire at the vertical and horizontal joints.


February 14, 2020

Published Date: 2026

**S
D
D
O
T**

BANK AND CHANNEL PROTECTION GABIONS

PLATE NUMBER
720.01
Sheet 1 of 1



Published Date: 2026

**S
D
D
O
T**

**BANK AND CHANNEL PROTECTION GABION
PLACEMENT UNDER PIPE END SECTIONS**

PLATE NUMBER
720.03
Sheet 1 of 2

February 14, 2020

* ESTIMATED QUANTITIES			
Detail	Pipe Diameter (Inches)	Gabion (Cu. Yd.)	Type B Drainage Fabric (Sq. Yd.)
1	12, 18, and 24	4.5	15
2	30 and 36	6.0	19
3	42	10.0	29
4	48 and 54	12.0	34
5	60	15.5	43
6	66	17.0	47
7	72	21.5	57
8	78	26.0	68
9	84	27.0	70

RCP, RCP Arch, CMP, and CMP Arch

GENERAL NOTES:

Gabions at outlets of CMP and RCP will be placed under the end section a distance of 2 feet from the outlet end. For CMP end section installations, the upper fabric of the gabions will be modified to accommodate the metal end section as approved by the Engineer.

* Gabion and type B drainage fabric quantities on this standard plate are based on standard gabion sizes D, E, and F as depicted on standard plate 720.01.

Type B drainage fabric will be placed under the gabions and around the exterior sides (perimeter) of the gabions as approved by the Engineer. The type B drainage fabric will be in conformance with Section 831 of the Specifications. Measurement and payment of the type B drainage fabric will be in conformance with Section 720 of the Specifications.


February 14, 2020

Published Date: 2026

S D D O T	BANK AND CHANNEL PROTECTION GABION PLACEMENT UNDER PIPE END SECTIONS
----------------------------------	---

PLATE NUMBER
720.03

Sheet 2 of 2

**GENERAL NOTES:**

Prior to placement of the erosion control blanket, the areas will be properly prepared, shaped, seeded, and fertilized.

Erosion control blanket will be unrolled in the direction of the flow of water when placed in ditches and on slopes. The upslope end of the erosion control blanket will be buried in a trench 6" wide by 6" deep. There will be at least a 6" overlap wherever one roll of erosion control blanket ends and another begins, with the upslope erosion control blanket placed on top of the downslope erosion control blanket.

The erosion control blanket will be pinned to the ground according to the manufacturer's installation recommendations.

After the placement of the erosion control blanket, the Contractor will fine grade along all edges of the blanket to maintain a uniform slope adjacent to the blanket and level any low spots which might prevent uniform and unrestricted flow of side drainage directly onto the erosion control blanket.

All ditch sections will be shaped when installing the erosion control blanket. All costs for shaping the ditches will be incidental to the contract unit price per foot for "Shaping for Erosion Control Blanket".



February 14, 2020

Published Date: 2026

S D D O T	EROSION CONTROL BLANKET
----------------------------------	--------------------------------


PLATE NUMBER
734.01

Sheet 1 of 1




TOLERANCES IN DIMENSIONS

Diameter: $\pm 1.5\%$ for 24" Dia. or less and $\pm 1\%$ or $\frac{3}{8}$ " whichever is more for 27" Dia. or greater.
 Diameters at joints: $\pm \frac{3}{16}$ " for 30" Dia. or less and $\pm \frac{1}{4}$ " for 36" or greater.
 Length of joint (J): $\pm \frac{1}{4}$ ".
 Wall thickness (T): not less than design T by more than 5% or $\frac{3}{16}$ ", whichever is greater.
 Laying length: shall not underrun by more than $\frac{1}{2}$ ".



LONGITUDINAL SECTION



END VIEW

GENERAL NOTES:

Construction of R.C.P. shall conform to the requirements of Section 990 of the Specifications.

Not more than 2 four-foot sections shall be permitted near the ends of any culvert. Four-foot lengths shall be used only to secure the required length of culvert.

Diam. (in.)	Approx. Wt./Ft. (lb.)	T (in.)	J (in.)	D1 (in.)	D2 (in.)	D3 (in.)	D4 (in.)
12	92	2	1 3/4	13 1/4	13 5/8	13 7/8	14 1/4
15	127	2 1/4	2	16 1/2	16 1/8	17 1/4	17 5/8
18	168	2 1/2	2 1/4	19 5/8	20	20 3/8	20 3/4
21	214	2 3/4	2 1/2	22 1/8	23 1/4	23 3/4	24 1/8
24	265	3	2 3/4	26	26 3/8	27	27 3/8
27	322	3 1/4	3	29 1/4	29 5/8	30 1/4	30 5/8
30	384	3 1/2	3 1/4	32 3/8	32 3/4	33 1/2	33 7/8
36	524	4	3 3/4	38 3/4	39 1/4	40	40 1/2
42	685	4 1/2	4	45 1/8	45 5/8	46 1/2	47
48	867	5	4 1/2	51 1/2	52	53	53 1/2
54	1070	5 1/2	4 1/2	57 1/8	58 3/8	59 3/8	59 7/8
60	1296	6	5	64 1/4	64 3/4	66	66 1/2
66	1542	6 1/2	5 1/2	70 5/8	71 1/8	72 1/2	73
72	1810	7	6	77	77 1/2	79	79 1/2
78	2098	7 1/2	6 1/2	83 3/8	83 7/8	85 5/8	86 1/8
84	2410	8	7	89 3/4	90 1/4	92 1/8	92 5/8
90	2740	8 1/2	7	95 3/4	96 1/4	98 1/8	98 5/8
96	2950	9	7	102 1/8	102 5/8	104 1/2	105
102	3075	9 1/2	7 1/2	109	109 1/2	111 1/2	112
108	3870	10	7 1/2	115 1/2	116	118	118 1/2

June 26, 2015


Published Date: 2026

S
D
D
O
T

REINFORCED CONCRETE PIPE

PLATE NUMBER
450.01

Sheet 1 of 1



TOLERANCES IN DIMENSIONS

Radial dimensions at joints: $\pm \frac{1}{8}$ " for 65" span or less and $\pm \frac{1}{4}$ " for longer spans.
 Rise and Span: $\pm 2\%$ of tabular values.
 Length of Joint (J): $\pm \frac{1}{4}$ ".
 Wall thickness (T): not less than design T by more than 5% or $\frac{3}{16}$ ", whichever is greater.
 Laying length: shall not underrun by more than $\frac{1}{2}$ ".

Gravel Bedding Material shall be supplied for 102" to 169" spans. It shall be placed to a thickness of 6" (Min.) x 85% of the Span x Length of culvert and shall conform to the gradation requirements for gravel surfacing except material may be screened or may be plan provided material.

* Size (in.)	Approx. Wt./Ft. (lb.)	Rise (in.)	Span (in.)	T (in.)	a (in.)	b (in.)	c (in.)	J (in.)	e (in.)	f (in.)	g (in.)	R1 (in.)	R2 (in.)	R3 (in.)
18	170	13 1/2	22	2 1/2	1 3/8	3/8	3/4	2	1 1/8	3/8	1	27 1/2	13 3/4	5 1/4
24	320	18	28 1/2	3 1/2	1 5/8	1/2	1 3/8	3	1 3/8	1/2	1 5/8	40 11/16	14 3/4	4 5/8
30	450	22 1/2	36 1/4	4	1 13/16	5/8	1 9/16	3 1/2	1 1/6	5/8	1 13/16	51	18 3/4	6 1/8
36	600	26 5/8	43 3/4	4 1/2	2	3/4	1 3/4	4	1 3/4	3/4	2	62	22 1/2	6 1/2
42	740	31 5/16	51 1/8	4 1/2	2	3/4	1 3/4	4	1 3/4	3/4	2	73	26 1/4	7 3/4
48	890	36	58 1/2	5	2 1/4	3/4	2	5	2	3/4	2 1/4	84	30	8 7/8
54	1100	40	65	5 1/2	2 1/2	3/4	2 1/4	5	2 1/4	3/4	2 1/2	92 1/2	33 3/8	10
60	1400	45	73 1/2	6	3 5/16	3/4	1 15/16	5	2 3/4	3/4	2 1/2	105	37 1/2	11
72	1900	54	88	7	3 13/16	1	2 3/16	6	3 1/4	1	2 3/4	126	45	13 5/16
84	2500	62	102	8	4 1/8	1	2 7/8	6	3 1/2	1	3 1/2	162 1/2	52	14 1/2
96	3300	78	122 3/8	9	4 1/2	1	3 1/2	7	4	1	4	218	62	20
108	4200	88	138 1/2	10	5	1	4	7	4 1/2	1	4 1/2	269	70	22
120	5100	96 7/8	154	11	5 1/2	1	4 1/2	7	5	1	5	301 3/8	78	24
132	5100	106 1/2	168 3/4	10	1	4	7	4 1/2	1	4 1/2	329	85 5/8	26 7/8	

* Equivalent Diameter of Circular R.C.P.

GENERAL NOTES:

Construction of R.C.P. Arch shall conform to the requirements of Section 990 of the Specifications. Not more than 2 four-foot sections shall be permitted near the ends of any culvert. Four-foot lengths shall be used only to secure the required length of culvert.

June 26, 2015

S D D O T	REINFORCED CONCRETE PIPE ARCH	PLATE NUMBER 450.02	Sheet 1 of 1
Published Date: 2026			