



January 31, 2023

ADDENDUM NO. 2

RE: Project Nos. 0009-452, 0009-451, & 0009-467, Garage Door Replacement in Rapid City and Deadwood

TO WHOM IT MAY CONCERN:

The following addenda to the plans shall be inserted and made a part of your proposal for the referenced projects.

Add the following to the **Notes** Section:

- Contractor may utilize existing power supply within each of the buildings. If power available within the Deadwood building is inadequate to power doors, the DOT will hire an electrician to provide power.

On Section 2.2 Door Assembly, modify two sections by adding the *italicized* words below:

- A. **Steel Sectional Door:** Sectional door formed with hinged sections and fabricated according to DASMA 102 unless otherwise indicated.
Product by one of the following *or approved equal meeting all specifications:*

(10) Special Operation:

- 8) Radio control operation – *2 per door*

Add the following to Section 2.4:

- E. **Emergency Operation:** Equip each electrically powered door with capability for emergency manual operation. Design manual mechanisms so required force for door operation does not exceed 25 lb force (111N). Equip operator with hand-operated disconnect mechanism for automatically engaging manual operator and releasing brake for emergency manual operation while disconnecting motor without affecting timing of limit switch. Mount mechanism so it is accessible from floor level. Include interlock device to automatically prevent motor from operating when emergency operator is engaged.

