

STATE OF SOUTH DAKOTA  
 DEPARTMENT OF TRANSPORTATION  
 PLANS FOR PROPOSED

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	016E-491	1	10

Plotting Date: 05/08/2017


**PROJECT 016E-491**  
**US HIGHWAY 16**  
**PENNINGTON COUNTY**

PIPE REPLACEMENT  
 PCN i4rr

**INDEX OF SHEETS**


1	General Layout with Index
2-5	Estimate With General Notes & Tables
6	Plan Sheet
7-10	Standard Plates

Plot Scale - 1:200



PROJECT

**PROJECT 016E-491**  
**MRM 50.0 + 0.089**



**DESIGN DESIGNATION**

ADT (2016)	3678
ADT (2036)	5337
DHV	843
D	51 %
T DHV	1.7 %
T ADT	3.7 %
V	55 mph

**STORM WATER PERMIT**  
 None Required

Plotted From - trcs11610

File - ...US 16 Pipe RepairTitle.dgn

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
009E0010	Mobilization	Lump Sum	LS
110E0500	Remove Pipe Culvert	134	Ft
110E0510	Remove Pipe End Section	1	Each
230E0100	Remove and Replace Topsoil	Lump Sum	LS
450E4767	24" CMP 12 Gauge, Furnish	134	Ft
450E4770	24" CMP, Install	134	Ft
450E5015	24" CMP Elbow, Furnish	2	Each
450E5016	24" CMP Elbow, Install	2	Each
450E5215	24" CMP Flared End, Furnish	1	Each
450E5216	24" CMP Flared End, Install	1	Each
450E8014	24" RCP to CMP Transition, Furnish	1	Each
450E8015	24" Pipe Transition, Install	1	Each
634E0110	Traffic Control Signs	73.0	SqFt
634E0120	Traffic Control, Miscellaneous	Lump Sum	LS
734E0010	Erosion Control	Lump Sum	LS
734E0103	Type 3 Erosion Control Blanket	245	SqYd
734E0510	Shaping for Erosion Control Blanket	138	Ft

#### **SPECIFICATIONS**

Standard Specifications for Roads and Bridges, 2015 Edition and Required Provisions, Supplemental Specifications, and Special Provisions as included in the Proposal.

#### **ENVIRONMENTAL COMMITMENTS**

An Environmental Commitment is a measure that SDDOT commits to implement in order to avoid, minimize, and/or mitigate a real or potential environmental impact. Environmental commitments to various agencies and the public have been made to secure approval of this project. An agency mentioned below with permitting authority can influence a project if perceived environmental impacts have not been adequately addressed. Unless otherwise designated, the Contractor's primary contact regarding matters associated with these commitments will be the Project Engineer. These environmental commitments are not subject to change without prior written approval from the SDDOT Environmental Office. The environmental commitments associated with this project are as follows:

#### **COMMITMENT B: FEDERALLY THREATENED, ENDANGERED, AND PROTECTED SPECIES**

##### **COMMITMENT B2: WHOOPING CRANE**

The Whooping Crane is a spring and fall migratory bird in South Dakota that is about 5 feet tall and typically stops on wetlands, rivers, and agricultural lands along their migration route. An adult Whooping Crane is white with a red crown and a long, dark, pointed bill. Immature Whooping Cranes are cinnamon brown. While in flight, their long necks are kept straight and their long dark legs trail behind. Adult Whooping Cranes' black wing tips are visible during flight.

##### **Action Taken/Required:**

Harassment or other measures to cause the Whooping Crane to leave the site is a violation of the Endangered Species Act. If a Whooping Crane is sighted roosting in the vicinity of the project, borrow pit, or staging site associated with the project, cease construction activities in the affected area until the Whooping Crane departs and contact the Project Engineer. The Project Engineer will contact the Environmental Office so that the sighting can be reported to USFWS.

#### **COMMITMENT E: STORM WATER**

Construction activities constitute less than 1 acre of disturbance.

##### **Action Taken/Required:**

At a minimum and regardless of project size, appropriate erosion and sediment control measures must be installed to control the discharge of pollutants from the construction site.

#### **COMMITMENT H: WASTE DISPOSAL SITE**

The Contractor shall furnish a site(s) for the disposal of construction and/or demolition debris generated by this project.

##### **Action Taken/Required:**

Construction and/or demolition debris may not be disposed of within the Public ROW.

The waste disposal site(s) shall be managed and reclaimed in accordance with the following from the General Permit for Construction/Demolition Debris Disposal Under the South Dakota Waste Management Program issued by the Department of Environment and Natural Resources.

The waste disposal site(s) shall not be located in a wetland, within 200 feet of surface water, or in an area that adversely affects wildlife, recreation, aesthetic value of an area, or any threatened or endangered species, as approved by the Project Engineer.

If the waste disposal site(s) is located such that it is within view of any ROW, the following additional requirements shall apply:

1. Construction and/or demolition debris consisting of concrete, asphalt concrete, or other similar materials shall be buried in a trench completely separate from wood debris. The final cover over the construction and/or demolition debris shall consist of a minimum of 1 foot of soil capable of supporting vegetation. Waste disposal sites provided outside of the Public ROW shall be seeded in accordance with Natural Resources Conservation Service recommendations. The seeding recommendations may be obtained through the appropriate County NRCS Office. The Contractor shall control the access to waste disposal sites not within the Public ROW through the use of fences, gates, and placement of a sign or signs at the entrance to the site stating "No Dumping Allowed".
2. Concrete and asphalt concrete debris may be stockpiled within view of the ROW for a period of time not to exceed the duration of the project. Prior to project completion, the waste shall be removed from view of the ROW or buried and the waste disposal site reclaimed as noted above.

The above requirements will not apply to waste disposal sites that are covered by an individual solid waste permit as specified in SDCL 34A-6-58, SDCL 34A-6-1.13, and ARSD 74:27:10.06.

Failure to comply with the requirements stated above may result in civil penalties in accordance with South Dakota Solid Waste Law, SDCL 34A-6-1.31.

All costs associated with furnishing waste disposal site(s), disposing of waste, maintaining control of access (fence, gates, and signs), and reclamation of the waste disposal site(s) shall be incidental to the various contract items.

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	016E-491	3	10

### **COMMITMENT I: HISTORICAL PRESERVATION OFFICE CLEARANCES**

The SDDOT has obtained concurrence with the State Historical Preservation Office (SHPO or THPO) for all work included within the project limits and all department designated sources and designated option material sources, stockpile sites, storage areas, and waste sites provided within the plans.

#### **Action Taken/Required:**

All earth disturbing activities not designated within the plans require review of cultural resources impacts. This work includes, but is not limited to: Contractor furnished material sources, material processing sites, stockpile sites, storage areas, plant sites, and waste areas.

The Contractor shall arrange and pay for a cultural resource survey and/or records search. The Contractor has the option to contact the state Archaeological Research Center (ARC) at 605-394-1936 or another qualified archaeologist, to obtain either a records search or a cultural resources survey. A record search might be sufficient for review; however, a cultural resources survey may need to be conducted by a qualified archaeologist.

The Contractor shall provide ARC with the following: a topographical map or aerial view on which the site is clearly outlined, site dimensions, project number, and PCN. If applicable, provide evidence that the site has been previously disturbed by farming, mining, or construction activities with a landowner statement that artifacts have not been found on the site.

The Contractor shall submit the records search or cultural resources survey report and if the location of the site is within the current geographical or historic boundaries of any South Dakota reservation to SDDOT Environmental Engineer, 700 East Broadway Avenue, Pierre, SD 57501-2586 (605-773-3180). SDDOT will submit the information to the appropriate SHPO/THPO. Allow **30 Days** from the date this information is submitted to the Environmental Engineer for SHPO/THPO review.

If evidence for cultural resources is uncovered during project construction activities, then such activities shall cease and the Project Engineer shall be immediately notified. The Project Engineer will contact the SDDOT Environmental Engineer in order to determine an appropriate course of action.

SHPO/THPO review does not relieve the Contractor of the responsibility for obtaining any additional permits and clearances for Contractor furnished material sources, material processing sites, stockpile sites, storage areas, plant sites, and waste areas that affect wetlands, threatened and endangered species, or waterways. The Contractor shall provide the required permits and clearances to the Project Engineer at the preconstruction meeting.

### **COMMITMENT R: FIRE PREVENTION IN THE BLACK HILLS AREA**

This project is located within the confines of the Black Hills Forest Fire Protection Boundary.

#### **Action Taken/Required:**

The Contractor shall adhere to the "Special Provision for Fire Plan".

### **UTILITIES**

The Contractor shall contact the involved utility companies through South Dakota One Call (1-800-781-7474) prior to starting work. It shall be the responsibility of the Contractor to coordinate work with the utility owners to avoid damage to existing facilities.

Utilities are not planned to be affected on this project. If utilities are identified near the improvement area through the SD One Call Process as required by South Dakota Codified Law 49-7A and Administrative Rule Article 20:25, the Contractor shall contact the Project Engineer to determine modifications that will be necessary to avoid utility impacts.

### **REMOVE PIPE CULVERT**

The Contractor shall remove the existing corrugated metal pipe, elbows, RCP to CMP transition, and end section at 50.0 + 0.089 L of the east bound lanes. The existing RC pipe at this location shall be retained. Any damage to the damaged to the existing RCP shall be replaced by the Contractor at no cost to the State. The elbows and RCP to CMP removal shall be incidental to the pipe removal bid item. All removed items shall become the property of the Contractor for their disposal.

### **CORRUGATED METAL PIPE**

The corrugated metal pipe shall be place at the elevations of the existing pipe that is being removed.

Corrugated metal pipes shall have 2 3/8-inch x 1/2-inch corrugations for 42-inch and smaller round pipe and 48-inch and smaller arch pipe unless otherwise stated in the plans. Corrugated metal pipes shall have 3-inch x 1-inch or 5-inch x 1-inch corrugations for 48-inch and larger round pipe and 54-inch and larger arch pipe unless otherwise stated in the plans.

The gauge of the corrugated metal elbows and ends shall match the thickest gauge of corrugated metal pipe it is connected to.

### **PIPE FOR DOWNSPOUTS**

High density polyethylene pipe may be substituted for 36-inch and smaller pipe downspouts at no additional cost to the State. All necessary connections, transitions, and anchoring methods shall be in accordance with the manufacturer's recommendations and be approved by the Engineer. Bedding and backfill material and installation procedures shall conform to the manufacturer's design requirements.

If high density polyethylene pipe, corrugated polypropylene pipe, or steel reinforced polyethylene pipe are provided, then the end sections shall be metal, be compatible, and conform to the type of end section as shown in the plans.

**TRAFFIC CONTROL – GENERAL NOTES**

Any damage to the shoulder shall be repaired by the Contractor, at no expense to the State, and to the satisfaction of the Engineer.

Unless otherwise stated in these plans, no work will be allowed during hours of darkness.

Existing guide, route, informational logo, regulatory, warning signs and delineation shall be temporarily reset and maintained during construction as directed by the Engineer. Removing, relocating, salvaging and resetting of the above items shall be the responsibility of the Contractor.

Non-applicable traffic control devices shall be completely covered or removed during periods of inactivity. Periods of inactivity shall be defined as no work taking place for a period of more than 2 calendar days.

All regulatory signs shall have a minimum mounting height of 5' in rural locations, even when mounted on portable supports.

All materials and equipment shall be stored a minimum distance of 30' from the traveled way during nonworking hours.

The Contractor shall provide installation details at the preconstruction meeting for all breakaway sign support assemblies.

All haul trucks shall be equipped with a second flashing amber light that is visible from the backside of the haul truck. The costs for the flashing amber lights shall be incidental to the various related contract bid items.

All construction operations shall be conducted in the general direction of traffic movement.

If there is a discrepancy between the traffic control plans, standard plates, and the MUTCD – whichever is more stringent shall be used, as determined by the Engineer.

Any delineators and signs damaged or lost shall be replaced by the Contractor at no cost to the State.

**TABLE OF TRAFFIC CONTROL DEVICES**

**ITEMIZED LIST FOR TRAFFIC CONTROL SIGNS**

SIGN CODE	SIGN DESCRIPTION	CONVENTIONAL ROAD			
		NUMBER	SIGN SIZE	SQFT PER SIGN	SQFT
W20-1	ROAD WORK AHEAD	2	48" x 48"	16.0	32.0
W21-5	SHOULDER WORK	2	48" x 48"	16.0	32.0
G20-2	END ROAD WORK	2	36" x 18"	4.5	9.0
CONVENTIONAL ROAD TRAFFIC CONTROL SIGNS SQFT					<b>73.0</b>

**REMOVE AND REPLACE TOPSOIL**

Prior to the culvert removal, a 4" depth of topsoil shall be salvaged and stockpiled. The stockpile location will be directed by the Engineer. Following completion of construction, topsoil shall be spread evenly over the disturbed areas.

The estimated amount of topsoil to be removed and replaced is 14 CuYd.

All cost associated with removing and replacing the topsoil shall be incidental to the lump sum price for "Remove and Replace Topsoil".

**EROSION CONTROL**

The contract lump sum price for Erosion Control shall include all material, equipment, and labor necessary to seed, mycorrhizal inoculum, fertilizer and mulch all areas disturbed by construction of this project. The Engineer, at the time of construction, shall determine limits of the Erosion Control work. The estimated area to be seeded is approximately 0.3 acre.

**MYCORRHIZAL INOCULUM**

Mycorrhizal inoculum shall consist of mycorrhizal fungi spores and mycorrhizal fungi-infected root fragments in a solid carrier. The carrier may include organic materials, calcinated clay, or other materials consistent with application and good plant growth. The supplier shall provide certification of the fungal species claimed and the live propagule count. The inoculum shall include the following fungal species:

- Glomus intraradices* 25%
- Glomus aggregatu* 25%
- Glomus mosseae* 25%
- Glomus etunicatum* 25%

All seed shall be inoculated by the seed supplier with a minimum of 100,000 live propagules of mycorrhizal fungi per acre. All costs of inoculating the seed shall be incidental to the contract lump sum price for "Erosion Control".

The mycorrhizal inoculum shall be from the list below or an approved equal:

- |                |   |
|----------------|---|
| <u>Product</u> | <u>Manufacturer</u>   |
| MycoApply      | Mycorrhizal Applications, Inc.<br>Grants Pass, OR<br>Phone: 1-866-476-7800<br><a href="http://www.mycorrhizae.com/">http://www.mycorrhizae.com/</a> |

**FERTILIZING**

The Contractor shall apply an all-natural slow release fertilizer prior to seeding or placing sod. The all-natural fertilizer shall have a minimum guaranteed analysis of 4-6-4 and be USDA Certified BioBased. It should provide a minimum of 4% (N) nitrogen with a minimum water insoluble nitrogen (WIN) fraction of 3.2%, a minimum of 6% (P2O5) available phosphate, a minimum of 4% (K2O) soluble potash, and a maximum carbon to nitrogen ratio (C:N ratio) of 5:1. The all-natural fertilizer shall be free of weed-seed and pathogens accomplished through thermophilic composting, and not mechanical or chemical sterilization, to assure presence of beneficial soil microbiology. The fertilizer shall have a near neutral pH, a low salt index, a low biological oxygen demand, contain organic humic and fulvic acids, and have high aerobic organism counts. The fertilizer shall also be stable, free of bad odors, and be unattractive as a food source for animals. It should also be in a granular form that is easily spread.

The fertilizer shall be applied at a rate of 1,500 pounds per acre in accordance with the manufacturer's recommended method of application.

The all-natural slow release fertilizer shall be from the list below or an approved equal:

- |                |   |
|----------------|---|
| <u>Product</u> | <u>Manufacturer</u>   |
| Sustane        | Sustane Corporate Headquarters<br>Cannon Falls, Minnesota<br>Phone: 1-800-352-9245<br><a href="http://www.sustane.com/">http://www.sustane.com/</a> |

**PERMANENT SEEDING**

The areas to be seeded comprise of all newly graded areas within the project limits except for the top of roadways.

Type F Permanent Seed Mixture shall consist of the following:

Grass Species	Variety	Pure Live Seed (PLS) (Pounds/Acre)
Western Wheatgrass	Flintlock, Rodan, Rosana	7
Green Needlegrass	Lodorm	4
Sideoats Grama	Butte, Killdeer, Pierre, Trailway	3
Blue Grama	Bad River, Willis	2
Oats or Spring Wheat: April through May; Winter Wheat: August through November		10
Total:		26

**EROSION CONTROL BLANKET**

Erosion control blanket shall be installed 16 feet wide at the locations noted in the table and at locations determined by the Engineer during construction.

The erosion control blanket provided shall be from the approved product list. The approved product list for erosion control blanket may be viewed at the following internet site:

<http://sddot.com/business/certification/products/Default.aspx>

**TABLE OF EROSION CONTROL BLANKET**

MRM	L/R	Location	Type	Quantity (SqYd)
50.0 + 0.089	L	Inslope	3	245
Total Type 3 Erosion Control Blanket:				245



STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	016E-491	6	10

Plotting Date: 05/08/2017

MRM 50.0 + 0.089  
Take out 24" - 134' CMP  
& 1 Pipe End Section

MRM 50.0 + 0.89 L  
Install 24" - 134' CMP (10', 74' & 50')  
And 2 - 15.0° Elbows  
& 1 - 24" RCP to CMP Outlet Transition  
& 1 CMP Flared End

Install Type 3 Erosion Control Blanket at the following location:  
MRM 50.0 + 0.089 L Inslope 245 SqYd



Plot Scale - 1:200

Plotted From - Irrc11610

File - ...US 16 Pipe Repair\plan.dgn

Diameter	A	L	Diameter	A	L	Diameter	A	B	C	L
Inches	Feet	Feet	Inches	Feet	Feet	Inches	Inches			Feet
12	1	2	12	2	4	12	25 1/2	11	18 1/2	4
15	1	2	15	2	4	15	26 1/2	12	18	4
18	1	2	18	2	4	18	27	14	17	4
21	2	4	21	2	4	21	27	15	16 1/2	4
24	2	4	24	2	4	24	27 1/2	16	16	4
27	2	4	27	2	4	27	27 1/2	17	15 1/2	4
30	2	4	30	3	6	30	40	19	26 1/2	6
33	2	4	33	3	6	33	40	20	26	6
36	2	4	36	3	6	36	40 1/2	21	25 1/2	6
42	2	4	42	3	6	42	41	23	24 1/2	6
48	2	4	48	4	8	48	53 1/2	26	35	8
54	3	6	54	4	8	54	54	28	34	8
60	3	6	60	4	8	60	54 1/2	31	32 1/2	8
66	3	6	66	4	8	66	54	33	31 1/2	8
72	3	6	72	5	10	72	67 1/2	36	42	10
78	3	6	78	5	10	78	68	39	40 1/2	10
84	3	6	84	5	10	84	68 1/2	41	39 1/2	10
90	3	6	90	6	12	90	70	46	37	10
96	3	6	96	6	12	96	82	46	49	12

FABRICATED ELBOW LENGTHS FOR ALL CORRUGATIONS

**GENERAL NOTES:**

All dimensions shown are nominal.

L = Linear Feet of C.M.P. required to fabricate fitting.

June 26, 2001

<b>S D D O T</b>	<b>C.M.P. FABRICATED LENGTHS FOR ELBOWS</b>	PLATE NUMBER <b>450.32</b>
	Published Date: 2nd Qtr. 2017	Sheet 1 of 1

Alternate Type Connector Sections may be used with approval of the Engineer.

Dia. D (in.)	Ga.	DIMENSIONS (in.)					Approx. Slope	Body
		A	B	H	L	W		
12	16	6	6	6	21	24	2 1/2:1	1 Pc.
15	16	7	8	6	26	30	2 1/2:1	1 Pc.
18	16	8	10	6	31	36	2 1/2:1	1 Pc.
21	16	9	12	6	36	42	2 1/2:1	1 Pc.
24	16	10	13	6	41	48	2 1/2:1	1 Pc.
30	14	12	16	8	46	60	2 1/2:1	1 Pc.
36	14	14	19	9	51	72	2 1/2:1	2 Pc.
42	12	16	22	11	60	84	2 1/2:1	2 Pc.
48	12	18	27	12	69	90	2 1/4:1	2 Pc.
54	12	18	30	12	78	102	2:1	3 Pc.
60	12	18	33	12	84	114	1 3/4:1	3 Pc.
66	12	18	36	12	87	120	1 1/2:1	3 Pc.
72	12	18	39	12	87	126	1 1/3:1	3 Pc.
78	12	18	42	12	87	132	1 1/4:1	3 Pc.
84	12	18	45	12	87	138	1 1/6:1	3 Pc.

**STANDARD CONNECTIONS**

Threaded 5/8" Dia. Rod over Top of culvert Pipe

Dimple Band Collar bolted to end section with 3/8" bolts

Bolted on Side Lug

For 30" through 84"

Alternate for all sizes

NOTE: Tubing is slipped over the sheet and rivets or lugs prior to forming operations of the apron.

3/8" x 1/2" Gal. Buttonhead Rivets spaced 6" C. to C. Overall length of rivets=0.78"

**TUBING ATTACHMENT DETAILS SECTION A-A**

1" O.D. 14 Ga. Galv. Tubing

Sheet

5/32"

Finish Earth Slope as Required

Approx. 2 1/2:1 Slope

Flow Line

Standard Coupling Band

SECTION A-A (alternate)

1/2" (Max.)

1/2"

1/8"

Half Punches (Lugs)

For 12" through 24" only

1/2" I.D. (Metal Edge)

**SECTION A-A (alternate)**

**GENERAL NOTES:**

All 3 pc. bodies shall have 12 Ga. sides and 10 Ga. center panels. Width of center panels shall be greater than 20% of the pipe periphery. Multiple panel bodies to have lap seams tightly joined by 3/8" Dia. galvanized rivets or bolts.


For 60" through 84" sizes, reinforced edges shall be supplemented with galvanized stiffener angles. The angles will be 2" x 2" x 1/4" for 60" through 72" diameters and 2 1/2" x 2 1/2" x 1/4" for 78" and 84" diameters. The angles shall be attached by 3/8" diameter galvanized nuts and bolts.

Rivets and Bolts shall be 3/8" Dia. Min. for 10 Ga. and 12 Ga. sheet, and 5/16" Dia. Min. for 14 Ga. and 16 Ga. sheets. Tighten nuts with torque wrench to 25 lbs. torque.

March 31, 2000

<b>S D D O T</b>	<b>C.M.P. FLARED ENDS</b>	PLATE NUMBER <b>450.35</b>
	Published Date: 2nd Qtr. 2017	Sheet 1 of 1

Plot Scale - 1:200


**GENERAL NOTE:**

Arch pipe transitions shall be fabricated similar to the round transition shown above.

March 31, 2000

<b>S D D O T</b>	<b>C.M.P. TO R.C.P. TRANSITION AND R.C.P. TO C.M.P. TRANSITION</b>	PLATE NUMBER <b>450.50</b>
		Sheet 1 of 1

Published Date: 2nd Qtr. 2017


The signs illustrated are not required if the work space is behind a barrier, more than 2 feet behind the curb, or 15 feet or more from the edge of any roadway.

The signs illustrated shall be used where there are distracting situations; such as: vehicles parked on shoulder, vehicles accessing the work site via the highway, and equipment traveling on or crossing the roadway to perform work operations.

The ROAD WORK AHEAD sign may be replaced with other appropriate signs, such as the SHOULDER WORK sign. The SHOULDER WORK sign may be used for work adjacent to the shoulder.

\* If the work space is on a divided highway, an advance warning sign should also be placed on the left side of the directional roadway.

For short term, short duration, or mobile operations, all signs and channelizing devices may be eliminated if a vehicle with an activated flashing or revolving yellow light is used.



April 15, 2015


<b>S D D O T</b>	<b>GUIDES FOR TRAFFIC CONTROL DEVICES WORK BEYOND THE SHOULDER</b>	PLATE NUMBER <b>634.01</b>
		Sheet 1 Of 1

Published Date: 2nd Qtr. 2017

File - ... \StdPlatePg2.dgn




Plot Scale - 1:200



June 3, 2016

<b>S D D O T</b>	<b>GUIDES FOR TRAFFIC CONTROL DEVICES WORK ON SHOULDERS</b>	PLATE NUMBER <b>634.03</b>
	Published Date: 2nd Qtr. 2017	Sheet 1 of 1




September 22, 2014

<b>S D D O T</b>	<b>CRASHWORTHY SIGN SUPPORTS (Typical Construction Signing)</b>	PLATE NUMBER <b>634.85</b>
	Published Date: 2nd Qtr. 2017	Sheet 1 of 1


Plotted From - trc11610

File - ...StdPlatePg3.dgn



**PLAN VIEW**

(Examples of stub height clearance checks)



**ELEVATION VIEW**

**GENERAL NOTES:**

The top of anchor posts and slip bases SHALL NOT extend above a 60" chord line within a 120" diameter circle around the post with ends 4" above the ground.


At locations where there is curb and gutter adjacent to the breakaway sign support, the stub height shall be a maximum of 4" above the ground line at the localized area adjacent to the breakaway support stub.

The 4" stub height clearance is not necessary for U-channel lap splices where the support is designed to yield (bend) at the base.


July 1, 2005

<b>S D D O T</b>	<b>BREAKAWAY SUPPORT STUB CLEARANCE</b>	PLATE NUMBER <b>634.99</b>
		Sheet 1 of 1


Published Date: 2nd Qtr. 2017




**STANDARD DITCH SECTION**



**SLOPED DITCH SECTION**




**TRENCH DETAIL**




**MEDIAN SECTION**

The median shall be shaped to the limits shown in this detail where the erosion control blanket will be placed.



**OVERLAP DETAIL**

- \* Use a 4" (Min.) overlap wherever two widths of erosion control blanket are applied side by side.
- \* Use a 6" (Min.) overlap wherever one roll of erosion control blanket ends and another begins.



**PIPE END DETAIL**

**GENERAL NOTES:**

Prior to placement of the erosion control blanket, the areas shall be properly prepared, shaped, seeded, and fertilized.

Erosion control blanket shall be unrolled in the direction of the flow of water when placed in ditches and on slopes. The upslope end of the erosion control blanket shall be buried in a trench 6" wide by 6" deep. There shall be at least a 6" overlap wherever one roll of erosion control blanket ends and another begins, with the upslope erosion control blanket placed on top of the downslope erosion control blanket.

The erosion control blanket shall be pinned to the ground according to the manufacturer's installation recommendations.

After the placement of the erosion control blanket, the Contractor shall fine grade along all edges of the blanket to maintain a uniform slope adjacent to the blanket and level any low spots which might prevent uniform and unrestricted flow of side drainage directly onto the erosion control blanket.

All ditch sections shall be shaped when installing the erosion control blanket. All costs for shaping the ditches shall be incidental to the contract unit price per foot for "Shaping for Erosion Control Blanket".

December 23, 2004

<b>S D D O T</b>	<b>EROSION CONTROL BLANKET</b>	PLATE NUMBER <b>734.01</b>
		Sheet 1 of 1

Published Date: 2nd Qtr. 2017