NOTICE TO CONTRACTORS

Sealed bids will be received by the **South Dakota Department of Transportation**, **P.O. Box 1767**, **Aberdeen**, **SD**, **57402-1767** or may be hand delivered to the Aberdeen Area Office located at **2735 West Highway 12 in Aberdeen** until 1:30 pm, **Monday**, **April 16**, **2018** at which time they will be opened for the following project(s):

(Those sending bid via couriers such as UPS and FedEx should use the hand delivery address above.)

Project Number	PCN	County	Type of Work	Area Engineer
000N-151,	i56v,	Brown	Weed Spraying	Phil Dwight (605-626-7885)
000N-152,	i56w,			
000P-151,	i56x,			
000P-152	i56y			
000N-151,	i57a,	Day	Weed Spraying	Phil Dwight (605-626-7885)
000P-151	i57c			
000N-152,	i57e,	Edmunds	Weed Spraying	Phil Dwight (605-626-7885)
000P-152	i57f			
000N-152,	i57g,	Faulk	Weed Spraying	Phil Dwight (605-626-7885)
000P-152	i57f			
000N-151	i57d	Marshall	Weed Spraying	Phil Dwight (605-626-7885)
000N-152,	i57j,	McPherson	Weed Spraying	Phil Dwight (605-626-7885)
000N-371	i57k			,

Should you have guestions you are encouraged to contact Area Engineer listed for the project.

AVAILABILITY OF PLANS AND PROPOSALS:

Specifications and proposal forms are available at the Aberdeen Area Office and at the following website: http://sddot.com/business/contractors/bid/region/default.aspx

The DOT-123 form provided within the proposal document is for information only. Do not use for bidding purposes. Bids submitted on the enclosed DOT-123 form will be considered void and will not be accepted by the department. Please email the Aberdeen Area office for the DOT-123 form that can be used for bidding purposes to the following:

Phil.Dwight@state.sd.us and Robert.Ward@state.sd.us

The email request for the DOT-123 form shall include the following information, so that the SDDOT can maintain a list of prospective bidders for this project and to maintain a contact list for future region lettings:

Company Name Mailing Address Phone Number

Addendums, if any, will be made available on-line at the above website, no later than **48 hours** prior to opening bids. It will be the Contractor's responsibility to check for addendums prior to submitting bids.

CONTENT OF PROPOSALS:

Returned Proposals shall include the following items all signed in ink:

1. A notarized Contract Proposal (DOT-123). Non-signature items shall be typed or completed in ink.

Proposals shall be in sealed envelopes and clearly marked on the outside as to the content when delivered to the Area Office by the time indicated for Opening. Proposals faxed to the office will not be accepted.

Bidders will be required to fill out the blank spaces in the proposal form correctly. The bidder must fill in a unit price for each bid item shown on the proposal form. Bidders will also be required to carry out extensions and determine the "Total or Gross Sum Bid" as indicated in the proposal. The total of any proposal, as determined by the bidder, will be used only for a comparison when bids are publicly opened and read, and any errors noted in extensions or totals will be corrected to determine the "Total or Gross Sum Bid" of any proposal.

Failure to properly carry out any of the above requirements is deemed as sufficient reason to reject any proposal.

MISCELLANEOUS:

Any person engaged in highway construction work in the State of South Dakota must obtain a motor fuel highway contractor tax license.

The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

The Contractor, by signing and submitting a bid or proposal, agrees to provide services in compliance with the Americans with Disabilities Act of 1990.

The Department of Transportation reserves the right to reject any and all bids.

Sincerely,

DEPARTMENT OF TRANSPORTATION

Jeff Senst, P.E. Aberdeen Region Engineer

cc: J. Humphrey P. Dwight File

SOUTH DAKOTA DEPARTMENT OF TRANSPORTATION CONTRACT PROPOSAL

			PROJEC [*]	Т	MAINT	CONTROL			BEGIN		END	
	CODE	PRE	ROUTE	AGR	UNIT	REFERENCE	AFE	FUNCTION	MRM		MRM	
			000N		152		i57e		1		4	
			S P		52		7f				— 7	
		Н										
_											_	_
CITY AND/C	OR COL	JNTY		Edmu	nds County		BUDGET SOURCE	E:	FY 2018 Cor	ntract Maintenance		
	FINAL	S EN	GINEER	REVIE	W REQUIRE	ED:		☐ YES	☑ NO			
	REGIC	N M	ATERIAL	S CER	RTIFICATION	REQUIRED:		☐ YES	✓ NO			
	CERTI	FIED	INSPEC	TORS	TESTERS R	EQUIRED:		☐ YES	✓ NO			
	то 📭	INST	TALL [ON CN	1&P:		4 •	✓ YES	□ NO			
TYPE, PURI	POSI	AI 1	C. H		V RK	C ntrui ti g	pwt	rec. re	D DUS W JOS RO A	tīc ve	eta on and g	rowth
suppression		l s a jn		au' .		ne gl of a				ov n c	Ex / it "A"	
of this contra	act											

ESTIMATE OF QUANTITIES AND COST

BID ITEM NUMBER	ITEM	QUANTITY	UNIT	JNIT PRICE	AMOUNT
	2,4-d	12,800	Oz		
	Tordon	5,120	Oz		
	Sahara	1,600	Oz		
	Surfactant	1,500	Oz		
	MileStone	500	Oz		
	Round up	1,280	Oz		
	Escort	400	Oz		
	ATV/Sprayer	500	Hr		
	Labor	500	Hr		
	·	· · · · · · · · · · · · · · · · · · ·		TOTAL	

CONTRACTOR'S PROPOSAL STATEMENT

The undersigned does hereby agree to furnish the labor and/or material in the quantities, at the unit price, for the purpose, in the place and in accordance with attached provisions upon approval of this Proposal by the State Transportation Commission. This document becomes the Contract when signed by the Contractor and a Department of Transportation Representative.

DATE	DIRECTOR OF OPERATIONS	DATE
pur	CONSTRUCTION & MAINTENANCE ENGINEER	DATE
	ADDRESS	
, 20	COMPANY	
		
	05/01/18 RE ME THE	RE ME THE SIGNATURE , 20 COMPANY ADDRESS DUFFO OFFERSAL X ID SIMBER

PROJECT DEVELOPMENT ENGINEER

Weed Spraying Specifications

The contractor does hereby agree to furnish the necessary equipment, materials and labor to control the growth of declared noxious weeds within the right-of way of state routes as shown on the attached map (Exhibit A).

Spraying

The spraying shall consist of spot treatments and shall be accomplished by using the herbicides specified on the contract (or equivalent) with applicable rates as recommended by the manufactured. If herbicide is needed that is not on this contract, the type and price shall be negotiated and added by Change Order, prior to use of the herbicide.

The contractor agrees to indemnify, save, and hold harmless the Department and all its employees and agents, from any and all claims, demands, actions or cause of action of whatsoever nature or character arising out of, or by reason of, the execution of performance of the work provided for under the contract whether or not the Contractor itself is negligent or otherwise culpable. The Contractor further agrees to defend at its own sole cost and expense any action or proceeding commenced for the purpose of asserting any claim on whatsoever nature or character arising under this contract whether or not the Contractor is itself negligent or otherwise culpable. This section does not require the Contractor to be responsible for or defend against claims or damages arising solely from acts or omissions of the State, its officers or employees.

The spraying shall be accomplished by personnel properly licensed by the South Dakota Department of Agriculture.

The Contactor shall advise the local Maintenance Supervisor of his intent to spray, 48 hours prior to doing so.

The Contractor shall complete the attached daily form (DOT 820) "Contract Daily Pesticide Application Record" (Exhibit B), furnished by the Department, after each day of spraying.

The Contractor shall provide the Maintenance Supervisor with a complete copy of the daily form (DOT 820) within One week after completing the spraying.

The Contractor shall submit an invoice for payment to the Area Engineer or Maintenance Supervisor (as instructed). The invoice shall be accompanied by the completed original daily form(s) DOT 820. Separate invoices may be submitted for the spring and fall sprayings, if the Contractor desires to do so.

The herbicide selected for use will dictate frequency and timing of application. If two applications are required per growing season, the first shall be made in the spring of the year while the second shall be made in the late summer or early fall as directed by the Maintenance Supervisor. For herbicides requiring a single application, the application shall be made in accordance with the label for the product being used.

Equipment used for spraying shall be an ATV capable of navigating the highway ditches to allow for identification and direct treatment of weeds. Support vehicles shall be equipped with flashing amber lights. The lights shall be turned on and used at all times when the vehicle is on the roadway.

Growth Suppression

The following locations shall be treated for growth suppression:

- 1. 6 foot radius around all sign and delineator posts.
- Underneath and 3 foot behind guide rail.

Herbicides shall be applied uniformly with properly calibrated equipment using manufacturers recommended rates and concentration.

Herbicides for growth suppression shall be applied in the spring of the year. Herbicides shall not be applied to vegetation that has exceeded 8" in height.

		-	+	-	+	-	~	-	<u>u</u>	8 :	: :	-		- ,	 	* E	44	=	-	-	¥	8	5	-		Ţ.	323 AV
		"	F	+	-	-	-	-	*				-	. II ,	 	-	d	224	-		и	3	8	1 =	Ĺ	235	1!
		<u>ļ</u> _	1 5		-	#	-	-	:			-		. .	1	A		5	-	.	ь	2	22	ž.	T.	11-	
	SVC	, x	1	-	z	-	8	-			,	5		- X	1		298	•	5	.	x	27		a	5	7 3	1
	NO0		t	1		-	-	~			1 2	=		. [23	11	2	a	- T	=	2	2	2	<u> </u>	:		100	327 AV
~	1010	, ×			2	=	12	-			ļ a	, a	1	0.0		I	2	a	=	-	*	и	r	†=	90.9	-	328 AV
4	045	<u> </u> =	8		: .	-	,	- ,	8	-	T	-	1.	. 4	1	1		-	-		2	×	3	-	T.	-	_1329 AV
		I 2	3	3				- 1		20	T:	ļ -	Ϋ.		2	8		-	-	_	и	. 4	3	-	} -	1	_330 AV
	10101	; ×	1 18	2			-	- :	- 1	Ţ.,	,	-	1.	: :	-	Ť	-		_		-	2	2	-	<u> </u>	1	331 AVE
M	系系	i =	11	"			ā .	. 4	3	=======================================	1.	10	u	7	+	+		+	-	+	-	-	_		-	-	1333 AVE
	2 2 2	l s	2	8			= .	. 8	2	2	-	1.	+	2	2	₽	t	+	-	+	×	"	B	=	2	-	334 AVE
24	. 23.	*	21	74	H =			*		+=	1-	1-	1 #	2	1	-				-+	+	2	2	-			335 AVE
	00	,	*	-					-	5	-	1		-				-	+	+	¥ II	8	r	-			
	†o	- ×	-	+=	B		. 1		-	1 5		-	-	2	8	H	170		+	-	*	*	= -	-	 	1.	337 AVE
	177		2	2	-	+	-		-	-	-	ļ	+	-	3	-		-	-	-	-	=	3	=	-		338 AVE
•	8.3	n	-	} -	+	+	-	-	-		-	-	Ļ.		- a	-	_		-		=	3	2		-] 339 AVE
	γω ,			2	-	+			-	-	=	10			-		3	-		-	r	22	2	5	5	179	340 AVE
	- - - - -		2	-	-	+-	-	-	1 *	8	1	-	1 ~	ä	3	- 15	1 :	-	-	1	*	2	2	Ξ.	=	4	341 AVE
	2	×	3	2	-	+	+	*	2	2	=	17	-	×	3		5			- 1	×	24	2	ū	-	-\ (3)	
	თ +	<u> </u>	8	-	+:	-	- -	ļ.	8	3	-	-	-		Moscor SIS		F	1			z.	8	2			•	343 AVE
	ó	l H	3	1 8	-		-	×	-	1 8	1 3	Ŀ.		×	2	3	-	1.			2	23	z	7		-	345 AVE
	192	. z	2	-		*	-	2		-	<u>_</u> -	,		:	2		=	ļ.			u	=	2	ä	,		346 AVE
	· &	x	=	-	OYALTON	- 5		_ =	-	*	-	10	-	ž.	=	Ľ	5			1		= 1	=	ū	ō	-	347 AVE
		15	_	2	-	-	-	a	ļ.,	ti ti	1	=	~	F	n	2	-	=			*	2	8	ī	=	-	348 AVE
		×	= ==	24	-=	-	-	z	*	2	-	-	-	7,	D	G 2	5	Į.	-			a	2	a	s		349 AVE
	į	2	8		Ŀ		1.	=	×	2	=	-		"	8	2	=	-				8	5	=	,	-	350 AVE
		z	a	8	-	1.	1.	ĸ	23	8	=	-	-	12	2	3	=		-			2	8	a			351 AVE
		ä	3	22		Ŀ		8		===		-	-	=	_ a	21	-	,			:	2		ž			S52 AVE
		*	27	2	Ļ			2	"	2] =	2		Ľ.		2	-	ē	-			17	2		ä		353 AVE
	Ì		3	t .	-	-	-	3	3	2	=	2	-		×	3		=	-	8		2	8	:	:	. 1	354 AVE
U	ns :	×	Ħ	2	a	F	-	ä	ts	2	5	=	-	×	ta	2	-	ļ.	-	8		3	2	II.	2		55 AVE
C	اً مد	-	8	=	-	,		2	8	=	=	L	,	м	8	a	-	1.			,	8 ;	:	=	7	. 1	
U	247	×	3	8	5	Ŀ	Ŀ	2	1 3	2	=			z	3	2	T.	-	-	Ť.	B	2 1		17		- !	56 AVE
	so l	ä	tı	2	ī		-	u	1 8	22	ā			E		F	1:	Γ.	1.		T.			7	T	-	
0	77	¥	2	z	-	10	-	ž	2	ı,	5	8		A Y	1	ğ		5	-	,	1				-	_	
J		163	×	а	-	=	-	ä	2	8				×	17	5	-	=	1.	*	١,		1	1	=	CO.ST	359 AVE
	- 4	6	25	7	ū		(-)	×	74	¥	Б	2	-	×	7.7	7	i a	-	-	×	1 0				12		60 AVE
3	MR M	.	8	ē	ā	-		ä	8		=	-	•		8	2	=	-		ž.	8	1			,	2.8	61 AVE
_	100	ĸ	×	3	4		-	r -	2	3	=	-	-	×	2	8	-	-	u	"	7		=	-	-	7	62 AVE
	55	2	2	æ		-	1-	н	n n	21	ō	-		×	1 T	-	a	-	-	2		-		. [3		
+		Y.	77	2	5	5	-	×	3	2	-		v	¥	-	2	-	-	-	*	-	- -	+				64 AVE
_		u u	2	u	ī	-	~	¥	g	2		-	-		8	z	ī	=	 	,	7		-	-	ō	COLUMNICO	65 AVE
0	79.	*	9	2	5	-	-	X	3	2		-	-	*	OR.	2	-	E	ŀ	+	╁	-		-	=		66 AVE
٩	1 40	2	8	5		-	-	. <u>u</u>	30	3	-			-	+	-	_	-		3	-	-	-		-	-	67 AVE
	ļ.	z	2	8	=		-	z	3	8	3			и		*	=	-		2	= 8	┿	1	- H		-	68 AVE
	1		n n	2	ā	,		2	2	2	F	,		3	+	2	-	r =		2 11	-	-	-	,	\exists	-	69 AVE
		-	,			5	-	· ·	3	n		ō	-	Y	+	R	-	ō		y y	3	+	+	+	+	<u>ا</u>	70 AVE
	ŗ				-	=		ä	2	а	-	-	- +		H			-			-	-	4	-	5	· i	1 AVE
	1	8	8	2	5	-	-	2	-	2	a	-	278.	-	14		-	= 		8	2		-	-	=	ř	2 AVE
	250	" 			!					3			W	THE STATE OF	1	= ==		 	-	L	129	128	127		= =====================================		3 AVE
		7 57								3 -								32 ST		30 ST	TS 6	TS 8	27 ST	126 ST	125 ST		

SOUTH DAKOTA DEPARTMENT OF TRANSPORTATION

DOT 820 Modified - Aberdeen Area Rev 03/15	PCN:	DATE		
WEATHER CLOUDY	PARTLY CLOUDY	MOSTLY SU	INNY CLEA	R
COUNTY MCPHERSON EDMUNDS	FAULK BROWN	DAY MARSHALL		
TIME TEMP °F WIND - Direction WIND - Speed APPLICATION	COMMENTS:			
L HWY# N S E W Median T I O N	MRM START MRM END		SPRAY CONTINUOUS SPOT	
TYPE BRAND UNIT C A L QUANTITY	OZ	OZ	OZ	
NAME L A B O R	STAR	T STOP	HOURS LABOR TOT.	AL
TYPE E Q U I P	STAI	RT STOP	HOURS EQU TOTA HOU	AL
Operator - Applicator Address		D.O.A. Licen	se #	

This form shall be completed in duplicate for each route after completion of your daily pesticide application. One copy is to be kept on file for a period of three (3) years, and the other copy is to be forwarded to the Area Engineer.