

STATE OF SOUTH DAKOTA DEPARTMENT OF TRANSPORTATION PLANS FOR PROPOSED

PROJECT 089-491 SD HIGHWAY 89 CUSTER COUNTY

> DITCH GRADING PCN i6k6



 \mathcal{O}

M

 \vdash

| AADT (2020) | 864 |
|-------------|--------|
| AADT (2040) | 1049 |
| DHV | 172 |
| D | 51% |
| DHV T% | 1.1% |
| AADT T% | 2.5% |
| V | 45 mph |
| | |

STORM WATER PERMIT None Required

Gross Length 608 Feet 0.11 Miles

| STATE OF | PROJECT | SHEET | TOTAL SHEETS |
|----------------|------------|-------|-----------------|
| DAKOTA | 089-491 | 1 | 26 |
| Plotting Date: | 03/16/2022 | | |

INDEX OF SHEETS

| 1 | General Layout with Index |
|-------|--|
| 2-6 | Estimate with General Notes & Tables |
| 7 | Typical Grading Sections |
| 8 | Horizontal Alignment Data & Control Data |
| 9 | Legend |
| 10 | Erosion Control Legend |
| 11 | Plan Sheet |
| 12-19 | Standard Plates |
| 20-26 | Cross Sections |



e - ...\i6k6 title.dgn

ESTIMATE OF QUANITIES

| BID ITEM | ITEM | QUANTITY | UNIT |
|----------|-------------------------------------|----------|------|
| 009E0010 | Mobilization | Lump Sum | LS |
| 100E0020 | Clear and Grub Tree | 7 | Each |
| 110E7150 | Remove Sign for Reset | 1 | Each |
| 110E7802 | Remove Fence for Reset | 605 | Ft |
| 120E0010 | Unclassified Excavation | 470 | CuYd |
| 230E0100 | Remove and Replace Topsoil | Lump Sum | LS |
| 620E4100 | Reset Fence | 605 | Ft |
| 632E3500 | Reset Sign | 1 | Each |
| 634E0010 | Flagging | 100.0 | Hour |
| 634E0110 | Traffic Control Signs | 179.0 | SqFt |
| 634E0120 | Traffic Control, Miscellaneous | Lump Sum | LS |
| 730E0210 | Type F Permanent Seed Mixture | 12 | Lb |
| 731E0100 | Fertilizing | 702 | Lb |
| 732E0250 | Fiber Mulching | 484 | Lb |
| 734E0102 | Type 2 Erosion Control Blanket | 1,093 | SqYd |
| 734E0154 | 12" Diameter Erosion Control Wattle | 595 | Ft |
| 734E0510 | Shaping for Erosion Control Blanket | 615 | Ft |

SPECIFICATIONS

Standard Specifications for Roads and Bridges, 2015 Edition and Required Provisions, Supplemental Specifications, and Special Provisions as included in the Proposal.

ENVIRONMENTAL COMMITMENTS

The SDDOT is committed to protecting the environment and uses Environmental Commitments as a communication tool for the Engineer and Contractor to ensure that attention is given to avoid, minimize, and/or mitigate an environmental impact. Environmental commitments to various agencies and the public have been made to secure approval of this project. An agency with permitting authority can delay a project if identified environmental impacts have not been adequately addressed. Unless otherwise designated, the Contractor's primary contact regarding matters associated with these commitments will be the Project Engineer. During construction, the Project Engineer will verify that the Contractor has met Environmental Commitment requirements. These environmental commitments are not subject to change without prior written approval from the SDDOT Environmental Office.

Additional guidance on SDDOT's Environmental Commitments can be accessed through the Environmental Procedures Manual found at: <https://dot.sd.gov/media/documents/EnvironmentalProceduresManual.pdf >

For questions regarding change orders in the field that may have an effect on an Environmental Commitment, the Project Engineer will contact the Environmental Engineer at 605-773-3180 or 605-773-4336 to determine whether an environmental analysis and/or resource agency coordination is necessary.

Once construction is complete, the Project Engineer will review all environmental commitments for the project and document their completion.

COMMITMENT B: FEDERALLY THREATENED. ENDANGERED. AND PROTECTED SPECIES

COMMITMENT B2: WHOOPING CRANE

The Whooping Crane is a spring and fall migratory bird in South Dakota that is about 5 feet tall and typically stops on wetlands, rivers, and agricultural lands along their migration route. An adult Whooping Crane is white with a red crown and a long, dark, pointed bill, Immature Whooping Cranes are cinnamon brown. While in flight, their long necks are kept straight and their long dark legs trail behind. Adult Whooping Cranes' black wing tips are visible during flight.

Action Taken/Required:

Harassment or other measures to cause the Whooping Crane to leave the site is a violation of the Endangered Species Act. If a Whooping Crane is sighted roosting in the vicinity of the project, borrow pits, or staging areas associated with the project, cease construction activities in the affected area until the Whooping Crane departs and immediately contact the Project Engineer. The Project Engineer will contact the Environmental Office so that the sighting can be reported to USFWS.

The Contractor will not withdraw water with equipment previously used outside the State of South Dakota or previously used in aquatic invasive species (AIS) positive waters within South Dakota without prior approval from the SDDOT Environmental Office. To prevent and control the introduction and spread of invasive species into the project vicinity, all equipment will be power washed with hot water (≥140 °F) and completely dried for a minimum of 7 days prior to subsequent use. South Dakota administrative rule 41:10:04:02 forbids the possession and transport of AIS; therefore, all attached dirt, mud, debris and vegetation must be removed and all compartments and tanks capable of holding standing water must be drained. This includes, but is not limited to, all equipment, pumps, lines, hoses and holding tanks.

Action Taken/Required:

The Contractor will obtain the necessary permits from the regulatory agencies such as the South Dakota Department of Agriculture and Natural Resources (DANR) and the United States Army Corps of Engineers (USACE) prior to water extraction activities.

Additional information and mapping of water sources impacted by Aquatic Invasive Species in South Dakota can be accessed at: < http://sdleastwanted.com/maps/default.aspx >

< South Dakota Administrative Rule 41:10:04 Aquatic Invasive Species: https://sdlegislature.gov/rules/DisplayRule.aspx?Rule=41:10:04 >

Construction activities constitute less than 1 acre of disturbance.

Action Taken/Required:

pollutants from the construction site.

| STATE OF | PROJECT | SHEET | TOTAL |
|-----------------|---------|-------|-------|
| SOUTH DAKOTA | 089-491 | 2 | 26 |

COMMITMENT C: WATER SOURCE

COMMITMENT E: STORM WATER

At a minimum and regardless of project size, appropriate erosion and sediment control measures must be installed to control the discharge of

COMMITMENT H: WASTE DISPOSAL SITE

The Contractor will furnish a site(s) for the disposal of construction and/or demolition debris generated by this project.

Action Taken/Required:

Construction and/or demolition debris may not be disposed of within the Public ROW.

The waste disposal site(s) will be managed and reclaimed in accordance with the following from the General Permit for Construction/Demolition Debris Disposal Under the South Dakota Waste Management Program issued by the Department of Agriculture and Natural Resources.

The waste disposal site(s) will not be located in a wetland, within 200 feet of surface water, or in an area that adversely affects wildlife, recreation, aesthetic value of an area, or any threatened or endangered species, as approved by the Environmental Office and the Project Engineer.

If the waste disposal site(s) is located such that it is within view of any ROW, the following additional requirements will apply:

1. Construction and/or demolition debris consisting of concrete, asphalt concrete, or other similar materials will be buried in a trench separate from wood debris. The final cover over the construction and/or demolition debris will consist of a minimum of 1 foot of soil capable of supporting vegetation. Waste disposal sites provided outside of the Public ROW will be seeded in accordance with Natural Resources Conservation Service recommendations. The seeding recommendations may be obtained through the appropriate County NRCS Office. The Contractor will control the access to waste disposal sites not within the Public ROW with fences, gates, and placement of a sign or signs at the entrance to the site stating, "No Dumping Allowed".

2. Concrete and asphalt concrete debris may be stockpiled within view of the ROW for a period not to exceed the duration of the project. Prior to project completion, the waste will be removed from view of the ROW or buried, and the waste disposal site reclaimed as noted above.

The above requirements will not apply to waste disposal sites that are covered by an individual solid waste permit as specified in SDCL 34A-6-58, SDCL 34A-6-1.13, and ARSD 74:27:10:06.

Failure to comply with the requirements stated above may result in civil penalties in accordance with South Dakota Solid Waste Law, SDCL 34A-6-1.31.

All costs associated with furnishing waste disposal site(s), disposing of waste, maintaining control of access (fence, gates, and signs), and reclamation of the waste disposal site(s) will be incidental to the various contract items.

COMMITMENT I: HISTORIC PRESERVATION OFFICE CLEARANCES

State Historic Preservation Office (SHPO or THPO) concurrence has not been obtained for this project.

Action Taken/Required:

All earth disturbing activities require a cultural resource review prior to scheduling the pre-construction meeting. This work includes but is not limited to: Contractor furnished material sources, material processing sites, stockpile sites, storage areas, plant sites, and waste areas.

The Contractor will arrange and pay for a record search and when necessary, a cultural resource survey. The Contractor has the option to contact the state Archaeological Research Center (ARC) at 605-394-1936 or another qualified archaeologist, to obtain either a records search or a cultural resources survey. A record search might be sufficient for review if the site was previously surveyed; however, a cultural resources survey may need to be conducted by a qualified archaeologist.

The Contractor will provide ARC with the following: a topographical map or aerial view in which the site is clearly outlined, site dimensions, project number, and PCN. If applicable, provide evidence that the site has been previously disturbed by farming, mining, or construction activities with a landowner statement that artifacts have not been found on the site.

The Contractor will submit the cultural resources survey report to SDDOT Environmental Office, 700 East Broadway Avenue, Pierre, SD 57501-2586. SDDOT will submit the information to the appropriate SHPO/THPO. Allow **30 Days** from the date this information is submitted to the Environmental Engineer for SHPO/THPO review.

In the event of an inadvertent discovery of human remains, funerary objects, or if evidence of cultural resources is identified during project construction activities, then such activities within 100 feet of the inadvertent discovery will immediately cease and the Project Engineer will be immediately notified. The Project Engineer will contact the SDDOT Environmental Office, who will contact the appropriate SHPO/THPO within 48 hours of the discovery to determine an appropriate course of action.

The Contractor is responsible for obtaining any additional permits and clearances for Contractor furnished material sources, material processing sites, stockpile sites, storage areas, plant sites, and waste areas that affect wetlands, threatened and endangered species, or waterways. The Contractor will not utilize a site known or suspected of having contaminated soil or water. The Contractor will provide the required permits and clearances to the Project Engineer at the preconstruction meeting.

COMMITMENT S: FIRE PREVENTION IN THE BLACK HILLS AREA

This project is located within the Black Hills Forest Fire Protection Boundary.

Action Taken/Required:

The Contractor will adhere to the "Special Provision for Fire Plan".

| STATE OF | PROJECT | SHEET | TOTAL SHEETS |
|----------|---------|-------|-----------------|
| DAKOTA | 089-491 | 3 | 26 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

UTILITIES

The Contractor will contact the involved utility companies through South Dakota One Call (1-800-781-7474) prior to starting work. It will be the responsibility of the Contractor to coordinate work with the utility owners to avoid damage to existing facilities.

If utilities are identified near the improvement area through the SD One Call Process as required by South Dakota Codified Law 49-7A and Administrative Rule Article 20:25, the Contractor will contact the Project Engineer to determine modifications that will be necessary to avoid utility impacts.

GRADING OPERATIONS

Water for Embankment is estimated at the rate of 10 gallons of water per cubic yard of Embankment minus Waste. The estimated quantity of Water for Embankment is 5 MGal. No separate payment will be made for the Water for Embankment and all costs associated will be incidental to the contract unit price per cubic yard of "Unclassified Excavation".

UNCLASSIFIED EXCAVATION QUANTITY

Unclassified Excavation plans quantity will be used for final payment.

Tree stumps located within the work limits will be removed. All costs associated with tree stump removal will be incidental to the contract unit price per cubic yard for Unclassified Excavation.

BRACE PANELS FOR ROW FENCE

The E-Z Brace or an approved equal may be utilized as an alternate horizontal brace in the brace panels if approved by the Engineer. The E-Z Brace will be attached to each wood post utilizing two 5/16" x 3" lag screws. Holes of appropriate diameter, based on wood post condition, will be drilled before placement of lag screws. The following are contacts regarding the E-Z Brace:

> Watertown, SD 57201 605-881-4990

REMOVE AND REPLACE TOPSOIL

Prior to beginning excavation operation a 4" depth of topsoil will be removed or bladed down the respective inslope and left in a windrow. Following completion of construction, topsoil will be spread evenly over the disturbed areas.

The estimated amount of topsoil to be removed and replaced is 256 CuYd.

All costs associated with removing and replacing the topsoil along areas to be resurfaced will be incidental to the contract lump sum price for "Remove and Replace Topsoil".

MYCORRHIZAL INOCULUM

Mycorrhizal inoculum will consist of mycorrhizal fungi spores and mycorrhizal fungi-infected root fragments in a solid carrier. The carrier may include organic materials, calcinated clay, or other materials consistent with application and good plant growth. The supplier will provide certification of the fungal species claimed and the live propagule count. The inoculum will include the following fungal species:

- 25% Glomus intraradices
- 25% Glomus aggregatum or deserticola
- 25% Glomus mosseae
- 25% Glomus etunicatum

All seed will be inoculated by the seed supplier with a minimum of 100,000 live propagules of mycorrhizal fungi per acre. All costs of inoculating the seed will be incidental to the contract unit price per pound for the corresponding permanent seed mixture.

The mycorrhizal inoculum will be as shown below or an approved equal:

Manufacturer Product Roger Papka Mycorrhizal Applications, Inc. **MycoApply** E-Z Brace Grants Pass, OR 1160 Karen St. Phone: 1-866-476-7800 Watertown, SD 57201 www.mycorrhizae.com 605-881-6142 AM 120 Multi Species Blend Reforestation Technologies Int. Dennis Mack Gilroy, CA E-Z Brace Phone: 1-800-784-4769 108 18th St. NE www.reforest.com

FERTILIZING

The Contractor will apply an all-natural slow release fertilizer prior to seeding or placing sod. The all-natural fertilizer will have a minimum guaranteed analysis of 4-4-4 and be USDA Certified BioBased. It should provide a minimum of 4% (N) nitrogen with a minimum water insoluble nitrogen (WIN) fraction of 2.07%, a minimum of 4% (P2O5) available phosphate, a minimum of 4% (K2O) soluble potash, and a maximum carbon to nitrogen ratio (C:N ratio) of 5:1. The all-natural fertilizer will be free of weed-seed and pathogens accomplished through thermophilic composting, and not mechanical or chemical sterilization, to assure presence of beneficial soil microbiology. The fertilizer will have a near neutral pH, a low salt index, a low biological oxygen demand, contain organic humic and fulvic acids, and have high aerobic organism counts. The fertilizer will also be stable, free of bad odors, and be unattractive as a food source for animals. It should also be in a granular form that is easily spread.

The fertilizer will be applied at a rate of 1,500 pounds per acre in accordance with the manufacturer's recommended method of application.

equal:

Sustane

| | STATE OF SOUTH DAKOTA | PROJECT | SHEET | TOTAL |
|--|-----------------------------|---------|-------|-------|
| | | 089-491 | 4 | 26 |

The all-natural slow release fertilizer will be as shown below or an approved

Product

Manufacturer

Sustane Corporate Headquarters Cannon Falls, Minnesota Phone: 1-800-352-9245 www.sustane.com

Perfect Blend

Perfect Blend, LLC Bellevue, WA Phone: 1-866-456-8890 www.perfect-blend.com

PERMANENT SEEDING

The areas to be seeded consist of all newly graded areas within the project limits except for the top of roadways and temporary easements under cultivation.

Type F Permanent Seed Mixture will consist of the following:

| Grass Species | Variety | Pure Live Seed (PLS) (Pounds/Acre) |
|---|--|--|
| Western Wheatgrass | Arriba, Flintlock, Rodan, Rosana, Walsh | 7 |
| Green Needlegrass | Lodorm, AC Mallard Ecovar | 4 |
| Sideoats Grama | Butte, Pierre | 3 |
| Blue Grama | Bad River | 2 |
| Oats or Spring Wheat: April through May; | | 10 |
| Winter Wheat: August through November | | |
| | Total: | 26 |

FIBER MULCHING

Fiber mulch will be applied in a separate operation following permanent seeding.

An additional 2% by weight of tackifier will be added to the fiber mulch product selected from the approved product list. If the product selected has guar gum tackifier included, then the additional 2% of tackifier will be guar gum. If the product selected has synthetic tackifier included, then the additional 2% of tackifier will be synthetic.

The Contractor will allow the fiber mulch to cure a minimum of 18 hours prior to watering or any storm event to ensure proper cohesion between the soil and fiber particles.

All costs for the additional tackifier added to the fiber mulch including labor, equipment, and materials will be incidental to the contract unit price per pound for "Fiber Mulching".

The fiber mulch provided will be from the approved product list. The approved product list for fiber mulch may be viewed at the following internet site:

http://apps.sd.gov/HC60ApprovedProducts/main.aspx

EROSION CONTROL WATTLE

Erosion control wattles for restraining the flow of runoff and sediment will be installed at locations noted in the table and at locations determined by the Engineer during construction. Refer to Standard Plate 734.06 for details.

The Contractor will provide certification that the erosion control wattles do not contain noxious weed seeds.

Erosion control wattles will remain on the project to decompose.

The erosion control wattle provided will be from the approved product list. The approved product list for erosion control wattle may be viewed at the following internet site:

http://apps.sd.gov/HC60ApprovedProducts/main.aspx

EROSION CONTROL BLANKET

Erosion control blanket will be installed 16 feet wide at the locations noted in the table and at locations determined by the Engineer during construction.

The erosion control blanket provided will be from the approved product list. The approved product list for erosion control blanket may be viewed at the following internet site:

http://apps.sd.gov/HC60ApprovedProducts/main.aspx

SHAPING FOR EROSION CONTROL BLANKET

The ditches will be shaped for the erosion control blanket as specified on Standard Plate 734.01.

| STATE OF | PROJECT | SHEET | TOTAL SHEETS |
|----------|---------|-------|-----------------|
| DAKOTA | 089-491 | 5 | 26 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

SEQUENCE OF OPERATIONS

- 1. Set up traffic control.
- 2. Remove fence & sign for reset.
- 3. Remove trees.
- 4. Remove topsoil.
- 5. Install 12" Erosion control wattles.
- 6. Construct berm/ditch.
- 7. Install Erosion Control (Seed, Fertilizer, Erosion Control Blanket and Fiber Mulch).
- 8. Reset Fence.
- 9. Remove Traffic Control.

Contractor requests to deviate from the sequence of operations will be submitted in writing to the Engineer for review. Approval of an alternate sequence of operations will only be allowed when the proposed changes meet with the Department's intent for traffic control and sequencing of the work. An alternate sequence will be submitted for review a minimum of one week prior to potential implementation.

GENERAL TRAFFIC CONTROL

Existing guide, route, informational logo, regulatory, and warning signs will be temporarily reset and maintained during construction. Removing, relocating, covering, salvaging, and resetting of existing traffic control devices, including delineation, will be the responsibility of the Contractor. Cost for this work will be incidental to the contract unit prices for the various items unless otherwise specified in the plans. Any delineators and signs damaged or lost will be replaced by the Contractor at no cost to the State.

All temporary traffic control sign locations will be set in the field by the Contractor and verified by the Engineer prior to installation.

All construction operations will be conducted in the general direction of traffic movement.

If there is a discrepancy between the traffic control plans, standard plates, and the MUTCD, whichever is more stringent will be used, as determined by the Engineer.

Unless otherwise stated in these plans, work will not be allowed during hours of darkness.

Fixed location signing placed more than 4 calendar days prior to the start of construction will be covered or laid down until the time of construction. The covers must be approved by the Engineer prior to installation. The cost of materials, labor, and equipment necessary to complete this work will be incidental to other contract items. No separate payment will be made.

All fixed location signs, sign posts, and breakaway bases will be removed within 7 calendar days following pavement marking.

The Contractor will notify homeowner a minimum of two weeks prior to construction to inform them of upcoming construction.

TABLE OF TRAFFIC CONTROL DEVICES

ITEMIZED LIST FOR TRAFFIC CONTROL SIGNS

| | | CONVENTIONAL ROAD | | | |
|--------------|-------------------------------------|-------------------|------------------------|----------------------|-------|
| SIGN CODE | SIGN DESCRIPTION | NUMBER | SIGN SIZE | SQFT PER SIGN | SQFT |
| W3-4 | BE PREPARED TO STOP | 2 | 48" x 48" | 16.0 | 32.0 |
| W16-2P | FEET (supplemental distance plaque) | 2 | 30" x 24" | 5.0 | 10.0 |
| W20-1 | ROAD WORK AHEAD | 2 | 48" x 48" | 16.0 | 32.0 |
| W20-4 | ONE LANE ROAD AHEAD | 2 | 48" x 48" | 16.0 | 32.0 |
| W20-7 | FLAGGER (symbol) | 2 | 48" x 48" | 16.0 | 32.0 |
| W21-5 | SHOULDER WORK | 2 | 48" x 48" | 16.0 | 32.0 |
| G20-2 | END ROAD WORK | 2 | 36" x 18" | 4.5 | 9.0 |
| | | CON TRAFFIC (| /ENTIONAL CONTROL S | . ROAD BIGNS SQFT | 179.0 |

| STATE OF | PROJECT | SHEET | TOTAL SHEETS |
|----------|---------|-------|-----------------|
| DAKOTA | 089-491 | 6 | 26 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

TYPICAL SECTIONS





72+00 to 74+50



74+50 TO 77+00



| | STATE OF SOUTH DAKOTA | PROJECT | SHEET | TOTAL SHEETS |
|--|-----------------------------|------------|-------|-----------------|
| | | 089-491 | 7 | 26 |
| | Plotting Date: | 03/16/2022 | | |

Ni6k6 typ.dgn

HORIZONTAL ALIGNMENT DATA

| Туре | Station | | | Northing | Easting |
|------|----------|-------------|--------------------|------------|-------------|
| POB | 59+67.76 | | | 545735.090 | 1109425.023 |
| | | TL= 467.23 | N 20°01'24" W | | |
| PC | 64+34.99 | | | 546174.077 | 1109265.041 |
| PI | 67+39.92 | R = 7000.00 | Delta = 4°59'19" R | 546460.573 | 1109160.632 |
| РТ | 70+44.46 | | | 546755.062 | 1109081.532 |
| | | TL= 112.69 | N 15°02'06" W | | |
| PC | 71+57.15 | | | 546863.892 | 1109052.300 |
| PI | 72+62.69 | R = 3614.21 | Delta = 3°20'43" L | 546965.820 | 1109024.922 |
| РТ | 73+68.17 | | | 547065.978 | 1108991.642 |
| | | TL= 395.56 | N 18°22'49" W | | |
| POE | 77+63.73 | | | 547441.358 | 1108866.914 |

MAINLINE

CONTROL DATA

| Point | Station | Offset | Description | Northing | Easting | Elevation |
|-------|----------|----------|--|------------|-------------|-----------|
| CP7 | | | 5/8" rebar with SDDOT aluminum cap | 545514.525 | 1109507.216 | 5482.27 |
| CP9 | | | 5/8" rebar with SDDOT aluminum cap | 547557.838 | 1108821.325 | 5441.24 |
| CP1 | 68+74.01 | 32.45 R | Property corner, rebar with aluminum cap | 546600.183 | 1109158.874 | 5470.43 |
| CP2 | 71+05.98 | 30.69 R | Property corner, rebar with aluminum cap | 546822.436 | 1109095.209 | 5452.07 |
| CP4 | | | Property corner, rebar with aluminum cap | 547459.084 | 1108903.418 | 5436.19 |
| CP5 | | | Property corner, rebar with aluminum cap | 547524.107 | 1108882.553 | 5436.55 |
| CP6 | 77+52.39 | 249.32 R | Property corner, rebar with aluminum cap | 547509.211 | 1109107.089 | 5428.64 |
| CP3 | 73+90.96 | 33.08 L | Property corner, rebar with aluminum cap | 547077.174 | 1108953.065 | 5457.63 |

The coordinates shown on this sheet are based on the South Dakota State Plane Coordinate System. South Zone (NAD 83/2011); epoch 20 2010.00; Geoid 12B; SF = 0.9996529498

| STATE OF | PROJECT | SHEET | TOTAL SHEETS |
|----------|---------|-------|-----------------|
| DAKOTA | 089-491 | 8 | 26 |

- ۱g 23
- 41

- 22
- 14

LEGEND

Ω

0

0

0

0

0

0

0

₩

 Δ

_ _ _ .

-OH-

Ŷ

0

 $\overline{}$

ж

+ •

۲

ø

-↔ ★

 \odot

۲

PS

-04

Æ

惫

 α

B

4 Φ

0

Anchor Antenna Approach Assumed Corner Azimuth Marker **BBQ Grill/ Fireplace** Bearing Tree Bench Mark Box Culvert Bridge Brush/Hedge Buildings Bulk Tank Cattle Guard Cemetery Centerline Cistern Clothes Line Concrete Symbol Control Point Creek Edge Curb/Gutter Curb Dam Grade/Dike/Levee Deck Edge Ditch Block Doorway Threshold Drainage Profile Drop Inlet Edge Of Asphalt Edge Of Concrete Edge Of Gravel Edge Of Other Edge Of Shoulder Electric Transformer/Power Junction Box Fence Barbwire Fence Chainlink Fence Electric Fence Miscellaneous Fence Rock Fence Snow Fence Wood Fence Woven Fire Hydrant Flag Pole Flower Bed Gas Valve Or Meter Gas Pump Island Grain Bin Guardrail Gutter Guy Pole Haystack Highway ROW Marker Interstate Close Gate Iron Pin Irrigation Ditch Lake Edge Lawn Sprinkler

 \leftarrow

¥

3

▲

▲

€

A

62253

╞══╡

+

C

A

_ _ _ _

.....

_ - _ - -

P

8

Ρ

7777

0

۲

22222

₽ ≫

 \odot

.....

Mailbox Manhole Electric Manhole Gas Manhole Miscellaneous Manhole Sanitary Sewer Manhole Storm Sewer Manhole Telephone Manhole Water Merry-Go-Round Microwave Radio Tower Miscellaneous Line Miscellaneous Property Corner Miscellaneous Post Overhang Or Encroachment Overhead Utility Line Parking Meter Pedestrian Push Button Pole Pipe With End Section Pipe With Headwall Pipe Without End Section Playground Slide Playground Swing Power And Light Pole Power And Telephone Pole Power Meter Power Pole Power Pole And Transformer Power Tower Structure Propane Tank Property Pipe Property Pipe With Cap Property Stone Public Telephone Railroad Crossing Signal Railroad Milepost Marker Railroad Profile Railroad ROW Marker Railroad Signs Railroad Switch Railroad Track Railroad Trestle Rebar Rebar With Cap Reference Mark Retaining Wall Riprap River Edge Rock And Wire Baskets Rockpiles Satellite Dish Septic Tank Shrub Tree Sidewalk Sign Face Sign Post Slough Or Marsh Spring Stream Gauge Street Marker

| Subsurface Utility Exploration Test Hole | • |
|--|----------|
| Telephone Fiber Optics | — 1/F — |
| Telephone Pole | Ø |
| Television Cable Ict Box | ଚ |
| | 2 |
| Test Wells/Bore Holes | ∕▲ |
| Traffic Sign Double Face | Ĭ |
| Traffic Sign One Post | н þ |
| Traffic Sign Two Post | P |
| Traffic Signal | <u>.</u> |
| Trash Barrel | O |
| Tree Belt | \sim |
| Tree Coniferous | * |
| Tree Deciduous | 3 |
| Tree Stumps | ٨ |
| Triangulation Station | Δ |
| Underground Electric Line | — P — |
| Underground Gas Line | — G — |
| Underground High Pressure Gas Line | — HG — |
| Underground Sanitary Sewer | — s — |
| Underground Storm Sewer | = s = |
| Underground Tank | |
| Underground Telephone Line | — T — |
| Underground Television Cable | — TV — |
| Underground Water Line | — W — |
| Water Fountain | 1 |
| Water Hydrant | 03 |
| | ₩ |
| Water Tower | |
| Water Valve | 0 |
| Waith Well | |
| Windmill | × |
| Wingwall | |
| Witness Corner | 6 |
| | |

| | STATE OF | PROJEC | т | SHEET | TOTAL SHEETS |
|-------------------|--------------------------|---------------|----------|-------|-----------------|
| | DAKOTA | 089-49 | 91 | 9 | 26 |
| | Plotting Date: | 03/16/2022 | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| State and Natio | onal Lina | | | | |
| County Line | | _ | | | |
| Section Line | | | | | |
| Quarter Line | | | | | |
| Sixteenth Line | | | | | |
| Property Line | | | | | |
| Construction L | ine | | | | |
| ROW Line | | | | | |
| New ROW Lin | ie | | | | |
| Cut and Fill Lin | nits | | | | |
| | F Accose | • | | | |
| Proposed POV | Access | 0— | | | |
| After Propertv | v Disposal) | | | | |
| (, | p, | | | | |
| | | | | | |
| Drainage Arrov | N | | | | |
| | | | | | |
| | | | | | |
| | rata Davan | mt | ///// | | |
| Remove Conci | rete Paven | nent | | | |
| D | | Development | XXXXXX | | |
| Remove Conci | rete Drivev | vay Pavement | | | |
| | | _ | | | |
| Remove Aspha | alt Concret | e Pavement | | | |
| | | | | | |
| Remove Conci | rete Sidew | alk | | | |
| | | | | | |
| Remove Conci | rete Media | n Pavement | | | |
| | | | | | |
| Remove Conc | rete Curb a | and/or Gutter | | | |
| | | | | | |
| | | | | | |
| Detectable W/c | rning | | | | |
| Detectable Wa | an ing ch Button | Polo | | | |
| and 30" x 48" | Sil Dullon Clear Snar | | رض ا | | |
| with 1.5% slop | e opa | | | | |
| | - | | <u>\</u> | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

EROSION AND SEDIMENT CONTROL LEGEN



| | STATE OF SOUTH | PROJECT | SHEET | SHEETS |
|--------------------|-------------------|------------------------|-------|--------|
| \mathbf{D} | DAKOTA | 089-491 | 10 | 26 |
| | Plotting Date: | 03/16/2022 | | |
| | | | | |
| | | | | |
| to be used throu | ghout constru | uction. | | |
| | 0 | | | |
| liment Control Pla | an Sheets ar | e to be installed | | |
| r the Intermediate | e Phase for te | emporary stabilization | | |
| | | | | |
| | | | | |
| ent Control Plan | Sheets are to | be installed in the | | |
| inal Phase to ach | nieve final sta | bilization. | | |
| | | | | |
| ment Control Pla | n Sheets are | to be installed in the | | |
| | | | | |
| | | | | |
| | ing the Su | mhala aivan | | |
| | sing the Syl | mbols given. | | |
| | | | | |
| On-Site Const | ruction Mater | rial Storage Area | | |
| | | | | |
| | | | | |
| Spill Kit | | | | |
| | | | | |
| | | | | |
| Work Platform | 1 | | | |
| | | | | |
| | | | | |
| Cover Crop Se | eding | | | |
| | | | | |
| | | | | |
| Portable Toile | t | | | |
| | | | | |







Published Date: 1st Qtr. 2022

STAPLE II

T

| | STATE OF SOUTH | | PROJECT | SHEET | TOTAL SHEETS | |
|--|-------------------|-------------|----------------|-------|-----------------|--------|
| | DAKOTA | | 089-491 | 12 | 26 | |
| | Plotting Date: | 03/16 | 6/2022 | | | 1 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Correct | \bigcap | Correct l | ooso in stanlo | | | |
| - | | ooneel, k | | | | |
| Wrong | | | | | | |
| | | wrong, w | ood crushed | | | |
| Correct | | 10/2000 | nua to noot | | | |
| | | wrong, s | nug to post | | | |
| ulaa will nat | | | | | | |
| pies will not driven parallel | loose in s | oe taple | | | | |
| ide of post | | | | | | |
| | | | | | | |
| | | | | | | |
| INSTALLATION | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| e or a combination of v | voven wire a | and barbe | ed wire. | | | |
| ed to all wood posts or | fastened to | alternati | ng wood | | | |
| eer. Fence will be con | structed cor | nforming t | to the | | | -dgn |
| less otherwise directed | d by the Eng | gineer. | | | | dplate |
| constructed one foot w | ithin the Inte | erstate Ri | ght-of-Way | | | 6k6 st |
| d as otherwise directe | d by the En | gineer. | | | | 1 |
| cts will be constructed | within one | foot of the | e Right-of-Way | | | - 9 |
| js, calle passes, and a | | e allected | by the | | | Ē |
| vire Two point barbs w | vill be wrapr | ed twice | around one | | | |
| int barbs will be interlo | cked and w | rapped ar | round both | | | |
| | | | | | | |
| es are the minimum ac | ceptable ur | less othe | erwise | | | |
| sts will be as stated in 16 and barbed wire wi | Il conform to | 0 ASTM A | ven wire will | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | 1 |
| | | | June 26, 2019 | | | 1 |
| | | | PLATE NUMBER | | | |
| PLE INSTALLATION A | ND GENER/ | 4 <i>L</i> | 620.02 | | | 1 |
| RIGHT-OF-WAY FENC | E NOTES | | Sheet I of I | | | 1 |
| | | | | J | | |
| | | | | | | 1 |
| | | | | | | 1 |
| | | | | | | 1 |









Plotted From - TRRC11626



2

പ്

| | | STATE OF | | PROJECT | SHEET | TOTAL SHEETS |
|----------|------|-----------------|--------|--------------|-------|-----------------|
| | | SOUTH DAKOTA | | 089-491 | 15 | 26 |
| | | Plotting Date: | 03/16/ | 2022 | | |
| | | | | | | |
| Posted | S | pacing of | Taper | Spacing of | | |
| Speed | Adva | nce Warning | Length | Channelizing | | |
| Prior to | | Signs | - | Devices | | |
| Work | | (Feet) | (Feet) | (Feet) | | |
| (M.P.H.) | | (A) | (L) | (G) | | |

| 0 - 30 | 200 | 180 | 25 |
|---------|------|-----|----|
| 35 - 40 | 350 | 320 | 25 |
| 45 | 500 | 600 | 25 |
| 50 | 500 | 600 | 50 |
| 55 | 750 | 660 | 50 |
| 60 - 65 | 1000 | 780 | 50 |

Channelizing Device



The channelizing devices will be drums or 42" cones if traffic control must remain overnight.

For short duration operations (1 hour or less) all channelizing devices may be eliminated if a vehicle with an activated flashing or revolving yellow light is used.

Worker signs (W21-1 or W21-1a) may be used instead of SHOULDER WORK signs.

A SHOULDER WORK sign should be placed on the left side of a divided or one-way roadway only if the left shoulder is affected.

The SHOULDER WORK sign on an intersecting roadway is not required if drivers emerging from that roadway will encounter another advance warning sign before they reach a work activity area.





\li6k6 stdplate dgn









GENERAL NOTES:

At cut or fill slope installations, wattles will be installed along the contour and perpendicular to the water flow.

At ditch installations, point A must be higher than point B to ensure that water flows over the wattle and not around the ends.

The Contractor will dig a 3" to 5" trench, install the wattle tightly in the trench so that daylight can not be seen under the wattle, and then compact the soil excavated from the trench against the wattle on the uphill side. See Detail B.

The stakes will be 1"x2" or 2"x2" wood stakes, however, other types of stakes such as rebar may be used only if approved by the Engineer. The stakes will be placed 6" from the ends of the wattles and the spacing of the stakes along the wattles will be 3' to 4'.

Where installing running lengths of wattles, the Contractor will butt the second wattle tightly against the first and will not overlap the ends. See Detail C.

The Contractor and Engineer will inspect the erosion control wattles in accordance with the storm water permit. The Contractor will remove, dispose, or reshape the accumulated sediment when necessary as determined by the Engineer.

Sediment removal, disposal, or necessary shaping will be as directed by the Engineer. All costs for removing accumulated sediment, disposal of sediment, and necessary shaping will be incidental to the contract unit price per cubic yard for "Remove Sediment".

All costs for furnishing and installing the erosion control wattles including labor, equipment, and materials will be incidental to the contract unit price per foot for the corresponding erosion control wattle contract item.

All costs for removing the erosion control wattle from the project including labor, equipment, and materials will be incidental to the contract unit price per foot for "Remove Erosion Control Wattle".

| | | | February 14, 202 |
|-------------------------------|-------------|------------------------|------------------------|
| | S D D | EROSION CONTROL WATTLE | plate number 734.06 |
| Published Date: 1st Qtr. 2022 | | | Sheet 2 of 2 |

| STATE OF | PROJECT | SHEET | TOTAL SHEETS |
|----------------|------------|-------|-----------------|
| DAKOTA | 089-491 | 19 | 26 |
| Plotting Date: | 03/16/2022 | | |



| 00/10/0000 | , | 550 ISOT | , , , | TOTAL |
|-------------------|-------------------|---------------------------------------|-------|---------|
| 03/16/2022 | STATE OF SOUTH | PROJECT | SHEET | SHEETS |
| | DAKOTA | 089-491 | 20 | 26 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | E 1 7 E |
| | - 1 | | | 5475 |
| | | | | |
| | | | | 5470 |
| | | | | |
| | | | | |
| | | | | 5465 |
| | | | | |
| | | | | |
| | | | | 5460 |
| | | | | |
| | | | | 5455 |
| 305 | | | | |
| .449 85. | | | | |
| 2222 | | | | 5450 |
| 4:1 | | | | |
| | | | | 1 |
| | | | | 5445 ¦ |
| | | | | |
| | | | | E440 |
| | - 1 | | | |
| | | | | |
| | | | 71+00 | 5435 |
| | | | | 160 |
| | | | | 5475 |
| | | | | |
| | | | | 5470 |
| | | | | |
| | | | | |
| | | · · · · · · · · · · · · · · · · · · · | | 5465 |
| | 1 | | | 1 |
| | | | | |
| | | · · · · · · · · · · · · · · · · · · · | | 5460 |
| | | | | |
| 00 | | | | 5155 |
| 81 0.76 .92 | - + | | | 0405 j |
| 5 45 86 | | | | |
| 105 | · + | | | 5450 |
| | | iiiiii | | |
| | | | | |
| | | | | 5445 |
| | | | | |
| | | | | _ |
| | -± | | 70+92 | 5440 |
| | | | | 160 |



| 03/16/2022 | STATE OF | PROJECT | SHEET | TOTAL SHEETS | |
|------------|----------------------------|---------|-------|-----------------|----|
| | SOUTH DAKOTA | 089-491 | 21 | 26 | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | 5475 | |
| | | | | | |
| | - - - | | | 5470 | |
| | | | | | |
| | - | | | 5465 | |
| | | | | | |
| | - - - | | | 5460 | |
| | | | | | |
| | - + | | | 5455 | |
| | | | | | |
| | , , , , , , | | | 5450 | |
| | | | | | |
| | -! | | | 5445 | |
| | | | | | |
| | ; ; ; ; | +. | | 5440 | |
| | | | | | |
| | | | | 5435 | |
| | | | | | |
| | | | 72+00 | 5430 | |
| | | | | 16 5475 | 50 |
| | | | | | |
| | | | | 5470 | |
| | | | | | |
| | | | | 5465 | |
| | | | | | |
| | ' ' ' | | | 5460 | |
| | | | | | |
| | | | | 5455 | |
| | | | | | |
| | | | | 5450 | |
| | | | | | |
| | | | | 5445 | |
| | | | | | |
| | | | | 5440 | |
| | | | | | |
| | | | 71+50 | 5435 | |
| | | | | 16 | 50 |



| SOUTH DANOTA 089-491 22 26 5475 5470 5470 5465 5465 5465 5470 5465 5465 5465 5450 5440 5440 5440 5440 73+00 5435 5455 5455 5455 5450 5440 5440 5440 5445 5455 5450 5455 5455 5455 5450 5455 5455 5451 5452 5455 5452 5455 5455 5453 5455 5455 54545 5455 5455 5452 5455 5450 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5435 5430 | 03/16/2022 | STATE OF | SHEET | TOTAL SHEETS | |
|--|------------|---------------------------------------|----------|-----------------|-------------------|
| 5475 5470 5465 5465 5465 5455 5455 5450 5440 73+00 5445 5440 5440 5440 5445 5475 5475 54 | | SOUTH DAKOTA | 089-491 | 22 | 26 |
| 5475 5470 5465 5469 5450 5450 5450 5440 73+00 5435 5475 5475 5475 5475 5475 5475 5475 | | | | | |
| 5475 5470 5465 5460 5455 5450 5455 5440 73+00 5445 5440 5440 5440 5445 5470 5470 54 | | | | | |
| 5475 5465 5460 5460 5455 5450 5455 5445 544 | | | | | |
| 5470 5465 5460 5455 5450 5450 5445 5440 73+00 5435 5470 5475 5475 5475 5470 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5465 | | | | | 5475 |
| 5470 5465 5469 5450 5450 5450 5450 5440 73±00 5435 5470 5475 5470 5475 5470 5475 5470 5465 5465 5460 5465 5460 5465 5460 5465 5460 5460 | | - 1 | | | |
| 5465 5460 5450 5450 5450 5445 5440 73+00 5445 5440 5475 5470 5475 5470 5475 5465 5465 5465 5465 5465 5465 5465 | | | | | 5470 |
| 5465 5460 5455 5450 5450 5445 5440 73+00 5435 5470 5475 5470 5475 5465 5465 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5460 | | | | | |
| 5460 5455 5450 5445 5440 73+00 5435 5470 5470 5470 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5460 5465 5465 | | | | | 5465 |
| 5460 5455 5450 5450 5445 5440 73+00 5445 5470 5470 5470 5470 5465 5465 5465 5465 5460 5465 5465 546 | | | | | |
| 5455 5455 5450 5440 73+00 5445 5440 5470 5470 5470 5465 5465 5460 5460 5455 5455 5450 5450 | | | | | 5460 |
| 5455 5450 5450 5440 73+00 5435 5475 5475 5470 5460 5460 5465 5460 5455 5450 5450 5445 | | | | | |
| 5459 5450 5445 5445 5440 73+00 5435 5475 5475 5470 5465 5460 5465 5460 5465 5460 5455 5450 5455 | | | | | 5455 |
| 5450 5445 5440 73+00 5435 10 5475 5470 5465 5465 5465 5465 5465 5455 5455 545 | | | | | J 4 JJ |
| 5450 5445 5440 73+00 5435 5475 5475 5470 5465 5465 5465 5465 5460 5455 5455 545 | | | | | E150 |
| 5445 5440 73+00 5435 5475 5475 5470 5465 5465 5465 5465 5465 5465 5465 546 | | | | | 5450 |
| 5445 5440 73+00 5435 10 5475 5475 5475 5465 5465 5465 5465 5465 | | | | | F / / F |
| 5440 73+00 5435 5475 5475 5470 5465 5460 5465 5460 5455 5450 5455 5450 5455 5450 5445 | | | | | 5445 |
| 5440 73+00 5435 10 5475 5470 5465 5465 5460 5455 5450 5455 5450 5440 544 | | | | | = 4.40 |
| 73+00 5435 10 5475 5470 5470 5465 5465 5460 5460 5455 5450 5450 5450 5450 5450 5450 5450 5455 5450 5455 5450 5455 54 | | | | | 5440 |
| 73+00 5435 10 5475 5470 5465 5465 5460 5455 5455 5450 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 | | | | | |
| 5475 5470 5465 5460 5455 5450 5455 5450 5445 5445 | | · · · · · · · · · · · · · · · · · · · | <u>-</u> | 73+00 | 5435 16 |
| 5470 5465 5460 5455 5455 5450 5450 5445 5445 | | | | | 5475 |
| 5470 5465 5460 5455 5450 5450 5450 5445 5440 5445 5430 | | | | | |
| 5465 5460 5455 5455 5450 5445 5445 5445 | | | | | 5470 |
| 5465 5460 5455 5450 5450 5445 5445 5440 5440 | | | | | |
| 5460 5455 5450 5445 5445 5440 5435 72+50 5430 | | | | | 5465 |
| 5460 5455 5450 5450 5445 5440 5440 5435 72+50 5430 | | | | | |
| 5455 5450 5445 5445 5440 5435 72+50 5430 | | | | | 5460 |
| 5455 5450 5445 5445 5445 5440 5440 5435 | | | | | |
| 5450 5445 5445 5440 5435 72+50 5430 | | | | | 5455 |
| 5450 5445 5445 5440 5440 5435 72+50 5430 | | | | | |
| 5445 5440 5435 72+50 5430 | | | | | 5450 |
| 5445 5440 5435 72+50 5430 | | | | | |
| 5440 5435 72+50 5430 | | | | | 5445 |
| 5440 5435 72+50 5430 | | | | | |
| 5435 72+50 5430 | · · · · · | | | | 5440 |
| 5435 72+50 5430 | | | | | |
| 72+50 5430 | | | | | 5435 |
| 72+50 5430 | | | | | |
| | | | | 72+50 | 5430 |



| 03/16/2022 | STATE OF | | PROJECT | SHEET | TOTAL | |
|------------|-----------|---|------------------|----------------|--------------|----|
| | SOUTH | | 089-491 | 23 | SHEETS 26 | |
| | L | I | | | _~ | I |
| | | | | | | |
| | | | | · -, | 5475 | |
| | | | | | | |
| | | | | | 5470 | |
| | | | 1 1 1 | | | |
| | | | 1 1 1 | | EAGE | |
| | | | | | 5465 | |
| | | | 1 1 1 | 1 1 1 | | |
| | -4 | | | | 5460 | |
| | | | | | | |
| | | | 1 1 1 | | 5455 | |
| | - 4 | | L | · - | | |
| | | | - | | | |
| | | | , , , , | | 5450 | |
| | | | 1 1 1 | | | |
| | | | | | 5445 | |
| | | | - | | | |
| | | | 1 | | E440 | |
| | | | · · | · | | |
| | | | - | | | |
| | | | | | 5435 | |
| | | | 1 1 1 | | | |
| | | | | 74+00 | 5430 | |
| | | | | | 16 | 50 |
| | | | · | | 5475 | |
| | | | 1 | | | |
| | | | | | 5470 | |
| | | | | | | |
| | | | 1 | | 5465 | |
| | | | 1 | | | |
| | | | | | | |
| | | | , , , , | · | 5460 | |
| | | | 1 1 1 | | | |
| | 1 | | | | 5455 | |
| | | | | | | |
| | | | 1 1 1 | 1 1 1 | 5450 | |
| | | | | · - | 5450 | |
| | | | | | | |
| | | | , , , , | | 5445 | |
| | | | 1 1 1 | | | |
| | | | 1 1 1 | | 5440 | |
| | | | ! ! | · | | |
| | | | 1 1 1 | | | |
| | | | | · | 5435 | |
| | | | | | | |
| | | | | 73+50 | 5430 | |
| | | | | | 16 | 50 |

| - - - - - - - | | | | · | | | | | |
|---------------------------------|--------|------|------------|---|-------|------------------|--|---|----|
| | | | | | | 5447.1 | 00 00 00 | 42.88 42.88 | |
| | | | | | | | | > | |
| | | | | | | | οιρ -20 <u>:</u> 11 Ο Ο | | |
| | | | | | | | | | |
| | | | | | | | | | |
| -16 | 60 | | | | (|) | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | 5448.62 17.00 | Nob | 47.37 2.00 6.00 6.00 33 33 | |
| | | | | | | `-` S | 5445.6 1 29.00 1 29.00 34.000 | 54 54 54 54 54 54 54 54 54 54 54 54 54 5 | |
| | | | | | | | Sip -20:1 δ Ω | 4.7 | |
| | | | | | | | | | |
| | | | | | | | | | |
| 16 | | | ; / | | | ; | | | i. |

| | | | | | | | Plotting Date: | 03/16/2022 | STATE OF | PROJECT | SHEET | TOTAL SHEETS |
|---------------------------------------|---|--------------------------------|------------|----------------------|--|--|----------------|------------|--------------------------|--------------------------|-------|---------------------|
| | | | | | | | | | DAKOTA | 089-491 | 24 | 26 |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | · | | | | | 5460 |
| | | | | | | | | | | | | |
| | | | | | | | | | - + | · | · | 5455 |
| | | | | 50 | | ~ | | | | | | E 4 5 0 |
| | | | | 5447 | 20 80 | 42.88 | | | | | · | 5450 |
| | | | | | 5444 5444 34 00 | | | | | | | 5445 |
| | | | | ¥ | SID-20-1 SIP | ×.^ | | • _ | | | | |
| | | | | | | | | | | | | 5440 |
| | | | | | Ľ | | | | | | | |
| | | | | | | | | | - <u> </u> | | · | 5435 |
| | | | | | | | | | | | | |
| ¦ 160 | L | , , , | | | | | | | ¦ | | 75+00 | 5430 5 160 |
| · | | | ······ | | | | | | | | | 5465 |
| | | | | | | | | | | | | |
| · · · · · · · · · · · · · · · · · · · | | , , , , , , | | | | | | | | | | 5460 |
| | | | | | | | | | | | | |
| | | | | N | | | · | | - | | · | 5455 |
| | | | | 448.6 17.00 | . | 7 37 00 33 33 33 33 33 33 33 33 33 33 33 33 | | | | | | 5450 |
| | | | | | / 145 62 29 00 45 37 34 00 | 544 544 5446 5446 49 9 9 9 9 9 | | | | | | |
| | | | | S | | SIP 0: 15% | | | | | | 5445 |
| | | | | | Slp -20:1 ≥ | 4.7 | | _ , | | | | 1 |
| · · · · · · · · · · · · · · · · · · · | | | | | В | | | | - | | | 5440 |
| | | | | | | | | | | | | |
| | | | | | | | | | | · | | 5435 |
| | | | | | | | | | | | | |
| 160 | | | | , , , , | | L | | | | | 74+50 | 5430 ¦ 160 |





| SOUTH 089-491 25 26 |
|---------------------------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| E (00 |
| 5460 |
| |
| 5455 |
| |
| |
| |
| 5445 |
| |
| 5440 |
| |
| 5435 |
| |
| 5430 |
| |
| 76+00 5425 |
| 160 5460 |
| |
| 5455 |
| |
| 5450 |
| |
| 5445 |
| |
| |
| |
| |
| 5435 |
| |
| |





| SOUTH MAXINA 089-491 26 28 5455 5455 5455 5445 5445 5445 5435 5435 5435 77+00 5425 5425 160 5445 5445 5445 5445 5425 77+00 5420 160 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5445 5435 70+50 5425 5430 | 03/16/2022 | STATE OF | PROJECT | SHEET | TOTAL SHEETS | |
|--|------------|-----------------|---------|-------|-----------------|---|
| 5455 5459 5445 5440 5440 5440 5435 5430 5435 77+00 5420 160 5425 5455 5455 5455 5455 5455 5455 545 | | SOUTH DAKOTA | 089-491 | 26 | 26 | |
| 5455 5445 5445 5446 5446 5430 5435 77+00 5425 77+00 5450 5455 5450 | | | | | | |
| 5455 5450 5445 5445 5440 5430 5430 77+00 5420 77+00 5420 160 5455 5450 5450 5450 5451 5452 5451 5452 5452 5452 5452 5452 | | | | | | |
| 5455 5450 5445 5440 5445 5435 5430 5430 | | | | | | |
| 5455 5450 5440 5440 5440 5440 5435 5430 5425 77+00 5420 160 5455 5455 5455 5455 5455 5455 | | | | | | |
| 5455 5450 5445 5445 5446 5435 5435 5430 5430 77+00 5425 5425 5425 5435 5445 5445 5445 5445 | | | | | | |
| 5455 5450 5445 5445 5446 5445 5435 5430 5425 77+00 5420 160 5455 5455 5455 5455 5455 5455 5445 5445 5445 | | | | | | |
| 5455 5440 5440 5430 5430 5420 5420 | | | | | | |
| 5455 5450 5440 5440 5435 5430 5435 77+00 5420 160 5455 5455 5455 5450 5455 5450 5455 | | | | | | |
| 5455 5450 5450 5445 5440 5435 5435 5435 | | | | | | |
| 5455 5450 5445 5445 5440 5435 | | | | | | |
| 5455 5450 5445 5440 5440 5435 | | | | | | |
| 5455 5450 5445 5440 5440 5435 5430 5425 77+00 5420 160 5455 5455 5455 5455 5455 | | | | | | |
| 5450 5445 5440 5435 | | | | | 5455 | |
| 5450 5445 5445 5440 5435 5436 5435 5430 5425 77+00 5420 160 5455 5450 5455 5445 5445 5445 5445 | | | | | | |
| 5445 5440 5435 5435 5436 5436 5425 77+00 5420 160 5455 5455 5455 5455 5455 5455 | | | | | 5450 | |
| 5445 5440 5430 5430 5430 5425 77+00 5420 160 5455 5455 5450 5450 5450 5445 5440 5445 5440 5445 | | | | | | |
| 5440 5435 | | | | | 5445 | |
| 5440 5435 5435 5430 5425 77+00 5420 160 5455 5455 5455 5455 5450 5450 5445 5445 5445 5445 | | | | | | |
| 5435 5436 5430 5425 77+00 5420 160 5455 5455 5450 5450 5445 5445 5440 5440 5440 5440 5440 5435 | | | | | 5440 | |
| 5435 5430 5425 77+00 5420 160 5455 5455 5450 5445 5445 5445 5445 5445 5445 5445 5445 5440 5440 5435 | | | | | | |
| 5430 5425 77+00 5420 160 5455 5455 5455 5450 5445 5445 5445 54 | | - + | | | 5435 | |
| 5430 5425 5425 160 5455 5455 5450 5445 5445 5440 5440 54 | | - | | | | |
| | | - ! | | | 5430 | |
| | | | | | | |
| | | | | | 5425 | |
| | | | | | | |
| 160 5455 5450 5445 5445 5440 5440 5430 543 | | | | 77+00 | 5420 | |
| 5450 5445 5440 5440 5430 5430 76+50 5425 | | | | | 160 5455 |) |
| 5450 5445 5440 5440 5430 76+50 5425 | | | | | | |
| | | | | | 5450 | |
| 5445 5440 | | | | | | |
| 5440 5440 5435 5430 76+50 5425 | | | | | 5445 | |
| 5440 5435 5430 | | - + | | | | |
| | | | | | 5440 | |
| | | - + | | | 5440 | |
| | | | | | | |
| 5430 | · | | | | 5435 | |
| 5430 76+50 5425 160 | | | | | | |
| 76+50 5425 | | - 1 | | | 5430 | |
| 76+50 5425 | | | | | | |
| 100 | | ; | | 76+50 | 5425 ¦ 160 |) |