



**DEPARTMENT OF TRANSPORTATION**

**NOTICE TO CONTRACTORS,  
PROPOSAL, SPECIAL PROVISIONS,  
CONTRACT AND CONTRACT BOND  
FOR**

**PAVEMENT RESTORATION, NGCS GRINDING, ASPHALT  
CONCRETE SURFACING, MEDIAN DITCH REPAIR &  
WEIGH IN MOTION UPGRADES**

**FEDERAL PROJECT NO. NH 0042(85)**  
**(PCN 07KY)**

## US HIGHWAY 85N, 85S, US HIGHWAY 385

IN BUTTE, CUSTER, FALL RIVER, LAWRENCE COUNTIES

## **NOTICE TO ALL BIDDERS**

### **TO REPORT BID RIGGING ACTIVITIES, CALL: 1-800-424-9071**

THE U.S. DEPARTMENT OF TRANSPORTATION (DOT) OPERATES THE ABOVE TOLL-FREE "HOTLINE" MONDAY THROUGH FRIDAY, 8:00 A.M. TO 5:00 P.M., EASTERN TIME. ANYONE WITH KNOWLEDGE OF POSSIBLE BID RIGGING, BIDDER COLLUSION, OR OTHER FRAUDULENT ACTIVITIES SHOULD USE THE "HOTLINE" TO REPORT SUCH ACTIVITIES.

THE "HOTLINE" IS PART OF THE DOT'S CONTINUING EFFORT TO IDENTIFY AND INVESTIGATE HIGHWAY CONSTRUCTION CONTRACT FRAUD AND ABUSE AND IS OPERATED UNDER THE DIRECTION OF THE DOT INSPECTOR GENERAL.

ALL INFORMATION WILL BE TREATED CONFIDENTIALLY, AND CALLER ANONYMITY WILL BE RESPECTED.

\* \* \* \*

### **PLANS, PROPOSALS AND ADDENDA**

AFTER AWARD OF CONTRACT, THE LOW BIDDER WILL RECEIVE TEN (10) COMPLIMENTARY SETS OF PLANS, PROPOSALS, PROJECT Q & A FORUM, AND ADDENDA FOR FIELD AND OFFICE USE. AN ELECTRONIC COPY WILL ALSO BE PROVIDED. ANY ADDITIONAL COPIES REQUIRED WILL BE THE RESPONSIBILITY OF THE CONTRACTOR.

\* \* \* \*

## NOTICE TO CONTRACTORS

Bid proposals for this project will be prepared, transmitted, and received electronically by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System until 10 A.M. Central time, on May 19, 2021, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website. The South Dakota Transportation Commission will consider all bids at a scheduled Commission meeting.

The work for which proposals are hereby requested is to be completed within the following requirement(s):

FIELD WORK COMPLETION: **JULY 29, 2022**

THE DBE GOAL FOR THIS PROJECT IS: **NOT SPECIFIED**

WORK TYPE FOR THIS PROJECT IS: **WORK TYPE 4**

Bidding package for the work may be obtained at:  
<http://apps.sd.gov/hc65bidletting/ebslettings1.aspx#no-back-button>

An electronic version of the most recent version of the South Dakota Standard Specifications for Roads and Bridges may be obtained at <https://dot.sd.gov/doing-business/contractors/standard-specifications/2015-standard-specifications>

The electronic bid proposal must be submitted by a valid bidder as designated by their company's <https://apps.sd.gov/HC65C2C/EBS/BidAdminAuthorizationForm.pdf>. A bidding administrator will have privileges in the SDEBS to prepare bids, submit bids, and authorize additional company employees to prepare and submit bids. Additionally, a bidding administrator will be responsible for maintaining the list of authorized bidders for the company and will have the ability to add employees, remove employees, and set-up bidder identifications and passwords within the SDEBS. Bidding Administrator authorization will remain in full force and effect until written notice of termination of this authorization is sent by an Officer of the company and received by the Department.

A bidder identification and password, coupled with a company identification previously assigned by the Department, will serve as authentication that an individual is a valid bidder for the company.

Contact information to schedule a preconstruction meeting prior to commencing with the work on this project.

John Matthesen  
W Hwy 34 PO Box 786  
Belle Fourche, SD 57717-0786  
Phone: 605/892-2872



## PROPOSAL

Revised 8/10/11

SOUTH DAKOTA DEPARTMENT OF TRANSPORTATION, STATE OF SOUTH DAKOTA:

Ladies / Gentlemen:

The following proposal is made on behalf of the undersigned and no others. It is in all respects fair and is made without collusion on the part of any other person, firm or corporation not appearing in the signature to this proposal.

The undersigned certifies that she / he has carefully examined the plans listed herein, the Specifications hereinbefore referred to, the Special Provisions and the form of contract, both of which are attached hereto. The undersigned further certifies that she / he has personally inspected the actual location of the work, together with the local sources of supply and that she / he understands the conditions under which the work is to be performed, or, that if she / he has not so inspected the actual location of the work, that she / he waives all right to plea any misunderstanding regarding the location of the work or the conditions peculiar to the same.

On the basis of the plans, Specifications, Special Provisions and form of contract proposed for use, the undersigned proposes to furnish all necessary machinery, tools, apparatus and other means of construction, to do all the work and furnish all the materials in the manner specified, to finish the entire project **within the contract time specified** and to accept as full compensation therefore the amount of the summation of the products of the actual quantities, as finally determined, multiplied by the unit prices bid.

The undersigned understands that the quantities as shown in the Bid Schedule are subject to increase or decrease, and hereby proposes to perform all quantities of work, as increased or decreased, in accordance with the provisions of the specifications, and subject to any applicable special provisions, and at the unit prices bid.

The undersigned understands that the "Total or Gross Amount Bid" as immediately hereinbefore set forth is not the final amount which will be paid if this proposal is accepted and the work done, but that such amount is computed for the purpose of comparison of the bids submitted and the determination of the amount of the performance bond.

The undersigned further proposes to perform all extra work that may be required on the basis provided in the specifications, and to give such work personal attention in order to see that it is economically performed.

The undersigned further proposes to both execute the contract agreement and to furnish a satisfactory performance bond, in accordance with the terms of the specifications, within twenty (20) calendar days after the date of Notice of Award from the South Dakota Department of Transportation that this proposal has been accepted.



## CERTIFICATION REGARDING LOBBYING

I certify, to the best of my knowledge and belief, that: No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any agency, a member of Congress, an officer or employee of Congress, or an employee of a member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of a Federal contract, grant, loan, or cooperative agreement. If any funds other than Federal appropriated funds have been paid or will be paid to any of the above mentioned parties, the undersigned shall complete and submit Standard Form LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.

The undersigned shall require that the language of this certification be included in the award documents for all subawards at all tiers (including subcontracts, subgrants, and contracts under grants, loans, and cooperative agreements) and that all subrecipients shall certify and disclose accordingly. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by section 1352, title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.





**REV 12/3/20**

**INDEX OF SPECIAL PROVISIONS**

**PROJECT NUMBER(S):** NH 0042(85) **PCN:** 07KY

**TYPE OF WORK:** PAVEMENT RESTORATION, NGCS GRINDING, ASPHALT CONCRETE SURFACING, MEDIAN DITCH REPAIR & WEIGH IN MOTION UPGRADES

**COUNTIES:** BUTTE, CUSTER, FALL RIVER, LAWRENCE

The following clauses have been prepared subsequent to the Standard Specifications for Roads and Bridges and refer only to the above described improvement, for which the following Proposal is made.

The Contractor's attention is directed to the need for securing from the Department of Environment & Natural Resources, Foss Building, Pierre, South Dakota, permission to remove water from public sources (lakes, rivers, streams, etc.). The Contractor should make his request as early as possible after receiving his contract, and insofar as possible at least 30 days prior to the date that the water is to be used.

Kara Palmer, Derek Englund is the official in charge of the Hot Springs Career Center for Butte, Custer, Fall River, Lawrence Counties.

**THE FOLLOWING ITEMS ARE INCLUDED IN THIS PROPOSAL FORM:**

**Special Provision for Contract Time & Lane Rental, dated 4/13/21.**

**Special Provision for Subletting of Contract, dated 4/9/21.**

**Special Provision for Non-National Forest Fire Plan, dated 5/5/15.**

**Special Provision for PCC Pavement Grinding Without Incentive, dated 8/16/17.**

**Special Provision for IRI PCC Pavement Smoothness, dated 10/1/18.**

**Special Provision for Next Generation Concrete Surface (NGCS) Grinding of PCC Pavement, dated 8/16/17.**

Special Provision for Portland Cement, dated 12/3/20.

Special Provision for Prequalification of Bidders, dated 10/16/20.

Special Provision for Restriction of Boycott of Israel, dated 1/31/20.

Special Provision for South Dakota Electronic Bid System, dated 7/23/18.

Special Provision for Contractor Administered Preconstruction Meeting, dated 12/18/19.

Fuel Adjustment Affidavit, DOT form 208 dated 7/15.

Standard Title VI Assurance, dated 3/1/16.

Special Provision For Disadvantaged Business Enterprise, dated 8/14/18.

Special Provision For EEO Affirmative Action Requirements on Federal and Federal-aid Construction Contracts, dated 9/1/97.

Special Provision For Required Contract Provisions Federal-aid Construction Contracts, Form FHWA 1273 (Rev. May/1/12), dated 10/21/19.

Required Contract Provisions Federal-aid Construction Contracts, Form FHWA 1273 (Rev. 5/1/12).

Special Provision for Cargo Preference Act, dated 1/20/16.

Special Provision Regarding Minimum Wage on Federal-Aid Projects, dated 10/24/19.

Wage and Hour Division US Department of Labor Washington DC. - US Dept. of Labor Decision Number SD180001, dated 4/6/18.

Special Provision for Supplemental Specifications to 2015 Standard Specifications for Roads and Bridges, dated 11/20/19.

Special Provision for Errata to 2015 Standard Specifications for Roads and Bridges, dated 11/20/19.

Special Provision for Price Schedule for Miscellaneous Items, dated 10/7/20.

**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION FOR  
CONTRACT TIME & LANE RENTAL**

**PROJECT NH 0042(85); PCN 07KY  
BUTTE, LAWRENCE, CUSTER, FALL RIVER COUNTY**

**APRIL 13, 2021**

---

**November 12, 2021 Interim Completion Requirement**

The Contractor will complete all work started in 2021 by the November 12, 2021 interim completion date.

If the Contractor does not complete the work by the interim completion requirement, the Department will make a disincentive assessment in the amount of \$500 per working day. A contract item for incentive/disincentive pay is included in the bid schedule for the Department's use in assessing disincentive. The Department will use a negative quantity of days for assessing disincentives. The Department will count working days in accordance with Section 8.6 C.

**March 7, 2022 Work Restriction**

The Contractor will not begin work on the project in the 2022 construction season prior to March 7, 2022.

**Field Work Completion**

The Contractor will complete the project by the July 29, 2022 field work completion date.

**US 385 Requirements**

**Sturgis Motorcycle Rally Restrictions**

The Contractor will open all lanes to unimpeded traffic and the Department will not allow work on the US 385 portion of the project from July 30, 2021 to August 15, 2021 (inclusive) due to the Sturgis Motorcycle Rally.

The Contractor will not expose traffic to differential elevations in traveling lanes during this timeframe. The Department will not allow uneven lanes, loose debris, unmarked lanes, or shoulder drop offs during this timeframe. The Contractor will pave all transitions for a smooth ride as approved by the Engineer.

The Department will make a disincentive assessment in the amount of \$1000 per calendar day for the Contractor's failure to comply with the Sturgis Motorcycle Rally restrictions. The Department will not grant time extensions for the Sturgis Motorcycle Rally restrictions for any reason.

## **US 85 Requirements**

### **Lane Rental Payment and Assessment Provisions**

The following lane rental payment and assessment provisions will apply to all work on the US 85 portion of the project.

- I. **General:** The Department is using lane rental provisions to minimize the delay and inconvenience to the traveling public caused by roadway closures. The Contractor is encouraged to use innovative construction or staging techniques to minimize the number and duration of roadway closures. The Department will assess a rental charge for each lane rental day or a portion thereof the Contractor has closed or obstructed a lane, shoulder, or portion of a lane or shoulder until the Contractor has fully restored traffic to the roadway.
- II. **Definitions and Terms:** For the purposes of this Special Provision, the following definitions apply:
  - A. **Lane Rental Day:** Any calendar day, beginning at sunrise and ending at sunrise, including Saturday, Sunday, and legal holidays.
  - B. **Lane Closure:** The closure of a lane, shoulder, or any portion of a lane or shoulder due to the Contractor's operations (measured to the nearest one half mile excluding taper) including mobile operations occupying a lane, shoulder, or any portion of a lane or shoulder. For the purposes of measurement, the Department will round up all lane closures less than one-half mile to one-half mile.
  - C. **Daily User Cost:** The daily cost of interference and inconvenience to the road user as specified by the Department.
  - D. **Rental Charge:** The daily user cost assessed against the contract for a lane closure.
  - E. **Lane-mile-day:** The unit of measure for lane rental, equivalent to one mile of one lane or shoulder being closed for one lane rental day.
  - F. **Grace Period:** A two-hour period beginning at sunrise and ending two hours after sunrise.

- III. Lane Rental:** The Department will assess the Contractor a lane rental charge for each lane rental day a lane is closed for construction operations. The daily rental charge will be defined as follows:

Lane Closure - length based on one lane.

Daily Lane Rental Charge - \$800 per lane-mile-day

The Engineer will count the number, length, and duration of the lane closures used for construction.

For the purpose of counting closures occurring in the same lane but located at different areas, the Department will consider all closures as separate closures and will apply rental charges to each individual lane closure.

The Contractor will comply with the plan notes (Sequence of Operation and Maintenance of Traffic) in regard to lane closures and construction operations. During the performance of the work to which lane rental applies, the Contractor will keep open at all times one mainline lane for each direction of traffic.

- IV. Preparation of Proposal:** As specified in Section I of this Special Provision, the contract includes a lane rental provision on a lane rental day basis. The bidder must enter a quantity in the proposal for Lane Rental Payment & Assessment by the lane-mile-day. The bidder will base the quantity for this item on the bidder's estimate of the total number of lane-mile-days required to rent lane closures necessary to perform the specified work. The quantity will be multiplied by the unit cost (\$800 per lane-mile-day) for lane rental.

If the Contractor leaves Lane Rental Payment & Assessment blank or inserts a zero or negative quantity, the Department will consider the bid proposal to be non-responsive.

The Department will select the low bidder and award the contract based on the total dollar amount of all bid items plus the total amount bid for Lane Rental Payment & Assessment.

- V. Lane Rental Payment and Assessment - Daily Basis:** To determine the lane rental payments and assessments the following procedure will be used:

The Department will document and tally daily lane rental charges on each bi-weekly work progress report. This process will continue until the project is completed and the Contractor is no longer closing (renting) lanes.

To determine lane rental charges, the Department will consider all lane closures as a full day lane closure except a lane closed during daylight hours only (or any portion of the daylight hours). The Department will

consider lane closures during daylight hours only (or any portion of the daylight hours) as one-half day lane closure.

The Contractor will be allowed a grace period of two hours after sunrise to remove a lane closure. The Department will consider the lane open at sunrise if the Contractor removes the lane closure within the grace period.

The Department will measure lane closure length to the nearest one-half mile per each closure excluding taper. The Department will measure the length of a lane closure as the single longest length at any one time in the lane rental day of the actual lane closure even if the Contractor moves the closure further down the road or extends the closure. The Department will measure the length of a lane closure for a mobile work operation as the single longest length at any one time in the lane rental day of the actual lane closure used for the mobile work operation.

The Department will measure lane-mile-days in increments of .25 lane-mile-days.

- A. Bonding:** This provision amends Section 3.7 Requirement of Contract Performance Bond, such that the bond will shall equal the total contract amount less the amount for lane rental under Lane Rental Payment & Assessment. All other bonding requirements are unchanged by this provision.
- B. Payments:** If at the end of the project the cumulative lane rental charges are less than the original quantity bid for this item, the Department will pay the Contractor the difference between the amount bid and the total lane rental charges as an incentive payment.
- C. Assessments:** If at the end of the project the cumulative lane rental charges exceed the original quantity bid for this item, the Department will deduct the excess lane rental charges from moneys due the Contractor for other items of work in the bi-weekly estimate or the final estimate as a disincentive payment.
- D. Weather:** The Department will assess lane rental charges for all lane closures including delays caused by normal weather conditions when the Contractor cannot work, and lane closures are in effect.
- E. Construction Change Orders:** The Department will increase or decrease the contract item of lane rental payment & assessment in direct proportion to the percentage increase or decrease of the total dollar amount (summation) of all work subject to lane rental in the contract (PCC pavement repair, dowel bars, steel bars, cold milling, AC paving, joint sealing, crack sealing, joint filling, PCC grinding, spall repair, and pavement markings). If

the Contractor feels the increase to the contract item of lane rental payment & assessment on a monetary basis is insufficient for the increased work involved, the Contractor may submit written information to the Engineer to justify the request. Such information must show how the increased work delays the field work completion of the entire project. The Contractor will submit the written information as soon as possible after performing the increased work. If the information submitted justifies additional lane rental payment & assessment the Engineer will prepare a construction change order increasing the Lane Rental Payment & Assessment. If it is determined that the increased work does not require additional lane rental, the Department will make no increase to the contract item lane rental payment & assessment.

**Time Extensions:** In order to avoid or reduce liquidated damage assessments, the Contractor may request a time extension for the field work completion requirement. The Department will consider such requests using the same considerations that apply when granting an extension of Contract Time under Section 8.7, except that extra work or an increase in quantities will not qualify for an extension of time based solely on a proportional increase in the contract amount.

**Failure to Complete Work on Time:** The Contractor will complete all work by the field work completion requirement. If the Contractor does not complete all work by the field work completion requirement, the Department will assess liquidated damages in accordance with Section 8.8. The Department will assess liquidated damages for each working day the work (project) is late until the Contractor completes all field work. In the event the Contractor does not complete all field work on time, the Department will count working days in accordance with Section 8.6 C. In addition, lane rental charges will be assessed for all in place lane closures until the project is completed.

**Expected Adverse Weather Days:** The Department has provided Attachment 1 for information purposes only as a guide to bidders. This table depicts the typical number of adverse weather days expected for any given month, based on historical records. The Department will consider this project a surfacing project in Zone 2.

The Department will consider expected adverse weather days cumulative in nature over the time period when the Contractor is actively pursuing completion of the work. The Department will not consider adverse weather days during an extended period of time when the Contractor is not pursuing completion of the work. When considering a time extension for interim completion or field work completion of the project, the Engineer will compare the total number of expected adverse weather days against the total number of actual adverse weather days for the time period during which the work was being completed.

\* \* \* \* \*

## ATTACHMENT 1

Figure A - Expected Adverse Weather Days for South Dakota




Table 1 - Expected Adverse Weather Days for South Dakota

	Grading Projects						Surfacing and Structural Projects					
	Zone 1	Zone 2	Zone 3	Zone 4	Zone 5	Zone 6	Zone 1	Zone 2	Zone 3	Zone 4	Zone 5	Zone 6
Jan	18	18	16	16	22	24	18	18	15	16	21	23
Feb	19	18	12	14	19	21	19	18	12	14	19	21
Mar	12	10	9	8	11	13	12	10	9	8	10	12
Apr	6	5	8	5	6	6	5	4	6	4	4	4
May	6	6	8	6	6	6	5	5	6	4	4	5
Jun	7	6	7	6	7	8	5	5	5	4	5	6
Jul	5	5	6	5	6	7	4	4	5	3	4	5
Aug	4	4	5	4	5	6	3	3	4	3	4	4
Sep	3	3	4	3	4	5	2	2	3	2	3	4
Oct	4	3	5	3	4	4	3	3	4	2	3	3
Nov	11	9	8	7	10	12	11	9	8	7	10	11
Dec	21	19	15	14	20	22	21	19	15	14	20	22

NOTE: Includes Holidays and Weekends.



**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION  
FOR  
SUBLETTING OF CONTRACT**

**PROJECT NH 0042(85); PCN 07KY  
BUTTE, LAWRENCE, CUSTER, FALL RIVER COUNTY**

**APRIL 9, 2021**

---

**Delete the 2<sup>nd</sup> paragraph of Section 8.1 and replace with the following:**

The Contractor may subcontract up to 70% of the original contract amount, based on the contract unit prices, but must perform not less than 30% of the total amount of the original contract with the Contractor's own organization.

\* \* \* \* \*



**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION  
FOR  
NON-NATIONAL FOREST FIRE PLAN**

**MAY 5, 2015**

---

**I. DESCRIPTION**

This plan outlines the channels of responsibility for fire prevention and suppression activities and sets up an attack procedure in the event of a fire within the Project Area. The Project Area is defined as all forested areas within 1/2 mile of the project right-of-way work areas which are not within the national forest and all roads used for construction purposes.

**II. RESPONSIBILITIES**

**A. Contractor:**

1. Will cooperate with the Area Engineer in preparation of a fire plan, by furnishing necessary information on personnel, equipment, and organization.
2. Is responsible for and will direct all fire suppression activities within the project area until relieved by a South Dakota Wildland Fire Division Representative.
3. Will make certain that prevention and suppression actions are in accord with contract requirements, including the fire plan.
4. Will immediately notify authorities if a fire occurs. The following telephone numbers will be used:
  - a. 911
  - b. Great Plains Dispatch Center – 605-399-3160
5. Will delegate the second person in authority on the job to be responsible for the above activities when he or she is not on the project.

## **B. Area Engineer:**

1. Will review the standard fire plan for adequacy and after discussing any need for changes, will add any specific provisions needed for the project.
2. At least once on each project, will perform an inspection of compliance with the project fire requirements. The Area Engineer will notify the Contractor of corrective measures which must be taken when fire requirements are not being observed.

## **III. TOOLS AND EQUIPMENT**

### **A. Required Tools:**

1. The Contractor shall furnish and maintain in a serviceable condition; one shovel, McLeod, or Pulaski for each of his employees; to be used only for suppressing wildland fires. These tools will be kept in sealed boxes and available within the immediate working area.
2. The Contractor shall furnish one shovel and one fully charged fire extinguisher UL rated at 4 B:C or more on each truck, personal vehicle, tractor, grader, or other heavy equipment. For each welder he/she shall furnish one shovel and one backpack five-gallon water-filled tank with pump; for each gasoline power tool, including but not limited to chain saws, soil augers, rock drills, etc. one shovel or one chemical pressurized fire extinguisher, fully charged. The required fire tools shall, at no time, be farther than 25 feet from the point of operation of the power tool. Contractor shall also furnish any other equipment called for elsewhere in the contract.

Shovels shall be size "O" or larger and shall be not less than 35 inches in length.

All fire tools and equipment required to be furnished by the Contractor shall be in good working condition at all times.

**B. Available Equipment:** Prior to the beginning of the contract, the Contractor shall furnish a list of equipment used on the project to the Area Engineer. The established list will be attached to and become a part of the fire plan.

## **IV. PERSONNEL**

The Contractor shall furnish a list of supervisory personnel, and amount of workers available on the project to the Area Engineer. Such a list will be attached to and become a part of the fire plan. Changes in supervisory personnel and amount of personnel shall be reflected in amendment to the list.

## V. GENERAL PROVISIONS

### A. Fire Prevention:

1. Arrangements will be made with the SD Division of Wildland Fire and USFS to notify the Department of Transportation when the Fire Danger Rating is "Very High" or "Extreme." This information will be furnished to the Engineer who will notify the Contractor for dissemination and action in the area affected. If there is a discrepancy between this notice and the Fire Danger Rating obtaining from the nearest office of either SD Division of Wildland Fire or USFS, the Contractor shall conduct operations according to the higher of the two Fire Danger Ratings.
  - a. If the Fire Danger Rating reaches "**Very High**", the following condition will prevail:
    - 1) Falling of dead trees or snags shall be discontinued.
    - 2) No open burning will be permitted, fire shall be extinguished.
    - 3) Welding shall discontinue except in an enclosed building or within an area cleared of flammable material for a radius of 15 feet.
    - 4) Blasting shall be discontinued.
    - 5) Smoking will be permitted only in automobiles and cabs of trucks equipped with an ashtray or in cleared areas immediately surrounded by a fire break, unless prohibited by other authority.
    - 6) Vehicular travel will be restricted to cleared areas except in case of emergency.
  - b. If the Fire Danger Rating reaches "**Extreme**", the following precautions shall be taken in addition to the conditions specified above:
    - 1) Work of a nature which could start a fire shall require that properly equipped fire guards be assigned to such an operation for the duration of the work and patrol the area of construction while work is being done and for at least one-half hour after shutdown of the work.
    - 2) Smoking will be permitted only in automobiles and truck cabs equipped with an ashtray, unless prohibited by other authority.
2. **Burning, Blasting, or Welding:** Advance approval in writing will be required and will contain special stipulations pertinent to the particular job. The District Ranger may give, in writing, seasonal approval with stipulations for blasting and/or welding. Permission to blast with fuse or caps will require special written permission. Use of detonating cord will not be allowed in clearing operations. Explosives will be stored in a locked box marked "EXPLOSIVES" at all times. All federal, State, and local laws

concerning the use and storage of explosives shall be complied with. All flammable material will be cleared for a distance of 15 feet around any welding operation.

3. **Spark Arrestors:** All gasoline and diesel-powered equipment used in the performance of the work shall be equipped with a spark arrester qualified and rated under the USDA Forest Service unless it is:
  - a. Equipped with a turbine-driven exhaust supercharger, such as the turbocharger. There shall be no exhaust bypass.
  - b. A passenger carrying vehicle or light truck, or medium truck up to 40,000 GVW, used only on roads and equipped with a factory designed muffler complete with baffles and an exhaust system in good working condition.
  - c. A truck or a piece of highway surfacing equipment used only on roads and equipped with a factory designed muffler having a vertical stack exhaust system extending above the equipment.

The exhaust equipment described above, including spark arrestors and mufflers, shall be properly installed and constantly maintained in serviceable condition.

4. **Power Saws:** Each gasoline power saw shall be provided with a spark screen and a muffler in good condition. Spill-proof metal safety cans shall be used for refueling.
5. **Storage and Parking Areas:** Batch plant areas, equipment service areas, parking areas, gas and oil drum storage areas, and explosive storage areas will be cleared of all inflammable material for a distance of 50 feet. Small stationary engine sites shall be cleared of all flammable material for a distance of 15 feet. Flammable and explosive storage areas will be labeled as such, and "No Smoking" signs erected.
6. **Oil filters, Cartridges, Oil rags:** Used and discarded oil filters, cartridges, and oil rags or waste will be removed from the project and disposed of in accordance with all applicable Federal, State and Local laws.

#### **B. Fire Suppression:**

1. Contractor shall, both independently and in cooperation with the SD Division of Wildland Fire, take all reasonable and practicable action to prevent and suppress fires resulting from Contractor operations and to suppress any wildfire in the project area.

2. In line with this agreement personnel will be supplied from project crews to fight fires on the project area up to the total number of personnel employed by the Contractor and the subcontractors as they are needed by the incident commander. The SD Division of Wildland Fire will make every effort to avoid calling on the Contractor for action on fires outside the project area except for emergencies.

The Incident Commander may call out all needed available help to control fires on the project area.

#### **C. Payment:**

1. **SD Division of Wildland Fire:** Will pay Contractor personnel firefighting and equipment as well as equipment operator's wages used for fire suppressions work on fires not a result of the project operation or its personnel at Forest Service Equipment Use Rates as established annually or other use rates may be negotiated in advance as required.
2. **Contractor:** Will pay for all costs of fires resulting from the project operations.

**D. Black Hills Fire Protection District:** The Black Hills National Forest has a very volatile wildfire profile due to the ponderosa pine fuel type and unique weather phenomena thus fire prevention is of utmost importance. Illegal fires are often built by individuals and then attended by large groups. Upon finding illegal fire attended by large groups officers have difficulty finding the person(s) who started the illegal fire. Having the ability to hold everyone attending the fire accountable allows officers to effectively deal with the illegal fire. Further, this regulation will also allow Forest Officers to enforce fire prevention regulations established by the State of South Dakota.

The Forest Order pertaining to the Black Hills Fire Protection District in essence, places Stage I Fire Restrictions year round. To ensure the protection of public safety, public and private property, and the natural resources within the Black Hills National Forest by regulating the use of fires within the Black Hills Fire Protection District.

#### **1. Prohibitions:**

- a. Building, maintaining, attending, or using a fire or campfire unless the fire is in an established fireplace approved or constructed by a public agency in a designated recreation area. Stove fires are excluded from this Order. 36 C.F.R. § 261.52(a).

A Campfire is defined as a fire, not within any building, mobile home, or living accommodation mounted on a motor vehicle, which is used for cooking, personal warmth, lighting, ceremonial, or aesthetic purpose.

A Stove fire is defined as a fire built inside an enclosed stove or grill, a portable brazier, or a pressurized liquid gas stove, including a space-heating device.

- b. To the extent not authorized by the exemptions below, violating any provision of SDCL §§ 34-35-15, 34-35-16 and/or 34-35-17, which prohibit open fires in the Black Hills Fire Protection District, copies of which statutes are attached and hereby incorporated into this Order as Exhibit A. 36 C.F.R. § 261.52(k).

**Note:** South Dakota Statute defines “open fire” as any fire to burn slash, brush, grass, stubble, debris, rubbish, or other inflammable material not enclosed in a stove, spark proof incinerator, or an established fireplace approved or constructed by a public agency in a designated recreation area.

## **2. Exemptions:**

Pursuant to 36 C.F.R. § 261.50 (e), the following persons are exempt from this Order:

- a. Any person with a Forest Service or State issued permit specifically authorizing the otherwise prohibited act or omission.
- b. Any Federal, State, or local officer, or member of any organized rescue or fire fighting force in the performance of an official duty.

**E. Stage II Fire Restrictions:** The purpose of enacting Stage II Fire Restrictions on a National Forest is to protect public health and safety due to the current and anticipated elevated risk of wildfire. Stage 2 Fire Restrictions could be considered a rare occurrence.

## **1. Prohibitions:**

- a. Building, maintaining, attending or using a fire, campfire, or stove fire. 36 CFR § 261.52(a). This includes charcoal grills and barbecues, coal and wood burning stoves and shepherd's stoves and **includes use in developed camping and picnic grounds.**

EXCEPT: Devices using pressurized liquid or gas (stoves, grills, or lanterns) that include shut-off valves are permitted when used in an



area at least three feet or more from flammable material such as grasses or pine needles.

- b.** Welding or operating acetylene or other torch with open flame. 36 CFR § 261.52(i).
  - c.** Operating or using any internal combustion engine (e.g. chainsaw, generator, ATV) without a spark arresting device properly installed, maintained and in effective working order meeting either:
    - 1)** Department of Agriculture, Forest Service Standard 5100-1a; or
    - 2)** Appropriate Society of Automotive Engineers (SAE) recommended practice J335(b) and J350(a). 36 CFR § 261.52(j).
  - d.** Operating a chainsaw without an approved spark arresting device as described in Prohibition c, a chemical pressurized fire extinguisher (8 oz. capacity by weight or larger and kept with the operator) and a round point shovel with an overall length of at least 35 inches readily available for use. 36 CFR § 261.52(h).
  - e.** Using an explosive. 36 CFR § 261.52(b). This includes but is not limited to fuses or blasting caps, fireworks, rockets, exploding targets, and tracers or incendiary ammunition.
  - f.** Possessing or using a motor vehicle off established roads, motorized trails or established parking areas, except when parking in an area devoid of vegetation within 10 feet of the vehicle. 36 C.F.R. § 261.56.
- 2. Exemptions:** Pursuant to 36 C.F.R. § 261.50(e), the following persons are exempt from specified Prohibitions of this order:
  - a.** Persons with a valid Forest Service permit or contract specifically authorizing the otherwise prohibited act or omission may be eligible for an exemption from Prohibitions a-f. Any exemption must be applied for in writing, include an appropriate mitigation plan and must be authorized in writing by the appropriate Forest Service official. The authorization must be in the physical possession of the person or persons undertaking the exempted activities.
  - b.** Any Federal, State or local officer or member of an organized rescue or firefighting force in the performance of an official duty is exempt from Prohibitions a-f.
  - c.** Residents, owners, or lessees within the restricted area are exempt from Prohibition a, provided such fires are within a permanent dwelling and there is a spark arrestor in working order on the chimney.

**F. Fire Plan Duration:** This plan will be in force from the duration of the contract. This fire plan will apply to any and all subcontractors and their employees. The Contractor will be responsible to see that all subcontractors and their employees are made aware of the contents of this fire plan.

\* \* \* \* \*

**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION  
FOR  
PCC PAVEMENT GRINDING WITHOUT INCENTIVE**

**AUGUST 16, 2017**

---

**I. DESCRIPTION**

This work consists of grinding existing concrete pavement to provide a skid resistant surface meeting the specified IRI smoothness requirements.

**II. MATERIALS (None Required)**

**III. CONSTRUCTION REQUIREMENTS**

**A. GRINDING**

- 1. Equipment:** Grinding of PCC pavement shall be accomplished using diamond blades mounted on a self-propelled machine designed specifically for diamond grinding and texturing pavement. The equipment shall weigh a minimum of 35,000 pounds including the grinding head and be of a size that will grind a strip at least 4 feet wide in a single pass. The effective wheel base of the machine shall be no less than 12 feet. The effective wheel base is defined as the distance from the front wheel assembly transverse pivot point to the transverse pivot point of the profile/depth control/ground drive wheels.

The equipment shall be such that it will not strain or damage the underlying pavement surface. Grinding equipment that causes raveling, aggregate fractures, spalls, or disturbance of the transverse or longitudinal joints shall not be permitted. The equipment shall have a positive means of vacuuming the grinding residue from the pavement surface, leaving the surface in a clean, near-dry condition.

- 2. Methods and Procedures:** Substantially, the entire surface of the pavement shall be ground and textured until the surface of both sides of the transverse joints and cracks are within 1/16 inch on each side of the joint or crack. The finished texture shall be uniform. Extra depth grinding to

eliminate minor depressions in order to provide texturing to the entire pavement surface is not required. Structures shall not be ground.

The grinding shall be performed in a longitudinal direction. Grinding shall begin and end at lines normal to the pavement centerline at the project limits. Passes of the grinding head shall not overlap more than 1 inch. No unground surface area between passes will be permitted. The area ground shall not be left smooth or polished.

Adequate cross slope drainage shall be maintained. Lateral drainage shall be achieved by maintaining a constant cross slope between grinding extremities in each lane. The finished cross slope shall match the pre-grind cross slope.

- 3. Final Surface Finish:** The cross slope shall have no depressions or misalignment of slope greater than 1/4 inch in ten feet when measured with a 10-foot straightedge placed perpendicular to the centerline. The difference between adjacent grinding passes shall not exceed 1/8 inch. Areas of deviation shall be reground. Straightedge requirements will not apply across longitudinal joints or outside the ground area. Shoulder, auxiliary, or ramp lane grinding shall transition from the edge of the mainline as required to provide drainage leaving no more than a 3/16 inch ridge and an acceptable riding surface.

The grinding process shall produce a pavement surface true in grade and uniform in appearance with longitudinal line-type texture. The line-type texture shall contain corrugations parallel to the centerline and present a narrow ridge corduroy type appearance. The peaks of the ridges shall be 1/8 inch  $\pm$  1/16 inch higher than the bottom of the grooves with evenly spaced ridges. The Engineer may require removal of unbroken fins at the Contractor's expense.

It is the Contractor's responsibility to select the number of blades per foot to be used to provide the proper surface finish for the aggregate type and concrete present on the project. The number of blades used for grinding shall range between 50 and 60 blades per foot as necessary to provide the designated texture. Harder aggregates may require the use of 55 to 60 blades per foot.

The Contractor may be required to make multiple passes with the equipment to meet the specifications.

It is the Contractor's responsibility to determine the proper sequence of operations to meet the specifications. If multiple passes of the grinding equipment are required, the area will only be considered for payment once. A minimum of 95% of any 100 foot section of pavement surface

shall be textured. Depressed pavement areas due to subsidence or other localized causes will be exempted from texture and smoothness requirements

- 4. Removal of Residue:** The Contractor shall establish a positive means for vacuuming the grinding residue from the pavement surface leaving the surface in a clean, near-dry condition. Solid residue shall be removed from the pavement surfaces before being blown by traffic action or wind. Residue shall not be permitted to flow across lanes used by public traffic. Residue and wastewater shall not be expelled on the roadway or shoulder surface. Residue shall be disposed of in a manner that will prevent residue, whether in solid or slurry form, from reaching any waterway in a concentrated state. Residue may continuously flow on adjacent dry vegetated roadway slopes or ditches within the right-of-way. A flexible drag hose shall be attached to the discharge end of the slurry pipe to minimize splashing of slurry placed on roadway slopes or ditches. If the Engineer determines that the slurry is going to enter a waterway, drainage facility, or curb & gutter section, the slurry shall be placed in storage tanks and deposited in settling basins, spread over flat vegetated areas, or filtered by other means approved by the Engineer at no additional cost.

The Contractor shall satisfactorily remove grinding material or wastes prior to returning traffic to the roadway. If a significant amount of residue remains after grinding, the Engineer may require flushing be done in a manner and in sufficient quantity to assure that slurry produced by the pavement grinding is not deposited on vehicles. The Contractor's proposed method of flushing the roadway should produce acceptable results, which will be based on a driving surface that will not create a nuisance for the public. All costs for flushing roadway shall be incidental to the contract unit price per square yard for Grinding PCC Pavement.

- 5. IRI Pavement Smoothness:** The Contractor may perform quality control profile testing as needed to control the work. The Contractor assumes all responsibility for the finished product meeting the pavement smoothness requirements. The Department will perform IRI pavement smoothness acceptance testing following the completion of the PCC pavement grinding and joint sealing in accordance with the Special Provision for IRI PCC Pavement Smoothness except as modified by the following:

Delete the 2<sup>nd</sup> paragraph of Section C and replace with the following:

The Department will collect the profile data after the Contractor completes all grinding and joint sealing. If the PCC pavement grinding and joint sealing is completed in phases, the Department may IRI acceptance profile test a completed phase before the completion of subsequent phases. Phases are defined as plan designated portions of the project at least 0.3 miles in length, or other portions as approved by the Engineer,

that will be utilized by the traveling public during completion of subsequent phases of the project. The Contractor's chosen sequence of operations, if applicable, or the Contractor's option to complete a portion of a phase will not require the Department to perform IRI acceptance profile testing prior to the completion of work (phase of project or overall project).

Add the following condition to the list of conditions in Section C.1:

- The Contractor has completed all PCC Pavement grinding in the area to be IRI acceptance profile tested;

Delete Table 1 and replace with the following:

<b>Table 1. ALR Monetary Deductions and Corrective Grinding Requirements</b>	
<b>25 ft. Continuous MRI (Inches per mile)</b>	<b>Corrective Grinding or Monetary Deduction</b>
140.0 or less	Acceptable
140.1 or greater	Corrective Grinding as required by the Engineer

Delete the paragraph immediately below Table 1.

Delete Section C.2 and replace with the following:

**Corrective Grinding:** The Contractor will accomplish corrective grinding with specially prepared circular diamond blades mounted on a horizontal shaft meeting the requirements for conventional diamond grinding in accordance with Section 380.3 O. The Contractor will day light corrective grinding to the outside edge of the pavement. The Contractor will repair and replace joint sealant damaged by corrective grinding as directed by the Engineer and at no additional cost to the Department. The Contractor will not leave ground areas smooth or polished. The Contractor will ensure ground areas have a uniform texture equal in roughness to the surrounding pavement. Following the completion of corrective grinding, the Department will re-profile test ALR.

Delete Table 2 and replace with the following:

Lots with an average IRI of 80.1 inches per mile or greater will require grinding to an average IRI of less than 80.1 inches per mile. This will require that the lot be reprofiled by the Department.

Delete the last paragraph of Section E and replace with the following:

The Contractor will provide all temporary traffic control required for IRI smoothness testing and marking of any corrective grinding areas. The

Department will measure and pay for all temporary traffic control required for conducting the smoothness testing and associated work in accordance with Section 634 as part of the overall project.

#### **IV. METHOD OF MEASUREMENT**

The Engineer will not measure PCC pavement grinding. The plan quantity will be the basis of payment.

#### **V. BASIS OF PAYMENT**

Grinding PCC pavement will be paid for at the contract unit price per square yard. Payment shall be full compensation for equipment, labor, incidentals necessary for grinding the pavement, removing residue and excess water, and hauling and disposal of grinding slurry.

\* \* \* \* \*





**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION  
FOR  
IRI PCC PAVEMENT SMOOTHNESS**

**PROJECT NH 0042(85), PCN 07KY  
BUTTE, LAWRENCE, CUSTER, FALL RIVER COUNTY**

**OCTOBER 1, 2018**

---

At locations designated in the plans, the Department will determine the PCC pavement smoothness by International Roughness Index (IRI) acceptance profile testing the finished surfaces of the PCC pavement in accordance with the following requirements.

**A. Exclusions:** Excluded from the IRI acceptance profile testing under the requirement of this special provision are:

1. Bridge decks, approach slabs, and a distance of 100 feet from the end of the bridge (or approach slab if applicable);
2. Ramps, acceleration lanes, deceleration lanes, turning lanes, and any lane less than 0.3 miles in length;
3. Shoulders and gore areas;
4. Driving lanes within 6 feet of existing curb and gutter sections (curb and gutter to remain in place);
5. Sections with a speed limit of less than 45 mph;
6. The first or last 100 feet of a pavement where the Contractor is not responsible for the adjoining in place pavement;
7. A distance of 100 feet from railroad crossings; and,
8. A distance of 200 feet before stop signs at an intersection.

At locations designated in the plans to be profiled but excluded from IRI acceptance profile testing, the Engineer will determine the pavement smoothness according to the 10 foot straightedge test requirements in Section 380.3 O.1 of the specifications.

- B. Profiler:** The Department will furnish and operate the profiler. The Department will measure and analyze the surface smoothness of the final roadway surface profile using the IRI to the nearest 0.1 inch/mile. The Department will use a profiler meeting ASTM E-950 Class 1 specifications.

The profiler shall have the long and short wavelength filters set to 0 feet.

- C. Operation:** The Department will evaluate the surface smoothness on a lot basis. A lot is defined as a single paved lane, 12 feet wide, and 0.10 mile long. Pavement sections less than 0.10 mile long will be tested, the results will be combined with the previous adjacent lot, and the average IRI and price adjustment will be prorated. If the section is less than 0.10 mile long but at least 200 feet long and not adjacent to a previous lot, the average IRI and price adjustment for the section will be evaluated individually and prorated.

The Department will collect the profile data after the Contractor completes all PCC paving required for profiling, once the pavement has reached 4,000 psi, prior to the Contractor opening the roadway to traffic. If the project is constructed in phases, the Department may IRI acceptance profile test a completed phase before the completion of subsequent phases. Phases are defined as plan designated portions of the project at least 0.3 miles in length, or other portions as approved by the Engineer, that will be utilized by the traveling public during completion of subsequent phases of the project. The Contractor's chosen sequence of operations, if applicable, or the Contractor's option to complete a portion of a phase will not require the Department to perform IRI acceptance profile testing prior to the completion of work (phase of project or overall project).

### **1. IRI Acceptance Profile Testing:**

For scheduling purposes, the Contractor is responsible to contact the Materials and Surfacing Office at least 1 week prior to the anticipated completion of work (phase of project or overall project) where IRI acceptance profile testing is required. In addition, the Contractor will contact the Materials and Surfacing office at least 2 business days prior to the anticipated day of IRI acceptance profile testing (phase of project or overall project) to schedule the agreed upon anticipated day of IRI acceptance profile testing.

Prior to the anticipated day of IRI acceptance profile testing, the Contractor will perform all work required prior to the Department performing the IRI acceptance profile testing. The Contractor will be allowed to perform grinding prior to the Department performing the IRI acceptance profile testing. Grinding prior to the IRI acceptance profile testing must be accomplished in accordance with the corrective grinding requirements of this special provision. The Contractor may continue sweeping the roadway any time, as needed, prior to IRI acceptance profile testing.

The Department will perform the IRI acceptance profile testing within 2 business days of the anticipated day of profile testing provided all of the following conditions are met:

- The Contractor has completed all PCC paving in the area to be IRI acceptance profile tested;
- The Contractor has cleaned the surface of debris and other obstructions and has completed necessary sweeping;
- The PCC pavement has reached 4,000 psi;
- The Contractor has placed necessary traffic control devices;
- The ambient air temperature is at least 40°F but not above 90°F; and,
- Rain and other weather conditions determined inclement by the Engineer are not present.

The Department will make one pass in each lane in the direction of traffic flow. One pass will consist of a profile being performed in each wheel path for each lane (one trace approximately 31 inches from centerline of the roadway and the other trace approximately 97 inches from centerline).

The Department will provide the Contractor IRI acceptance profile testing results within 2 business days of completing the IRI acceptance profile testing. The Department will identify and mark areas of localized roughness (ALR) that require corrective action.

- a. Evaluation:** The Department will evaluate the data collected and the data will remain the property of the Department. The Department will determine the average IRI for each lot by averaging the IRI values from the two wheel paths for each pass (lane) to the nearest 0.1 inch/mile. The Incentive and disincentive payment schedule is a fixed dollar amount per lot based on the average IRI for each lot.
- b. Requirements:** The Department will use the FHWA Profile Viewing and Analysis (ProVAL) software to determine ALR. The Department will evaluate ALR using ProVAL's "Smoothness Assurance" analysis by calculating the mean roughness index (MRI) with a continuous short interval of 25 feet and a 250 mm filter.

The Engineer will assess ALR in accordance with Table 1 "ALR Monetary Deductions and Corrective Work Requirements." The Contractor will grind ALR which require corrective action to a MRI of less than 125 inches per mile in 25 feet.

<b>Table 1</b> <b>ALR Monetary Deductions and Corrective Grinding Requirements</b>	
<b>25 ft. Continuous MRI</b> <b>(Inches per mile)</b>	<b>Corrective Grinding or Monetary Deduction</b>
140.0 or less	Acceptable
140.1 to 180.0	Corrective Grinding or \$10.00 per linear foot (12 foot wide)
180.1 or greater	Corrective Grinding as required by the Engineer

For ALR of 180.0 or less, the Contractor may elect to perform corrective grinding in lieu of the monetary deduction listed in Table 1.

Once the Department performs IRI acceptance profile testing, the Department will not make adjustments to the incentive or disincentive payments for lots containing ALR that require corrective grinding, regardless of the average IRI after re-profile testing.

The Contractor will complete the required corrective grinding in ALR within 21 calendar days of notification from the Department of which ALR require corrective grinding. If the project is constructed in phases, the Department may allow the Contractor to complete corrective grinding with the corrective grinding of a subsequent phase.

## **2. Corrective Grinding:**

The Contractor will accomplish corrective grinding with specially prepared circular diamond blades mounted on a horizontal shaft. The Contractor will day light corrective grinding to the outside edge of the pavement. The Contractor will join grind sections if the distance between grind sections is less than 80 feet. The Contractor will repair and replace joint sealant damaged by corrective grinding as directed by the Engineer and at no additional cost to the Department. The Contractor will not leave ground areas smooth or polished. The Contractor will ensure ground areas have a uniform texture equal in roughness to the surrounding unground concrete. When limestone is used as the course aggregate in the pavement and the current ADT shown on the plans is greater than 1500, the Contractor will reestablish the tining with a mechanical tining machine in all areas where the corrective grinding exceeds 50 feet measured longitudinally along the centerline of the road. The Contractor will remove and replace all joint sealant within the area where tining is replaced. Following the completion of corrective grinding, the Department will re-profile test ALR.

The Contractor shall establish a positive means for the removal of grinding residue. Solid residue shall be removed from the pavement surfaces before being blown by

traffic action or wind. The Contractor shall conduct this work to control and minimize airborne dust and similar debris that may become a hazard to motor vehicle operation or a nuisance to property owners. Residue from wet grinding shall not be permitted to flow across traffic lanes being used by public traffic or into gutter or drainage facilities. Residue, whether in solid or slurry form, shall be disposed of in a manner that will prevent it from reaching any waterway in a concentrated state.

### **3. Re-Profile Testing:**

For scheduling purposes, the Contractor is responsible to contact the Materials and Surfacing Office at least 7 calendar days prior to the anticipated start of corrective grinding work determined by the Department's IRI acceptance profile testing (phase of project or overall project). In addition, the Contractor will contact the Materials and Surfacing office at least 2 business days prior to the anticipated completion of corrective grinding (phase of project or overall project) to schedule the agreed upon anticipated day of re-profile testing.

Prior to the anticipated day of re-profile testing, the Contractor will perform all work required prior to the Department performing the re-profile testing. The Contractor may continue sweeping the roadway any time, as needed, prior to re-profile testing.

The Department will perform the re-profile testing within 2 business days of the completion of all corrective grinding provided all of the following conditions are met:

- The Contractor has completed all PCC pavement corrective grinding in the area to be re-profile tested;
- The Contractor has cleaned the surface of debris and other obstructions and has completed necessary sweeping;
- The Contractor has placed necessary traffic control devices;
- The ambient air temperature is at least 40°F but not above 90°F; and,
- Rain and other weather conditions determined inclement by the Engineer are not present.

The Department will provide the Contractor re-profile testing results within 2 business days of completing the re-profile testing. The Department will identify and mark ALR requiring additional corrective grinding.

When the use of a profiler is specified, the final surface may also be checked with a 10 foot straightedge, according to Section 380.3 O.1 in locations determined by the Engineer.

**D. Incentive/Disincentive Payment:** The Department will base incentive and disincentive payments on the average IRI determined for each lot and will make incentive and disincentive payments based on Table 2:

<b>Table 2. IRI Pay Scale</b>	
<b>IRI</b>	<b>Price Adjustment</b>
<b>Inches per mile</b>	<b>(Dollars per lot)</b>
35.0 or less	\$900
35.1 to 40.0	\$700
40.1 to 45.0	\$500
45.1 to 55.0	\$300
55.1 to 70.0	\$0
70.1 to 80.0	-\$300
80.1 to 85.0	-\$500
85.1 to 90.0	-\$700
90.1 or greater	-\$900

**E. Miscellaneous:** All work required of the Contractor to prepare the roadway for testing including, but not limited to; corrective grinding, containing and removing grinding residue, sweeping, cleaning, preparing the surface for profiling or reprofiling, moving equipment, and rescheduling of work will not be measured and will be incidental to the contract.

The Contractor will replace all permanent pavement markings damaged, destroyed, or removed during corrective grinding at no additional cost to the Department.

The Department will measure and pay for all traffic control required for conducting the smoothness testing in accordance with Section 634 as part of the overall project.

\* \* \* \* \*

**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION  
FOR  
NEXT GENERATION CONCRETE SURFACE (NGCS)  
GRINDING OF PCC PAVEMENT**

**PROJECT NH 0042(85), PCN 07KY  
BUTTE, LAWRENCE, CUSTER, FALL RIVER COUNTY**

**AUGUST 16, 2017**

---

**I. DESCRIPTION**

This work consists of creating a Next Generation Concrete Surface (NGCS) on new or existing concrete pavement through grinding and grooving techniques to provide a quiet surface meeting the specified smoothness requirements.

**II. MATERIALS (None Required)**

**III. CONSTRUCTION REQUIREMENTS**

**A. NGCS Grinding:**

- 1. Equipment:** NGCS grinding of PCC pavement shall be accomplished using diamond blades mounted on a self-propelled machine designed specifically for diamond grinding and texturing pavement. The equipment shall weigh a minimum of 35,000 pounds including the grinding head and be of a size that will grind a strip at least 4 feet wide in a single pass. The effective wheel base of the machine shall be no less than 12 feet. The effective wheel base is defined as the distance from the front wheel assembly transverse pivot point to the transverse pivot point of the profile/depth control/ground drive wheels.

The equipment shall be such that it will not strain or damage the underlying pavement surface. Grinding equipment that causes raveling, aggregate fractures, spalls, or disturbance to the transverse or longitudinal joints shall not be permitted. The equipment shall have a positive means of vacuuming the grinding residue from the pavement surface leaving the surface in a clean, near-dry condition.

The Contractor shall maintain the equipment to ensure the equipment is in proper working order, with attention paid to the “roundness” of the match and depth control wheels. The Contractor shall immediately replace any wheels found to be out of round.

- 2. Construction:** The Contractor shall schedule and proceed with construction operations in a manner that produces a neat, uniform finished surface. Shoulder grinding shall transition from the edge of the mainline and other lanes requiring NGCS grinding as required to provide drainage, leaving no more than a 3/16 inch ridge and an acceptable riding surface. Adequate cross slope drainage shall be maintained. The Contractor shall use NGCS grinding or conventional diamond grinding in accordance with Section 380.3 O when conditions require a feather pass into adjacent surfacing outside of the area requiring NGCS grinding. For concrete repair projects, full and partial depth concrete repairs, slab stabilization, and dowel bar retrofit shall be completed prior to any grinding. For projects with new concrete pavement, the Contractor shall not begin the NGCS grinding until the concrete has attained a compressive strength of 4,000 psi. Joint sealing shall be completed subsequent to the diamond grinding operations. Structures shall not be ground.

NGCS construction may be accomplished as a single-pass or two-pass operation as determined by the Contractor. If the Contractor elects to use a single pass operation, PCC pavement smoothness requirements stated later in this special provision must be attained and checked periodically by the Contractor throughout the construction phase to ensure corrective grinding is not necessary as this could impact the quality of the NGCS texture.

Grinding shall be accomplished in a manner that eliminates joint or crack faults so there is no more than a 1/16 inch differential between the adjacent sides of the joints and cracks.

Lateral drainage shall be achieved by maintaining a constant cross slope between grinding extremities in each lane. The finished cross slope shall mirror the pre-grind cross slope and shall have no depressions or misalignment of slope greater than 1/8 inch in 10 feet when measured with a 10 foot straightedge placed perpendicular to the centerline. Straightedge requirements will not apply across longitudinal joints or outside the ground area.

The grinding shall be performed in a longitudinal direction. Grinding shall begin and end at lines normal to the pavement centerline at the project limits. Passes of the grinding head shall not overlap more than 1 inch. No



unground surface area between passes will be permitted. The area ground shall not be left smooth or polished.

- a. Single-Pass NGCS Operation:** The construction operation will provide a flush ground surface that contains longitudinal grooves and shall be constructed in one, single-pass operation. The diamond blade stack will consist of two types of diamond grinding blades arranged to provide a flush ground surface as well as those required to produce the longitudinal grooves. The diamond blade stack shall be mounted on a 4 foot grinding head, stacked with 0.125 inch wide blades separated by 0.035 +/- 0.005 inch wide spacers. The blades used to produce the flush ground surface shall be flat across their contact surface and in the same plane with other flush grind blades (excluding grooving blades) when mounted. The complete head, when stacked with all blades, shall be straight across its length without bowing when mounted on the diamond grinding machine. No unground surface area between passes will be permitted. The longitudinal grooving blades will be spaced among the flush grind blade stack on 1/2 inch to 5/8 inch centers and shall produce grooves 1/8 inch to 3/16 inch in depth. The grooves shall be constructed parallel to the centerline. The contractor shall use a guide to ensure proper alignment of the grooves to centerline.
- b. Two-Pass NGCS Operation:** This construction operation will allow for two separate operations to construct the NGCS section. The first operation will create the flush ground surface. The flush grind blades shall be mounted on a 4 foot grinding head, stacked with 0.125 inch wide blades separated by 0.035 +/-0.005 inch wide spacers. The blades used to produce the flush ground surface shall be flat across their contact surface and in the same plane with other flush grind blades when mounted. The complete head, when stacked with all blades, shall be straight across its length without bowing when mounted on the diamond grinding machine. No unground surface area between passes will be permitted. The PCC pavement smoothness requirements stated within this special provision must be attained and measured to the satisfaction of the Engineer prior to constructing the second operation. The second operation will provide the longitudinal grooves. The longitudinal grooves shall be 1/8 inch wide and will be 1/8 inch to 3/16 inch in depth. The longitudinal grooves will be spaced on 1/2 inch to 5/8 inch centers. The grooves shall be constructed parallel to the centerline. The contractor shall use a guide to ensure proper alignment of the grooves to centerline.
- 3. Final Surface Finish:** The NGCS grinding process shall produce a pavement surface that is true to grade and uniform in appearance with a longitudinal grooved texture. The flush ground surface shall appear smooth and shall contain no ridges that exceed 1/32 inch. The longitudinal grooves

shall be constructed parallel to the centerline. At a minimum, 98% of the pavement surface shall be textured utilizing the NGCS. Depressed pavement areas due to subsidence, edge slump or other localized causes will be excluded from this requirement when approved by the Engineer.

- 4. Removal of Residue:** The Contractor shall establish a positive means for the removal of the grinding and grooving residue from the pavement surface leaving the surface in a clean, near-dry condition. Solid residue shall be removed from the pavement surfaces before being blown by traffic action or wind. Residue shall not be permitted to flow across lanes used by public traffic. Residue and wastewater shall not be expelled on the roadway or shoulder surface. Residue shall be disposed of in a manner that will prevent residue, whether in solid or slurry form, from reaching any waterway in a concentrated state. Residue may continuously flow on adjacent dry vegetated roadway slopes or ditches within the right-of-way. A flexible drag hose shall be attached to the discharge end of the slurry pipe to minimize splashing of slurry placed on roadway slopes or ditches. If the Engineer determines that the slurry is going to enter a waterway, drainage facility, or curb & gutter section, the slurry shall be placed in storage tanks and deposited in settling basins, spread over flat vegetated areas, or filtered by other means approved by the Engineer at no additional cost.

The Contractor shall satisfactorily remove grinding material or wastes prior to returning traffic to the roadway. If a significant amount of residue remains after grinding, the Engineer may require flushing be done in a manner and in sufficient quantity to assure that slurry produced by the pavement grinding is not deposited on vehicles. The Contractor's proposed method of flushing the roadway should produce acceptable results, which will be based on a driving surface that will not create a nuisance for the public. All costs for flushing roadway shall be incidental to the contract unit price per square yard for NGCS Grinding PCC Pavement.

- 5. IRI Pavement Smoothness:** The Contractor may perform quality control profile testing as needed to control the work. The Contractor assumes all responsibility for the finished product meeting the pavement smoothness requirements. The Department will perform IRI pavement smoothness acceptance testing following the completion of the NGCS grinding, conventional grinding, and joint sealing in accordance with the Special Provision for IRI PCC Pavement Smoothness except as modified by the following:

Delete the 2<sup>nd</sup> paragraph of Section C and replace with the following:

The Department will collect the profile data after the Contractor completes all PCC paving required for profiling following completion of the NGCS grinding and joint sealing. If the NGCS grinding and joint sealing is completed in phases, the Department may IRI acceptance profile test a

completed phase before the completion of subsequent phases. Phases are defined as plan designated portions of the project at least 0.3 miles in length, or other portions as approved by the Engineer, that will be utilized by the traveling public during completion of subsequent phases of the project. The Contractor's chosen sequence of operations, if applicable, or the Contractor's option to complete a portion of a phase will not require the Department to perform IRI acceptance profile testing prior to the completion of work (phase of project or overall project).

Add the following condition to the list of conditions in Section C.1:

- The Contractor has completed all NGCS grinding in the area to be IRI acceptance profile tested;

Delete Table 1 and replace with the following:

<b>Table 1.</b> <b>ALR Monetary Deductions and Corrective Grinding Requirements</b>	
<b>25 ft. Continuous MRI</b> <b>(Inches per mile)</b>	<b>Corrective Grinding or Monetary Deduction</b>
140.0 or less	Acceptable
140.1 or greater	Corrective Grinding as required by the Engineer

Delete the paragraph immediately below Table 1.

Delete Section C.2 and replace with the following:

**Corrective Grinding:** The Contractor will accomplish corrective grinding with specially prepared circular diamond blades mounted on a horizontal shaft meeting the requirements for the NGCS grinding or conventional diamond grinding in accordance with Section 380.3 O. The Contractor will day light corrective grinding to the outside edge of the pavement. The Contractor will repair and replace joint sealant damaged by corrective grinding as directed by the Engineer and at no additional cost to the Department. The Contractor will not leave ground areas smooth or polished. The Contractor will perform NGCS grinding following the corrective grinding or as part of the corrective grinding. The Contractor will ensure ground areas have a uniform texture equal in roughness to the surrounding pavement with NGCS grinding completed. Following the completion of corrective grinding, the Department will re-profile test ALR.

Delete Table 2 and replace with the following:

<b>Table 2. IRI Pay Scale</b>	
<b>IRI</b>	<b>Price Adjustment</b>
<b>Inches per mile</b>	<b>(Dollars per lot)</b>
35.0 or less	\$500
35.1 to 45.0	\$400
45.1 to 50.0	\$300
50.1 to 60.0	\$200
60.1 to 80.0	\$0
80.1 or greater	Corrective Grinding*

\*Lots with an average IRI of 80.1 inches per mile or greater will require grinding to an average IRI of less than 80.1 inches per mile and will receive 100.0% pay. This will require that the lot be reprofiled by the Department

Delete the last paragraph of Section E and replace with the following:

The Contractor will provide all temporary traffic control required for IRI smoothness testing and marking of any corrective grinding areas. The Department will measure and pay for all temporary traffic control required for conducting the smoothness testing and associated work in accordance with Section 634 as part of the overall project.

#### **IV. METHOD OF MEASUREMENT**

- A. NGCS Grinding PCC Pavement:** The Engineer will measure NGCS grinding PCC pavement for the construction of the NGCS by the square yard. The measurement will be the final textured surface area regardless of the number of passes required to achieve acceptable results. Minor areas of unground pavement within the designated areas to be ground will be included in the measurement.
- B. Grinding PCC Pavement:** The Engineer will measure grinding PCC pavement for the feather pass, if required, by the square yard based on a width of 2 feet multiplied by the length in feet of the required feather pass.

#### **V. BASIS OF PAYMENT**

- A. NGCS Grinding PCC Pavement:** NGCS grinding PCC pavement will be paid for at the contract unit price per square yard. Payment shall be full compensation for equipment, labor, incidentals necessary for grinding the pavement, removing residue and excess water, hauling and disposal of grinding slurry, and the Contractor quality control profile testing.

**B. Grinding PCC Pavement:** Grinding PCC pavement will be paid for at the contract unit price per square yard. Payment shall be full compensation for equipment, labor, incidentals necessary for grinding the pavement, removing residue and excess water, and hauling and disposal of grinding slurry.

\* \* \* \* \*



**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION  
FOR  
PORTLAND CEMENT**

**DECEMBER 3, 2020**

---

**Section 750 – Page 519 – Delete and replace with the following:**

**750 PORTLAND CEMENT**

Unless otherwise permitted by the Engineer, the product of only one mill of any one brand and type of Portland cement will be used on the project.

The specifications may reference a specific cement type for a construction application. When a cement type is specified, the cement type referenced is applicable to Section 750 A; however, the Contractor may use any of the following cements:

- A. Portland Cement:** Portland cement will conform to AASHTO M 85 for the type specified. All cements will not have more than 0.60% of Alkalies ( $\text{Na}_2\text{O} + 0.658\text{K}_2\text{O}$ ).
- B. Portland Limestone Cement (PLC):** Portland limestone cement will conform to AASHTO M 240 Type IL. When Type II cement is specified, the cement will meet MS requirements of AASHTO M 240. When Type V cement is specified, the cement will meet HS requirements of AASHTO M 240. The Contractor will submit ASTM C1012 test results from within the last 12 months to the Engineer prior to using Portland limestone cement.
- C. Portland-Pozzolan Cement:** Portland-pozzolan cement will conform to AASHTO M 240 Type IP. When Type II cement is specified, the cement will meet MS requirements of AASHTO M 240. When Type V cement is specified, the cement will meet HS requirements of AASHTO M 240. The Contractor will submit ASTM C1012 test results from within the last 12 months to the Engineer prior to using Portland-Pozzolan cement.

Fly ash used in the cement manufacturing will meet the requirements of Section 753. The fly ash content will meet the fly ash percent specified. Fly ash may not be substituted for a portion of the Portland-pozzolan cement during concrete production. If a different pozzolan is used in the cement manufacturing, the Portland-pozzolan cement will meet equivalent

performance of historical fly ash percent specified mixes, as determined and reviewed by the Department's Concrete Engineer.

- D. Ternary Blended Cement:** Ternary blended cement will conform to AASHTO M 240 Type IT. When Type II cement is specified, the cement will meet MS requirements of AASHTO M 240. When Type V cement is specified, the cement will meet HS requirements of AASHTO M 240. The Contractor will submit ASTM C1012 test results from within the last 12 months to the Engineer prior to using ternary blended cement.

The ternary blended cement will meet the equivalent performance of historical fly ash percent specified mixes, as determined and reviewed by the Department's Concrete Engineer.

Fly ash may not be substituted for a portion of the ternary blended cement during concrete production.

\* \* \* \* \*



**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION  
FOR  
PREQUALIFICATION OF BIDDERS**

**OCTOBER 16, 2020**

---

**Delete Section 2.1 and replace with the following:**

**2.1 PREQUALIFICATION OF BIDDERS** - Prequalification on state highway construction contracts is required unless the amount being bid is less than \$250,000.

A prospective bidder must be prequalified prior to the time and date specified for bid opening. A prospective bidder may apply for prequalification by completing and executing a Contractor's prequalification statement on a form approved by the Department. This application must be received by the Department's classification and rating committee at least 14 calendar days before the opening of the prospective bidder's bid, unless a shorter time frame is approved by the committee.

Once prequalified, the Department will issue a notice to the prospective bidder stating the prospective bidder's approved work classification or work classifications, the prospective bidder's overall bidding capacity, the prospective bidder's per contract bidding capacity, and the prospective bidder's expiration date for prequalification status.

The complete prequalification requirements are contained in South Dakota Administrative Rule 70:07.

\* \* \* \* \*



**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION  
FOR  
RESTRICTION OF BOYCOTT OF ISRAEL**

**JANUARY 31, 2020**

---

In accordance with the State of South Dakota Office of the Governor Executive Order 2020-01 the following will apply to all contracts unless the amount being bid is less than \$100,000:

By submitting a bid proposal for this contract, the bidder certifies and agrees the following information is correct for the bidder and all subcontractors (all tiers) and suppliers with five (5) or more employees:

The bidder, in preparing the bid proposal or in considering proposals submitted from qualified potential suppliers and subcontractors, or in the solicitation, selection, or commercial treatment of any supplier or subcontractor; has not refused to transact business activities, has not terminated business activities, and has not taken other similar actions intended to limit its commercial relations, related to the subject matter of the bid proposal, with a person or entity on the basis of Israeli national origin, or residence or incorporation in Israel or its territories, with the specific intent to accomplish a boycott or divestment of Israel in a discriminatory manner. It is understood and agreed that, if this certification is false, such false certification will constitute grounds for the Department to reject the bid proposal submitted by the bidder on this contract and terminate any contract awarded based on the bid. The bidder agrees to provide immediate written notice to the Department if, during the term of the contract awarded to the bidder, the bidder no longer complies with this certification. The bidder further agrees such noncompliance may be grounds for contract termination.

\* \* \* \* \*



**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION  
FOR  
SOUTH DAKOTA ELECTRONIC BID SYSTEM**

**JULY 23, 2018**

---

**MAKE THE FOLLOWING CHANGES TO THE INDICATED SECTIONS:**

**Section 2.2 – Page 13 – Delete and replace with the following:**

**2.2 ELECTRONIC IDENTIFICATION** - For contracts let using the South Dakota Electronic Bid System (SDEBS), a prospective bidder must obtain a company identification and password from the Department's website. Each company will receive one company identification and password. With a company identification and password, a prospective bidder will be able to access electronic files and the plan holders list.

In addition to a company identification and password, the prospective bidder must obtain a bidder identification and password for each individual authorized to prepare and submit a bid proposal on behalf of the company. To obtain a bidder identification and password, a prospective bidder must complete a bidding administrator authorization form (available on the Department's website), furnishing all required information and all appropriate signatures, and submit the form to the Department allowing 2 business days for the Department to set-up bidding administrator(s) and issue bidder identification(s) and password(s).

A bidding administrator will have privileges in the SDEBS to prepare bids, submit bids, and authorize additional company employees to prepare and submit bids. Additionally, a bidding administrator will be responsible for maintaining the list of authorized bidders for the company and will have the ability to add employees, remove employees, and set-up bidder identifications and passwords within the SDEBS. Bidding Administrator authorization will remain in full force and effect until written notice of termination of this authorization is sent by an Officer of the company and receive by the Department.

A bidder identification and password, coupled with a company identification previously assigned by the Department, will serve as authentication that an individual is a valid bidder for the company.

**Section 2.3 – Page 13 – Delete the 1<sup>st</sup> sentence of the 2<sup>nd</sup> paragraph and replace with the following:**

For contracts let using the SDEBS Letting process, the Department will not place restrictions on who may download the bidding package, except the ability to prepare and submit a bid proposal will require a bidder identification and password as described in Section 2.2.

**Section 2.7 B. – Page 17 – Delete the 1<sup>st</sup> paragraph and replace with the following:**

A bidder must prepare and submit a bid proposal using the SDEBS.

**Section 3.2 A. – Page 22 – Delete and replace with the following:**

A. The bid proposal is incomplete, or is not submitted through the Department's SDEBS or the form furnished by the Department, the form is altered, or part thereof is detached or incomplete;

**Section 3.2 G. – Page 23 – Add “or,” to the end of this section.**

**Section 3.2 H. – Page 23 – Delete and replace with the following:**

H. For SDEBS lettings, confirmation of receipt and incorporation of all addenda is not included in the bid proposal.

**Section 3.2 I. – Page 23 – Delete this section**

\* \* \* \* \*

**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION  
FOR  
CONTRACTOR ADMINISTERED PRECONSTRUCTION MEETING  
  
DECEMBER 18, 2019**

---

**I. DESCRIPTION**

This work consists of the Contractor scheduling and conducting a preconstruction meeting prior to beginning work on this contract. Additionally, this work consists of the Contractor providing the Area Engineer a completed list of required submittals.

**II. MATERIALS (Not Specified)**

**III. CONSTRUCTION REQUIREMENTS**

The Area Engineer will provide the Contractor the Authorization Form for Preconstruction Meeting (Form DOT-270) and the Contractor's Required Submittals Form (Form DOT-272) after the date of the Notice of Award and no later than 10 business days after the date of the Notice to Proceed.

The Contractor's authorized representative as indicated on the Signature Authorization Form (Form DOT-209) will complete, in its entirety, the first page of the Authorization Form for Preconstruction Meeting and will initial each proceeding section. By initialing each section, the Contractor is confirming comprehension of each section.

The Contractor's Required Submittals Form is a document outlining information required prior to the completion of the project. This list will include two types of submittals; 1) information required before scheduling a preconstruction meeting and 2) information required before the Contractor begins related work. The Department reserves the right to request additional information not included in the original list of required submittals. The list of required submittals will include, but is not limited to, proposed sequence changes, shop drawings, permits, certifications, mix designs, labor compliance, equal employment opportunity, and disadvantaged business enterprise documents. The Area Engineer will update the Contractor's Required Submittals Form with any project specific requirements and cross out or delete those that do not apply prior to providing the document to the Contractor.

Prior to scheduling the preconstruction meeting, the Contractor will complete and provide the Area Engineer all items on the list of required submittals that are

required as described in 1) above. If the Contractor cannot complete and provide a submittal item required prior to scheduling the preconstruction meeting, the Contractor will contact the Area Engineer to establish a mutually agreed upon date when the required submittal will be completed and provided to the Area office.

The Contractor will not begin work on an item until the Contractor has provided the Area Engineer with all required information for the applicable work item and the appropriate office has approved the information, if necessary. The Contractor will make every reasonable effort to deliver the required submittals at the earliest possible time.

When the Contractor has provided the Area Engineer all required submittals, except those mutually agreed upon to be provided at a later date or dates, the Contractor will schedule a preconstruction meeting with the Area Engineer.

Within 2 business days following the Contractor scheduling the preconstruction meeting, the Area Engineer will prepare and send the Contractor a meeting confirmation and the Preconstruction Meeting Outline (Form DOT-271).

The Area Engineer will edit and amend the Preconstruction Meeting Outline, as necessary, to meet the specific needs of the project. The Area Engineer will complete the project information and the Department information prior to furnishing the form to the Contractor.

The Contractor will complete the Contractor's portion of the Preconstruction Meeting Outline and will add additional discussion items as needed. The Contractor will send the meeting notice and final Preconstruction Meeting Outline to the Area Engineer, all subcontractors, utility companies, railroad companies (if applicable), and all suppliers at least 5 business days prior to the preconstruction meeting.

The Area Engineer will send the notice of the meeting and the final Preconstruction Meeting Outline of discussion items to any other government entities and other principle stakeholders involved in the project at least 3 business days prior to the preconstruction meeting.

At the discretion of the Area Engineer, the preconstruction meeting may be held in person, videoconference, or over the phone. The Contractor's competent superintendent who will be working on this project, as required by Section 5.5, or the Contractors Project Manager, as required by the Special Provision for Cooperation by Contractor and Department (if applicable), is required to attend the preconstruction meeting.

The Contractor will lead the meeting discussion as described in the Preconstruction Meeting Outline. The Area Engineer will prepare the meeting minutes including any unresolved items and distribute the minutes to all attendees



and principle stakeholders within 5 business days following the preconstruction meeting.

#### **IV. METHOD OF MEASUREMENT**

The Department will not make a separate measurement for the preconstruction meeting.

#### **V. BASIS OF PAYMENT**

The Department will not make a separate payment for the preconstruction meeting. All costs associated with the preconstruction meeting will be incidental to other contract items.

\* \* \* \* \*



### FUEL ADJUSTMENT AFFIDAVIT

Project Number \_\_\_\_\_  
PCN \_\_\_\_\_  
County \_\_\_\_\_

*For project let using the SDEBS) and in accordance with Section 9.12, the bidder is not required to notify the Department at the time of submitting bids whether the Contractor will or will not participate in the fuel cost adjustment program. Prior to execution of the contract, the successful bidder must submit this completed form to the Department for approval. The Fuel Adjustment Affidavit shall include the anticipated fuel cost of subcontractors.*

Does your company elect to participate in a fuel adjustment for this contract for the fuels that do not have a fixed price? No adjustments in fuel prices will be made if "No" is checked.

☐ Yes

☐ No

If yes, provide the total dollars for each of the applicable fuels. No adjustments in fuel price will be made for the fuel types that are left blank or completed with a \$0.00 value.

Diesel (x) \$ \_\_\_\_\_

Unleaded (y) \$ \_\_\_\_\_

Burner Fuel (z) \$ \_\_\_\_\_ Type of Burner Fuel Used: \_\_\_\_\_

Sum (x + y + z) = \$ \_\_\_\_\_

**Note:** The sum of the x, y, and z may not exceed 15% of the original contract amount.

**The following must be completed regardless of whether the Contractor elects to participate in the fuel adjustment affidavit**

Under the penalty of law for perjury or falsification, the undersigned, \_\_\_\_\_,  
(Printed Name)

\_\_\_\_\_ of \_\_\_\_\_,  
(Title) (Contractor)

hereby certifies that the documentation is submitted in good faith, that the information provided is accurate and complete to the best of their knowledge and belief, and that the monetary amount identified accurately reflects the cost for fuel, and that they are duly authorized to certify the above documentation on behalf of the company.

I hereby agree that the Department or its authorized representative shall have the right to examine and copy all Contractor records, documents, work sheets, bid sheets, and other data pertinent to the justification of the fuel costs shown above.

Dated \_\_\_\_\_ Signature \_\_\_\_\_

**Notarization is required only when the Contractor elects to participate in the fuel adjustment affidavit**

Subscribed and sworn before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

\_\_\_\_\_  
Notary Public

\_\_\_\_\_  
My Commission Expires



**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**STANDARD TITLE VI / NONDISCRIMINATION ASSURANCES  
APPENDIX A & E**

**MARCH 1, 2016**

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the "contractor") agrees as follows:

1. **Compliance with Regulations:** The contractor (hereinafter includes consultants) will comply with the Acts and the Regulations relative to Non-discrimination in Federally-assisted programs of the U.S. Department of Transportation, Federal Highway Administration, as they may be amended from time to time, which are herein incorporated by reference and made a part of this contract.
2. **Non-discrimination:** The contractor, with regard to the work performed by it during the contract, will not discriminate on the grounds of race, color, or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipment. The contractor will not participate directly or indirectly in the discrimination prohibited by the Acts and the Regulations, including employment practices when the contract covers any activity, project, or program set forth in Appendix B of 49 CFR Part 21.
3. **Solicitations for Subcontracts, Including Procurements of Materials and Equipment:** In all solicitations, either by competitive bidding, or negotiation made by the contractor for work to be performed under a subcontract, including procurements of materials, or leases of equipment, each potential subcontractor or supplier will be notified by the contractor of the contractor's obligations under this contract and the Acts and the Regulations relative to Non-discrimination on the grounds of race, color, or national origin.
4. **Information and Reports:** The contractor will provide all information and reports required by the Acts, the Regulations, and directives issued pursuant thereto and will permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by the Recipient or the Federal Highway Administration to be pertinent to ascertain compliance with such Acts, Regulations, and instructions. Where any information required of a contractor is in the exclusive possession of another who fails or refuses to furnish the information, the contractor will so certify to the Recipient or the Federal Highway Administration, as appropriate, and will set forth what efforts it has made to obtain the information.
5. **Sanctions for Noncompliance:** In the event of a contractor's noncompliance with the Non-discrimination provisions of this contract, the Recipient will impose such contract sanctions as it or the Federal Highway Administration may determine to be appropriate, including, but not limited to:
  - a. withholding payments to the contractor under the contract until the contractor complies; and/or
  - b. cancelling, terminating, or suspending a contract, in whole or in part.
6. **Incorporation of Provisions:** The contractor will include the provisions of paragraphs one through six in every subcontract, including procurements of materials and leases of equipment, unless exempt by the Acts, the Regulations and directives issued pursuant thereto. The contractor will take action with respect to any subcontract or procurement as the Recipient or the Federal Highway Administration may direct as a means of enforcing such provisions including sanctions for noncompliance. Provided, that if the contractor becomes involved in, or

is threatened with litigation by a subcontractor, or supplier because of such direction, the contractor may request the Recipient to enter into any litigation to protect the interests of the Recipient. In addition, the contractor may request the United States to enter into the litigation to protect the interests of the United States.

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the "contractor") agrees to comply with the following non-discrimination statutes and authorities; including but not limited to:

**Pertinent Non-Discrimination Authorities:**

- Title VI of the Civil Rights Act of 1964 (42 U.S.C. § 2000d et seq., 78 stat. 252), (prohibits discrimination on the basis of race, color, national origin); and 49 CFR Part 21.
- The Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970, (42 U.S.C. § 4601), (prohibits unfair treatment of persons displaced or whose property has been acquired because of Federal or Federal-aid programs and projects);
- Federal-Aid Highway Act of 1973, (23 U.S.C. § 324 et seq.), (prohibits discrimination on the basis of sex);
- Section 504 of the Rehabilitation Act of 1973, (29 U.S.C. § 794 et seq.), as amended, (prohibits discrimination on the basis of disability); and 49 CFR Part 27;
- The Age Discrimination Act of 1975, as amended, (42 U.S.C. § 6101 et seq.), (prohibits discrimination on the basis of age);
- Airport and Airway Improvement Act of 1982, (49 USC § 471, Section 47123), as amended, (prohibits discrimination based on race, creed, color, national origin, or sex);
- The Civil Rights Restoration Act of 1987, (PL 100-209), (Broadened the scope, coverage and applicability of Title VI of the Civil Rights Act of 1964, The Age Discrimination Act of 1975 and Section 504 of the Rehabilitation Act of 1973, by expanding the definition of the terms "programs or activities" to include all of the programs or activities of the Federal-aid recipients, sub-recipients and contractors, whether such programs or activities are Federally funded or not);
- Titles II and III of the Americans with Disabilities Act, which prohibit discrimination on the basis of disability in the operation of public entities, public and private transportation systems, places of public accommodation, and certain testing entities (42 U.S.C. §§ 12131-12189) as implemented by Department of Transportation regulations at 49 C.F.R. parts 37 and 38;
- The Federal Aviation Administration's Non-discrimination statute (49 U.S.C. § 47123) (prohibits discrimination on the basis of race, color, national origin, and sex);
- Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations, which ensures Non-discrimination against minority populations by discouraging programs, policies, and activities with disproportionately high and adverse human health or environmental effects on minority and low-income populations;
- Executive Order 13166, Improving Access to Services for Persons with Limited English Proficiency, and resulting agency guidance, national origin discrimination includes discrimination because of Limited English proficiency (LEP). To ensure compliance with Title VI, you must take reasonable steps to ensure that LEP persons have meaningful access to your programs (70 Fed. Reg. at 74087 to 74100);
- Title IX of the Education Amendments of 1972, as amended, which prohibits you from discriminating because of sex in education programs or activities (20 U.S.C. 1681 et seq).

\*\*\*\*\*

**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION  
FOR  
DISADVANTAGED BUSINESS ENTERPRISE**

**AUGUST 14, 2018**

---

The Contractor, subrecipient, or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The Contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of Department-assisted contracts. Failure by the Contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the Department deems appropriate.

**I. Definitions**

- A. Specified Goal:** A DBE participation goal for a contract as indicated by a specific numerical percentage of the total dollar amount of the contract in the bidding documents.
- B. Not Specified:** No specific DBE participation goal is specified for a contract.
- C. Disadvantaged Business Enterprise (DBE):** A for-profit small business that is certified by the Department and is listed in the DBE Directory available on the Department's web site.
- D. Good Faith Effort (GFE):** Efforts to achieve a DBE goal which; by their scope, intensity, and appropriateness to the objective; can reasonably be expected to meet the objective of the Department's DBE program pursuant to 49 CFR 26.1.
- E. Positive Contact:** Communication between the bidder and the DBE in which the bidder receives an oral or written response from the DBE stating the DBE's intention to quote or not quote a project.
- F. Commitment:** The dollar amount of work to be subcontracted to DBEs, according to the bidder's bid. The commitment may be compared to the dollar amount of all contract items in the bidder's bid and expressed as a percentage of the total bid amount.

## **II. Bidding Requirements**

A bidder must not discriminate on the basis of race, color, national origin, or sex in the solicitation or award to subcontractors and material suppliers. Bidders who demonstrate a pattern of possible discrimination through consistent and repeated under-utilization of DBEs may be subject to investigation and sanctions allowed by regulation, administrative rule, or law.

The Bidder's failure to carry out the requirements of this special provision will be treated as a non-responsive bid.

On contracts that specify a specific DBE contract participation goal, all bidders must include their DBE commitment for the contract in the bidding files provided by the Department.

If the contract indicates "Not Specified," all bidders are encouraged to include their anticipated DBE utilization for the contract in the bidding files provided by the Department.

Each bidder must submit a list of all subcontractors and suppliers (DBEs and non-DBEs) the bidder received quotes from for that contract with the bid files.

A Contractor must make reasonable efforts to provide opportunities for DBEs to participate on Federal-aid contracts throughout the life of the contract.

On contracts let with a specified DBE contract participation goal, where the low bidder has not met or exceeded that goal, upon request from the Department all bidders who did not meet or exceed the goal must provide GFE documentation as indicated in Section III of this special provision.

When the DBE participation is "Not Specified" on a contract, each bidder is encouraged to use DBE Contractors; however no bidder will be required to furnish GFE documentation.

Bidders must submit GFE documentation, when requested by the Department, within 2 business days from the date bidders are contacted by the Department. Section III of this special provision provides information on the types of action bidders should make as part of their GFE to obtain DBE participation. Bidders may submit documentation with the bidding files provided all pertinent information is included. Bidders must submit any missing documentation within 2 business days from the date the Department contacts the bidder. If the bidder fails to comply with this requirement, the Department will consider the bid proposal irregular and may reject the bid proposal.

If the apparent low bidder does not provide documentation showing GFE as required by this special provision, the Department will consider that bid



nonresponsive and may either award the contract to the next lowest responsible bidder with a responsive bid, or reject all bids. Subsequent to the DBE committee's decision that the apparent low bidder's efforts do not establish GFE, the apparent low bidder will be notified that the bid is not responsive. The apparent low bidder will have 2 business days from the date of notification to contact the Bid Letting Engineer to arrange a meeting with the Department Secretary, or the Secretary's designee, to present documentation and argument about why the bid should not be rejected. The Department Secretary or the Secretary's designee will issue a written decision on responsiveness of the bid within 2 business days after the meeting.

If the apparent low bid is rejected for failure to meet the GFE or other requirements, the next apparent low bidder's GFE will be reviewed, unless all bids are rejected. Unless all bids are rejected, award of the contract will be made to the lowest bidder with a responsive bid.

The lowest responsive bidder will be required to complete form DOT-289B, as included in the contract documents, when the contract is sent for signature. This form requires a signature from each DBE identified in the low bidder's DBE commitment. A separate form will be supplied for each DBE and will be included in the contract documents.

Bidders are encouraged to assist interested DBEs in obtaining bonding, lines of credit, insurance, necessary equipment, supplies, materials, or other related services.

### **III. Good Faith Efforts**

If a GFE package is requested on a contract with a specified goal, the bidders must submit documentation showing compliance with the following requirements:

- A.** The bidders will submit a contact log of all solicitation efforts including:
- Name of the DBE firm
  - Name and phone number of the individual with whom contact was made
  - Date, time, and manner of each and every contact (by phone, in person, fax, mail, e-mail, etc.)
  - The DBE's response to the solicitation
  - Result of the solicitation effort

An example of a solicitation log is available on the Department's Bid Letting website. When bidding utilizing the South Dakota Department of Transportation Electronic Bid System (SDEBS), SDEBS may be used to document the log of solicitation efforts for the project.

- B.** The bidders will also submit documentation that shows GFE in relation to the following requirements:
1. The bidder must select contract work items to encourage DBE participation. This includes breaking out contract work items into economically feasible units to facilitate DBE participation, even when the bidder might otherwise prefer to perform these work items with its own forces.
  2. The bidder must solicit all certified DBEs that are listed in the appropriate work classifications in the DBE directory and that have indicated in the directory they are willing to work in the project's geographic area. Without exception, all DBEs who are listed on the plan holders list by 10 AM central time 7 calendar days prior to the bid letting must be solicited in accordance with Section III.B.3 of this special provision. If the bidder has not solicited any DBE meeting these requirements, the bidder will provide a detailed written explanation showing why the DBE was not solicited.
  3. To provide adequate time for the DBE to respond with a quote in the normal course of business, the bidder must make the initial solicitation at least 6 calendar days by mail or 5 calendar days by phone, fax, or e-mail prior to the letting date. Without exception, all DBEs who are listed on the plan holders list by 10 AM central time 7 calendar days prior to the bid letting must be solicited.
  4. If the bidder does not receive a positive contact from a DBE, the bidder must follow up the initial solicitation with a second solicitation by phone, fax, or e-mail to determine whether the DBE is interested in quoting. The bidder must make this second solicitation at least 2 business days prior to the letting.
  5. The bidder will provide interested DBEs with adequate and timely information about plans, specifications, and requirements of the contract to assist DBEs in responding to a solicitation.
  6. If a bidder rejects a DBE quote because of previous problems with a particular DBE, the bidder must prepare a detailed written explanation of the problem. Additional cost involved in finding and using DBEs is not, in itself, sufficient reason for a bidder to reject a quote. A bidder must not reject a DBE as being unqualified without sound reasons based on a thorough investigation of the DBE's capabilities.
  7. Any additional information requested by the Department.
- C.** The bidder must consider qualified DBEs whose quotes are reasonably competitive. If the bidder rejects any quote because it is considered not to be

“reasonably competitive,” the bidder must provide copies of all DBE and non-DBE quotes, and a work item price spreadsheet comparing DBE quotes to non-DBE quotes. The spreadsheet must show which quote was included in the bid for the work items being compared. The ability or desire of a bidder to perform the work with its own forces does not relieve the bidder of the responsibility to make GFE. In the event a bidder elects to use its own forces over a DBE, the bidder must include, on the spreadsheet, documentation of the costs of using the bidder’s own forces. This can be shown in a number of ways, which may include submitting portions of the bidder’s work sheets used to prepare the bid.

- D. The bidder must explain why the specified goal could not be met.
- E. The bidder must identify any additional efforts the bidder made to secure DBE participation.

#### **IV. Counting DBE Participation**

On projects with a specified goal, the contract commitment, as submitted with the bid, will be documented on form DOT-289R/C as included in the contract documents.

If the project is shown as “Not Specified,” the anticipated DBE utilization, as submitted with the bid, will be documented on form DOT-289 R/N – DBE Utilization Form, as included in the contract documents. The DBE utilization shown on this form is not a commitment to use the DBE. This information will be used by the Department to track anticipated DBE usage.

Only the portion of a contract performed by the DBE’s own forces will count toward DBE participation. Included is the cost of supplies and materials obtained by the DBE for the contract, including supplies purchased or equipment leased by the DBE. Supplies and equipment the DBE subcontractor purchased or leased from the Contractor or its affiliate is not allowed to be included.

When a DBE performs as a participant in an approved joint venture, only the portion of the total dollar value of the contract equal to the distinct, clearly defined portion of the work of the contract that the DBE performs with its own forces will count toward DBE participation.

A bidder may count toward its DBE participation only that percentage of expenditures to DBEs that perform a commercially useful function (CUF) in the performance of a contract. A DBE performs a CUF when the DBE is responsible for execution of the work of a contract and is carrying out the DBE’s responsibilities by actually performing, managing and supervising the work involved. To perform a CUF, the DBE must also be responsible, with respect to materials and supplies used on the contract, for negotiating prices, determining

quality and quantity, ordering and installing (where applicable) the materials, and paying for the material itself. To determine whether a DBE is performing a CUF, the Department will evaluate the amount of work subcontracted, the industry practice, and whether the amount the DBE is to be paid is commensurate with the work it is actually performing, DBE credit claimed for performance of the work, and other relevant factors.

A DBE is not performing a CUF if the DBE performs less than 30% of the total cost of its contract with its own work force, or if its role is limited to that of an extra participant in a transaction, project, or contract through which funds are passed in order to obtain the appearance of DBE participation. In determining whether a DBE is simply an extra participant, the Department will examine similar transactions, particularly those in which DBEs do not participate.

DBE participation will be counted for trucking services as follows:

The bidder/Contractor will receive credit toward DBE participation for the total value of the transportation services the DBE provides on the contract using trucks the DBE owns, insures, and operates and which are driven by drivers the DBE employs.

A DBE may lease trucks from another DBE firm, including an owner-operator who is certified as a DBE. When a DBE leases trucks from another DBE, the bidder/Contractor can count the total value of the transportation services the lessee DBE provides on the contract toward DBE participation.

The DBE may also lease trucks from a non-DBE firm, including an owner-operator. When a DBE leases trucks from a non-DBE, the bidder/Contractor can count toward DBE participation only the fee or commission the DBE receives as a result of the lease arrangement. The bidder/Contractor does not receive credit toward DBE participation for the total value of the transportation services, since all services are not provided by a DBE.

The bidder may count toward DBE participation expenditures to DBE firms for materials, supplies, or services as follows:

If the materials or supplies are obtained from a DBE manufacturer, count 100% of the cost of the materials or supplies toward DBE participation. A manufacturer is a firm that operates or maintains a factory or establishment that produces, on the premises, the materials, supplies, articles, or equipment required under the contract and of general character described by the specifications.

If the materials or supplies are purchased from a DBE regular dealer, count 60% of the cost of the materials or supplies toward DBE participation. A regular dealer is a firm that owns, operates, or maintains a store, warehouse

or other establishment in which the materials, supplies, articles, or equipment are bought, kept in stock, and regularly sold or leased to the public in the usual course of business.

If the materials or supplies are purchased from a DBE which is neither a manufacturer nor a regular dealer, count only the amount of fee or commission charged for assistance in the procurement of the materials or supplies or fee or transportation charges for the delivery of materials or supplies required at the job site toward DBE participation. In order to be counted, the Department must determine the fee to be reasonable and not excessive as compared to fees customarily allowed for similar services. The cost of the materials and supplies themselves will not count toward DBE goals.

The Department will not count toward DBE participation materials or services provided by a DBE who is not currently certified prior to and including the date of the Notice of Award. Additionally, the Department will not count toward DBE participation materials or services provided by a DBE who loses certification at any time after the date of the Notice of Award except in the case of a DBE whose ineligibility is caused solely by having exceeded the size standard.

No intended or actual subcontracting arrangement which is contrived to artificially inflate DBE participation is allowed. This includes, but is not limited to, DBE middlemen which serve no commercially useful function, or arrangements where a DBE is acting essentially as a broker of goods or services, but has been counted as a manufacturer, regular dealer, or subcontractor.

The Department will review and monitor projects for compliance with the bidder's intended DBE participation. Failure by the Contractor to fulfill the contract commitment constitutes a breach of contract. The Department may also investigate the form and substance of particular business arrangements between and among DBE and Contractors with regard to specific contracts. If, as a result of an investigation, the Department determines a particular business arrangement is not allowable, the dollar amount of the unallowable DBE participation will be subtracted from the Contractor's DBE participation on that project. The Contractor will be notified if the apparent DBE participation is not adequate to meet the DBE participation stated on the form DOT-289R/C. The Contractor will be directed to seek additional participation from other DBEs to meet the unallowable portion on that contract.

All Contractors and DBEs shall cooperate fully and promptly with the Department in compliance reviews, investigations, and other requests for information. If the Department determines a Contractor was a knowing and willing participant in an unallowable business arrangement, or in the event of repeated violations,

falsification, or misrepresentation, the Department will impose sanctions. Sanctions may include, but are not limited to one or more of the following:

- Assessment of liquidated damages as stated in Section VII of this special provision
- Suspension of bidding privileges or debarment
- Withholding progress payments
- Securing additional DBE participation on future Federal-aid contracts sufficient to make up for the DBE participation found to be unallowable
- Referral of the matter for criminal prosecution

## **V. Joint Checks to DBEs**

A joint check is a check issued by a prime Contractor to a DBE subcontractor and to a material supplier or another third party for items or services to be incorporated into a project. For a prime Contractor to receive DBE credit, the DBE must perform a commercially useful function and be responsible for negotiating price, determining quality and quantity, ordering materials and installing (where applicable) and paying for materials.

To ensure that the DBE is independent of the prime Contractor and in compliance with the regulation, use of joint checks will be reviewed and allowed only under following conditions:

- Issued for valid reasons only, not simply for the convenience of the prime Contractor
- Used for a specific contract or specific time frame and not long-term or open ended
- Payment is made to the DBE and not directly to the supplier
- Requested and received prior written approval from the DBE Compliance Officer.

The request must include the following:

- Name of the DBE
- The DOT contract number(s)
- The DOT PCN number(s)
- The work the DBE will be performing on each contract
- Name of the supplier(s) used by the DBE
- The specific reason(s) for issuing joint checks

The Department will review the request and verify the circumstances indicated in the request with the DBE. A copy of the request and approval will be provided to the prime Contractor and the DBE.

## **VI. Certification of DBE Performance and Payments**

Within 30 calendar days of the date of the Acceptance of Field Work the Contractor is required to submit form DOT-289 (Certification of DBE Performance and Payments), listing all DBEs that participated in the contract, and the total dollar amount paid (and anticipated to be paid) to each. DBE attainments are compared to commitments on form DOT-289R/C and any payments less than 90% of that commitment, without proper justification and documentation, will have liquidated damages assessed against the contract. The Contractor's final payment is not released until receipt of the form DOT-289.

Contractors are required to maintain a running tally of payments to DBEs. For reports of payments not being made in accordance with the prompt payment provision, alleged discrimination against a DBE or other similar complaint, the tally may be requested for review by the Department. The Department may perform audits of contract payments to DBEs to ensure that the amounts paid were as reported on the form DOT-289. All Contractors participating in Federal-aid contracts are expected cooperate fully and promptly with the Department in compliance reviews, investigations and other requests for information regarding payments to DBEs. Their failure to do so is grounds for appropriate sanctions or action against the Contractor.

The Department will monitor the running tally on a program basis and if reporting issues are identified, additional reporting requirements may be implemented.

The Contractor is required to report payments to DBEs twice a year from the date of the Notice to Proceed until the date of the Acceptance of Field Work. Reporting periods and deadlines for payment reporting submittals will be in accordance with the following:

**Reporting Period:**

October 1 to March 31  
April 1 to September 30

**Reporting Deadline:**

April 30  
October 31

For each reporting period, the Contractor is required to submit form DOT-289 listing all DBEs that participated in the contract, the payments to DBEs for that reporting period, and the total dollar amount paid to each DBE. For each reporting period after the Notice to Proceed, the Contractor will mark the form DOT-289 as "On-Going" when reporting payments to DBEs prior to the Date of the Acceptance of Field Work. Within 30 calendar days of the date of the Acceptance of Field Work and all DBE payments have been made, the Contractor is required to submit form DOT-289 and the Contractor will mark the form DOT-289 as "Final".

Each form DOT-289 must be provided to the Engineer by the reporting deadline stated above.

DBE payment are compared to commitment on form DOT-289R/C and any payment less than 90% of that commitment, without proper justification and documentation, will result in the Department assessing liquidated damages against the contract. The Contractor's final payment will not be released until receipt of the form DOT-289 marked "Final".

## **VII. Liquidated Damages**

**A.** If the Contractor does not meet its contract commitment documented on form DOT-289 R/C, the Department will assess liquidated damages according to the following schedule:

1. For the first \$1,000 DBE deficiency, 100% of the deficiency.
2. For the next \$9,000 DBE deficiency, 50% of the deficiency.
3. For the next \$10,000 DBE deficiency, 25% of the deficiency.
4. For any remaining DBE deficiency in excess of \$20,000, 10% of the deficiency.

This liquidated damage provision will not be applicable where actual payment to a DBE is within 90% of the commitment or where there are good and sufficient reasons, properly documented, for the deficiency such as quantity under-runs, project changes, or other unexpected occurrences.

**B.** If a Contractor finds it impossible, for reasons beyond its control, to meet the contract commitment on form DOT-289R/C, the Contractor may, at any time prior to completion of the project, provide a written request to the DBE Compliance Officer for a complete or partial waiver of liquidated damages. No request for a waiver will be accepted after Acceptance of Field Work has been issued.

## **VIII. Termination or Substitution of a DBE**

The Contractor will not be allowed to terminate or substitute a DBE without the Department's prior verbal consent followed by written approval. This includes, but is not limited to, instances in where the Contractor desires to perform work originally committed to a DBE with its own forces, with an affiliated company, with a non-DBE, or with another DBE. Department approval is required when the contract contains a "specified goal" on form DOT-289R/C and the DBE to be terminated or substituted is listed as a commitment on the form DOT-289R/C.



The Department will provide written consent only if the Department agrees the Contractor has good cause to terminate the DBE listed on the form DOT-289R/C. Good cause includes the following:

- The DBE fails or refuses to execute a written contract
- The DBE fails or refuses to perform the work of the DBE subcontract in a manner consistent with normal industry standards or Department specifications unless the failure or refusal by the DBE is a result of unfair or discriminatory actions by the Contractor
- The DBE fails or refuses to meet the Contractor's reasonable nondiscriminatory bond requirements
- The DBE becomes bankrupt, insolvent, or exhibits credit unworthiness
- The DBE is ineligible to work on public works projects because of suspension and debarment proceedings pursuant to 2 CFR Parts 180, 215, and 1,200 or applicable state law
- The Department has determined that the DBE is not a responsible Contractor
- The DBE voluntarily withdraws from the project and provided the Department with a written notice of withdrawal
- The DBE is found to be ineligible to receive DBE credit for the type of work required
- A DBE owner dies or becomes disabled with the result that the DBE is unable to complete its work on the contract
- Other documented good cause that the Department determines to substantiate the termination of the DBE.

Good cause does not exist if the Contractor seeks to terminate a DBE so the Contractor can self-perform the work for which the DBE was committed, or so the Contractor can substitute another DBE or non-DBE Contractor after the contract award.

Before submitting a request to terminate or substitute a DBE to the Department, the Contractor must first provide written notice to the DBE, with a copy of the notice to the DBE Compliance Officer, of the Contractor's intent to request to terminate or substitute, and the reason for the request.

The Contractor must give the DBE 5 calendar days to respond to the notice and advise the Department and the Contractor of the reasons, if any, why it objects to the proposed termination of its subcontract and why the Department should not approve the Contractor's action. If required in a particular case as a matter of public necessity (e.g. safety), the Department may provide a response period shorter than 5 calendar days.

When a DBE is terminated or fails to complete its work on the contract for any reason, the Contractor must make good faith efforts to replace the committed DBE with another DBE. The Contractor must make efforts to find another DBE to

perform the same amount of work under the contract as the DBE that was terminated. The letter to the Department requesting termination or substitution must include the name of the DBE and dollar amount of the replacement DBE. If the Contractor is unable to find another DBE, the Contractor must provide the names of the DBEs it contacted and reason why they were unable to use those DBEs.

If the Contractor does not utilize or pay DBEs as required, liquidated damages will be assessed as specified in Section VII of this special provision. In addition, if the Contractor is found to have knowingly and willingly attempted to circumvent the DBE contract provisions, the Department will not make payment for the work that was originally committed to a DBE and the Department may impose sanctions referred to in Section IV of this special provision.

The Contractor does not need Department approval to terminate or substitute a DBE under the following circumstances:

- The DBE is being used on a contract with a "Specified Goal" however the DBE was not listed as a DBE commitment on form DOT-289R/C.
- The DBE was listed as a commitment on a "Not Specified" DBE goal contract on form DOT-289R/N.

\* \* \* \* \*

**SPECIAL PROVISION FOR  
EEO AFFIRMATIVE ACTION REQUIREMENTS ON  
FEDERAL AND FEDERAL-AID CONSTRUCTION CONTRACTS**

**SEPTEMBER 1, 1997**

---

APPENDIX A

Notice or Requirement for Affirmative Action to Ensure Equal Employment Opportunity (Executive Order 11246)

1. The Offeror's or Bidder's attention is called to the "Equal Opportunity Clause" and the "Standard Federal Equal Employment Opportunity Construction Contract Specifications" set forth herein.
2. The goals and timetables for minority and female participation, expressed in percentage terms for the Contractor's aggregate workforce in each trade on all construction work in the covered area, are as follows:

GOALS FOR MINORITY PARTICIPATION FOR EACH TRADE

Aurora	0.8%	Fall River	7.9%	Marshall	1.3%
Beadle	0.8%	Faulk	1.3%	Meade	3.4%
Bennett	7.9%	Grant	1.3%	Mellette	7.9%
Bon Homme	1.2%	Gregory	0.8%	Miner	0.8%
Brookings	0.8%	Haakon	7.9%	Minnehaha	1.2%
Brown	1.3%	Hamlin	1.3%	Moody	0.8%
Brule	0.8%	Hand	0.8%	Pennington	3.4%
Buffalo	7.9%	Hanson	0.8%	Perkins	7.9%
Butte	7.9%	Harding	7.9%	Potter	7.9%
Campbell	7.9%	Hughes	7.9%	Roberts	1.3%
Charles Mix	0.8%	Hutchinson	0.8%	Sanborn	0.8%
Clark	1.3%	Hyde	7.9%	Shannon	7.9%
Clay	1.2%	Jackson	7.9%	Spink	1.3%
Codington	1.3%	Jerauld	0.8%	Stanley	7.9%
Corson	7.9%	Jones	7.9%	Sully	7.9%
Custer	7.9%	Kingsbury	0.8%	Todd	7.9%
Davison	0.8%	Lake	0.8%	Tripp	7.9%
Day	1.3%	Lawrence	7.9%	Turner	0.8%
Deuel	1.3%	Lincoln	0.8%	Union	1.2%
Dewey	7.9%	Lyman	7.9%	Walworth	7.9%
Douglas	0.8%	McCook	0.8%	Yankton	1.2%
Edmunds	1.3%	McPherson	1.3%	Ziebach	7.9%

GOALS FOR FEMALE PARTICIPATION IN EACH TRADE

Statewide - - - - - 6.9%

These goals are applicable to all the contractor's construction work (whether or not it is Federal or federally assisted) performed in the covered area. If the contractor performs construction work in a geographical area located outside of the covered area, it shall apply the goals established for such geographical area where the work is actually performed. With regard to this second area, the contractor also is subject to the goals for both its federally involved and nonfederally involved construction.

The Contractor's compliance with the Executive Order and the regulations in 41 CFR Part 60-4 shall be based on its implementation of the Equal Opportunity Clause specific affirmative action obligations required by the specifications set forth in 41 CFR 60-4.3 (a), and its efforts to meet the goals established for the geographical area where the contract resulting from this solicitation is to be performed. The hours of minority and female employment and training must be substantially uniform throughout the length of the contract, and in each trade, and the contractor shall make good faith effort to employ minorities and women evenly on each of its projects. The transfer of minority or female employees or trainees from Contractor to Contractor or from project to project

for the sole purpose of meeting the contractor's goals shall be a violation of the contract, the Executive Order and the regulations in 41 CFR Part 60-4. Compliance with the goals will be measured against the total work hours performed.

3. The Contractor when requesting permission to sublet shall provide written notification to the Department of Transportation as specified in Section 8.1 of the Standard Specifications for Roads and Bridges. When the subcontract is in excess of \$10,000, the request for permission to sublet shall list the name, address and telephone number of subcontractor; employer identification number; estimated dollar amount of the subcontract; estimated starting and completion dates of the subcontract; and the geographical area in which the contract is to be performed. The Department of Transportation will then provide written notification to the Director of the Office of Federal Contract Compliance Programs through proper channels.
4. As used in this Notice, and in the contract resulting from this solicitation, the "covered area" is as shown by county designation on the Title Sheet of the plans.

## APPENDIX B

### Standard Federal Equal Employment Opportunity Construction Contract Specifications (Executive Order 11246)

1. As used in these specifications:
  - a. "Covered area" means the geographical area described in the solicitation from which this contract resulted;
  - b. "Director" means Director, Office of Federal Contract Compliance Programs, United States Department of Labor, or any person to whom the Director delegates authority;
  - c. "Employer identification number" means the Federal Social Security number used on the Employer's Quarterly Federal Tax Return, U.S. Treasury Department Form 941.
  - d. "Minority" includes:
    - (I) Black (all persons having origins in any of the Black African racial groups not of Hispanic origin);
    - (II) Hispanic (all persons of Mexican, Puerto Rican, Cuban, Central or South American or other Spanish Culture or origin, regardless of race);
    - (III) Asian and Pacific Islander (all persons having origins in any of the original peoples of the Far East, Southeast Asia, the Indian Subcontinent, or the Pacific Islands); and
    - (IV) American Indian or Alaskan Native (all persons having origins in any of the original peoples of North America and maintaining identifiable tribal affiliations through membership and participation or community identification).
2. Whenever the Contractor, or any Subcontractor at any tier, subcontracts a portion of the work involving any construction trade, it shall physically include in each subcontract in excess of \$10,000 the provisions of these specifications and the Notice which contains the applicable goals for minority and female participation and which is set forth in the solicitations from which this contract resulted.
3. If the Contractor is participating (pursuant to 41 CFR 60-4.5) in a Hometown Plan approved by the U.S. Department of Labor in the covered area either individually or through an association, its affirmative action obligations on all work in the Plan area (including goals and timetables) shall be in accordance with that Plan for those trades which have unions participating in the Plan. Contractors must be able to demonstrate their participation in and compliance with the provisions of any such Hometown Plan. Each Contractor or Subcontractor participating in an approved Plan is individually required to comply with its obligations under the EEO clause, and to make a good faith effort to achieve each goal under the Plan in each trade in which each goal under the Plan in each trade in which it has employees. The overall good faith performance by other Contractors or Subcontractors toward a goal in an approved Plan does not excuse any covered Contractor's or Subcontractor's failure to take good faith efforts to achieve the Plan goals and timetables.
4. The Contractor shall implement the specific affirmative action standards provided in paragraphs 7a through p of these specifications. The goals set forth in the solicitation from which this contract resulted are expressed

as percentages of the total hours of employment and training of minority and female utilization the Contractor should reasonably be able to achieve in each construction trade in which it has employees in the covered area. Covered Construction contractors performing construction work in geographical areas where they do not have a Federal or federally assisted construction contract shall apply the minority and female goals established for the geographical area where the work is being performed. Goals are published periodically in the Federal Register in notice form, and such notices may be obtained from any Office of Federal Contract Compliance Programs office, from Federal procurement contracting officers or from the South Dakota Department of Transportation. The Contractor is expected to make substantially uniform progress toward its goals in each craft during the period specified.

5. Neither the provisions of any collective bargaining agreement, nor the failure by a union with whom the Contractor has a collective bargaining agreement, to refer either minorities or women shall excuse the Contractor's obligations under these specifications, Executive Order 11246, or the regulations promulgated pursuant thereto.
6. In order for the nonworking training hours of apprentices and trainees to be counted in meeting the goals, such apprentices and trainees must be employed by the Contractor during the training period, and the Contractor must have made a commitment to employ the apprentices and trainees at the completion of their training, subject to the availability of employment opportunities. Trainees must be trained pursuant to training programs approved by the U.S. Department of Labor.
7. The Contractor shall take specific affirmative actions to ensure equal employment opportunity. The evaluation of the Contractor's compliance with these specifications shall be based upon its effort to achieve maximum results from its actions. The Contractor shall document these efforts fully and shall implement affirmative action steps at least as extensive as the following:
  - a. Ensure and maintain a working environment free of harassment, intimidation, and coercion at all sites, and in all facilities at which the Contractor's employees are assigned to work. The Contractor, where possible, will assign two or more women to each construction project. The Contractor shall specifically ensure that all foremen, superintendents, and other on-site supervisory personnel are aware of and carry out the Contractor's obligation to maintain such a working environment, with specific attention to minority or female individuals working at such sites or in such facilities.
  - b. Establish and maintain a current list of minority and female recruitment sources, provide written notification to minority and female recruitment sources and to community organizations when the Contractor or its union have employment opportunities available, and maintain a record of the organization's responses.
  - c. Maintain a current file of the names, addresses and telephone numbers of each minority and female off-the-street applicant and minority or female referral from a union, a recruitment source or community organization and of what action was taken with respect to each individual. If such individual was sent to the union hiring hall for referral and was not referred back to the Contractor by the union or if referred, not employed by the Contractor, this shall be documented in the file with the reason thereof, along with whatever additional actions the Contractor may have taken.
  - d. Provide immediate written notification to the Director when the union with which the Contractor has a collective bargaining agreement has not referred to the Contractor a minority person or woman sent by the Contractor, or when the Contractor has other information that the union referral process has impeded the Contractor's efforts to meet its obligations.
  - e. Develop on-the-job training opportunities and/or participate in training programs for the area which expressly include minorities and women, including upgrading programs and apprenticeship and trainee programs relevant to the Contractor's employment needs, especially those programs funded or approved by the Department of Labor. The Contractor shall provide notice of these programs to the sources complied under 7b above.
  - f. Disseminate the Contractor's EEO policy by providing notice of the policy to unions and training programs and requesting their cooperation in assisting the Contractor in meeting its EEO obligations; by including it in any policy manual and collective bargaining agreement; by publicizing it in the company newspaper, annual report, etc., by specific review of the policy

with all management personnel and with all minority and female employees at least once a year; and by posting the company EEO policy on bulletin boards accessible to all employees at each location where construction work is performed.

- g. Review, at least annually, the company's EEO policy and affirmative action obligations under these specifications with all employees having any responsibility for hiring, assignment, layoff, termination or other employment decisions including specific review of these items with onsite supervisory personnel such as Superintendents, General Foremen, etc., prior to the initiation of construction work at any job site. A written record shall be made and maintained identifying the time and place of these meetings, persons attending, subject matter discussed, and disposition of the subject matter.
  - h. Disseminate the Contractor's EEO policy externally by including it in any advertising in the news media, specifically including minority and female news media, and providing written notification to and discussing the Contractors and Subcontractors with whom the Contractor does or anticipates doing business.
  - i. Direct its recruitment efforts, both oral and written, to minority, female and community organizations, to schools with minority and female students and to minority and female recruitment and training organizations serving the Contractor's recruitment area and employment needs. Not later than one month prior to the date for the acceptance of applications for apprenticeship or other training by any recruitment source, the Contractor shall send written notification to organizations such as the above, describing the openings, screening procedures, and tests to be used in the selection process.
  - j. Encourage present minority and female employees to recruit other minority persons and women and, where reasonable, provide after school, summer and vacation employment to minority and female youth both on the site and in other areas of a Contractor's workforce.
  - k. Validate all tests and other selection requirements where there is an obligation to do so under 41 CFR Part 60-3.
  - l. Conduct, at least annually, an inventory and evaluation at least of all minority and female personnel for promotional opportunities and encourage these employees to seek or to prepare for, through appropriate training, etc. such opportunities.
  - m. Ensure that seniority practices, job classifications, work assignments and other personnel practices, do not have a discriminatory effect by continually monitoring all personnel and employment related activities to ensure that the EEO policy and the Contractor's obligations under these specifications are being carried out.
  - n. Ensure that all facilities and company activities are nonsegregated except that separate or single-user toilet and necessary changing facilities shall be provided to assure privacy between the sexes.
  - o. Document and maintain a record of all solicitations of offers for subcontracts from minority and female construction contractors and suppliers, including circulation of solicitations to minority and female contractor associations and other business associations.
  - p. Conduct a review, at least annually, of all supervisors' adherence to and performance under the Contractor's EEO policies and affirmative action obligation.
8. Contractors are encouraged to participate in voluntary associations which assist in fulfilling one or more of their affirmative action obligations (7a through p). The efforts of a contractor association, joint contractor-union contractor-community, or other similar group of which the contractor is a member and participant, may be asserted as fulfilling any one or more of its obligations under 7a through p of these specifications provided that the contractor actively participates in the group, makes every effort to assure that the group, has a positive impact on the employment of minorities and women in the industry, ensures that the concrete benefits of the program are reflected in the Contractor's minority and female workforce participation, makes a good faith effort to meet its individual goal and timetables, and can provide access to documentation which demonstrates the effectiveness of actions taken on behalf of the Contractor. The obligation to comply,

however, is the Contractor's and failure of such a group to fulfill an obligation shall not be a defense for the Contractor's noncompliance.

9. A single goal for minorities and a separate single goal for women have been established. The Contractor, however, is required to provide equal employment opportunity and to take affirmative action for all minority groups, both male and female, and all women, both minority and non-minority. Consequently, the Contractor may be in violation of the Executive Order if a particular group is employed in a substantially disparate manner (for example, even though the Contractor has achieved its goals for women generally, the Contractor may be in violation of the Executive Order if a specific minority group of women is underutilized).
10. The Contractor shall not use the goals and timetables or affirmative action standards to discriminate against any person because of race, color, religion, sex, or national origin.
11. The Contractor shall not enter into any Subcontract with any person or firm debarred from Government contracts pursuant to Executive Order 11246.
12. The Contractor shall carry out such sanctions and penalties for violation of these specifications and of the Equal Opportunity Clause, including suspension, termination and cancellation of existing subcontracts as may be imposed or ordered pursuant to Executive Order 11246, as amended, and its implementing regulations, by the Office of Federal Contract Compliance Programs. Any contractor who fails to carry out such sanctions and penalties shall be in violation of these specifications and Executive Order 11246, as amended.
13. The Contractor in fulfilling its obligations under these specifications, shall implement specific affirmative action steps, at least as extensive as those standards prescribed in paragraph 7 of these specifications, so as to achieve maximum results from its efforts to ensure equal employment opportunity. If the Contractor fails to comply with the requirements of the Executive Order, the implementing regulations, or these specifications, the Director shall proceed in accordance with 41 CFR 60-4.8.
14. The Contractor shall designate a responsible official to monitor all employment related activity to ensure that the company EEO policy is being carried out, to submit reports relating to the provisions hereof as may be required by the Government and to keep records. Records shall at least include for each employee the name, address, telephone numbers, construction trade, union affiliation if any, employee identification number when assigned, social security number, race, sex, status (e.g., mechanic, apprentice, trainee, or laborer), dates of changes in status, hours worked per week in the indicated trade, rate of pay, and locations at which the work was performed. Records shall be maintained in an easily understandable and retrievable form; however, to the degree that existing records satisfy this requirement, contractors shall not be required to maintain separate records.
15. Nothing herein provided shall be construed as a limitation upon the application of other laws which establish different standards of compliance or upon application of requirements for the hiring of local or other area residents (e.g., those under the Public Works Employment Act of 1977 and the Community Development Block Grant Program).

\* \* \* \*





**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION FOR  
REQUIRED CONTRACT PROVISIONS  
FEDERAL-AID CONSTRUCTION CONTRACTS  
FHWA 1273 (MAY 1, 2012)**

**OCTOBER 21, 2019**

---

The following are amendments to the above contract provisions.

**Section I.4.**

Delete this section and replace with the following:

4. Selection of Labor: During the performance of this contract, the contractor shall not use convict labor for any purpose within the limits of a Federal-aid construction project unless it is labor performed by convicts who are on parole, supervised release, or probation.

**Section IV.**

Delete the first paragraph and replace with the following:

This section is applicable to all Federal-aid construction projects exceeding \$2,000 and to all related subcontracts and lower-tier subcontracts (regardless of subcontract size). The requirements apply to all projects located within the right-of-way of a roadway and to all portions of Transportation Alternatives Program (TAP) funded projects.

**Section IV.3.b.(1)**

Delete the first six sentences and replace with the following:

The Contractor and each related subcontractor must submit weekly, for each week in which any contract work is performed, an electronic certified weekly payroll report. The payroll report must be submitted electronically to the Elation System website. The Elation System website can be accessed by logging onto the State of South Dakota's single sign-on website at <https://mysd.sd.gov/> or can also be accessed at <https://elationsys.com/>. First time users will need to use the Promotion Code SDDOT-19. The payroll report must be submitted within fourteen (14) calendar days after the end of the workweek. The payroll reports submitted shall set out accurately and completely all the information required to be maintained under 29 C.F.R. 5.5(a)(3)(i). Weekly transmittals must include an individually identifying number for each employee, such as the last four digits of the employee's social security number, but these weekly transmittals must not include full social security numbers or home addresses. The Contractor is responsible for the submission of certified payroll reports by all subcontractors.

#### **Section IV.3.b.(2)**

Delete the first paragraph and replace with the following:

Each certified weekly payroll report must include the most recent South Dakota Department of Transportation (SDDOT) Statement of Compliance Form, signed by the Contractor or related subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract. The Instructions for the SDDOT Statement of Compliance Form are found at <https://dot.sd.gov/doing-business/contractors/labor-compliance/certified-payrolls-let-after-6/5/19>. The SDDOT will not accept any payroll report which does not include the most recent SDDOT Statement of Compliance Form. The SDDOT Statement of Compliance Form must certify the following:

#### **Section IV.3.b.(3)**

Delete this paragraph and replace with the following:

The weekly submission of a properly executed SDDOT Statement of Compliance Form shall satisfy the requirement for submission of the "Statement of Compliance Form" required by paragraph 3.b.(2) of this section.

#### **Section IV.3.b.(4)**

Delete this section and replace with the following:

(4) The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under section 1001 of title 18 and section 3729 of title 31 of the United States Code.

#### **Section IV.4.a**

Delete the first sentence of the third paragraph and replace with the following:

Every apprentice must be paid the higher of the Common Laborer wage rate contained in the bid documents or the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymen hourly rate specified in the applicable wage determination.

\* \* \* \* \*

## REQUIRED CONTRACT PROVISIONS FEDERAL-AID CONSTRUCTION CONTRACTS

- I. General
- II. Nondiscrimination
- III. Nonsegregated Facilities
- IV. Davis-Bacon and Related Act Provisions
- V. Contract Work Hours and Safety Standards Act Provisions
- VI. Subletting or Assigning the Contract
- VII. Safety: Accident Prevention
- VIII. False Statements Concerning Highway Projects
- IX. Implementation of Clean Air Act and Federal Water Pollution Control Act
- X. Compliance with Governmentwide Suspension and Debarment Requirements
- XI. Certification Regarding Use of Contract Funds for Lobbying

### ATTACHMENTS

A. Employment and Materials Preference for Appalachian Development Highway System or Appalachian Local Access Road Contracts (included in Appalachian contracts only)

### I. GENERAL

1. Form FHWA-1273 must be physically incorporated in each construction contract funded under Title 23 (excluding emergency contracts solely intended for debris removal). The contractor (or subcontractor) must insert this form in each subcontract and further require its inclusion in all lower tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services).

The applicable requirements of Form FHWA-1273 are incorporated by reference for work done under any purchase order, rental agreement or agreement for other services. The prime contractor shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Form FHWA-1273 must be included in all Federal-aid design-build contracts, in all subcontracts and in lower tier subcontracts (excluding subcontracts for design services, purchase orders, rental agreements and other agreements for supplies or services). The design-builder shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Contracting agencies may reference Form FHWA-1273 in bid proposal or request for proposal documents, however, the Form FHWA-1273 must be physically incorporated (not referenced) in all contracts, subcontracts and lower-tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services related to a construction contract).

2. Subject to the applicability criteria noted in the following sections, these contract provisions shall apply to all work performed on the contract by the contractor's own organization and with the assistance of workers under the contractor's immediate superintendence and to all work performed on the contract by piecework, station work, or by subcontract.

3. A breach of any of the stipulations contained in these Required Contract Provisions may be sufficient grounds for withholding of progress payments, withholding of final payment, termination of the contract, suspension / debarment or any other action determined to be appropriate by the contracting agency and FHWA.

4. Selection of Labor: During the performance of this contract, the contractor shall not use convict labor for any purpose within the limits of a construction project on a Federal-aid highway unless it is labor performed by convicts who are on parole, supervised release, or probation. The term Federal-aid highway does not include roadways functionally classified as local roads or rural minor collectors.

### II. NONDISCRIMINATION

The provisions of this section related to 23 CFR Part 230 are applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more. The provisions of 23 CFR Part 230 are not applicable to material supply, engineering, or architectural service contracts.

In addition, the contractor and all subcontractors must comply with the following policies: Executive Order 11246, 41 CFR 60, 29 CFR 1625-1627, Title 23 USC Section 140, the Rehabilitation Act of 1973, as amended (29 USC 794), Title VI of the Civil Rights Act of 1964, as amended, and related regulations including 49 CFR Parts 21, 26 and 27; and 23 CFR Parts 200, 230, and 633.

The contractor and all subcontractors must comply with: the requirements of the Equal Opportunity Clause in 41 CFR 60-1.4(b) and, for all construction contracts exceeding \$10,000, the Standard Federal Equal Employment Opportunity Construction Contract Specifications in 41 CFR 60-4.3.

Note: The U.S. Department of Labor has exclusive authority to determine compliance with Executive Order 11246 and the policies of the Secretary of Labor including 41 CFR 60, and 29 CFR 1625-1627. The contracting agency and the FHWA have the authority and the responsibility to ensure compliance with Title 23 USC Section 140, the Rehabilitation Act of 1973, as amended (29 USC 794), and Title VI of the Civil Rights Act of 1964, as amended, and related regulations including 49 CFR Parts 21, 26 and 27; and 23 CFR Parts 200, 230, and 633.

The following provision is adopted from 23 CFR 230, Appendix A, with appropriate revisions to conform to the U.S. Department of Labor (US DOL) and FHWA requirements.

**1. Equal Employment Opportunity:** Equal employment opportunity (EEO) requirements not to discriminate and to take affirmative action to assure equal opportunity as set forth under laws, executive orders, rules, regulations (28 CFR 35, 29 CFR 1630, 29 CFR 1625-1627, 41 CFR 60 and 49 CFR 27) and orders of the Secretary of Labor as modified by the provisions prescribed herein, and imposed pursuant to 23 U.S.C. 140 shall constitute the EEO and specific affirmative action standards for the contractor's project activities under

this contract. The provisions of the Americans with Disabilities Act of 1990 (42 U.S.C. 12101 et seq.) set forth under 28 CFR 35 and 29 CFR 1630 are incorporated by reference in this contract. In the execution of this contract, the contractor agrees to comply with the following minimum specific requirement activities of EEO:

a. The contractor will work with the contracting agency and the Federal Government to ensure that it has made every good faith effort to provide equal opportunity with respect to all of its terms and conditions of employment and in their review of activities under the contract.

b. The contractor will accept as its operating policy the following statement:

"It is the policy of this Company to assure that applicants are employed, and that employees are treated during employment, without regard to their race, religion, sex, color, national origin, age or disability. Such action shall include: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship, pre-apprenticeship, and/or on-the-job training."

**2. EEO Officer:** The contractor will designate and make known to the contracting officers an EEO Officer who will have the responsibility for and must be capable of effectively administering and promoting an active EEO program and who must be assigned adequate authority and responsibility to do so.

**3. Dissemination of Policy:** All members of the contractor's staff who are authorized to hire, supervise, promote, and discharge employees, or who recommend such action, or who are substantially involved in such action, will be made fully cognizant of, and will implement, the contractor's EEO policy and contractual responsibilities to provide EEO in each grade and classification of employment. To ensure that the above agreement will be met, the following actions will be taken as a minimum:

a. Periodic meetings of supervisory and personnel office employees will be conducted before the start of work and then not less often than once every six months, at which time the contractor's EEO policy and its implementation will be reviewed and explained. The meetings will be conducted by the EEO Officer.

b. All new supervisory or personnel office employees will be given a thorough indoctrination by the EEO Officer, covering all major aspects of the contractor's EEO obligations within thirty days following their reporting for duty with the contractor.

c. All personnel who are engaged in direct recruitment for the project will be instructed by the EEO Officer in the contractor's procedures for locating and hiring minorities and women.

d. Notices and posters setting forth the contractor's EEO policy will be placed in areas readily accessible to employees, applicants for employment and potential employees.

e. The contractor's EEO policy and the procedures to implement such policy will be brought to the attention of employees by means of meetings, employee handbooks, or other appropriate means.

**4. Recruitment:** When advertising for employees, the contractor will include in all advertisements for employees the notation: "An Equal Opportunity Employer." All such advertisements will be placed in publications having a large circulation among minorities and women in the area from which the project work force would normally be derived.

a. The contractor will, unless precluded by a valid bargaining agreement, conduct systematic and direct recruitment through public and private employee referral sources likely to yield qualified minorities and women. To meet this requirement, the contractor will identify sources of potential minority group employees, and establish with such identified sources procedures whereby minority and women applicants may be referred to the contractor for employment consideration.

b. In the event the contractor has a valid bargaining agreement providing for exclusive hiring hall referrals, the contractor is expected to observe the provisions of that agreement to the extent that the system meets the contractor's compliance with EEO contract provisions. Where implementation of such an agreement has the effect of discriminating against minorities or women, or obligates the contractor to do the same, such implementation violates Federal nondiscrimination provisions.

c. The contractor will encourage its present employees to refer minorities and women as applicants for employment. Information and procedures with regard to referring such applicants will be discussed with employees.

**5. Personnel Actions:** Wages, working conditions, and employee benefits shall be established and administered, and personnel actions of every type, including hiring, upgrading, promotion, transfer, demotion, layoff, and termination, shall be taken without regard to race, color, religion, sex, national origin, age or disability. The following procedures shall be followed:

a. The contractor will conduct periodic inspections of project sites to insure that working conditions and employee facilities do not indicate discriminatory treatment of project site personnel.

b. The contractor will periodically evaluate the spread of wages paid within each classification to determine any evidence of discriminatory wage practices.

c. The contractor will periodically review selected personnel actions in depth to determine whether there is evidence of discrimination. Where evidence is found, the contractor will promptly take corrective action. If the review indicates that the discrimination may extend beyond the actions reviewed, such corrective action shall include all affected persons.

d. The contractor will promptly investigate all complaints of alleged discrimination made to the contractor in connection with its obligations under this contract, will attempt to resolve such complaints, and will take appropriate corrective action within a reasonable time. If the investigation indicates that the discrimination may affect persons other than the complainant, such corrective action shall include such other persons. Upon completion of each investigation, the contractor will inform every complainant of all of their avenues of appeal.

**6. Training and Promotion:**

a. The contractor will assist in locating, qualifying, and increasing the skills of minorities and women who are

applicants for employment or current employees. Such efforts should be aimed at developing full journey level status employees in the type of trade or job classification involved.

b. Consistent with the contractor's work force requirements and as permissible under Federal and State regulations, the contractor shall make full use of training programs, i.e., apprenticeship, and on-the-job training programs for the geographical area of contract performance. In the event a special provision for training is provided under this contract, this subparagraph will be superseded as indicated in the special provision. The contracting agency may reserve training positions for persons who receive welfare assistance in accordance with 23 U.S.C. 140(a).

c. The contractor will advise employees and applicants for employment of available training programs and entrance requirements for each.

d. The contractor will periodically review the training and promotion potential of employees who are minorities and women and will encourage eligible employees to apply for such training and promotion.

**7. Unions:** If the contractor relies in whole or in part upon unions as a source of employees, the contractor will use good faith efforts to obtain the cooperation of such unions to increase opportunities for minorities and women. Actions by the contractor, either directly or through a contractor's association acting as agent, will include the procedures set forth below:

a. The contractor will use good faith efforts to develop, in cooperation with the unions, joint training programs aimed toward qualifying more minorities and women for membership in the unions and increasing the skills of minorities and women so that they may qualify for higher paying employment.

b. The contractor will use good faith efforts to incorporate an EEO clause into each union agreement to the end that such union will be contractually bound to refer applicants without regard to their race, color, religion, sex, national origin, age or disability.

c. The contractor is to obtain information as to the referral practices and policies of the labor union except that to the extent such information is within the exclusive possession of the labor union and such labor union refuses to furnish such information to the contractor, the contractor shall so certify to the contracting agency and shall set forth what efforts have been made to obtain such information.

d. In the event the union is unable to provide the contractor with a reasonable flow of referrals within the time limit set forth in the collective bargaining agreement, the contractor will, through independent recruitment efforts, fill the employment vacancies without regard to race, color, religion, sex, national origin, age or disability; making full efforts to obtain qualified and/or qualifiable minorities and women. The failure of a union to provide sufficient referrals (even though it is obligated to provide exclusive referrals under the terms of a collective bargaining agreement) does not relieve the contractor from the requirements of this paragraph. In the event the union referral practice prevents the contractor from meeting the obligations pursuant to Executive Order 11246, as amended, and these special provisions, such contractor shall immediately notify the contracting agency.

**8. Reasonable Accommodation for Applicants / Employees with Disabilities:** The contractor must be familiar

with the requirements for and comply with the Americans with Disabilities Act and all rules and regulations established there under. Employers must provide reasonable accommodation in all employment activities unless to do so would cause an undue hardship.

**9. Selection of Subcontractors, Procurement of Materials and Leasing of Equipment:** The contractor shall not discriminate on the grounds of race, color, religion, sex, national origin, age or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment. The contractor shall take all necessary and reasonable steps to ensure nondiscrimination in the administration of this contract.

a. The contractor shall notify all potential subcontractors and suppliers and lessors of their EEO obligations under this contract.

b. The contractor will use good faith efforts to ensure subcontractor compliance with their EEO obligations.

#### **10. Assurance Required by 49 CFR 26.13(b):**

a. The requirements of 49 CFR Part 26 and the State DOT's U.S. DOT-approved DBE program are incorporated by reference.

b. The contractor or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of DOT-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the contracting agency deems appropriate.

**11. Records and Reports:** The contractor shall keep such records as necessary to document compliance with the EEO requirements. Such records shall be retained for a period of three years following the date of the final payment to the contractor for all contract work and shall be available at reasonable times and places for inspection by authorized representatives of the contracting agency and the FHWA.

a. The records kept by the contractor shall document the following:

(1) The number and work hours of minority and non-minority group members and women employed in each work classification on the project;

(2) The progress and efforts being made in cooperation with unions, when applicable, to increase employment opportunities for minorities and women; and

(3) The progress and efforts being made in locating, hiring, training, qualifying, and upgrading minorities and women;

b. The contractors and subcontractors will submit an annual report to the contracting agency each July for the duration of the project, indicating the number of minority, women, and non-minority group employees currently engaged in each work classification required by the contract work. This information is to be reported on [Form FHWA-1391](#). The staffing data should represent the project work force on board in all or any part of the last payroll period preceding the end of July. If on-the-job training is being required by special provision, the contractor

will be required to collect and report training data. The employment data should reflect the work force on board during all or any part of the last payroll period preceding the end of July.

### III. NONSEGREGATED FACILITIES

This provision is applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more.

The contractor must ensure that facilities provided for employees are provided in such a manner that segregation on the basis of race, color, religion, sex, or national origin cannot result. The contractor may neither require such segregated use by written or oral policies nor tolerate such use by employee custom. The contractor's obligation extends further to ensure that its employees are not assigned to perform their services at any location, under the contractor's control, where the facilities are segregated. The term "facilities" includes waiting rooms, work areas, restaurants and other eating areas, time clocks, restrooms, washrooms, locker rooms, and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing provided for employees. The contractor shall provide separate or single-user restrooms and necessary dressing or sleeping areas to assure privacy between sexes.

### IV. DAVIS-BACON AND RELATED ACT PROVISIONS

This section is applicable to all Federal-aid construction projects exceeding \$2,000 and to all related subcontracts and lower-tier subcontracts (regardless of subcontract size). The requirements apply to all projects located within the right-of-way of a roadway that is functionally classified as Federal-aid highway. This excludes roadways functionally classified as local roads or rural minor collectors, which are exempt. Contracting agencies may elect to apply these requirements to other projects.

The following provisions are from the U.S. Department of Labor regulations in 29 CFR 5.5 "Contract provisions and related matters" with minor revisions to conform to the FHWA-1273 format and FHWA program requirements.

#### 1. Minimum wages

a. All laborers and mechanics employed or working upon the site of the work, will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR part 3)), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics.

Contributions made or costs reasonably anticipated for bona fide fringe benefits under section 1(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions

of paragraph 1.d. of this section; also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in 29 CFR 5.5(a)(4). Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein: Provided, That the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classification and wage rates conformed under paragraph 1.b. of this section) and the Davis-Bacon poster (WH-1321) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers.

b. (1) The contracting officer shall require that any class of laborers or mechanics, including helpers, which is not listed in the wage determination and which is to be employed under the contract shall be classified in conformance with the wage determination. The contracting officer shall approve an additional classification and wage rate and fringe benefits therefore only when the following criteria have been met:

(i) The work to be performed by the classification requested is not performed by a classification in the wage determination; and

(ii) The classification is utilized in the area by the construction industry; and

(iii) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.

(2) If the contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and the contracting officer agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken shall be sent by the contracting officer to the Administrator of the Wage and Hour Division, Employment Standards Administration, U.S. Department of Labor, Washington, DC 20210. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.

(3) In the event the contractor, the laborers or mechanics to be employed in the classification or their representatives, and the contracting officer do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), the contracting officer shall refer the questions, including the views of all interested parties and the recommendation of the contracting officer, to the Wage and Hour Administrator for determination. The Wage and Hour Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advise the contracting officer or

will notify the contracting officer within the 30-day period that additional time is necessary.

(4) The wage rate (including fringe benefits where appropriate) determined pursuant to paragraphs 1.b.(2) or 1.b.(3) of this section, shall be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.

c. Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly cash equivalent thereof.

d. If the contractor does not make payments to a trustee or other third person, the contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program. Provided, That the Secretary of Labor has found, upon the written request of the contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.

## **2. Withholding**

The contracting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor, withhold or cause to be withheld from the contractor under this contract, or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime contractor, so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees, and helpers, employed by the contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee, or helper, employed or working on the site of the work, all or part of the wages required by the contract, the contracting agency may, after written notice to the contractor, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

## **3. Payrolls and basic records**

a. Payrolls and basic records relating thereto shall be maintained by the contractor during the course of the work and preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work. Such records shall contain the name, address, and social security number of each such worker, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in section 1(b)(2)(B) of the Davis-Bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR 5.5(a)(1)(iv) that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in section 1(b)(2)(B) of the Davis-

Bacon Act, the contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits. Contractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs.

b. (1) The contractor shall submit weekly for each week in which any contract work is performed a copy of all payrolls to the contracting agency. The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR 5.5(a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead the payrolls shall only need to include an individually identifying number for each employee (e.g., the last four digits of the employee's social security number). The required weekly payroll information may be submitted in any form desired. Optional Form WH-347 is available for this purpose from the Wage and Hour Division Web site at <http://www.dol.gov/esa/whd/forms/wh347instr.htm> or its successor site. The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request to the contracting agency for transmission to the State DOT, the FHWA or the Wage and Hour Division of the Department of Labor for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of this section for a prime contractor to require a subcontractor to provide addresses and social security numbers to the prime contractor for its own records, without weekly submission to the contracting agency..

(2) Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the contractor or subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:

(i) That the payroll for the payroll period contains the information required to be provided under §5.5 (a)(3)(ii) of Regulations, 29 CFR part 5, the appropriate information is being maintained under §5.5 (a)(3)(i) of Regulations, 29 CFR part 5, and that such information is correct and complete;

(ii) That each laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in Regulations, 29 CFR part 3;

(iii) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed, as specified in the applicable wage determination incorporated into the contract.

(3) The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH-347 shall satisfy the requirement for submission of the "Statement of Compliance" required by paragraph 3.b.(2) of this section.

(4) The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under section 1001 of title 18 and section 231 of title 31 of the United States Code.

c. The contractor or subcontractor shall make the records required under paragraph 3.a. of this section available for inspection, copying, or transcription by authorized representatives of the contracting agency, the State DOT, the FHWA, or the Department of Labor, and shall permit such representatives to interview employees during working hours on the job. If the contractor or subcontractor fails to submit the required records or to make them available, the FHWA may, after written notice to the contractor, the contracting agency or the State DOT, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.

#### **4. Apprentices and trainees**

##### **a. Apprentices (programs of the USDOL).**

Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Office of Apprenticeship Training, Employer and Labor Services, or with a State Apprenticeship Agency recognized by the Office, or if a person is employed in his or her first 90 days of probationary employment as an apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Office of Apprenticeship Training, Employer and Labor Services or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice.

The allowable ratio of apprentices to journeymen on the job site in any craft classification shall not be greater than the ratio permitted to the contractor as to the entire work force under the registered program. Any worker listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. Where a contractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman's hourly rate) specified in the contractor's or subcontractor's registered program shall be observed.

Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymen hourly

rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination.

In the event the Office of Apprenticeship Training, Employer and Labor Services, or a State Apprenticeship Agency recognized by the Office, withdraws approval of an apprenticeship program, the contractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

##### **b. Trainees (programs of the USDOL).**

Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the U.S. Department of Labor, Employment and Training Administration.

The ratio of trainees to journeymen on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration.

Every trainee must be paid at not less than the rate specified in the approved program for the trainee's level of progress, expressed as a percentage of the journeyman hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits listed on the wage determination unless the Administrator of the Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman wage rate on the wage determination which provides for less than full fringe benefits for apprentices. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any trainee performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed.

In the event the Employment and Training Administration withdraws approval of a training program, the contractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

c. Equal employment opportunity. The utilization of apprentices, trainees and journeymen under this part shall be in conformity with the equal employment opportunity requirements of Executive Order 11246, as amended, and 29 CFR part 30.



d. Apprentices and Trainees (programs of the U.S. DOT).

Apprentices and trainees working under apprenticeship and skill training programs which have been certified by the Secretary of Transportation as promoting EEO in connection with Federal-aid highway construction programs are not subject to the requirements of paragraph 4 of this Section IV. The straight time hourly wage rates for apprentices and trainees under such programs will be established by the particular programs. The ratio of apprentices and trainees to journeymen shall not be greater than permitted by the terms of the particular program.

**5. Compliance with Copeland Act requirements.** The contractor shall comply with the requirements of 29 CFR part 3, which are incorporated by reference in this contract.

**6. Subcontracts.** The contractor or subcontractor shall insert Form FHWA-1273 in any subcontracts and also require the subcontractors to include Form FHWA-1273 in any lower tier subcontracts. The prime contractor shall be responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in 29 CFR 5.5.

**7. Contract termination: debarment.** A breach of the contract clauses in 29 CFR 5.5 may be grounds for termination of the contract, and for debarment as a contractor and a subcontractor as provided in 29 CFR 5.12.

**8. Compliance with Davis-Bacon and Related Act requirements.** All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR parts 1, 3, and 5 are herein incorporated by reference in this contract.

**9. Disputes concerning labor standards.** Disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 CFR parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and the contracting agency, the U.S. Department of Labor, or the employees or their representatives.

**10. Certification of eligibility.**

a. By entering into this contract, the contractor certifies that neither it (nor he or she) nor any person or firm who has an interest in the contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).

b. No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).

c. The penalty for making false statements is prescribed in the U.S. Criminal Code, 18 U.S.C. 1001.

**V. CONTRACT WORK HOURS AND SAFETY STANDARDS ACT**

The following clauses apply to any Federal-aid construction contract in an amount in excess of \$100,000 and subject to the overtime provisions of the Contract Work Hours and Safety Standards Act. These clauses shall be inserted in addition to the clauses required by 29 CFR 5.5(a) or 29 CFR 4.6. As used in this paragraph, the terms laborers and mechanics include watchmen and guards.

**1. Overtime requirements.** No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek.

**2. Violation; liability for unpaid wages; liquidated damages.** In the event of any violation of the clause set forth in paragraph (1.) of this section, the contractor and any subcontractor responsible therefor shall be liable for the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in paragraph (1.) of this section, in the sum of \$10 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph (1.) of this section.

**3. Withholding for unpaid wages and liquidated damages.** The FHWA or the contracting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph (2.) of this section.

**4. Subcontracts.** The contractor or subcontractor shall insert in any subcontracts the clauses set forth in paragraph (1.) through (4.) of this section and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in paragraphs (1.) through (4.) of this section.

## VI. SUBLETTING OR ASSIGNING THE CONTRACT

This provision is applicable to all Federal-aid construction contracts on the National Highway System.

1. The contractor shall perform with its own organization contract work amounting to not less than 30 percent (or a greater percentage if specified elsewhere in the contract) of the total original contract price, excluding any specialty items designated by the contracting agency. Specialty items may be performed by subcontract and the amount of any such specialty items performed may be deducted from the total original contract price before computing the amount of work required to be performed by the contractor's own organization (23 CFR 635.116).

a. The term "perform work with its own organization" refers to workers employed or leased by the prime contractor, and equipment owned or rented by the prime contractor, with or without operators. Such term does not include employees or equipment of a subcontractor or lower tier subcontractor, agents of the prime contractor, or any other assignees. The term may include payments for the costs of hiring leased employees from an employee leasing firm meeting all relevant Federal and State regulatory requirements. Leased employees may only be included in this term if the prime contractor meets all of the following conditions:

(1) the prime contractor maintains control over the supervision of the day-to-day activities of the leased employees;

(2) the prime contractor remains responsible for the quality of the work of the leased employees;

(3) the prime contractor retains all power to accept or exclude individual employees from work on the project; and

(4) the prime contractor remains ultimately responsible for the payment of predetermined minimum wages, the submission of payrolls, statements of compliance and all other Federal regulatory requirements.

b. "Specialty Items" shall be construed to be limited to work that requires highly specialized knowledge, abilities, or equipment not ordinarily available in the type of contracting organizations qualified and expected to bid or propose on the contract as a whole and in general are to be limited to minor components of the overall contract.

2. The contract amount upon which the requirements set forth in paragraph (1) of Section VI is computed includes the cost of material and manufactured products which are to be purchased or produced by the contractor under the contract provisions.

3. The contractor shall furnish (a) a competent superintendent or supervisor who is employed by the firm, has full authority to direct performance of the work in accordance with the contract requirements, and is in charge of all construction operations (regardless of who performs the work) and (b) such other of its own organizational resources (supervision, management, and engineering services) as the contracting officer determines is necessary to assure the performance of the contract.

4. No portion of the contract shall be sublet, assigned or otherwise disposed of except with the written consent of the contracting officer, or authorized representative, and such consent when given shall not be construed to relieve the contractor of any responsibility for the fulfillment of the contract. Written consent will be given only after the contracting agency has assured that each subcontract is

evidenced in writing and that it contains all pertinent provisions and requirements of the prime contract.

5. The 30% self-performance requirement of paragraph (1) is not applicable to design-build contracts; however, contracting agencies may establish their own self-performance requirements.

## VII. SAFETY: ACCIDENT PREVENTION

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

1. In the performance of this contract the contractor shall comply with all applicable Federal, State, and local laws governing safety, health, and sanitation (23 CFR 635). The contractor shall provide all safeguards, safety devices and protective equipment and take any other needed actions as it determines, or as the contracting officer may determine, to be reasonably necessary to protect the life and health of employees on the job and the safety of the public and to protect property in connection with the performance of the work covered by the contract.

2. It is a condition of this contract, and shall be made a condition of each subcontract, which the contractor enters into pursuant to this contract, that the contractor and any subcontractor shall not permit any employee, in performance of the contract, to work in surroundings or under conditions which are unsanitary, hazardous or dangerous to his/her health or safety, as determined under construction safety and health standards (29 CFR 1926) promulgated by the Secretary of Labor, in accordance with Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 3704).

3. Pursuant to 29 CFR 1926.3, it is a condition of this contract that the Secretary of Labor or authorized representative thereof, shall have right of entry to any site of contract performance to inspect or investigate the matter of compliance with the construction safety and health standards and to carry out the duties of the Secretary under Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C.3704).

## VIII. FALSE STATEMENTS CONCERNING HIGHWAY PROJECTS

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

In order to assure high quality and durable construction in conformity with approved plans and specifications and a high degree of reliability on statements and representations made by engineers, contractors, suppliers, and workers on Federal-aid highway projects, it is essential that all persons concerned with the project perform their functions as carefully, thoroughly, and honestly as possible. Willful falsification, distortion, or misrepresentation with respect to any facts related to the project is a violation of Federal law. To prevent any misunderstanding regarding the seriousness of these and similar acts, Form FHWA-1022 shall be posted on each Federal-aid highway project (23 CFR 635) in one or more places where it is readily available to all persons concerned with the project:

18 U.S.C. 1020 reads as follows:

"Whoever, being an officer, agent, or employee of the United States, or of any State or Territory, or whoever, whether a person, association, firm, or corporation, knowingly makes any false statement, false representation, or false report as to the character, quality, quantity, or cost of the material used or to be used, or the quantity or quality of the work performed or to be performed, or the cost thereof in connection with the submission of plans, maps, specifications, contracts, or costs of construction on any highway or related project submitted for approval to the Secretary of Transportation; or

Whoever knowingly makes any false statement, false representation, false report or false claim with respect to the character, quality, quantity, or cost of any work performed or to be performed, or materials furnished or to be furnished, in connection with the construction of any highway or related project approved by the Secretary of Transportation; or

Whoever knowingly makes any false statement or false representation as to material fact in any statement, certificate, or report submitted pursuant to provisions of the Federal-aid Roads Act approved July 1, 1916, (39 Stat. 355), as amended and supplemented;

Shall be fined under this title or imprisoned not more than 5 years or both."

## **IX. IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT**

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

By submission of this bid/proposal or the execution of this contract, or subcontract, as appropriate, the bidder, proposer, Federal-aid construction contractor, or subcontractor, as appropriate, will be deemed to have stipulated as follows:

1. That any person who is or will be utilized in the performance of this contract is not prohibited from receiving an award due to a violation of Section 508 of the Clean Water Act or Section 306 of the Clean Air Act.

2. That the contractor agrees to include or cause to be included the requirements of paragraph (1) of this Section X in every subcontract, and further agrees to take such action as the contracting agency may direct as a means of enforcing such requirements.

## **X. CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION**

This provision is applicable to all Federal-aid construction contracts, design-build contracts, subcontracts, lower-tier subcontracts, purchase orders, lease agreements, consultant contracts or any other covered transaction requiring FHWA approval or that is estimated to cost \$25,000 or more – as defined in 2 CFR Parts 180 and 1200.

### **1. Instructions for Certification – First Tier Participants:**

a. By signing and submitting this proposal, the prospective first tier participant is providing the certification set out below.

b. The inability of a person to provide the certification set out below will not necessarily result in denial of participation in this

covered transaction. The prospective first tier participant shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective first tier participant to furnish a certification or an explanation shall disqualify such a person from participation in this transaction.

c. The certification in this clause is a material representation of fact upon which reliance was placed when the contracting agency determined to enter into this transaction. If it is later determined that the prospective participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the contracting agency may terminate this transaction for cause of default.

d. The prospective first tier participant shall provide immediate written notice to the contracting agency to whom this proposal is submitted if any time the prospective first tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.

e. The terms "covered transaction," "debarred," "suspended," "ineligible," "participant," "person," "principal," and "voluntarily excluded," as used in this clause, are defined in 2 CFR Parts 180 and 1200. "First Tier Covered Transactions" refers to any covered transaction between a grantee or subgrantee of Federal funds and a participant (such as the prime or general contract). "Lower Tier Covered Transactions" refers to any covered transaction under a First Tier Covered Transaction (such as subcontracts). "First Tier Participant" refers to the participant who has entered into a covered transaction with a grantee or subgrantee of Federal funds (such as the prime or general contractor). "Lower Tier Participant" refers any participant who has entered into a covered transaction with a First Tier Participant or other Lower Tier Participants (such as subcontractors and suppliers).

f. The prospective first tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction.

g. The prospective first tier participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transactions," provided by the department or contracting agency, entering into this covered transaction, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold.

h. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the Excluded Parties List System website (<https://www.epls.gov/>), which is compiled by the General Services Administration.

i. Nothing contained in the foregoing shall be construed to require the establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of the prospective participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

j. Except for transactions authorized under paragraph (f) of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.

\* \* \* \* \*

## **2. Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion – First Tier Participants:**

a. The prospective first tier participant certifies to the best of its knowledge and belief, that it and its principals:

(1) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency;

(2) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;

(3) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (a)(2) of this certification; and

(4) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.

b. Where the prospective participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

## **2. Instructions for Certification - Lower Tier Participants:**

(Applicable to all subcontracts, purchase orders and other lower tier transactions requiring prior FHWA approval or estimated to cost \$25,000 or more - 2 CFR Parts 180 and 1200)

a. By signing and submitting this proposal, the prospective lower tier is providing the certification set out below.

b. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department, or agency with which

this transaction originated may pursue available remedies, including suspension and/or debarment.

c. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous by reason of changed circumstances.

d. The terms "covered transaction," "debarred," "suspended," "ineligible," "participant," "person," "principal," and "voluntarily excluded," as used in this clause, are defined in 2 CFR Parts 180 and 1200. You may contact the person to which this proposal is submitted for assistance in obtaining a copy of those regulations. "First Tier Covered Transactions" refers to any covered transaction between a grantee or subgrantee of Federal funds and a participant (such as the prime or general contract). "Lower Tier Covered Transactions" refers to any covered transaction under a First Tier Covered Transaction (such as subcontracts). "First Tier Participant" refers to the participant who has entered into a covered transaction with a grantee or subgrantee of Federal funds (such as the prime or general contractor). "Lower Tier Participant" refers any participant who has entered into a covered transaction with a First Tier Participant or other Lower Tier Participants (such as subcontractors and suppliers).

e. The prospective lower tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.

f. The prospective lower tier participant further agrees by submitting this proposal that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold.

g. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the Excluded Parties List System website (<https://www.epls.gov/>), which is compiled by the General Services Administration.

h. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

i. Except for transactions authorized under paragraph e of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the

department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

\* \* \* \* \*

**Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion--Lower Tier Participants:**

1. The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency.

2. Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

\* \* \* \* \*

**XI. CERTIFICATION REGARDING USE OF CONTRACT FUNDS FOR LOBBYING**

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts which exceed \$100,000 (49 CFR 20).

1. The prospective participant certifies, by signing and submitting this bid or proposal, to the best of his or her knowledge and belief, that:

a. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.

b. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.

2. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by 31 U.S.C. 1352. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

3. The prospective participant also agrees by submitting its bid or proposal that the participant shall require that the language of this certification be included in all lower tier subcontracts, which exceed \$100,000 and that all such recipients shall certify and disclose accordingly.

**ATTACHMENT A - EMPLOYMENT AND MATERIALS  
PREFERENCE FOR APPALACHIAN DEVELOPMENT  
HIGHWAY SYSTEM OR APPALACHIAN LOCAL ACCESS  
ROAD CONTRACTS**

This provision is applicable to all Federal-aid projects funded under the Appalachian Regional Development Act of 1965.

1. During the performance of this contract, the contractor undertaking to do work which is, or reasonably may be, done as on-site work, shall give preference to qualified persons who regularly reside in the labor area as designated by the DOL wherein the contract work is situated, or the subregion, or the Appalachian counties of the State wherein the contract work is situated, except:

a. To the extent that qualified persons regularly residing in the area are not available.

b. For the reasonable needs of the contractor to employ supervisory or specially experienced personnel necessary to assure an efficient execution of the contract work.

c. For the obligation of the contractor to offer employment to present or former employees as the result of a lawful collective bargaining contract, provided that the number of nonresident persons employed under this subparagraph (1c) shall not exceed 20 percent of the total number of employees employed by the contractor on the contract work, except as provided in subparagraph (4) below.

2. The contractor shall place a job order with the State Employment Service indicating (a) the classifications of the laborers, mechanics and other employees required to perform the contract work, (b) the number of employees required in each classification, (c) the date on which the participant estimates such employees will be required, and (d) any other pertinent information required by the State Employment Service to complete the job order form. The job order may be placed with the State Employment Service in writing or by telephone. If during the course of the contract work, the information submitted by the contractor in the original job order is substantially modified, the participant shall promptly notify the State Employment Service.

3. The contractor shall give full consideration to all qualified job applicants referred to him by the State Employment Service. The contractor is not required to grant employment to any job applicants who, in his opinion, are not qualified to perform the classification of work required.

4. If, within one week following the placing of a job order by the contractor with the State Employment Service, the State Employment Service is unable to refer any qualified job applicants to the contractor, or less than the number requested, the State Employment Service will forward a certificate to the contractor indicating the unavailability of applicants. Such certificate shall be made a part of the contractor's permanent project records. Upon receipt of this certificate, the contractor may employ persons who do not normally reside in the labor area to fill positions covered by the certificate, notwithstanding the provisions of subparagraph (1c) above.

5. The provisions of 23 CFR 633.207(e) allow the contracting agency to provide a contractual preference for the use of mineral resource materials native to the Appalachian region.

6. The contractor shall include the provisions of Sections 1 through 4 of this Attachment A in every subcontract for work which is, or reasonably may be, done as on-site work.

**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION  
FOR  
CARGO PREFERENCE ACT**

**JANUARY 20, 2016**

---

In accordance with the Cargo Preference Act of 1954 and 46 CFR 381.7 the following shall apply:

**A. Agreement Clauses - Use of United States-flag vessels:**

1. Pursuant to Pub. L. 664 (43 U.S.C. 1241(b)) at least 50% of any equipment, materials or commodities procured, contracted for or otherwise obtained with funds granted, guaranteed, loaned, or advanced by the U.S. Government under this agreement, and which may be transported by ocean vessel, shall be transported on privately owned United States-flag commercial vessels, if available.
2. Within 20 business days following the date of loading for shipments originating within the United States or within 30 business days following the date of loading for shipments originating outside the United States, a legible copy of a rated, 'on-board' commercial ocean bill-of-lading in English for each shipment of cargo described in paragraph A.1 of this special provision shall be furnished to both the Engineer (through the prime contractor in the case of subcontractor bills-of-lading) and to the Division of National Cargo, Office of Market Development, Maritime Administration, Washington, DC 20590.

**B. Contractor and Subcontractor Clauses - Use of United States-flag vessels, the Contractor agrees:**

1. To utilize privately owned United States-flag commercial vessels to ship at least 50% of the gross tonnage (computed separately for dry bulk carriers, dry cargo liners, and tankers) involved, whenever shipping any equipment, material, or commodities pursuant to this contract, to the extent such vessels are available at fair and reasonable rates for United States-flag commercial vessels.
2. To furnish within 20 business days following the date of loading for shipments originating within the United States or within 30 business days following the date of loading for shipments originating outside the United States. a legible copy of a rated, 'on-board' commercial ocean bill-of-lading in English for each shipment of cargo described in paragraph B.1 of this special provision to both the Department

(through the prime contractor in the case of subcontractor bills-of-lading) and to the Division of National Cargo, Office of Market Development, Maritime Administration, Washington, DC 20590.

3. To insert the substance of the provisions of this clause in all subcontracts issued pursuant to this contract.

\* \* \* \* \*



**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION REGARDING  
MINIMUM WAGE ON FEDERAL-AID PROJECTS**

**OCTOBER 24, 2019**

---

This proposal contains a copy of the most recent United States Department of Labor (USDOL) Davis-Bacon Act Wage Decision.

The Contractor and each related subcontractor will pay their respective employees not less than the USDOL minimum wage for each work classification an employee actually performs at the site of the work.

The Contractor and each related subcontractor must submit weekly, for each week in which any contract work is performed, an electronic certified weekly payroll report. The payroll report must be submitted electronically to the Elation System website. The Elation System website can be accessed by logging onto the State of South Dakota's single sign-on website at <https://mysd.sd.gov/> or can also be accessed at <https://elationsys.com/>. First time users will need to use the Promotion Code SDDOT-19. The payroll report must be submitted within fourteen (14) calendar days after the end of the workweek. The payroll reports submitted shall set out accurately and completely all the information required to be maintained under 29 C.F.R. 5.5(a)(3)(i). Weekly transmittals must include an individually identifying number for each employee, such as the last four digits of the employee's social security number, but these weekly transmittals must not include full social security numbers or home addresses. The Contractor is responsible for the submission of certified payroll reports by all subcontractors.

Each certified weekly payroll report must include the most recent South Dakota Department of Transportation (SDDOT) Statement of Compliance Form, signed by the Contractor or related subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract. The Instructions for the SDDOT Statement of Compliance Form are found at <https://dot.sd.gov/doing-business/contractors/labor-compliance/certified-payrolls-let-after-6/5/19>. The SDDOT will not accept any payroll report which does not include the most recent SDDOT Statement of Compliance Form.

\* \* \* \* \*



**Wage and Hour Division  
U.S. Department of Labor (DOL)  
200 Constitution Avenue, N.W.  
Washington, DC 20210**

**Davis-Bacon Act Wage Decisions**

**State: South Dakota**

**Construction Types: Heavy and Highway**

**Counties: South Dakota Statewide**

**General Decision Number: SD180001 Mod-1 04/06/2018 SD1**

**Agency:** U.S. DOL  
**Wage Decision Number:** SD180001 SD1  
**Counties:** SD Statewide  
**Wage Decision Date:** 04/06/2018 (Mod-1)

**\*SUSD2018-001 03-20-2018**

**LABORERS**

**GROUP GL1**

Air Tool Operator; Common Laborer; Landscape Worker; Flagger; Pilot Car Driver;  
Trucks under 26,000 GVW; Blue-top Checker; Materials Checker

**GROUP GL2**

Mechanic Tender (Helper); Pipe Layer (except culvert); Form Builder Tender;  
Special Surface Finish Applicator; Striping

**GROUP GL3**

Asphalt Plant Tender; Pile Driver Leadsman; Form Setter; Oiler/Greaser

**GROUP GL5**

Carpenter; Form Builder

**GROUP GL6**

Concrete Finisher; Painter; Grade Checker

**POWER EQUIPMENT OPERATORS**

**GROUP G01**

Concrete Paving Cure Machine; Concrete Paving Joint Sealer; Conveyor; Tractor (farm type with  
attachments); Self Propelled Broom; Concrete Routing Machine; Paver Feeder; Pugmill; Skid Steer

**GROUP G02**

Bull Dozer 80 HP or less; Front End Loader 1.25 CY or less; Self-Propelled Roller (except Hot Mix);  
Sheepsfoot/50Ton Pneumatic Roller; Pneumatic Tired Tractor or Crawler (includes Water Wagon and  
Power Spray units); Wagon Drill; Air Trac; Truck Type Auger; Concrete Paving Saw

**GROUP G03**

Asphalt Distributor; Bull Dozer over 80 HP; Concrete Paving Finishing Machine; Backhoes/ Excavators  
20 tons or less; Crusher (may include internal screening plant); Front End Loader over 1.25 CY;  
Rough Motor Grader; Self Propelled Hot Mix Roller; Push Tractor; Euclid or Dumpster; Material Spreader;  
Rumble Strip Machine

**GROUP G04**

Asphalt Paving Machine Screed; Asphalt Paving Machine; Cranes/Derricks/Draglines/Pile Drivers/Shovels  
30 to 50 tons; Backhoes/Excavators 21 to 40 tons; Maintenance Mechanic; Scrapers; Concrete Pump Truck

**GROUP G05**

Asphalt Plant; Concrete Batch Plant; Backhoes/Excavators over 40 Tons; Cranes/ Derricks/Draglines/Pile  
Drivers/Shovels over 50 tons; Heavy Duty Mechanic; Finish Motor Grader; Automatic Fine Grader;  
Milling Machine; Bridge Welder

**TRUCK DRIVERS**

**GROUP GT1**

Tandem Truck without trailer or pup; Single Axle Truck over 26,000 GVW with Trailer

**GROUP GT2**

Semi-Tractor and Trailer; Tandem Truck with Pup

**ELECTRICIANS**

**GROUP E01**

Electrician

<u>Rates</u>	<u>Fringes</u>
18.86	0.00
17.51	0.00
18.95	0.00
27.96	0.00
21.41	0.00
20.62	0.00
20.66	0.00
22.02	0.00
23.79	0.00
24.77	0.00
21.46	0.00
21.66	4.22
26.42	3.85

**WELDERS – Receive rate prescribed for craft performing operation to which welding is incidental.**

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor contract clauses (29 CFR 5.5(a)(1)(ii)). Contractors are responsible for requesting SDDOT to secure necessary additional work classifications and rates.

\*Classifications listed under an "SU" identifier were derived from survey data and the published rate is the weighted average rate based on all rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Survey wage rates are not updated and will remain in effect until a new survey is conducted.

**A COPY OF THIS DOCUMENT, COLORED PURPLE, MUST BE CONSPICUOUSLY POSTED AT THE PROJECT SITE**

**Wage and Hour Division  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210**

**Davis-Bacon Act Wage Decisions****State: South Dakota****Construction Types: Heavy and Highway****Counties: South Dakota Statewide****General Decision Number: SD180001 Mod-1 04/06/2018 SD1**

=====

In the listing above, the "SU" identifier indicates the rates were derived from survey data. As these weighted average rates include all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of the survey on which these classifications and rates are based. The next number, 007 in this example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

For SDDOT Defined Work Classifications, please visit: <https://dot.sd.gov/doing-business/contractors/labor-compliance/defined-work-classifications-wage-requirements>

-----

**WAGE DETERMINATION APPEALS PROCESS**

1.) Has there been an initial decision in the matter? This can be:

- an existing published wage determination
- a survey underlying a wage determination
- a Wage and Hour Division letter setting forth a position on a wage determination matter
- a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations  
Wage and Hour Division  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

**END OF GENERAL DECISION**

**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION  
FOR  
SUPPLEMENTAL SPECIFICATIONS TO  
2015 STANDARD SPECIFICATIONS FOR ROADS AND BRIDGES**

**NOVEMBER 20, 2019**

---

The Supplemental Specifications dated November 20, 2019 are in effect for and made a part of this contract.

The Supplemental Specifications may be obtained from the Department website or the local Area Office or by contacting the Operations Support Office.

Department Website:

<https://dot.sd.gov/doing-business/contractors/standard-specifications/2015-standard-specifications>

Operations Support:

605-773-3571

\* \* \* \* \*



**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION  
FOR  
SUPPLEMENTAL SPECIFICATIONS FOR  
ERRATA  
TO 2015 STANDARD SPECIFICATIONS FOR ROADS AND BRIDGES**

**NOVEMBER 20, 2019**

---

The Supplemental Specifications for Errata dated November 20, 2019 are in effect for and made a part of this contract.

The Supplemental Specifications for Errata may be obtained from the Department website or the local Area Office or by contacting the Operations Support Office.

Department Website:

<https://dot.sd.gov/doing-business/contractors/standard-specifications/2015-standard-specifications>

Operations Support:

605-773-3571

\* \* \* \* \*





**STATE OF SOUTH DAKOTA  
DEPARTMENT OF TRANSPORTATION**

**SPECIAL PROVISION  
FOR  
PRICE SCHEDULE FOR MISCELLANEOUS ITEMS**

**OCTOBER 7, 2020**

---

The following unit bid prices have been established by the South Dakota Department of Transportation Commission.

These prices will be pre-entered in the bidding package for each project or will establish a standard price to be used whenever no project contract unit price exists for that item.

Each unit price listed is considered full compensation for the cost of labor, material, and equipment to provide the item of work and/or material, complete in place, including (but not limited to) royalty, waste of unsuitable materials, equipment rental, overhead, profit, and incidentals.

Items specified in this document may be paid for on progressive estimates without the benefit of a prior approved Construction Change Order.

<b>Specification Section Number</b>	<b>Specification Section Name</b>	<b>Item Name</b>	<b>Price per Item</b>
5.8	Construction Stakes, Lines, and Grades	Engineer Directed Surveying/Staking	\$150.00/hour
7.7	Public Convenience and Safety	Water for Dust Control	\$25.00/M.Gal
9.3	Payment for extra haul of Materials	Extra Haul	\$0.20/ton mile (Truck) or \$0.08/ cubic yard station (Scraper)
120.5 A.5.	Roadway and Drainage Exc. & Emb.	Unclassified Excavation, Digouts	\$11.00/cu.yd.
120.5 H.	Roadway and Drainage Exc. & Emb.	Extra Haul	\$0.20 /ton mile (Truck) or \$0.08 /cubic yard station (Scraper)
120.5 I.	Roadway and Drainage Exc. & Emb.	Water for Embankment	\$25.00/M.Gal
421.5	Undercutting Pipe & Plate Pipe	Undercutting Culverts	\$15.00/cu.yd.

510.5 D.	Timber, Prestressed, and Steel Piles	Timber Pile Splice	\$750.00/each
		Steel Pile Splices (*All Weights)	Splice made before either of the pieces has been driven.
		8 HP*	\$150.00/each
		10 HP*	\$175.00/each
		12 HP*	\$200.00/each
		14 HP*	\$225.00/each
		Steel Pile Splices (*All Weights)	Splice made after one of the pieces has been driven.
		8 HP*	\$325.00/each
		10 HP*	\$425.00/each
		12 HP*	\$525.00/each
		14 HP*	\$600.00/each
510.5 E.	Timber, Prestressed, and Steel Piles	Pile Shoes (Timber Pile)	\$150.00/each
510.5 H.	Timber, Prestressed, and Steel Piles	Pile Tip Reinforcement (Steel Pile)	
		10" HP Tip Reinforced	\$160.00/each
		12" HP Tip Reinforced	\$185.00/each
		14" HP Tip Reinforced	\$225.00/each
601.5	Haul Roads	Granular Material	\$20.00/ton
601.5	Haul Roads	Asphalt Concrete (including asphalt)	\$120.00/ton
601.5	Haul Roads	Cover Aggregate	\$45.00/ton
601.5	Haul Roads	Asphalt for Prime	\$925.00/ton
601.5	Haul Roads	Asphalt (Tack, Flush & Surface Treatment)	\$600.00/ton
601.5	Haul Roads	Water	\$25.00/M.Gal
601.5	Haul Roads	Dust Control Chlorides	\$0.45/lb
634.5	Temporary Traffic Control	Flagging	\$30.37/hour
634.5	Temporary Traffic Control	Pilot Car	\$43.87/hour

\* \* \* \* \*



